


4.9.2.102 11N20_44 _MIMO _Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6933.9967	54.36	12.53	74.00	19.64	150	75	Vertical
2	6979.5990	45.22	12.69	54.00	8.78	150	359	Vertical
3	10440.000	38.39	-4.92	54.00	15.61	150	342	Vertical
4	10440.000	50.05	-4.92	74.00	23.95	150	2	Vertical
5	15660.000	48.47	-3.54	74.00	25.53	150	170	Vertical
6	15660.000	37.68	-3.54	54.00	16.32	150	2	Vertical
7	17531.926	45.65	0.76	54.00	8.35	150	227	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.9.2.103 11N20_48_MIMO_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6761.1881	54.24	11.88	74.00	19.76	150	163	Vertical
2	6871.8936	45.62	12.29	54.00	8.38	150	359	Vertical
3	10480.000	39.43	-4.49	54.00	14.57	150	171	Vertical
4	10480.000	50.36	-4.49	74.00	23.64	150	285	Vertical
5	15720.000	49.90	-2.65	74.00	24.10	150	342	Vertical
6	15720.000	39.42	-2.65	54.00	14.58	150	142	Vertical
7	17540.727	45.67	0.87	54.00	8.33	150	84	Vertical



4.9.2.104 11N20_52 _MIMO _Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6885.9943	55.16	12.35	74.00	18.84	150	220	Vertical
2	6934.2967	44.93	12.53	54.00	9.07	150	191	Vertical
3	10520.000	38.88	-4.37	54.00	15.12	150	170	Vertical
4	10520.000	50.23	-4.37	74.00	23.77	150	285	Vertical
5	15780.000	51.37	-2.36	74.00	22.63	150	2	Vertical
6	15780.000	39.41	-2.36	54.00	14.59	150	342	Vertical
7	17997.799	45.69	-0.37	54.00	8.31	150	285	Vertical




4.9.2.105 11N20_60 _MIMO _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6857.7929	53.51	12.24	74.00	20.49	150	105	Vertical
2	6883.8942	45.12	12.34	54.00	8.88	150	336	Vertical
3	10600.000	39.22	-4.75	54.00	14.78	150	285	Vertical
4	10600.000	49.83	-4.75	74.00	24.17	150	227	Vertical
5	15900.000	48.83	-3.75	74.00	25.17	150	285	Vertical
6	15900.000	38.06	-3.75	54.00	15.94	150	142	Vertical
7	17521.476	45.50	0.62	54.00	8.50	150	2	Vertical




4.9.2.106 11N20_64 _MIMO _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6882.0941	44.84	12.33	54.00	9.16	150	76	Vertical
2	6987.6994	54.98	12.72	74.00	19.02	150	104	Vertical
3	10640.000	38.98	-4.69	54.00	15.02	150	171	Vertical
4	10640.000	50.17	-4.69	74.00	23.83	150	56	Vertical
5	15960.000	48.73	-3.70	74.00	25.27	150	285	Vertical
6	15960.000	38.21	-3.70	54.00	15.79	150	56	Vertical
7	17521.476	45.50	0.62	54.00	8.50	150	2	Vertical




4.9.2.107 11N20_100 _MIMO _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6890.7945	54.12	12.37	74.00	19.88	150	307	Vertical
2	6938.4969	44.70	12.54	54.00	9.30	150	250	Vertical
3	11000.000	38.27	-4.28	54.00	15.73	150	342	Vertical
4	11000.000	49.36	-4.28	74.00	24.64	150	199	Vertical
5	16500.000	51.00	-3.62	74.00	23.00	150	55	Vertical
6	16500.000	39.37	-3.62	54.00	14.63	150	141	Vertical
7	17530.826	45.59	0.74	54.00	8.41	150	2	Vertical




4.9.2.108 11N20_116 _MIMO _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6921.0961	54.48	12.48	74.00	19.52	150	249	Vertical
2	6933.0967	44.76	12.52	54.00	9.24	150	191	Vertical
3	11160.000	39.84	-3.43	54.00	14.16	150	112	Vertical
4	11160.000	51.08	-3.43	74.00	22.92	150	54	Vertical
5	16740.000	52.11	-3.33	74.00	21.89	150	54	Vertical
6	16740.000	39.68	-3.33	54.00	14.32	150	141	Vertical
7	17529.726	45.82	0.73	54.00	8.18	150	257	Vertical




4.9.2.109 11N20_140_MIMO_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6836.7918	53.99	12.16	74.00	20.01	150	76	Vertical
2	6905.4953	45.39	12.42	54.00	8.61	150	249	Vertical
3	11400.000	37.87	-4.42	54.00	16.13	150	342	Vertical
4	11400.000	49.47	-4.42	74.00	24.53	150	304	Vertical
5	17100.000	53.00	-3.09	74.00	21.00	150	76	Vertical
6	17100.000	41.52	-3.09	54.00	12.48	150	18	Vertical
7	17557.777	45.67	1.09	54.00	8.33	150	47	Vertical




4.9.2.110 11N20_149_MIMO_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6900.6950	53.93	12.40	74.00	20.07	150	336	Vertical
2	6965.4983	44.84	12.64	54.00	9.16	150	134	Vertical
3	11490.000	36.15	-5.65	54.00	17.85	150	113	Vertical
4	11490.000	46.93	-5.65	74.00	27.07	150	285	Vertical
5	17235.000	55.33	-1.47	74.00	18.67	150	113	Vertical
6	17235.000	43.80	-1.47	54.00	10.20	150	113	Vertical
7	17800.340	45.80	-0.77	54.00	8.20	150	113	Vertical




4.9.2.111 11N20_157_MIMO_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6951.9976	44.86	12.59	54.00	9.14	150	220	Vertical
2	6983.1992	54.64	12.71	74.00	19.36	150	134	Vertical
3	11570.000	37.74	-3.87	54.00	16.26	150	139	Vertical
4	11570.000	49.57	-3.87	74.00	24.43	150	53	Vertical
5	17355.000	54.85	-1.07	74.00	19.15	150	139	Vertical
6	17355.000	43.21	-1.07	54.00	10.79	150	110	Vertical
7	17533.026	45.91	0.77	54.00	8.09	150	342	Vertical




4.9.2.112 11N20_165 _MIMO _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6891.6946	44.80	12.37	54.00	9.20	150	191	Vertical
2	6972.3986	54.64	12.67	74.00	19.36	150	162	Vertical
3	11650.000	38.64	-3.16	54.00	15.36	150	342	Vertical
4	11650.000	50.60	-3.16	74.00	23.40	150	198	Vertical
5	17475.000	54.48	0.02	74.00	19.52	150	141	Vertical
6	17475.000	43.62	0.02	54.00	10.38	150	2	Vertical
7	17803.640	45.66	-0.78	54.00	8.34	150	112	Vertical




4.9.2.113 11N20_36 _MIMO _Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6870.9936	44.68	12.29	54.00	9.32	150	227	Horizontal
2	6981.0991	54.16	12.70	74.00	19.84	150	169	Horizontal
3	10360.000	37.67	-5.35	54.00	16.33	150	334	Horizontal
4	10360.000	49.01	-5.35	74.00	24.99	150	47	Horizontal
5	15540.000	48.87	-3.26	74.00	25.13	150	76	Horizontal
6	15540.000	37.48	-3.26	54.00	16.52	150	334	Horizontal
7	17528.626	45.62	0.72	54.00	8.38	150	47	Horizontal



4.9.2.114 11N20_44 _MIMO _Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6898.5949	54.01	12.39	74.00	19.99	150	24	Horizontal
2	6918.0959	45.26	12.47	54.00	8.74	150	198	Horizontal
3	10440.000	38.46	-4.92	54.00	15.54	150	251	Horizontal
4	10440.000	49.66	-4.92	74.00	24.34	150	308	Horizontal
5	15660.000	49.27	-3.54	74.00	24.73	150	136	Horizontal
6	15660.000	38.22	-3.54	54.00	15.78	150	105	Horizontal
7	17535.226	45.87	0.80	54.00	8.13	150	359	Horizontal




4.9.2.115 11N20_48_MIMO_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6939.9970	54.06	12.55	74.00	19.94	150	313	Horizontal
2	6975.6988	44.71	12.68	54.00	9.29	150	226	Horizontal
3	10480.000	39.01	-4.49	54.00	14.99	150	334	Horizontal
4	10480.000	49.77	-4.49	74.00	24.23	150	358	Horizontal
5	15720.000	50.47	-2.65	74.00	23.53	150	161	Horizontal
6	15720.000	39.54	-2.65	54.00	14.46	150	76	Horizontal
7	17532.476	45.99	0.77	54.00	8.01	150	219	Horizontal




4.9.2.116 11N20_52 _MIMO _Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6916.8958	44.73	12.46	54.00	9.27	150	226	Horizontal
2	6945.9973	54.36	12.57	74.00	19.64	150	313	Horizontal
3	10520.000	39.03	-4.37	54.00	14.97	150	190	Horizontal
4	10520.000	51.06	-4.37	74.00	22.94	150	104	Horizontal
5	15780.000	49.99	-2.36	74.00	24.01	150	104	Horizontal
6	15780.000	39.34	-2.36	54.00	14.66	150	104	Horizontal
7	17531.376	45.58	0.75	54.00	8.42	150	358	Horizontal




4.9.2.117 11N20_60_MIMO_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6892.5946	54.14	12.37	74.00	19.86	150	24	Horizontal
2	6903.6952	44.33	12.41	54.00	9.67	150	111	Horizontal
3	10600.000	39.25	-4.75	54.00	14.75	150	133	Horizontal
4	10600.000	50.12	-4.75	74.00	23.88	150	305	Horizontal
5	15900.000	48.78	-3.75	74.00	25.22	150	358	Horizontal
6	15900.000	37.78	-3.75	54.00	16.22	150	190	Horizontal
7	17818.490	45.77	-0.83	54.00	8.23	150	46	Horizontal




4.9.2.118 11N20_64 _MIMO _Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6926.1963	54.22	12.50	74.00	19.78	150	82	Horizontal
2	6985.2993	45.09	12.72	54.00	8.91	150	342	Horizontal
3	10640.000	39.44	-4.69	54.00	14.56	150	48	Horizontal
4	10640.000	51.24	-4.69	74.00	22.76	150	340	Horizontal
5	15960.000	49.84	-3.70	74.00	24.16	150	138	Horizontal
6	15960.000	38.16	-3.70	54.00	15.84	150	196	Horizontal
7	17534.676	45.86	0.79	54.00	8.14	150	138	Horizontal




4.9.2.119 11N20_100 _MIMO _Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6890.1945	54.15	12.36	74.00	19.85	150	170	Horizontal
2	6980.4990	44.87	12.70	54.00	9.13	150	342	Horizontal
3	11000.000	38.50	-4.28	54.00	15.50	150	18	Horizontal
4	11000.000	49.02	-4.28	74.00	24.98	150	104	Horizontal
5	16500.000	50.70	-3.62	74.00	23.30	150	305	Horizontal
6	16500.000	39.40	-3.62	54.00	14.60	150	104	Horizontal
7	17540.177	45.63	0.86	54.00	8.37	150	47	Horizontal




4.9.2.120 11N20_116 _MIMO _Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6926.4963	53.90	12.50	74.00	20.10	150	109	Horizontal
2	6985.2993	45.30	12.72	54.00	8.70	150	342	Horizontal
3	11160.000	39.83	-3.43	54.00	14.17	150	76	Horizontal
4	11160.000	50.46	-3.43	74.00	23.54	150	220	Horizontal
5	16740.000	51.18	-3.33	74.00	22.82	150	278	Horizontal
6	16740.000	39.98	-3.33	54.00	14.02	150	192	Horizontal
7	17858.642	45.81	-0.97	54.00	8.19	150	104	Horizontal




4.9.2.121 11N20_140 _MIMO _Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6843.6922	44.98	12.19	54.00	9.02	150	53	Horizontal
2	6964.5982	54.28	12.64	74.00	19.72	150	111	Horizontal
3	11400.000	38.57	-4.42	54.00	15.43	150	168	Horizontal
4	11400.000	49.87	-4.42	74.00	24.13	150	360	Horizontal
5	17100.000	53.25	-3.09	74.00	20.75	150	105	Horizontal
6	17100.000	41.66	-3.09	54.00	12.34	150	105	Horizontal
7	17529.176	45.68	0.72	54.00	8.32	150	312	Horizontal



4.9.2.122 11N20_149_MIMO_Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6859.5930	54.14	12.25	74.00	19.86	150	342	Horizontal
2	6966.3983	44.81	12.65	54.00	9.19	150	256	Horizontal
3	11490.000	35.64	-5.65	54.00	18.36	150	18	Horizontal
4	11490.000	46.59	-5.65	74.00	27.41	150	278	Horizontal
5	17235.000	55.36	-1.47	74.00	18.64	150	77	Horizontal
6	17235.000	44.28	-1.47	54.00	9.72	150	133	Horizontal
7	17569.878	45.68	1.24	54.00	8.32	150	48	Horizontal




4.9.2.123 11N20_157_MIMO_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6916.8958	45.16	12.46	54.00	8.84	150	169	Horizontal
2	6930.0965	53.87	12.51	74.00	20.13	150	226	Horizontal
3	11570.000	37.86	-3.87	54.00	16.14	150	18	Horizontal
4	11570.000	48.57	-3.87	74.00	25.43	150	161	Horizontal
5	17355.000	54.84	-1.07	74.00	19.16	150	161	Horizontal
6	17355.000	43.47	-1.07	54.00	10.53	150	307	Horizontal
7	17524.776	45.51	0.67	54.00	8.49	150	190	Horizontal




4.9.2.124 11N20_165_MIMO_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6870.3935	45.14	12.29	54.00	8.86	150	169	Horizontal
2	6996.3998	54.61	12.76	74.00	19.39	150	226	Horizontal
3	11650.000	38.79	-3.16	54.00	15.21	150	76	Horizontal
4	11650.000	50.75	-3.16	74.00	23.25	150	47	Horizontal
5	17475.000	55.38	0.02	74.00	18.62	150	278	Horizontal
6	17475.000	43.64	0.02	54.00	10.36	150	249	Horizontal
7	17537.426	45.59	0.83	54.00	8.41	150	359	Horizontal




4.9.2.125 11N40_38 _MIMO _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6864.6932	54.35	12.27	74.00	19.65	150	104	Vertical
2	6885.9943	45.47	12.35	54.00	8.53	150	249	Vertical
3	10380.000	37.62	-5.36	54.00	16.38	150	284	Vertical
4	10380.000	48.08	-5.36	74.00	25.92	150	170	Vertical
5	15570.000	48.55	-4.02	74.00	25.45	150	112	Vertical
6	15570.000	37.56	-4.02	54.00	16.44	150	2	Vertical
7	17534.126	45.76	0.79	54.00	8.24	150	284	Vertical




4.9.2.126 11N40_46 _MIMO _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6895.5948	45.47	12.38	54.00	8.53	150	334	Vertical
2	6927.3964	54.46	12.50	74.00	19.54	150	334	Vertical
3	10460.000	38.20	-4.70	54.00	15.80	150	113	Vertical
4	10460.000	50.72	-4.70	74.00	23.28	150	256	Vertical
5	15690.000	50.95	-2.93	74.00	23.05	150	113	Vertical
6	15690.000	39.55	-2.93	54.00	14.45	150	342	Vertical
7	17536.326	45.81	0.81	54.00	8.19	150	113	Vertical




4.9.2.127 11N40_54_MIMO_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6816.6908	53.83	12.08	74.00	20.17	150	335	Vertical
2	6893.7947	45.08	12.38	54.00	8.92	150	249	Vertical
3	10540.000	38.87	-4.46	54.00	15.13	150	2	Vertical
4	10540.000	49.63	-4.46	74.00	24.37	150	199	Vertical
5	15810.000	51.15	-2.42	74.00	22.85	150	2	Vertical
6	15810.000	39.27	-2.42	54.00	14.73	150	56	Vertical
7	17530.276	45.65	0.74	54.00	8.35	150	257	Vertical



4.9.2.128 11N40_62_MIMO_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6922.8961	54.70	12.48	74.00	19.30	150	308	Vertical
2	6983.1992	45.16	12.71	54.00	8.84	150	279	Vertical
3	10620.000	38.98	-4.72	54.00	15.02	150	284	Vertical
4	10620.000	50.19	-4.72	74.00	23.81	150	113	Vertical
5	15930.000	49.73	-3.73	74.00	24.27	150	313	Vertical
6	15930.000	38.17	-3.73	54.00	15.83	150	28	Vertical
7	17543.477	45.72	0.91	54.00	8.28	150	28	Vertical



4.9.2.129 11N40_102_MIMO_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6899.4950	53.94	12.40	74.00	20.06	150	220	Vertical
2	6899.4950	44.84	12.40	54.00	9.16	150	134	Vertical
3	11020.000	38.25	-4.09	54.00	15.75	150	170	Vertical
4	11020.000	49.50	-4.09	74.00	24.50	150	313	Vertical
5	16530.000	50.88	-3.84	74.00	23.12	150	199	Vertical
6	16530.000	39.43	-3.84	54.00	14.57	150	256	Vertical
7	17522.576	45.46	0.64	54.00	8.54	150	113	Vertical



4.9.2.130 11N40_110_MIMO_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6924.9963	44.89	12.49	54.00	9.11	150	334	Vertical
2	6982.5991	54.37	12.71	74.00	19.63	150	277	Vertical
3	11100.000	39.62	-3.36	54.00	14.38	150	226	Vertical
4	11100.000	50.49	-3.36	74.00	23.51	150	169	Vertical
5	16650.000	50.11	-4.20	74.00	23.89	150	169	Vertical
6	16650.000	39.47	-4.20	54.00	14.53	150	140	Vertical
7	17531.376	45.67	0.75	54.00	8.33	150	198	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.9.2.131 11N40_134_MIMO_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6862.8931	45.53	12.26	54.00	8.47	150	76	Vertical
2	6980.1990	54.26	12.70	74.00	19.74	150	336	Vertical
3	11340.000	38.95	-4.59	54.00	15.05	150	342	Vertical
4	11340.000	49.53	-4.59	74.00	24.47	150	256	Vertical
5	17010.000	52.17	-3.20	74.00	21.83	150	141	Vertical
6	17010.000	40.64	-3.20	54.00	13.36	150	314	Vertical
7	17524.226	45.59	0.66	54.00	8.41	150	2	Vertical




4.9.2.132 11N40_151_MIMO_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6861.9931	54.64	12.26	74.00	19.36	150	47	Vertical
2	6913.2957	45.04	12.45	54.00	8.96	150	162	Vertical
3	11510.000	36.60	-5.50	54.00	17.40	150	112	Vertical
4	11510.000	46.41	-5.50	74.00	27.59	150	141	Vertical
5	17265.000	55.52	-1.33	74.00	18.48	150	342	Vertical
6	17265.000	43.56	-1.33	54.00	10.44	150	199	Vertical
7	17540.177	45.79	0.86	54.00	8.21	150	170	Vertical




4.9.2.133 11N40_159_MIMO_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6888.6944	54.00	12.36	74.00	20.00	150	105	Vertical
2	6904.5952	44.26	12.42	54.00	9.74	150	359	Vertical
3	11590.000	38.26	-3.32	54.00	15.74	150	1	Vertical
4	11590.000	49.56	-3.32	74.00	24.44	150	54	Vertical
5	17385.000	55.16	-1.02	74.00	18.84	150	83	Vertical
6	17385.000	43.99	-1.02	54.00	10.01	150	170	Vertical
7	17529.176	45.82	0.72	54.00	8.18	150	26	Vertical




4.9.2.134 11N40_38_MIMO_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6905.7953	54.37	12.42	74.00	19.63	150	140	Horizontal
2	6975.0988	44.98	12.68	54.00	9.02	150	313	Horizontal
3	10380.000	37.77	-5.36	54.00	16.23	150	219	Horizontal
4	10380.000	48.95	-5.36	74.00	25.05	150	76	Horizontal
5	15570.000	49.79	-4.02	74.00	24.21	150	277	Horizontal
6	15570.000	37.13	-4.02	54.00	16.87	150	18	Horizontal
7	17524.226	45.67	0.66	54.00	8.33	150	104	Horizontal




4.9.2.135 11N40_46_MIMO_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6929.1965	54.26	12.51	74.00	19.74	150	312	Horizontal
2	6943.8972	44.93	12.56	54.00	9.07	150	226	Horizontal
3	10460.000	38.20	-4.70	54.00	15.80	150	113	Horizontal
4	10460.000	50.04	-4.70	74.00	23.96	150	334	Horizontal
5	15690.000	50.49	-2.93	74.00	23.51	150	162	Horizontal
6	15690.000	39.55	-2.93	54.00	14.45	150	342	Horizontal
7	17536.326	45.81	0.81	54.00	8.19	150	113	Horizontal




4.9.2.136 11N40_54_MIMO_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6855.6928	54.34	12.23	74.00	19.66	150	1	Horizontal
2	6879.6940	44.83	12.32	54.00	9.17	150	1	Horizontal
3	10540.000	39.49	-4.46	54.00	14.51	150	284	Horizontal
4	10540.000	49.88	-4.46	74.00	24.12	150	221	Horizontal
5	15810.000	50.57	-2.42	74.00	23.43	150	47	Horizontal
6	15810.000	39.70	-2.42	54.00	14.30	150	164	Horizontal
7	17541.277	45.70	0.88	54.00	8.30	150	341	Horizontal




4.9.2.137 11N40_62_MIMO_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6926.4963	44.82	12.50	54.00	9.18	150	140	Horizontal
2	6964.8982	54.92	12.64	74.00	19.08	150	140	Horizontal
3	10620.000	38.94	-4.72	54.00	15.06	150	80	Horizontal
4	10620.000	50.66	-4.72	74.00	23.34	150	360	Horizontal
5	15930.000	48.71	-3.73	74.00	25.29	150	281	Horizontal
6	15930.000	38.00	-3.73	54.00	16.00	150	80	Horizontal
7	17523.126	45.73	0.65	54.00	8.27	150	310	Horizontal




4.9.2.138 11N40_102_MIMO_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6867.0934	44.84	12.27	54.00	9.16	150	226	Horizontal
2	6885.3943	54.63	12.34	74.00	19.37	150	140	Horizontal
3	11020.000	38.31	-4.09	54.00	15.69	150	76	Horizontal
4	11020.000	48.90	-4.09	74.00	25.10	150	305	Horizontal
5	16530.000	50.36	-3.84	74.00	23.64	150	47	Horizontal
6	16530.000	38.99	-3.84	54.00	15.01	150	47	Horizontal
7	17536.326	45.60	0.81	54.00	8.40	150	334	Horizontal




4.9.2.139 11N40_110_MIMO_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6998.1999	44.71	12.76	54.00	9.29	150	255	Horizontal
2	6999.4000	54.80	12.77	74.00	19.20	150	54	Horizontal
3	11100.000	39.52	-3.36	54.00	14.48	150	133	Horizontal
4	11100.000	50.74	-3.36	74.00	23.26	150	18	Horizontal
5	16650.000	51.40	-4.20	74.00	22.60	150	161	Horizontal
6	16650.000	39.75	-4.20	54.00	14.25	150	308	Horizontal
7	17521.476	45.79	0.62	54.00	8.21	150	104	Horizontal




4.9.2.140 11N40_134_MIMO_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6842.4921	44.48	12.18	54.00	9.52	150	139	Horizontal
2	6863.7932	54.26	12.26	74.00	19.74	150	23	Horizontal
3	11340.000	38.66	-4.59	54.00	15.34	150	76	Horizontal
4	11340.000	49.69	-4.59	74.00	24.31	150	105	Horizontal
5	17010.000	50.38	-3.20	74.00	23.62	150	306	Horizontal
6	17010.000	39.86	-3.20	54.00	14.14	150	18	Horizontal
7	17525.876	45.94	0.68	54.00	8.06	150	18	Horizontal




4.9.2.141 11N40_151_MIMO_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6936.6968	54.32	12.54	74.00	19.68	150	342	Horizontal
2	6955.5978	44.86	12.61	54.00	9.14	150	284	Horizontal
3	11510.000	35.78	-5.50	54.00	18.22	150	133	Horizontal
4	11510.000	46.85	-5.50	74.00	27.15	150	133	Horizontal
5	17265.000	55.37	-1.33	74.00	18.63	150	276	Horizontal
6	17265.000	43.79	-1.33	54.00	10.21	150	333	Horizontal
7	17536.326	45.59	0.81	54.00	8.41	150	218	Horizontal



4.9.2.142 11N40_159_MIMO_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6910.2955	44.98	12.44	54.00	9.02	150	1	Horizontal
2	6985.2993	54.52	12.72	74.00	19.48	150	227	Horizontal
3	11590.000	37.97	-3.32	54.00	16.03	150	133	Horizontal
4	11590.000	48.84	-3.32	74.00	25.16	150	18	Horizontal
5	17385.000	55.24	-1.02	74.00	18.76	150	47	Horizontal
6	17385.000	43.39	-1.02	54.00	10.61	150	334	Horizontal
7	17554.477	45.86	1.05	54.00	8.14	150	219	Horizontal

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor

2) Scan from 9kHz to 40GHz, The disturbance between 9KHz to 30MHz and 18GHz to 40GHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.

4) All modes have been tested, but only the worst case data displayed in this report.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.10 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15 Section 15.407(b)		
Test Method:	ANSI C63.10: 2013		
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)		
Limit:	Frequency	Limit (dBuV/m @3m)	Remark
	30MHz-88MHz	40.0	Quasi-peak Value
	88MHz-216MHz	43.5	Quasi-peak Value
	216MHz-960MHz	46.0	Quasi-peak Value
	960MHz-1GHz	54.0	Quasi-peak Value
	Above 1GHz	54.0	Average Value
		74.0	Peak Value
Test Setup:			



Test Procedure:	a. The EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation. b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. f. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel g. Test the EUT in the outermost channels. h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. i. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates.
Final Test Mode:	Through Pre-scan, find the 6Mbps of rate is the worst case of 802.11a; MCS0 of rate is the worst case of 802.11n(HT20); MCS0 of rate is the worst case of 802.11n(HT40); MCSAC0 of rate is the worst case of 802.11ac(HT20); MCSAC0 of rate is the worst case of 802.11ac(HT40); MCSAC0 of rate is the worst case of 802.11ac(HT80); Only the worst case is recorded in the report.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass




4.10.1

Test plots

4.10.1.1

11A20_36 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5127.9640	35.29	7.52	54.00	18.71	150	201	Vertical
2	5138.2191	55.30	7.53	74.00	18.70	150	243	Vertical
3	5145.4227	35.63	7.55	54.00	18.37	150	216	Vertical
4	5147.7239	56.17	7.55	74.00	17.83	150	212	Vertical
5	5180.0000	97.58	7.61	68.30	-29.28	150	212	Vertical
6	5180.0000	85.94	7.61	0.00	-85.94	150	208	Vertical




4.10.1.2 11A20_36 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5127.8139	35.64	7.52	54.00	18.36	150	28	Horizontal
2	5144.2221	59.15	7.55	74.00	14.85	150	24	Horizontal
3	5146.0230	36.35	7.55	54.00	17.65	150	35	Horizontal
4	5149.5248	59.63	7.55	74.00	14.37	150	24	Horizontal
5	5180.0000	100.32	7.61	68.30	-32.02	150	24	Horizontal
6	5180.0000	90.16	7.61	0.00	-90.16	150	24	Horizontal




4.10.1.3 11A20_48 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	96.00	7.68	68.30	-27.70	150	239	Vertical
2	5240.0000	86.24	7.68	0.00	-86.24	150	248	Vertical
3	5353.3567	48.73	7.85	74.00	25.27	150	282	Vertical
4	5363.3517	35.38	7.87	54.00	18.62	150	120	Vertical
5	5367.9440	48.84	7.88	74.00	25.16	150	144	Vertical
6	5382.7114	35.25	7.91	54.00	18.75	150	276	Vertical




4.10.1.4 11A20_48 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	100.46	7.68	68.30	-32.16	150	330	Horizontal
2	5240.0000	90.29	7.68	0.00	-90.29	150	24	Horizontal
3	5351.4657	51.06	7.84	74.00	22.94	150	334	Horizontal
4	5357.6788	35.67	7.86	54.00	18.33	150	10	Horizontal
5	5362.2711	50.42	7.86	74.00	23.58	150	306	Horizontal
6	5384.0620	35.39	7.91	54.00	18.61	150	344	Horizontal




4.10.1.5 11A20_52 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5106.7534	49.49	7.48	74.00	24.51	150	230	Vertical
2	5124.6723	35.07	7.51	54.00	18.93	150	321	Vertical
3	5145.2026	34.99	7.55	54.00	19.01	150	325	Vertical
4	5147.0035	48.93	7.55	74.00	25.07	150	31	Vertical
5	5260.0000	96.32	7.70	68.30	-28.02	150	240	Vertical
6	5260.0000	86.79	7.70	0.00	-86.79	150	235	Vertical




4.10.1.6 11A20_52 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5119.0895	48.49	7.50	74.00	25.51	150	16	Horizontal
2	5125.3027	35.02	7.51	54.00	18.98	150	30	Horizontal
3	5142.0510	35.07	7.54	54.00	18.93	150	105	Horizontal
4	5146.2831	49.34	7.55	74.00	24.66	150	262	Horizontal
5	5260.0000	101.53	7.70	68.30	-33.23	150	34	Horizontal
6	5260.0000	90.28	7.70	0.00	-90.28	150	30	Horizontal




4.10.1.7 11A20_64 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	96.42	7.78	68.30	-28.12	150	245	Vertical
2	5320.0000	84.23	7.78	0.00	-84.23	150	235	Vertical
3	5351.3757	56.61	7.84	74.00	17.39	150	235	Vertical
4	5363.8319	35.79	7.87	54.00	18.21	150	235	Vertical
5	5375.8879	53.51	7.89	74.00	20.49	150	240	Vertical
6	5386.3932	35.68	7.91	54.00	18.32	150	131	Vertical



4.10.1.8 11A20_64 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	100.59	7.78	68.30	-32.29	150	343	Horizontal
2	5320.0000	88.99	7.78	0.00	-88.99	150	348	Horizontal
3	5351.7759	60.55	7.84	74.00	13.45	150	352	Horizontal
4	5354.6273	37.12	7.85	54.00	16.88	150	352	Horizontal
5	5373.1366	56.90	7.89	74.00	17.10	150	40	Horizontal
6	5382.2411	36.32	7.90	54.00	17.68	150	25	Horizontal



4.10.1.9 11A20_100 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5429.8349	38.92	7.99	54.00	15.08	150	335	Vertical
2	5453.9070	39.17	8.03	54.00	14.83	150	133	Vertical
3	5456.7284	56.06	8.03	74.00	17.94	150	144	Vertical
4	5469.4547	55.94	8.05	68.30	12.36	150	144	Vertical
5	5500.0000	97.97	8.10	68.30	-29.67	150	144	Vertical
6	5500.0000	86.21	8.10	0.00	-86.21	150	144	Vertical



4.10.1.10 11A20_100 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5432.7164	39.05	7.99	54.00	14.95	150	359	Horizontal
2	5454.0270	39.70	8.03	54.00	14.30	150	36	Horizontal
3	5457.1486	59.08	8.03	74.00	14.92	150	40	Horizontal
4	5465.6728	60.26	8.05	68.30	8.04	150	40	Horizontal
5	5500.0000	101.81	8.10	68.30	-33.51	150	32	Horizontal
6	5500.0000	90.54	8.10	0.00	-90.54	150	29	Horizontal




4.10.1.11 11A20_140 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	96.34	8.51	68.30	-28.04	150	148	Vertical
2	5728.6893	56.09	8.58	68.30	12.21	150	137	Vertical
3	5742.2811	56.80	8.61	68.30	11.50	150	144	Vertical
4	5753.1416	53.77	8.63	68.30	14.53	150	148	Vertical
5	5768.4242	51.58	8.67	68.30	16.72	150	119	Vertical




4.10.1.12 11A20_140 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	100.86	8.51	68.30	-32.56	150	36	Horizontal
2	5727.5838	60.78	8.57	68.30	7.52	150	33	Horizontal
3	5742.8664	58.60	8.61	68.30	9.70	150	30	Horizontal
4	5754.3122	57.99	8.63	68.30	10.31	150	30	Horizontal
5	5767.5138	54.17	8.67	68.30	14.13	150	26	Horizontal




4.10.1.13 11A20_149 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5646.5133	49.36	8.42	68.30	18.94	150	59	Vertical
2	5697.9890	54.64	8.51	103.81	49.17	150	147	Vertical
3	5711.1556	56.99	8.54	108.42	51.43	150	137	Vertical
4	5721.8709	58.71	8.56	115.17	56.46	150	137	Vertical
5	5745.0000	96.22	8.61	0.00	-96.22	150	140	Vertical



4.10.1.14 11A20_149 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5647.4937	51.06	8.43	68.30	17.24	150	33	Horizontal
2	5693.7169	57.07	8.50	100.65	43.58	150	33	Horizontal
3	5713.1166	60.54	8.54	108.97	48.43	150	33	Horizontal
4	5723.9020	61.66	8.56	119.80	58.14	150	30	Horizontal
5	5745.0000	99.30	8.61	0.00	-99.30	150	30	Horizontal




4.10.1.15 11A20_165 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.0000	93.14	8.82	0.00	-93.14	150	147	Vertical
2	5850.4027	54.85	8.89	121.38	66.53	150	147	Vertical
3	5878.7819	53.48	8.98	102.50	49.02	150	204	Vertical
4	5909.7199	49.96	9.07	79.61	29.65	150	260	Vertical
5	5936.1606	50.68	9.15	68.30	17.62	150	344	Vertical



4.10.1.16 11A20_165 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.0000	99.96	8.82	0.00	-99.96	150	30	Horizontal
2	5853.0390	59.40	8.90	115.37	55.97	150	30	Horizontal
3	5871.3382	58.52	8.95	106.33	47.81	150	30	Horizontal
4	5890.1801	54.24	9.01	94.07	39.83	150	343	Horizontal
5	5936.5483	50.68	9.15	68.30	17.62	150	237	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.10.1.17 11A20_36 ANT 2_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5127.6138	35.15	7.52	54.00	18.85	150	83	Vertical
2	5134.6673	51.03	7.53	74.00	22.97	150	176	Vertical
3	5143.5718	35.20	7.54	54.00	18.80	150	76	Vertical
4	5147.1736	53.10	7.55	74.00	20.90	150	168	Vertical
5	5180.0000	93.32	7.61	68.30	-25.02	150	172	Vertical
6	5180.0000	83.44	7.61	0.00	-83.44	150	172	Vertical



4.10.1.18 11A20_36 ANT 2_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5123.9120	35.25	7.51	54.00	18.75	150	310	Horizontal
2	5138.5693	35.35	7.54	54.00	18.65	150	288	Horizontal
3	5140.6203	55.51	7.54	74.00	18.49	150	189	Horizontal
4	5148.8744	55.20	7.55	74.00	18.80	150	189	Horizontal
5	5180.0000	96.16	7.61	68.30	-27.86	150	166	Horizontal
6	5180.0000	85.72	7.61	0.00	-85.72	150	189	Horizontal




4.10.1.19 11A20_48 ANT 2_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	94.38	7.68	68.30	-26.08	150	170	Vertical
2	5240.0000	82.54	7.68	0.00	-82.54	150	175	Vertical
3	5353.6268	49.36	7.85	74.00	24.64	150	104	Vertical
4	5361.1006	35.43	7.86	54.00	18.57	150	221	Vertical
5	5368.3042	49.72	7.88	74.00	24.28	150	230	Vertical
6	5393.7869	35.41	7.93	54.00	18.59	150	23	Vertical



4.10.1.20 11A20_48 ANT 2_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	97.30	7.68	68.30	-29.00	150	189	Horizontal
2	5240.0000	87.20	7.68	0.00	-87.20	150	189	Horizontal
3	5350.3852	48.85	7.84	74.00	25.15	150	351	Horizontal
4	5355.7879	35.50	7.85	54.00	18.50	150	308	Horizontal
5	5379.4697	35.41	7.90	54.00	18.59	150	232	Horizontal
6	5383.6118	49.91	7.91	74.00	24.09	150	227	Horizontal




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.10.1.21 11A20_52 ANT 2_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5121.0705	48.65	7.51	74.00	25.35	150	311	Vertical
2	5126.1131	34.95	7.51	54.00	19.05	150	235	Vertical
3	5149.4347	34.88	7.55	54.00	19.12	150	240	Vertical
4	5149.4347	48.26	7.55	74.00	25.74	150	226	Vertical
5	5260.0000	94.47	7.70	68.30	-26.17	150	216	Vertical
6	5260.0000	83.58	7.70	0.00	-83.58	150	174	Vertical



4.10.1.22 11A20_52 ANT 2_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5109.6348	48.89	7.49	74.00	25.11	150	83	Horizontal
2	5112.6063	34.97	7.49	54.00	19.03	150	201	Horizontal
3	5134.1271	35.09	7.53	54.00	18.91	150	206	Horizontal
4	5137.6388	49.47	7.53	74.00	24.53	150	83	Horizontal
5	5260.0000	97.93	7.70	68.30	-29.63	150	182	Horizontal
6	5260.0000	87.44	7.70	0.00	-87.44	150	273	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.10.1.23 11A20_64 ANT 2_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	93.71	7.78	68.30	-25.41	150	174	Vertical
2	5320.0000	83.90	7.78	0.00	-83.90	150	254	Vertical
3	5351.3257	55.89	7.84	74.00	18.11	150	249	Vertical
4	5355.9780	35.84	7.85	54.00	18.16	150	174	Vertical
5	5373.3367	35.65	7.89	54.00	18.35	150	174	Vertical
6	5374.4372	53.44	7.89	74.00	20.56	150	254	Vertical




4.10.1.24 11A20_64 ANT 2_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	97.19	7.78	68.30	-28.89	150	191	Horizontal
2	5320.0000	87.16	7.78	0.00	-87.16	150	163	Horizontal
3	5352.3762	58.63	7.84	74.00	15.37	150	186	Horizontal
4	5359.5798	36.55	7.86	54.00	17.45	150	276	Horizontal
5	5373.0365	56.61	7.89	74.00	17.39	150	186	Horizontal
6	5384.4422	36.18	7.91	54.00	17.82	150	196	Horizontal



4.10.1.25 11A20_100 ANT 2_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5438.8995	39.05	8.00	54.00	14.95	150	270	Vertical
2	5448.0840	39.02	8.02	54.00	14.98	150	214	Vertical
3	5456.0080	55.09	8.03	74.00	18.91	150	169	Vertical
4	5468.7344	56.36	8.05	68.30	11.94	150	169	Vertical
5	5500.0000	93.76	8.10	68.30	-25.46	150	204	Vertical
6	5500.0000	83.54	8.10	0.00	-83.54	150	169	Vertical




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (M-10) Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.10.1.26 11A20_100 ANT 2_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5435.4177	39.03	8.00	54.00	14.97	150	195	Horizontal
2	5447.3637	39.11	8.02	54.00	14.89	150	149	Horizontal
3	5449.4647	56.74	8.02	74.00	17.26	150	191	Horizontal
4	5467.3537	58.96	8.05	68.30	9.34	150	188	Horizontal
5	5500.0000	99.16	8.10	68.30	-30.86	150	188	Horizontal
6	5500.0000	87.02	8.10	0.00	-87.02	150	191	Horizontal




4.10.1.27 11A20_140 ANT 2_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	90.95	8.51	68.30	-22.65	150	211	Vertical
2	5727.9740	53.68	8.57	68.30	14.62	150	218	Vertical
3	5737.8589	53.18	8.60	68.30	15.12	150	207	Vertical
4	5750.4752	51.96	8.63	68.30	16.34	150	207	Vertical
5	5779.6098	50.36	8.69	68.30	17.94	150	344	Vertical



4.10.1.28 11A20_140 ANT 2_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	93.91	8.51	68.30	-25.61	150	280	Horizontal
2	5727.0635	55.59	8.57	68.30	12.71	150	273	Horizontal
3	5732.7864	55.22	8.59	68.30	13.08	150	269	Horizontal
4	5748.1341	54.54	8.62	68.30	13.76	150	273	Horizontal
5	5764.7174	52.61	8.66	68.30	15.69	150	294	Horizontal




4.10.1.29 11A20_149 ANT 2_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5644.2721	49.62	8.42	68.30	18.68	150	330	Vertical
2	5695.8179	53.35	8.50	102.21	48.86	150	204	Vertical
3	5715.6378	54.88	8.55	109.68	54.80	150	207	Vertical
4	5723.4817	55.62	8.56	118.84	63.22	150	204	Vertical
5	5745.0000	91.52	8.61	0.00	-91.52	150	200	Vertical

4.10.1.30 11A20_149 ANT 2_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5641.7509	49.74	8.42	68.30	18.56	150	326	Horizontal
2	5694.4872	56.11	8.50	101.22	45.11	150	184	Horizontal
3	5719.6999	57.37	8.56	110.82	53.45	150	277	Horizontal
4	5722.9915	58.50	8.56	117.72	59.22	150	191	Horizontal
5	5745.0000	95.09	8.61	0.00	-95.09	150	277	Horizontal




4.10.1.31 11A20_165 ANT 2_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.0000	91.11	8.82	0.00	-91.11	150	202	Vertical
2	5853.8144	54.58	8.90	113.60	59.02	150	202	Vertical
3	5861.5683	53.88	8.92	109.06	55.18	150	202	Vertical
4	5910.9605	50.94	9.07	78.69	27.75	150	142	Vertical
5	5937.1686	50.65	9.15	68.30	17.65	150	62	Vertical




4.10.1.32 11A20_165 ANT 2_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.0000	94.95	8.82	0.00	-94.95	150	277	Horizontal
2	5851.7984	55.77	8.90	118.20	62.43	150	273	Horizontal
3	5863.6618	56.07	8.93	108.47	52.40	150	273	Horizontal
4	5889.7149	52.36	9.01	94.41	42.05	150	259	Horizontal
5	5935.5403	50.77	9.15	68.30	17.53	150	126	Horizontal



4.10.1.33 11AC20_36_MIMO_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5127.8139	35.18	7.52	54.00	18.82	150	195	Vertical
2	5133.1166	54.64	7.53	74.00	19.36	150	252	Vertical
3	5139.4697	35.42	7.54	54.00	18.58	150	210	Vertical
4	5147.5738	55.56	7.55	74.00	18.44	150	256	Vertical
5	5180.0000	94.84	7.61	68.30	-26.54	150	210	Vertical
6	5180.0000	83.28	7.61	0.00	-83.28	150	214	Vertical



4.10.1.34 11AC20_36_MIMO_Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5124.3122	54.75	7.51	74.00	19.25	150	25	Horizontal
2	5129.5648	35.45	7.52	54.00	18.55	150	40	Horizontal
3	5141.9710	35.86	7.54	54.00	18.14	150	339	Horizontal
4	5149.0745	58.88	7.55	74.00	15.12	150	29	Horizontal
5	5180.0000	98.87	7.61	68.30	-30.57	150	335	Horizontal
6	5180.0000	88.05	7.61	0.00	-88.05	150	25	Horizontal




4.10.1.35 11AC20_48_MIMO_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	94.34	7.68	68.30	-26.04	150	243	Vertical
2	5240.0000	83.79	7.68	0.00	-83.79	150	204	Vertical
3	5357.8589	35.46	7.86	54.00	18.54	150	354	Vertical
4	5364.5223	49.66	7.87	74.00	24.34	150	238	Vertical
5	5385.9530	35.41	7.91	54.00	18.59	150	320	Vertical
6	5392.9765	49.53	7.93	74.00	24.47	150	277	Vertical




4.10.1.36 11AC20_48_MIMO_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	99.67	7.68	68.30	-31.37	150	33	Horizontal
2	5240.0000	89.01	7.68	0.00	-89.01	150	38	Horizontal
3	5352.0060	48.87	7.84	74.00	25.13	150	197	Horizontal
4	5352.6363	35.49	7.85	54.00	18.51	150	24	Horizontal
5	5378.0290	35.32	7.90	54.00	18.68	150	344	Horizontal
6	5383.5218	49.53	7.91	74.00	24.47	150	217	Horizontal



4.10.1.37 11AC20_52_MIMO_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5118.1891	35.05	7.50	54.00	18.95	150	121	Vertical
2	5122.4212	49.34	7.51	74.00	24.66	150	111	Vertical
3	5140.2501	34.92	7.54	54.00	19.08	150	357	Vertical
4	5141.0605	48.95	7.54	74.00	25.05	150	102	Vertical
5	5260.0000	95.72	7.70	68.30	-27.42	150	206	Vertical
6	5260.0000	84.56	7.70	0.00	-84.56	150	240	Vertical

