










	115																																																																																																																																							
Mode	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																							
ANT	CDD 6+10																																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.66</td><td>52.73</td><td>68.20</td><td>-15.47</td><td>42.85</td><td>34.87</td><td>11.07</td><td>36.06</td><td>0.00</td><td>300</td><td>317 PEAK</td></tr><tr><td>2</td><td>5651.00</td><td>53.42</td><td>68.94</td><td>-15.52</td><td>43.60</td><td>34.88</td><td>11.07</td><td>36.13</td><td>0.00</td><td>300</td><td>317 PEAK</td></tr><tr><td>3</td><td>5705.71</td><td>67.60</td><td>106.90</td><td>-39.30</td><td>58.51</td><td>34.93</td><td>11.15</td><td>36.99</td><td>0.00</td><td>300</td><td>317 PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>64.76</td><td>111.19</td><td>-46.43</td><td>55.87</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>300</td><td>317 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.66	52.73	68.20	-15.47	42.85	34.87	11.07	36.06	0.00	300	317 PEAK	2	5651.00	53.42	68.94	-15.52	43.60	34.88	11.07	36.13	0.00	300	317 PEAK	3	5705.71	67.60	106.90	-39.30	58.51	34.93	11.15	36.99	0.00	300	317 PEAK	4	5720.13	64.76	111.19	-46.43	55.87	34.94	11.17	37.22	0.00	300	317 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>104.81</td><td>-----</td><td>-----</td><td>96.35</td><td>34.97</td><td>11.21</td><td>37.72</td><td>0.00</td><td>300</td><td>317 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	104.81	-----	-----	96.35	34.97	11.21	37.72	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5646.66	52.73	68.20	-15.47	42.85	34.87	11.07	36.06	0.00	300	317 PEAK																																																																																																																													
2	5651.00	53.42	68.94	-15.52	43.60	34.88	11.07	36.13	0.00	300	317 PEAK																																																																																																																													
3	5705.71	67.60	106.90	-39.30	58.51	34.93	11.15	36.99	0.00	300	317 PEAK																																																																																																																													
4	5720.13	64.76	111.19	-46.43	55.87	34.94	11.17	37.22	0.00	300	317 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5755.00	104.81	-----	-----	96.35	34.97	11.21	37.72	0.00	300	317 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>97.16</td><td>-----</td><td>-----</td><td>88.77</td><td>34.98</td><td>11.22</td><td>37.81</td><td>0.00</td><td>300</td><td>317 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	97.16	-----	-----	88.77	34.98	11.22	37.81	0.00	300	317 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5755.00	97.16	-----	-----	88.77	34.98	11.22	37.81	0.00	300	317 AVERAGE																																																																																																																													




Mode	115																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																				
ANT	CDD 6+10																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>48.71</td><td>111.26</td><td>-62.55</td><td>41.63</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>300</td><td>317</td><td>PEAK</td></tr><tr><td>2</td><td>5873.56</td><td>50.14</td><td>105.70</td><td>-55.56</td><td>43.00</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>300</td><td>317</td><td>PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>49.15</td><td>68.31</td><td>-19.16</td><td>41.84</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>300</td><td>317</td><td>PEAK</td></tr><tr><td>4</td><td>5937.52</td><td>51.52</td><td>68.20</td><td>-16.68</td><td>44.15</td><td>35.15</td><td>11.41</td><td>39.19</td><td>0.00</td><td>300</td><td>317</td><td>PEAK</td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	48.71	111.26	-62.55	41.63	35.07	11.34	39.33	0.00	300	317	PEAK	2	5873.56	50.14	105.70	-55.56	43.00	35.09	11.35	39.30	0.00	300	317	PEAK	3	5924.85	49.15	68.31	-19.16	41.84	35.13	11.40	39.22	0.00	300	317	PEAK	4	5937.52	51.52	68.20	-16.68	44.15	35.15	11.41	39.19	0.00	300	317	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.84	48.71	111.26	-62.55	41.63	35.07	11.34	39.33	0.00	300	317	PEAK																																																																									
2	5873.56	50.14	105.70	-55.56	43.00	35.09	11.35	39.30	0.00	300	317	PEAK																																																																									
3	5924.85	49.15	68.31	-19.16	41.84	35.13	11.40	39.22	0.00	300	317	PEAK																																																																									
4	5937.52	51.52	68.20	-16.68	44.15	35.15	11.41	39.19	0.00	300	317	PEAK																																																																									





		115																																																																																																																																					
Mode		Band Edge - L																																																																																																																																					
		U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																					
ANT		CDD 6+10																																																																																																																																					
Pol.		Vertical					Fundamental																																																																																																																																
Peak																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5628.83</td><td>53.17</td><td>68.20</td><td>-15.03</td><td>43.25</td><td>34.86</td><td>11.04</td><td>35.98</td><td>0.00</td><td>314</td><td>263 PEAK</td></tr><tr><td>2</td><td>5650.07</td><td>52.15</td><td>68.25</td><td>-16.10</td><td>42.32</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>314</td><td>263 PEAK</td></tr><tr><td>3</td><td>5709.12</td><td>64.48</td><td>107.86</td><td>-43.38</td><td>55.44</td><td>34.93</td><td>11.15</td><td>37.04</td><td>0.00</td><td>314</td><td>263 PEAK</td></tr><tr><td>4</td><td>5721.37</td><td>63.99</td><td>114.01</td><td>-50.02</td><td>55.12</td><td>34.94</td><td>11.17</td><td>37.24</td><td>0.00</td><td>314</td><td>263 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5628.83	53.17	68.20	-15.03	43.25	34.86	11.04	35.98	0.00	314	263 PEAK	2	5650.07	52.15	68.25	-16.10	42.32	34.88	11.07	36.12	0.00	314	263 PEAK	3	5709.12	64.48	107.86	-43.38	55.44	34.93	11.15	37.04	0.00	314	263 PEAK	4	5721.37	63.99	114.01	-50.02	55.12	34.94	11.17	37.24	0.00	314	263 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>104.55</td><td>-----</td><td>-----</td><td>96.16</td><td>34.98</td><td>11.22</td><td>37.81</td><td>0.00</td><td>314</td><td>263 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	104.55	-----	-----	96.16	34.98	11.22	37.81	0.00	314
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																													
1	5628.83	53.17	68.20	-15.03	43.25	34.86	11.04	35.98	0.00	314	263 PEAK																																																																																																																												
2	5650.07	52.15	68.25	-16.10	42.32	34.88	11.07	36.12	0.00	314	263 PEAK																																																																																																																												
3	5709.12	64.48	107.86	-43.38	55.44	34.93	11.15	37.04	0.00	314	263 PEAK																																																																																																																												
4	5721.37	63.99	114.01	-50.02	55.12	34.94	11.17	37.24	0.00	314	263 PEAK																																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																													
1	5755.00	104.55	-----	-----	96.16	34.98	11.22	37.81	0.00	314	263 PEAK																																																																																																																												
Avg	Blank																																																																																																																																						
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>96.54</td><td>-----</td><td>-----</td><td>88.08</td><td>34.97</td><td>11.21</td><td>37.72</td><td>0.00</td><td>314</td><td>263 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	96.54	-----	-----	88.08	34.97	11.21	37.72	0.00	314	263 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																													
1	5755.00	96.54	-----	-----	88.08	34.97	11.21	37.72	0.00	314	263 AVERAGE																																																																																																																												






Mode	115																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																		
ANT	CDD 6+10																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>48.09</td><td>111.26</td><td>-63.17</td><td>41.01</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>314</td><td>263 PEAK</td></tr><tr><td>2</td><td>5871.81</td><td>49.83</td><td>106.19</td><td>-56.36</td><td>42.70</td><td>35.00</td><td>11.35</td><td>39.30</td><td>0.00</td><td>314</td><td>263 PEAK</td></tr><tr><td>3</td><td>5920.95</td><td>50.89</td><td>71.20</td><td>-20.31</td><td>43.58</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>314</td><td>263 PEAK</td></tr><tr><td>4</td><td>5944.54</td><td>49.05</td><td>68.20</td><td>-19.15</td><td>41.66</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>314</td><td>263 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	48.09	111.26	-63.17	41.01	35.07	11.34	39.33	0.00	314	263 PEAK	2	5871.81	49.83	106.19	-56.36	42.70	35.00	11.35	39.30	0.00	314	263 PEAK	3	5920.95	50.89	71.20	-20.31	43.58	35.13	11.40	39.22	0.00	314	263 PEAK	4	5944.54	49.05	68.20	-19.15	41.66	35.15	11.42	39.18	0.00	314	263 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.84	48.09	111.26	-63.17	41.01	35.07	11.34	39.33	0.00	314	263 PEAK																																																																								
2	5871.81	49.83	106.19	-56.36	42.70	35.00	11.35	39.30	0.00	314	263 PEAK																																																																								
3	5920.95	50.89	71.20	-20.31	43.58	35.13	11.40	39.22	0.00	314	263 PEAK																																																																								
4	5944.54	49.05	68.20	-19.15	41.66	35.15	11.42	39.18	0.00	314	263 PEAK																																																																								




		115																																																																						
Mode		Harmonic																																																																						
		U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																						
ANT		CDD 6+10																																																																						
Pol.		Horizontal																																																																						
Peak Avg																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>48.19</td><td>74.00</td><td>-25.81</td><td>59.95</td><td>38.20</td><td>16.37</td><td>66.33</td><td>0.00</td><td>300</td><td>360 PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>37.84</td><td>54.00</td><td>-16.16</td><td>49.60</td><td>38.20</td><td>16.37</td><td>66.33</td><td>0.00</td><td>300</td><td>360 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11510.00	48.19	74.00	-25.81	59.95	38.20	16.37	66.33	0.00	300	360 PEAK	2	11510.00	37.84	54.00	-16.16	49.60	38.20	16.37	66.33	0.00	300	360 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	11510.00	48.19	74.00	-25.81	59.95	38.20	16.37	66.33	0.00	300	360 PEAK																																																													
2	11510.00	37.84	54.00	-16.16	49.60	38.20	16.37	66.33	0.00	300	360 AVERAGE																																																													
		Vertical																																																																						
																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>49.43</td><td>74.00</td><td>-24.57</td><td>61.19</td><td>38.20</td><td>16.37</td><td>66.33</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>40.39</td><td>54.00</td><td>-13.61</td><td>52.15</td><td>38.20</td><td>16.37</td><td>66.33</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11510.00	49.43	74.00	-24.57	61.19	38.20	16.37	66.33	0.00	100	360 PEAK	2	11510.00	40.39	54.00	-13.61	52.15	38.20	16.37	66.33	0.00	100	360 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	11510.00	49.43	74.00	-24.57	61.19	38.20	16.37	66.33	0.00	100	360 PEAK																																																													
2	11510.00	40.39	54.00	-13.61	52.15	38.20	16.37	66.33	0.00	100	360 AVERAGE																																																													






		116																																																																																																																																								
Mode	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																									
ANT	CDD 6+10																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5649.20</td><td>52.29</td><td>68.20</td><td>-15.91</td><td>42.45</td><td>34.87</td><td>11.07</td><td>36.10</td><td>0.00</td><td>300</td><td>318 PEAK</td></tr><tr><td>2</td><td>5652.80</td><td>51.96</td><td>70.29</td><td>-18.33</td><td>42.16</td><td>34.88</td><td>11.08</td><td>36.16</td><td>0.00</td><td>300</td><td>318 PEAK</td></tr><tr><td>3</td><td>5702.40</td><td>55.06</td><td>105.97</td><td>-50.91</td><td>45.94</td><td>34.92</td><td>11.14</td><td>36.94</td><td>0.00</td><td>300</td><td>318 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>57.89</td><td>110.90</td><td>-53.01</td><td>49.00</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>300</td><td>318 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5649.20	52.29	68.20	-15.91	42.45	34.87	11.07	36.10	0.00	300	318 PEAK	2	5652.80	51.96	70.29	-18.33	42.16	34.88	11.08	36.16	0.00	300	318 PEAK	3	5702.40	55.06	105.97	-50.91	45.94	34.92	11.14	36.94	0.00	300	318 PEAK	4	5720.00	57.89	110.90	-53.01	49.00	34.94	11.17	37.22	0.00	300	318 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>105.44</td><td>-----</td><td>-----</td><td>97.54</td><td>35.01</td><td>11.27</td><td>38.38</td><td>0.00</td><td>300</td><td>318 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	105.44	-----	-----	97.54	35.01	11.27	38.38	0.00	300	318 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5649.20	52.29	68.20	-15.91	42.45	34.87	11.07	36.10	0.00	300	318 PEAK																																																																																																																															
2	5652.80	51.96	70.29	-18.33	42.16	34.88	11.08	36.16	0.00	300	318 PEAK																																																																																																																															
3	5702.40	55.06	105.97	-50.91	45.94	34.92	11.14	36.94	0.00	300	318 PEAK																																																																																																																															
4	5720.00	57.89	110.90	-53.01	49.00	34.94	11.17	37.22	0.00	300	318 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	105.44	-----	-----	97.54	35.01	11.27	38.38	0.00	300	318 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>96.68</td><td>-----</td><td>-----</td><td>88.78</td><td>35.01</td><td>11.27</td><td>38.38</td><td>0.00</td><td>300</td><td>318 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	96.68	-----	-----	88.78	35.01	11.27	38.38	0.00	300	318 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	96.68	-----	-----	88.78	35.01	11.27	38.38	0.00	300	318 AVERAGE																																																																																																																															




Mode	116																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																		
ANT	CDD 6+10																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>58.96</td><td>111.36</td><td>-52.40</td><td>51.88</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>300</td><td>318 PEAK</td></tr><tr><td>2</td><td>5872.80</td><td>57.20</td><td>105.92</td><td>-48.72</td><td>50.06</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>300</td><td>318 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>47.25</td><td>68.64</td><td>-21.39</td><td>39.94</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>300</td><td>318 PEAK</td></tr><tr><td>4</td><td>5979.60</td><td>50.30</td><td>68.20</td><td>-17.90</td><td>42.79</td><td>35.19</td><td>11.45</td><td>39.13</td><td>0.00</td><td>300</td><td>318 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	58.96	111.36	-52.40	51.88	35.07	11.34	39.33	0.00	300	318 PEAK	2	5872.80	57.20	105.92	-48.72	50.06	35.09	11.35	39.30	0.00	300	318 PEAK	3	5924.40	47.25	68.64	-21.39	39.94	35.13	11.40	39.22	0.00	300	318 PEAK	4	5979.60	50.30	68.20	-17.90	42.79	35.19	11.45	39.13	0.00	300	318 PEAK	Blank
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																								
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
	1	5854.80	58.96	111.36	-52.40	51.88	35.07	11.34	39.33	0.00	300	318 PEAK																																																																							
2	5872.80	57.20	105.92	-48.72	50.06	35.09	11.35	39.30	0.00	300	318 PEAK																																																																								
3	5924.40	47.25	68.64	-21.39	39.94	35.13	11.40	39.22	0.00	300	318 PEAK																																																																								
4	5979.60	50.30	68.20	-17.90	42.79	35.19	11.45	39.13	0.00	300	318 PEAK																																																																								





		116																																																																																													
Mode		Band Edge - L																																																																																													
		U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																													
ANT		CDD 6+10																																																																																													
Pol.		Vertical																																																																																													
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5604.00</td><td>52.03</td><td>68.20</td><td>-16.17</td><td>42.20</td><td>34.83</td><td>11.01</td><td>36.01</td><td>0.00</td><td>312</td><td>258 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>50.09</td><td>68.20</td><td>-18.11</td><td>40.26</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>312</td><td>258 PEAK</td></tr><tr><td>3</td><td>5714.40</td><td>61.24</td><td>109.33</td><td>-48.09</td><td>52.27</td><td>34.94</td><td>11.16</td><td>37.13</td><td>0.00</td><td>312</td><td>258 PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>58.43</td><td>113.64</td><td>-55.21</td><td>49.55</td><td>34.94</td><td>11.17</td><td>37.23</td><td>0.00</td><td>312</td><td>258 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5604.00	52.03	68.20	-16.17	42.20	34.83	11.01	36.01	0.00	312	258 PEAK	2	5650.00	50.09	68.20	-18.11	40.26	34.88	11.07	36.12	0.00	312	258 PEAK	3	5714.40	61.24	109.33	-48.09	52.27	34.94	11.16	37.13	0.00	312	258 PEAK	4	5721.20	58.43	113.64	-55.21	49.55	34.94	11.17	37.23	0.00	312
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5604.00	52.03	68.20	-16.17	42.20	34.83	11.01	36.01	0.00	312	258 PEAK																																																																																				
2	5650.00	50.09	68.20	-18.11	40.26	34.88	11.07	36.12	0.00	312	258 PEAK																																																																																				
3	5714.40	61.24	109.33	-48.09	52.27	34.94	11.16	37.13	0.00	312	258 PEAK																																																																																				
4	5721.20	58.43	113.64	-55.21	49.55	34.94	11.17	37.23	0.00	312	258 PEAK																																																																																				
Fundamental																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>104.00</td><td>-----</td><td>-----</td><td>96.18</td><td>35.01</td><td>11.27</td><td>38.38</td><td>0.00</td><td>312</td><td>258 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	104.00	-----	-----	96.18	35.01	11.27	38.38	0.00	312	258 PEAK																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5795.00	104.00	-----	-----	96.18	35.01	11.27	38.38	0.00	312	258 PEAK																																																																																				
Avg	Blank																																																																																														
																																																																																															
<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>96.31</td><td>-----</td><td>-----</td><td>88.41</td><td>35.01</td><td>11.27</td><td>38.38</td><td>0.00</td><td>312</td><td>258 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	96.31	-----	-----	88.41	35.01	11.27	38.38	0.00	312	258 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5795.00	96.31	-----	-----	88.41	35.01	11.27	38.38	0.00	312	258 AVERAGE																																																																																				






Mode	116																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																															
ANT	CDD 6+10																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>60.91</td><td>111.36</td><td>-50.45</td><td>53.83</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>312</td><td>258</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>55.64</td><td>105.58</td><td>-49.94</td><td>48.50</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>312</td><td>258</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>47.86</td><td>68.64</td><td>-20.78</td><td>40.55</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>312</td><td>258</td><td>PEAK</td></tr><tr><td>4</td><td>5951.20</td><td>49.78</td><td>68.20</td><td>-18.42</td><td>42.36</td><td>35.16</td><td>11.43</td><td>39.17</td><td>0.00</td><td>312</td><td>258</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	60.91	111.36	-50.45	53.83	35.07	11.34	39.33	0.00	312	258	PEAK	2	5874.00	55.64	105.58	-49.94	48.50	35.09	11.35	39.30	0.00	312	258	PEAK	3	5924.40	47.86	68.64	-20.78	40.55	35.13	11.40	39.22	0.00	312	258	PEAK	4	5951.20	49.78	68.20	-18.42	42.36	35.16	11.43	39.17	0.00	312	258	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5854.00	60.91	111.36	-50.45	53.83	35.07	11.34	39.33	0.00	312	258	PEAK																																																																																				
2	5874.00	55.64	105.58	-49.94	48.50	35.09	11.35	39.30	0.00	312	258	PEAK																																																																																				
3	5924.40	47.86	68.64	-20.78	40.55	35.13	11.40	39.22	0.00	312	258	PEAK																																																																																				
4	5951.20	49.78	68.20	-18.42	42.36	35.16	11.43	39.17	0.00	312	258	PEAK																																																																																				




Mode	116																																																																																																																						
	Harmonic																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																						
ANT	CDD 6+10																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																
Peak Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>47.55</td><td>74.00</td><td>-26.45</td><td>59.26</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	47.55	74.00	-26.45	59.26	38.20	16.42	66.33	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>52.56</td><td>74.00</td><td>-21.44</td><td>64.27</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>104</td><td>311</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>42.93</td><td>54.00</td><td>-11.07</td><td>54.64</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>104</td><td>311</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	52.56	74.00	-21.44	64.27	38.20	16.42	66.33	0.00	104	311	PEAK	2	11590.00	42.93	54.00	-11.07	54.64	38.20	16.42	66.33	0.00	104	311	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	11590.00	47.55	74.00	-26.45	59.26	38.20	16.42	66.33	0.00	---	---	PEAK																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	11590.00	52.56	74.00	-21.44	64.27	38.20	16.42	66.33	0.00	104	311	PEAK																																																																																																											
2	11590.00	42.93	54.00	-11.07	54.64	38.20	16.42	66.33	0.00	104	311	AVERAGE																																																																																																											






		117																																																																																						
Mode	Band Edge - L																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																							
ANT	CDD 6+10																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5649.20</td><td>62.96</td><td>68.20</td><td>-5.24</td><td>53.12</td><td>34.87</td><td>11.07</td><td>36.10</td><td>0.00</td><td>300</td><td>318 PEAK</td></tr><tr><td>2 5652.40</td><td>60.29</td><td>69.99</td><td>-9.70</td><td>50.48</td><td>34.88</td><td>11.08</td><td>36.15</td><td>0.00</td><td>300</td><td>318 PEAK</td></tr><tr><td>3 5701.60</td><td>72.85</td><td>105.75</td><td>-32.90</td><td>63.72</td><td>34.92</td><td>11.14</td><td>36.93</td><td>0.00</td><td>300</td><td>318 PEAK</td></tr><tr><td>4 5720.00</td><td>70.93</td><td>110.90</td><td>-39.97</td><td>62.04</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>300</td><td>318 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5649.20	62.96	68.20	-5.24	53.12	34.87	11.07	36.10	0.00	300	318 PEAK	2 5652.40	60.29	69.99	-9.70	50.48	34.88	11.08	36.15	0.00	300	318 PEAK	3 5701.60	72.85	105.75	-32.90	63.72	34.92	11.14	36.93	0.00	300	318 PEAK	4 5720.00	70.93	110.90	-39.97	62.04	34.94	11.17	37.22	0.00	300	318 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5649.20	62.96	68.20	-5.24	53.12	34.87	11.07	36.10	0.00	300	318 PEAK																																																																														
2 5652.40	60.29	69.99	-9.70	50.48	34.88	11.08	36.15	0.00	300	318 PEAK																																																																														
3 5701.60	72.85	105.75	-32.90	63.72	34.92	11.14	36.93	0.00	300	318 PEAK																																																																														
4 5720.00	70.93	110.90	-39.97	62.04	34.94	11.17	37.22	0.00	300	318 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>100.64</td><td>-----</td><td>-----</td><td>92.25</td><td>34.98</td><td>11.22</td><td>37.81</td><td>0.00</td><td>300</td><td>318 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	100.64	-----	-----	92.25	34.98	11.22	37.81	0.00	300	318 PEAK																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5775.00	100.64	-----	-----	92.25	34.98	11.22	37.81	0.00	300	318 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>92.58</td><td>-----</td><td>-----</td><td>84.28</td><td>34.98</td><td>11.23</td><td>37.91</td><td>0.00</td><td>300</td><td>318 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	92.58	-----	-----	84.28	34.98	11.23	37.91	0.00	300	318 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5775.00	92.58	-----	-----	84.28	34.98	11.23	37.91	0.00	300	318 AVERAGE																																																																														




Mode	117																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																				
ANT	CDD 6+10																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>67.67</td><td>112.27</td><td>-44.60</td><td>60.59</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00</td><td>300</td><td>318</td><td>PEAK</td></tr><tr><td>2</td><td>5863.20</td><td>69.91</td><td>108.60</td><td>-38.69</td><td>62.81</td><td>35.00</td><td>11.34</td><td>39.32</td><td>0.00</td><td>300</td><td>318</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>50.83</td><td>68.94</td><td>-18.11</td><td>43.52</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>300</td><td>318</td><td>PEAK</td></tr><tr><td>4</td><td>5926.80</td><td>52.10</td><td>68.20</td><td>-16.10</td><td>44.77</td><td>35.14</td><td>11.40</td><td>39.21</td><td>0.00</td><td>300</td><td>318</td><td>PEAK</td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	67.67	112.27	-44.60	60.59	35.07	11.33	39.32	0.00	300	318	PEAK	2	5863.20	69.91	108.60	-38.69	62.81	35.00	11.34	39.32	0.00	300	318	PEAK	3	5924.00	50.83	68.94	-18.11	43.52	35.13	11.40	39.22	0.00	300	318	PEAK	4	5926.80	52.10	68.20	-16.10	44.77	35.14	11.40	39.21	0.00	300	318	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.40	67.67	112.27	-44.60	60.59	35.07	11.33	39.32	0.00	300	318	PEAK																																																																									
2	5863.20	69.91	108.60	-38.69	62.81	35.00	11.34	39.32	0.00	300	318	PEAK																																																																									
3	5924.00	50.83	68.94	-18.11	43.52	35.13	11.40	39.22	0.00	300	318	PEAK																																																																									
4	5926.80	52.10	68.20	-16.10	44.77	35.14	11.40	39.21	0.00	300	318	PEAK																																																																									





Mode	117																																																																																							
	Band Edge - L																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																							
ANT	CDD 6+10																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5628.80</td><td>62.24</td><td>68.20</td><td>-5.96</td><td>52.32</td><td>34.86</td><td>11.04</td><td>35.98</td><td>0.00</td><td>316</td><td>263 PEAK</td></tr><tr><td>2 5651.60</td><td>60.30</td><td>69.39</td><td>-9.09</td><td>50.49</td><td>34.88</td><td>11.07</td><td>36.14</td><td>0.00</td><td>316</td><td>263 PEAK</td></tr><tr><td>3 5710.00</td><td>71.38</td><td>108.10</td><td>-36.72</td><td>62.35</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>316</td><td>263 PEAK</td></tr><tr><td>4 5720.00</td><td>70.10</td><td>110.90</td><td>-40.80</td><td>61.21</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>316</td><td>263 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5628.80	62.24	68.20	-5.96	52.32	34.86	11.04	35.98	0.00	316	263 PEAK	2 5651.60	60.30	69.39	-9.09	50.49	34.88	11.07	36.14	0.00	316	263 PEAK	3 5710.00	71.38	108.10	-36.72	62.35	34.93	11.16	37.06	0.00	316	263 PEAK	4 5720.00	70.10	110.90	-40.80	61.21	34.94	11.17	37.22	0.00	316	263 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5628.80	62.24	68.20	-5.96	52.32	34.86	11.04	35.98	0.00	316	263 PEAK																																																																														
2 5651.60	60.30	69.39	-9.09	50.49	34.88	11.07	36.14	0.00	316	263 PEAK																																																																														
3 5710.00	71.38	108.10	-36.72	62.35	34.93	11.16	37.06	0.00	316	263 PEAK																																																																														
4 5720.00	70.10	110.90	-40.80	61.21	34.94	11.17	37.22	0.00	316	263 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5775.00</td><td>100.28</td><td>-----</td><td>-----</td><td>92.05</td><td>34.99</td><td>11.24</td><td>38.00</td><td>0.00</td><td>316</td><td>263 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	100.28	-----	-----	92.05	34.99	11.24	38.00	0.00	316	263 PEAK																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5775.00	100.28	-----	-----	92.05	34.99	11.24	38.00	0.00	316	263 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5775.00</td><td>92.02</td><td>-----</td><td>-----</td><td>83.79</td><td>34.99</td><td>11.24</td><td>38.00</td><td>0.00</td><td>316</td><td>263 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	92.02	-----	-----	83.79	34.99	11.24	38.00	0.00	316	263 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5775.00	92.02	-----	-----	83.79	34.99	11.24	38.00	0.00	316	263 AVERAGE																																																																														





Mode	117																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																						
ANT	CDD 6+10																																																																																						
Pol.	Vertical	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>63.24</td><td>111.36</td><td>-48.12</td><td>56.16</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>316</td><td>263</td><td>PEAK</td></tr><tr><td>2</td><td>5862.80</td><td>67.42</td><td>108.71</td><td>-41.29</td><td>60.32</td><td>35.00</td><td>11.34</td><td>39.32</td><td>0.00</td><td>316</td><td>263</td><td>PEAK</td></tr><tr><td>3</td><td>5921.60</td><td>54.76</td><td>70.71</td><td>-15.95</td><td>47.45</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>316</td><td>263</td><td>PEAK</td></tr><tr><td>4</td><td>5933.20</td><td>53.50</td><td>68.20</td><td>-14.70</td><td>46.15</td><td>35.14</td><td>11.41</td><td>39.20</td><td>0.00</td><td>316</td><td>263</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	63.24	111.36	-48.12	56.16	35.07	11.34	39.33	0.00	316	263	PEAK	2	5862.80	67.42	108.71	-41.29	60.32	35.00	11.34	39.32	0.00	316	263	PEAK	3	5921.60	54.76	70.71	-15.95	47.45	35.13	11.40	39.22	0.00	316	263	PEAK	4	5933.20	53.50	68.20	-14.70	46.15	35.14	11.41	39.20	0.00	316	263	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	5854.80	63.24	111.36	-48.12	56.16	35.07	11.34	39.33	0.00	316	263	PEAK																																																																											
2	5862.80	67.42	108.71	-41.29	60.32	35.00	11.34	39.32	0.00	316	263	PEAK																																																																											
3	5921.60	54.76	70.71	-15.95	47.45	35.13	11.40	39.22	0.00	316	263	PEAK																																																																											
4	5933.20	53.50	68.20	-14.70	46.15	35.14	11.41	39.20	0.00	316	263	PEAK																																																																											






Mode	117																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																									
ANT	CDD 6+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>47.76</td><td>74.00</td><td>-26.24</td><td>59.50</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	47.76	74.00	-26.24	59.50	38.20	16.39	66.33	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>46.35</td><td>74.00</td><td>-27.65</td><td>58.09</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	46.35	74.00	-27.65	58.09	38.20	16.39	66.33	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11550.00	47.76	74.00	-26.24	59.50	38.20	16.39	66.33	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11550.00	46.35	74.00	-27.65	58.09	38.20	16.39	66.33	0.00	---	---	PEAK																																																																																														






		118																																																																																										
Mode	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																											
ANT	CDD 6+10																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5627.60</td><td>51.57</td><td>68.20</td><td>-16.63</td><td>41.66</td><td>34.85</td><td>11.04</td><td>35.98</td><td>0.00</td><td>100</td><td>79 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>50.37</td><td>68.20</td><td>-17.83</td><td>40.54</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>100</td><td>79 PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>50.93</td><td>105.86</td><td>-54.93</td><td>41.80</td><td>34.92</td><td>11.14</td><td>36.93</td><td>0.00</td><td>100</td><td>79 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>48.63</td><td>110.90</td><td>-62.27</td><td>39.74</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>100</td><td>79 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5627.60	51.57	68.20	-16.63	41.66	34.85	11.04	35.98	0.00	100	79 PEAK	2	5650.00	50.37	68.20	-17.83	40.54	34.88	11.07	36.12	0.00	100	79 PEAK	3	5702.00	50.93	105.86	-54.93	41.80	34.92	11.14	36.93	0.00	100	79 PEAK	4	5720.00	48.63	110.90	-62.27	39.74	34.94	11.17	37.22	0.00	100	79 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5627.60	51.57	68.20	-16.63	41.66	34.85	11.04	35.98	0.00	100	79 PEAK																																																																																	
2	5650.00	50.37	68.20	-17.83	40.54	34.88	11.07	36.12	0.00	100	79 PEAK																																																																																	
3	5702.00	50.93	105.86	-54.93	41.80	34.92	11.14	36.93	0.00	100	79 PEAK																																																																																	
4	5720.00	48.63	110.90	-62.27	39.74	34.94	11.17	37.22	0.00	100	79 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.74</td><td>-----</td><td>-----</td><td>89.11</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>100</td><td>79 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	97.74	-----	-----	89.11	34.96	11.20	37.53	0.00	100	79 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5745.00	97.74	-----	-----	89.11	34.96	11.20	37.53	0.00	100	79 AVERAGE																																																																																	






Mode	118																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																																								
ANT	CDD 6+10																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5600.00</td><td>52.48</td><td>68.20</td><td>-15.72</td><td>42.67</td><td>34.83</td><td>11.00</td><td>36.02</td><td>0.00</td><td>310</td><td>58 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>49.36</td><td>68.20</td><td>-18.84</td><td>39.53</td><td>34.80</td><td>11.07</td><td>36.12</td><td>0.00</td><td>310</td><td>58 PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>50.70</td><td>105.64</td><td>-54.94</td><td>41.56</td><td>34.92</td><td>11.14</td><td>36.92</td><td>0.00</td><td>310</td><td>58 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>49.42</td><td>110.90</td><td>-61.48</td><td>40.53</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>310</td><td>58 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5600.00	52.48	68.20	-15.72	42.67	34.83	11.00	36.02	0.00	310	58 PEAK	2	5650.00	49.36	68.20	-18.84	39.53	34.80	11.07	36.12	0.00	310	58 PEAK	3	5701.20	50.70	105.64	-54.94	41.56	34.92	11.14	36.92	0.00	310	58 PEAK	4	5720.00	49.42	110.90	-61.48	40.53	34.94	11.17	37.22	0.00	310	58 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.72</td><td>-----</td><td>-----</td><td>96.09</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>310</td><td>58 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	104.72	-----	-----	96.09	34.96	11.20	37.53	0.00	310	58 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5600.00	52.48	68.20	-15.72	42.67	34.83	11.00	36.02	0.00	310	58 PEAK																																																																																																																														
2	5650.00	49.36	68.20	-18.84	39.53	34.80	11.07	36.12	0.00	310	58 PEAK																																																																																																																														
3	5701.20	50.70	105.64	-54.94	41.56	34.92	11.14	36.92	0.00	310	58 PEAK																																																																																																																														
4	5720.00	49.42	110.90	-61.48	40.53	34.94	11.17	37.22	0.00	310	58 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	104.72	-----	-----	96.09	34.96	11.20	37.53	0.00	310	58 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.66</td><td>-----</td><td>-----</td><td>91.03</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>310</td><td>58 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	99.66	-----	-----	91.03	34.96	11.20	37.53	0.00	310	58 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	99.66	-----	-----	91.03	34.96	11.20	37.53	0.00	310	58 AVERAGE																																																																																																																														



	119																																																																																																																																									
Mode	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																																									
ANT	CDD 6+10																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>46.77</td><td>111.36</td><td>-64.59</td><td>39.69</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>100</td><td>77 PEAK</td></tr><tr><td>2</td><td>5870.40</td><td>50.59</td><td>106.59</td><td>-56.00</td><td>43.46</td><td>35.00</td><td>11.35</td><td>39.30</td><td>0.00</td><td>100</td><td>77 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>48.36</td><td>68.35</td><td>-19.99</td><td>41.05</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>100</td><td>77 PEAK</td></tr><tr><td>4</td><td>5990.40</td><td>50.57</td><td>68.20</td><td>-17.63</td><td>43.02</td><td>35.20</td><td>11.46</td><td>39.11</td><td>0.00</td><td>100</td><td>77 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	46.77	111.36	-64.59	39.69	35.07	11.34	39.33	0.00	100	77 PEAK	2	5870.40	50.59	106.59	-56.00	43.46	35.00	11.35	39.30	0.00	100	77 PEAK	3	5924.00	48.36	68.35	-19.99	41.05	35.13	11.40	39.22	0.00	100	77 PEAK	4	5990.40	50.57	68.20	-17.63	43.02	35.20	11.46	39.11	0.00	100	77 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.49</td><td>-----</td><td>-----</td><td>97.16</td><td>35.05</td><td>11.32</td><td>39.04</td><td>0.00</td><td>100</td><td>77 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	104.49	-----	-----	97.16	35.05	11.32	39.04	0.00	100	77 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5854.00	46.77	111.36	-64.59	39.69	35.07	11.34	39.33	0.00	100	77 PEAK																																																																																																																															
2	5870.40	50.59	106.59	-56.00	43.46	35.00	11.35	39.30	0.00	100	77 PEAK																																																																																																																															
3	5924.00	48.36	68.35	-19.99	41.05	35.13	11.40	39.22	0.00	100	77 PEAK																																																																																																																															
4	5990.40	50.57	68.20	-17.63	43.02	35.20	11.46	39.11	0.00	100	77 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	104.49	-----	-----	97.16	35.05	11.32	39.04	0.00	100	77 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.10</td><td>-----</td><td>-----</td><td>89.77</td><td>35.05</td><td>11.32</td><td>39.04</td><td>0.00</td><td>100</td><td>77 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	97.10	-----	-----	89.77	35.05	11.32	39.04	0.00	100	77 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	97.10	-----	-----	89.77	35.05	11.32	39.04	0.00	100	77 AVERAGE																																																																																																																															






	119																																																																																																																																		
Mode	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																																		
ANT	CDD 6+10																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>49.68</td><td>113.18</td><td>-63.50</td><td>42.60</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00</td><td>317</td><td>65 PEAK</td></tr><tr><td>2 5868.40</td><td>50.48</td><td>107.15</td><td>-56.67</td><td>43.36</td><td>35.00</td><td>11.35</td><td>39.31</td><td>0.00</td><td>317</td><td>65 PEAK</td></tr><tr><td>3 5924.00</td><td>49.49</td><td>68.35</td><td>-18.86</td><td>42.18</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>317</td><td>65 PEAK</td></tr><tr><td>4 5946.00</td><td>50.72</td><td>68.20</td><td>-17.48</td><td>43.33</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>317</td><td>65 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	49.68	113.18	-63.50	42.60	35.07	11.33	39.32	0.00	317	65 PEAK	2 5868.40	50.48	107.15	-56.67	43.36	35.00	11.35	39.31	0.00	317	65 PEAK	3 5924.00	49.49	68.35	-18.86	42.18	35.13	11.40	39.22	0.00	317	65 PEAK	4 5946.00	50.72	68.20	-17.48	43.33	35.15	11.42	39.18	0.00	317	65 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>109.77</td><td>-----</td><td>-----</td><td>102.44</td><td>35.05</td><td>11.32</td><td>39.04</td><td>0.00</td><td>317</td><td>65 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	109.77	-----	-----	102.44	35.05	11.32	39.04	0.00	317
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5854.00	49.68	113.18	-63.50	42.60	35.07	11.33	39.32	0.00	317	65 PEAK																																																																																																																									
2 5868.40	50.48	107.15	-56.67	43.36	35.00	11.35	39.31	0.00	317	65 PEAK																																																																																																																									
3 5924.00	49.49	68.35	-18.86	42.18	35.13	11.40	39.22	0.00	317	65 PEAK																																																																																																																									
4 5946.00	50.72	68.20	-17.48	43.33	35.15	11.42	39.18	0.00	317	65 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	109.77	-----	-----	102.44	35.05	11.32	39.04	0.00	317	65 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>99.76</td><td>-----</td><td>-----</td><td>92.43</td><td>35.05</td><td>11.32</td><td>39.04</td><td>0.00</td><td>317</td><td>65 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	99.76	-----	-----	92.43	35.05	11.32	39.04	0.00	317	65 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	99.76	-----	-----	92.43	35.05	11.32	39.04	0.00	317	65 AVERAGE																																																																																																																									






Mode	120										
	Band Edge										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz										
ANT	CDD 6+10										
Pol.	Horizontal										
Peak	Level (dBuV/m)										






		120																																																																																																																														
Mode			Band Edge																																																																																																																													
			U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																													
ANT			CDD 6+10																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																									
Peak																																																																																																																																
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5640.00</td><td>52.32</td><td>68.20</td><td>-15.88</td><td>42.35</td><td>34.87</td><td>11.06</td><td>35.96</td><td>0.00</td><td>320</td><td>61</td><td>PEAK</td></tr><tr><td>2</td><td>5652.40</td><td>50.48</td><td>69.99</td><td>-19.51</td><td>40.67</td><td>34.88</td><td>11.08</td><td>36.15</td><td>0.00</td><td>320</td><td>61</td><td>PEAK</td></tr><tr><td>3</td><td>5718.00</td><td>56.19</td><td>110.56</td><td>-54.37</td><td>47.28</td><td>34.94</td><td>11.17</td><td>37.20</td><td>0.00</td><td>320</td><td>61</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>50.25</td><td>110.90</td><td>-60.65</td><td>41.36</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>320</td><td>61</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5640.00	52.32	68.20	-15.88	42.35	34.87	11.06	35.96	0.00	320	61	PEAK	2	5652.40	50.48	69.99	-19.51	40.67	34.88	11.08	36.15	0.00	320	61	PEAK	3	5718.00	56.19	110.56	-54.37	47.28	34.94	11.17	37.20	0.00	320	61	PEAK	4	5720.00	50.25	110.90	-60.65	41.36	34.94	11.17	37.22	0.00	320	61	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.01</td><td>-----</td><td>-----</td><td>98.38</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>320</td><td>61</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	107.01	-----	-----	98.38	34.96	11.20	37.53	0.00	320	61
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	5640.00	52.32	68.20	-15.88	42.35	34.87	11.06	35.96	0.00	320	61	PEAK																																																																																																																				
2	5652.40	50.48	69.99	-19.51	40.67	34.88	11.08	36.15	0.00	320	61	PEAK																																																																																																																				
3	5718.00	56.19	110.56	-54.37	47.28	34.94	11.17	37.20	0.00	320	61	PEAK																																																																																																																				
4	5720.00	50.25	110.90	-60.65	41.36	34.94	11.17	37.22	0.00	320	61	PEAK																																																																																																																				
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	5745.00	107.01	-----	-----	98.38	34.96	11.20	37.53	0.00	320	61	PEAK																																																																																																																				
Avg	Blank																																																																																																																															
							<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.53</td><td>-----</td><td>-----</td><td>91.90</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>320</td><td>61</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	100.53	-----	-----	91.90	34.96	11.20	37.53	0.00	320	61	AVERAGE																																																																													
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	5745.00	100.53	-----	-----	91.90	34.96	11.20	37.53	0.00	320	61	AVERAGE																																																																																																																				






	121																																																																																																																																		
Mode	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																																		
ANT	CDD 6+10																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>47.50</td><td>111.36</td><td>-63.86</td><td>40.42</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>2 5872.00</td><td>50.53</td><td>105.92</td><td>-55.39</td><td>43.39</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>3 5924.00</td><td>49.61</td><td>68.94</td><td>-19.33</td><td>42.30</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>4 5936.40</td><td>50.26</td><td>68.20</td><td>-17.94</td><td>42.90</td><td>35.15</td><td>11.41</td><td>39.20</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	47.50	111.36	-63.86	40.42	35.07	11.34	39.33	0.00	100	105 PEAK	2 5872.00	50.53	105.92	-55.39	43.39	35.09	11.35	39.30	0.00	100	105 PEAK	3 5924.00	49.61	68.94	-19.33	42.30	35.13	11.40	39.22	0.00	100	105 PEAK	4 5936.40	50.26	68.20	-17.94	42.90	35.15	11.41	39.20	0.00	100	105 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>105.83</td><td>-----</td><td>-----</td><td>98.50</td><td>35.05</td><td>11.32</td><td>39.04</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	105.83	-----	-----	98.50	35.05	11.32	39.04	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5854.00	47.50	111.36	-63.86	40.42	35.07	11.34	39.33	0.00	100	105 PEAK																																																																																																																									
2 5872.00	50.53	105.92	-55.39	43.39	35.09	11.35	39.30	0.00	100	105 PEAK																																																																																																																									
3 5924.00	49.61	68.94	-19.33	42.30	35.13	11.40	39.22	0.00	100	105 PEAK																																																																																																																									
4 5936.40	50.26	68.20	-17.94	42.90	35.15	11.41	39.20	0.00	100	105 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	105.83	-----	-----	98.50	35.05	11.32	39.04	0.00	100	105 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>90.25</td><td>-----</td><td>-----</td><td>90.92</td><td>35.05</td><td>11.32</td><td>39.04</td><td>0.00</td><td>100</td><td>105 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	90.25	-----	-----	90.92	35.05	11.32	39.04	0.00	100	105 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	90.25	-----	-----	90.92	35.05	11.32	39.04	0.00	100	105 AVERAGE																																																																																																																									





	121																																																																																																																																						
Mode	Band Edge																																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																																						
ANT	CDD 6+10																																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																																
Peak																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>50.25</td><td>111.36</td><td>-61.11</td><td>43.17</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>315</td><td>67 PEAK</td></tr><tr><td>2</td><td>5869.20</td><td>51.54</td><td>106.92</td><td>-55.38</td><td>44.42</td><td>35.08</td><td>11.35</td><td>39.31</td><td>0.00</td><td>315</td><td>67 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>49.78</td><td>68.94</td><td>-19.16</td><td>42.47</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>315</td><td>67 PEAK</td></tr><tr><td>4</td><td>5930.40</td><td>50.96</td><td>68.20</td><td>-17.24</td><td>43.62</td><td>35.14</td><td>11.41</td><td>39.21</td><td>0.00</td><td>315</td><td>67 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	50.25	111.36	-61.11	43.17	35.07	11.34	39.33	0.00	315	67 PEAK	2	5869.20	51.54	106.92	-55.38	44.42	35.08	11.35	39.31	0.00	315	67 PEAK	3	5924.00	49.78	68.94	-19.16	42.47	35.13	11.40	39.22	0.00	315	67 PEAK	4	5930.40	50.96	68.20	-17.24	43.62	35.14	11.41	39.21	0.00	315	67 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.48</td><td>-----</td><td>100.15</td><td>35.05</td><td>11.32</td><td>39.04</td><td>0.00</td><td>315</td><td>67 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	107.48	-----	100.15	35.05	11.32	39.04	0.00	315
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																													
1	5854.00	50.25	111.36	-61.11	43.17	35.07	11.34	39.33	0.00	315	67 PEAK																																																																																																																												
2	5869.20	51.54	106.92	-55.38	44.42	35.08	11.35	39.31	0.00	315	67 PEAK																																																																																																																												
3	5924.00	49.78	68.94	-19.16	42.47	35.13	11.40	39.22	0.00	315	67 PEAK																																																																																																																												
4	5930.40	50.96	68.20	-17.24	43.62	35.14	11.41	39.21	0.00	315	67 PEAK																																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																													
1	5825.00	107.48	-----	100.15	35.05	11.32	39.04	0.00	315	67 PEAK																																																																																																																													
Avg	Blank																																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>99.87</td><td>-----</td><td>92.54</td><td>35.05</td><td>11.32</td><td>39.04</td><td>0.00</td><td>315</td><td>67 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	99.87	-----	92.54	35.05	11.32	39.04	0.00	315	67 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																													
1	5825.00	99.87	-----	92.54	35.05	11.32	39.04	0.00	315	67 AVERAGE																																																																																																																													






	122																																																																																																																																			
Mode	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																																			
ANT	CDD 6+10																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5632.40</td><td>52.37</td><td>68.20</td><td>-15.83</td><td>42.43</td><td>34.86</td><td>11.05</td><td>35.97</td><td>0.00</td><td>106</td><td>107 PEAK</td></tr><tr><td>2 5650.00</td><td>50.00</td><td>68.20</td><td>-18.20</td><td>40.17</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>106</td><td>107 PEAK</td></tr><tr><td>3 5702.00</td><td>50.35</td><td>105.86</td><td>-55.51</td><td>41.22</td><td>34.92</td><td>11.14</td><td>36.93</td><td>0.00</td><td>106</td><td>107 PEAK</td></tr><tr><td>4 5721.20</td><td>53.28</td><td>113.64</td><td>-60.36</td><td>44.40</td><td>34.94</td><td>11.17</td><td>37.23</td><td>0.00</td><td>106</td><td>107 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5632.40	52.37	68.20	-15.83	42.43	34.86	11.05	35.97	0.00	106	107 PEAK	2 5650.00	50.00	68.20	-18.20	40.17	34.88	11.07	36.12	0.00	106	107 PEAK	3 5702.00	50.35	105.86	-55.51	41.22	34.92	11.14	36.93	0.00	106	107 PEAK	4 5721.20	53.28	113.64	-60.36	44.40	34.94	11.17	37.23	0.00	106	107 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>103.66</td><td>-----</td><td>-----</td><td>95.03</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>106</td><td>107 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	103.66	-----	-----	95.03	34.96	11.20	37.53	0.00	106	107 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5632.40	52.37	68.20	-15.83	42.43	34.86	11.05	35.97	0.00	106	107 PEAK																																																																																																																										
2 5650.00	50.00	68.20	-18.20	40.17	34.88	11.07	36.12	0.00	106	107 PEAK																																																																																																																										
3 5702.00	50.35	105.86	-55.51	41.22	34.92	11.14	36.93	0.00	106	107 PEAK																																																																																																																										
4 5721.20	53.28	113.64	-60.36	44.40	34.94	11.17	37.23	0.00	106	107 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	103.66	-----	-----	95.03	34.96	11.20	37.53	0.00	106	107 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>95.61</td><td>-----</td><td>-----</td><td>86.98</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>106</td><td>107 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	95.61	-----	-----	86.98	34.96	11.20	37.53	0.00	106	107 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	95.61	-----	-----	86.98	34.96	11.20	37.53	0.00	106	107 AVERAGE																																																																																																																										






Mode	122																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																											
ANT	CDD 6+10																																																																																											
Pol.	Vertical																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5626.00</td><td>51.30</td><td>68.20</td><td>-16.90</td><td>41.39</td><td>34.85</td><td>11.04</td><td>35.98</td><td>0.00</td><td>310</td><td>66 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>51.61</td><td>68.50</td><td>-16.89</td><td>41.78</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>310</td><td>66 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>49.78</td><td>105.30</td><td>-55.52</td><td>40.62</td><td>34.92</td><td>11.14</td><td>36.90</td><td>0.00</td><td>310</td><td>66 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>52.06</td><td>111.81</td><td>-59.75</td><td>43.17</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>310</td><td>66 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5626.00	51.30	68.20	-16.90	41.39	34.85	11.04	35.98	0.00	310	66 PEAK	2	5650.40	51.61	68.50	-16.89	41.78	34.88	11.07	36.12	0.00	310	66 PEAK	3	5700.00	49.78	105.30	-55.52	40.62	34.92	11.14	36.90	0.00	310	66 PEAK	4	5720.40	52.06	111.81	-59.75	43.17	34.94	11.17	37.22	0.00	310	66 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5626.00	51.30	68.20	-16.90	41.39	34.85	11.04	35.98	0.00	310	66 PEAK																																																																																	
2	5650.40	51.61	68.50	-16.89	41.78	34.88	11.07	36.12	0.00	310	66 PEAK																																																																																	
3	5700.00	49.78	105.30	-55.52	40.62	34.92	11.14	36.90	0.00	310	66 PEAK																																																																																	
4	5720.40	52.06	111.81	-59.75	43.17	34.94	11.17	37.22	0.00	310	66 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>104.38</td><td>-----</td><td>-----</td><td>95.75</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>310</td><td>66 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	104.38	-----	-----	95.75	34.96	11.20	37.53	0.00	310	66 PEAK																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5745.00	104.38	-----	-----	95.75	34.96	11.20	37.53	0.00	310	66 PEAK																																																																																	





		123																																																																										
Mode		Band Edge																																																																										
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																										
ANT		CDD 6+10																																																																										
Pol.		Horizontal																																																																										
Peak																																																																												
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	48.36	112.27	-63.91	41.28	35.07	11.33	39.32	0.00	100	91 PEAK	2 5874.40	49.21	105.47	-56.26	42.07	35.09	11.35	39.30	0.00	100	91 PEAK	3 5924.80	47.69	68.35	-20.66	40.38	35.13	11.40	39.22	0.00	100	91 PEAK	4 5939.60	49.49	68.20	-18.71	42.11	35.15	11.42	39.19	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1 5854.40	48.36	112.27	-63.91	41.28	35.07	11.33	39.32	0.00	100	91 PEAK																																																																		
2 5874.40	49.21	105.47	-56.26	42.07	35.09	11.35	39.30	0.00	100	91 PEAK																																																																		
3 5924.80	47.69	68.35	-20.66	40.38	35.13	11.40	39.22	0.00	100	91 PEAK																																																																		
4 5939.60	49.49	68.20	-18.71	42.11	35.15	11.42	39.19	0.00	100	91 PEAK																																																																		
																																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>103.53</td><td>-----</td><td>-----</td><td>96.20</td><td>35.05</td><td>11.32</td><td>39.04</td><td>0.00</td><td>100</td><td>91 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	103.53	-----	-----	96.20	35.05	11.32	39.04	0.00	100	91 PEAK																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1 5825.00	103.53	-----	-----	96.20	35.05	11.32	39.04	0.00	100	91 PEAK																																																																		
Avg		Blank																																																																										
																																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>94.97</td><td>-----</td><td>-----</td><td>87.64</td><td>35.05</td><td>11.32</td><td>39.04</td><td>0.00</td><td>100</td><td>91 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	94.97	-----	-----	87.64	35.05	11.32	39.04	0.00	100	91 AVERAGE																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1 5825.00	94.97	-----	-----	87.64	35.05	11.32	39.04	0.00	100	91 AVERAGE																																																																		





		123																																																																																													
Mode		Band Edge																																																																																													
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																													
ANT		CDD 6+10																																																																																													
Pol.		Vertical																																																																																													
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5854.80</td><td>50.42</td><td>111.36</td><td>-60.94</td><td>43.34</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>315</td><td>57 PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>50.30</td><td>105.47</td><td>-55.17</td><td>43.16</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>315</td><td>57 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>47.46</td><td>68.64</td><td>-21.18</td><td>40.15</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>315</td><td>57 PEAK</td></tr><tr><td>4</td><td>5955.60</td><td>50.40</td><td>68.20</td><td>-17.80</td><td>42.97</td><td>35.16</td><td>11.43</td><td>39.16</td><td>0.00</td><td>315</td><td>57 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5854.80	50.42	111.36	-60.94	43.34	35.07	11.34	39.33	0.00	315	57 PEAK	2	5874.40	50.30	105.47	-55.17	43.16	35.09	11.35	39.30	0.00	315	57 PEAK	3	5924.40	47.46	68.64	-21.18	40.15	35.13	11.40	39.22	0.00	315	57 PEAK	4	5955.60	50.40	68.20	-17.80	42.97	35.16	11.43	39.16	0.00	315
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.80	50.42	111.36	-60.94	43.34	35.07	11.34	39.33	0.00	315	57 PEAK																																																																																				
2	5874.40	50.30	105.47	-55.17	43.16	35.09	11.35	39.30	0.00	315	57 PEAK																																																																																				
3	5924.40	47.46	68.64	-21.18	40.15	35.13	11.40	39.22	0.00	315	57 PEAK																																																																																				
4	5955.60	50.40	68.20	-17.80	42.97	35.16	11.43	39.16	0.00	315	57 PEAK																																																																																				
Fundamental																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.92</td><td>-----</td><td>-----</td><td>96.59</td><td>35.05</td><td>11.32</td><td>39.04</td><td>0.00</td><td>315</td><td>57 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	103.92	-----	-----	96.59	35.05	11.32	39.04	0.00	315	57 PEAK																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																				
1	5825.00	103.92	-----	-----	96.59	35.05	11.32	39.04	0.00	315	57 PEAK																																																																																				
Avg	Blank																																																																																														
																																																																																															
<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.46</td><td>-----</td><td>-----</td><td>90.04</td><td>35.05</td><td>11.31</td><td>38.94</td><td>0.00</td><td>315</td><td>57 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	97.46	-----	-----	90.04	35.05	11.31	38.94	0.00	315	57 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																				
1	5825.00	97.46	-----	-----	90.04	35.05	11.31	38.94	0.00	315	57 AVERAGE																																																																																				





Mode	55	
	18G-40G	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz	
ANT	CDD 6+7	
Pol.	Horizontal	Vertical
Peak Avg		





Mode	55											
	30-1G											
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz											
ANT	CDD 6+7											
Pol.	Horizontal											
Peak												
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	94.02	27.77	43.50	-15.73	43.15	15.14	1.48	32.00	0.00	---	---	Peak
2	133.31	22.44	43.50	-21.06	35.23	17.52	1.75	32.06	0.00	---	---	Peak
3	203.63	27.38	43.50	-16.12	42.48	14.80	2.17	32.07	0.00	---	---	Peak
4	410.73	23.75	46.00	-22.25	30.71	22.13	3.09	32.18	0.00	---	---	Peak
5	741.74	27.38	46.00	-18.62	27.02	28.07	4.15	31.86	0.00	---	---	Peak
6	860.32	29.16	46.00	-16.84	26.46	29.72	4.45	31.47	0.00	---	---	Peak
Peak												
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	53.04	36.28	40.00	-3.72	54.22	13.02	1.11	32.07	0.00	---	---	Peak
2	93.54	34.28	43.50	-9.22	49.72	15.08	1.48	32.00	0.00	---	---	Peak
3	202.18	21.26	43.50	-22.24	36.41	14.77	2.16	32.00	0.00	---	---	Peak
4	273.96	21.19	46.00	-24.81	31.93	18.78	2.54	32.06	0.00	---	---	Peak
5	428.43	23.73	46.00	-22.27	30.27	22.54	3.16	32.24	0.00	---	---	Peak
6	844.07	29.61	46.00	-16.39	27.42	29.29	4.41	31.51	0.00	---	---	Peak





Mode	42																																																																																																																
	Harmonic																																																																																																																
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																																
ANT	CDD 6+7																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11440.00</td><td>47.26</td><td>74.00</td><td>-26.74</td><td>59.22</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11440.00	47.26	74.00	-26.74	59.22	38.08	16.32	66.36	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11440.00</td><td>50.71</td><td>74.00</td><td>-23.29</td><td>62.67</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2 11440.00</td><td>40.59</td><td>54.00</td><td>-13.41</td><td>52.55</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11440.00	50.71	74.00	-23.29	62.67	38.08	16.32	66.36	0.00	100	0	PEAK	2 11440.00	40.59	54.00	-13.41	52.55	38.08	16.32	66.36	0.00	100	0
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1 11440.00	47.26	74.00	-26.74	59.22	38.08	16.32	66.36	0.00	---	---	PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1 11440.00	50.71	74.00	-23.29	62.67	38.08	16.32	66.36	0.00	100	0	PEAK																																																																																																						
2 11440.00	40.59	54.00	-13.41	52.55	38.08	16.32	66.36	0.00	100	0	AVERAGE																																																																																																						





Mode	43																																																																																																																						
	Harmonic																																																																																																																						
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_Full_5720MHz																																																																																																																						
ANT	CDD 6+7																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																
Peak Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>47.27</td><td>74.00</td><td>-26.73</td><td>59.23</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	47.27	74.00	-26.73	59.23	38.08	16.32	66.36	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>49.60</td><td>74.00</td><td>-24.40</td><td>61.56</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>40.09</td><td>54.00</td><td>-13.91</td><td>52.05</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	49.60	74.00	-24.40	61.56	38.08	16.32	66.36	0.00	100	0	PEAK	2	11440.00	40.09	54.00	-13.91	52.05	38.08	16.32	66.36	0.00	100	0	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	11440.00	47.27	74.00	-26.73	59.23	38.08	16.32	66.36	0.00	---	---	PEAK																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	11440.00	49.60	74.00	-24.40	61.56	38.08	16.32	66.36	0.00	100	0	PEAK																																																																																																											
2	11440.00	40.09	54.00	-13.91	52.05	38.08	16.32	66.36	0.00	100	0	AVERAGE																																																																																																											



Mode	44																																																																																																															
	Harmonic																																																																																																															
	U-NII-2C_5.47-5.85_802.11ax HE40_CH142_Full_5710MHz																																																																																																															
ANT	CDD 6+7																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11420.00</td><td>45.58</td><td>74.00</td><td>-28.42</td><td>57.60</td><td>38.04</td><td>16.31</td><td>66.37</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11420.00	45.58	74.00	-28.42	57.60	38.04	16.31	66.37	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11420.00</td><td>49.02</td><td>74.00</td><td>-24.98</td><td>61.04</td><td>38.04</td><td>16.31</td><td>66.37</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2 11420.00</td><td>38.91</td><td>54.00</td><td>-15.09</td><td>50.90</td><td>38.06</td><td>16.32</td><td>66.37</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11420.00	49.02	74.00	-24.98	61.04	38.04	16.31	66.37	0.00	100	0	PEAK	2 11420.00	38.91	54.00	-15.09	50.90	38.06	16.32	66.37	0.00	100	0
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1 11420.00	45.58	74.00	-28.42	57.60	38.04	16.31	66.37	0.00	---	---	PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1 11420.00	49.02	74.00	-24.98	61.04	38.04	16.31	66.37	0.00	100	0	PEAK																																																																																																					
2 11420.00	38.91	54.00	-15.09	50.90	38.06	16.32	66.37	0.00	100	0	AVERAGE																																																																																																					





		45																																																									
Mode		Harmonic																																																									
		U-NII-2C_5.47-5.85_802.11ax HE80_CH138_Full_5690MHz																																																									
ANT		CDD 6+7																																																									
Pol.		Horizontal						Vertical																																																			
Peak Avg																																																											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11380.00	45.12	74.00	-28.88	57.25	37.98	16.29	66.40	0.00	---	---	PEAK														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11380.00	45.12	74.00	-28.88	57.25	37.98	16.29	66.40	0.00	---	---	PEAK																																															
																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>46.96</td><td>74.00</td><td>-27.04</td><td>59.09</td><td>37.98</td><td>16.29</td><td>66.40</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11380.00	46.96	74.00	-27.04	59.09	37.98	16.29	66.40	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11380.00	46.96	74.00	-27.04	59.09	37.98	16.29	66.40	0.00	---	---	PEAK																																															





Mode	104																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																																							
ANT	CDD 6+10																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>54.59</td><td>74.00</td><td>-19.41</td><td>66.55</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>226</td><td>353</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>44.58</td><td>54.00</td><td>-9.42</td><td>56.54</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>226</td><td>353</td><td>AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	54.59	74.00	-19.41	66.55	38.08	16.32	66.36	0.00	226	353	PEAK	2	11440.00	44.58	54.00	-9.42	56.54	38.08	16.32	66.36	0.00	226	353	AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>47.93</td><td>74.00</td><td>-26.07</td><td>59.89</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	47.93	74.00	-26.07	59.89	38.08	16.32	66.36	0.00	---	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	11440.00	54.59	74.00	-19.41	66.55	38.08	16.32	66.36	0.00	226	353	PEAK																																																																																																												
2	11440.00	44.58	54.00	-9.42	56.54	38.08	16.32	66.36	0.00	226	353	AVERAGE																																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	11440.00	47.93	74.00	-26.07	59.89	38.08	16.32	66.36	0.00	---	---	PEAK																																																																																																												





		105																																															
Mode		Harmonic																																															
		U-NII-2C_5.47-5.85_802.11ax HE20_CH144_Full_5720MHz																																															
ANT		CDD 6+10																																															
Pol.		Horizontal																																															
Peak Avg																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	11440.00	52.15	74.00	-21.85	64.11	38.08	16.32	66.36	0.00	100	80 PEAK	2	11440.00	42.60	54.00	-11.40	54.56	38.08	16.32	66.36	0.00	100	80 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																						
1	11440.00	52.15	74.00	-21.85	64.11	38.08	16.32	66.36	0.00	100	80 PEAK																																						
2	11440.00	42.60	54.00	-11.40	54.56	38.08	16.32	66.36	0.00	100	80 AVERAGE																																						
		Vertical																																															
																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>45.84</td><td>74.00</td><td>-28.16</td><td>57.80</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	11440.00	45.84	74.00	-28.16	57.80	38.08	16.32	66.36	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																						
1	11440.00	45.84	74.00	-28.16	57.80	38.08	16.32	66.36	0.00	---	---	PEAK																																					







Mode	106																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-2C_5.47-5.85_802.11ax HE40_CH142_Full_5710MHz																																																																																																																		
ANT	CDD 6+10																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																												
Peak Avg																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11420.00</td><td>50.32</td><td>74.00</td><td>-23.68</td><td>62.34</td><td>38.04</td><td>16.31</td><td>66.37</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>40.79</td><td>54.00</td><td>-13.21</td><td>52.81</td><td>38.04</td><td>16.31</td><td>66.37</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	50.32	74.00	-23.68	62.34	38.04	16.31	66.37	0.00	100	0 PEAK	2	11420.00	40.79	54.00	-13.21	52.81	38.04	16.31	66.37	0.00	100	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11420.00</td><td>46.17</td><td>74.00</td><td>-27.83</td><td>58.19</td><td>38.04</td><td>16.31</td><td>66.37</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	46.17	74.00	-27.83	58.19	38.04	16.31	66.37	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	11420.00	50.32	74.00	-23.68	62.34	38.04	16.31	66.37	0.00	100	0 PEAK																																																																																																								
2	11420.00	40.79	54.00	-13.21	52.81	38.04	16.31	66.37	0.00	100	0 AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	11420.00	46.17	74.00	-27.83	58.19	38.04	16.31	66.37	0.00	---	---	PEAK																																																																																																							







Mode	107																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.85_802.11ax HE80_CH138_Full_5690MHz																																																																																																			
ANT	CDD 6+10																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>59.66</td><td>37.98</td><td>16.29</td><td>66.40</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	47.53	74.00	-26.47	59.66	37.98	16.29	66.40	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>45.78</td><td>74.00</td><td>-28.22</td><td>57.91</td><td>37.98</td><td>16.29</td><td>66.40</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	45.78	74.00	-28.22	57.91	37.98	16.29	66.40	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11380.00	47.53	74.00	-26.47	59.66	37.98	16.29	66.40	0.00	---	---	PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11380.00	45.78	74.00	-28.22	57.91	37.98	16.29	66.40	0.00	---	---	PEAK																																																																																								





Mode	125																																																																																																							
	Band Edge																																																																																																							
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH38_2478MHz																																																																																																							
ANT	3																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																	
Peak																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>50.47</td><td>74.00</td><td>-23.53</td><td>41.59</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>112</td><td>299</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	50.47	74.00	-23.53	41.59	32.47	7.26	36.85	6.00	112	299	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>103.76</td><td>-----</td><td>-----</td><td>94.91</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>112</td><td>299</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	103.76	-----	-----	94.91	32.46	7.25	36.86	6.00	112	299	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	2483.56	50.47	74.00	-23.53	41.59	32.47	7.26	36.85	6.00	112	299	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	2478.00	103.76	-----	-----	94.91	32.46	7.25	36.86	6.00	112	299	PEAK																																																																																												
Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.98</td><td>39.77</td><td>54.00</td><td>-14.23</td><td>30.80</td><td>32.50</td><td>7.28</td><td>36.81</td><td>6.00</td><td>112</td><td>299</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.98	39.77	54.00	-14.23	30.80	32.50	7.28	36.81	6.00	112	299	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>101.15</td><td>-----</td><td>-----</td><td>92.30</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>112</td><td>299</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	101.15	-----	-----	92.30	32.46	7.25	36.86	6.00	112	299	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	2498.98	39.77	54.00	-14.23	30.80	32.50	7.28	36.81	6.00	112	299	AVERAGE																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	2478.00	101.15	-----	-----	92.30	32.46	7.25	36.86	6.00	112	299	AVERAGE																																																																																												







		125																																																																																																																																			
Mode		Band Edge																																																																																																																																			
		2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH38_2478MHz																																																																																																																																			
ANT		3																																																																																																																																			
Pol.	Vertical											Fundamental																																																																																																																									
Peak																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.74</td><td>50.02</td><td>74.00</td><td>-23.98</td><td>41.14</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>320</td><td>50 PEAK</td></tr></table>																							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	50.02	74.00	-23.98	41.14	32.47	7.26	36.85	6.00	320	50 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>102.97</td><td>-----</td><td>-----</td><td>94.12</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>320</td><td>50 PEAK</td></tr></table>																							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	102.97	-----	-----	94.12	32.46	7.25	36.86	6.00	320
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	2483.74	50.02	74.00	-23.98	41.14	32.47	7.26	36.85	6.00	320	50 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	2478.00	102.97	-----	-----	94.12	32.46	7.25	36.86	6.00	320	50 PEAK																																																																																																																										
Avg																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.12</td><td>39.64</td><td>54.00</td><td>-14.36</td><td>30.76</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>320</td><td>50 AVERAGE</td></tr></table>																							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.12	39.64	54.00	-14.36	30.76	32.47	7.26	36.85	6.00	320	50 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>100.87</td><td>-----</td><td>-----</td><td>92.02</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>320</td><td>50 AVERAGE</td></tr></table>																							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	100.87	-----	-----	92.02	32.46	7.25	36.86	6.00	320
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	2485.12	39.64	54.00	-14.36	30.76	32.47	7.26	36.85	6.00	320	50 AVERAGE																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	2478.00	100.87	-----	-----	92.02	32.46	7.25	36.86	6.00	320	50 AVERAGE																																																																																																																										




Mode	125																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH38_2478MHz																																																																																																																													
ANT	3																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>40.49</td><td>74.00</td><td>-33.51</td><td>61.47</td><td>34.22</td><td>10.39</td><td>65.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5530.00</td><td>60.74</td><td>74.00</td><td>-13.26</td><td>80.46</td><td>34.76</td><td>10.92</td><td>65.40</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	40.49	74.00	-33.51	61.47	34.22	10.39	65.59	0.00	---	PEAK	2	5530.00	60.74	74.00	-13.26	80.46	34.76	10.92	65.40	0.00	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>39.61</td><td>74.00</td><td>-34.39</td><td>60.59</td><td>34.22</td><td>10.39</td><td>65.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5530.00</td><td>56.97</td><td>74.00</td><td>-17.03</td><td>76.69</td><td>34.76</td><td>10.92</td><td>65.40</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	39.61	74.00	-34.39	60.59	34.22	10.39	65.59	0.00	---	PEAK	2	5530.00	56.97	74.00	-17.03	76.69	34.76	10.92	65.40	0.00	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4956.00	40.49	74.00	-33.51	61.47	34.22	10.39	65.59	0.00	---	PEAK																																																																																																																			
2	5530.00	60.74	74.00	-13.26	80.46	34.76	10.92	65.40	0.00	---	Peak																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4956.00	39.61	74.00	-34.39	60.59	34.22	10.39	65.59	0.00	---	PEAK																																																																																																																			
2	5530.00	56.97	74.00	-17.03	76.69	34.76	10.92	65.40	0.00	---	Peak																																																																																																																			







		125																																																																																																																																																																													
Mode		Band Edge - L																																																																																																																																																																													
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																																																																																																													
ANT		CDD 6+7																																																																																																																																																																													
Pol.	Horizontal											Fundamental																																																																																																																																																																			
Peak																																																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5446.00</td><td>58.96</td><td>74.00</td><td>-15.04</td><td>49.69</td><td>34.68</td><td>10.82</td><td>36.23</td><td>0.00</td><td>100</td><td>227</td><td>PEAK</td></tr><tr><td>2</td><td>5466.16</td><td>58.13</td><td>68.20</td><td>-10.07</td><td>48.79</td><td>34.70</td><td>10.85</td><td>36.21</td><td>0.00</td><td>100</td><td>227</td><td>PEAK</td></tr></tbody></table>																							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5446.00	58.96	74.00	-15.04	49.69	34.68	10.82	36.23	0.00	100	227	PEAK	2	5466.16	58.13	68.20	-10.07	48.79	34.70	10.85	36.21	0.00	100	227	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>94.85</td><td>-----</td><td>-----</td><td>92.00</td><td>32.46</td><td>7.25</td><td>36.86</td><td>0.00</td><td>100</td><td>227</td><td>Peak</td></tr><tr><td>2</td><td>3616.00</td><td>97.84</td><td>-----</td><td>-----</td><td>92.74</td><td>32.96</td><td>8.78</td><td>36.64</td><td>0.00</td><td>100</td><td>227</td><td>Peak</td></tr><tr><td>3</td><td>5530.00</td><td>100.88</td><td>-----</td><td>-----</td><td>91.29</td><td>34.77</td><td>10.93</td><td>36.11</td><td>0.00</td><td>100</td><td>227</td><td>PEAK</td></tr></tbody></table>																							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	94.85	-----	-----	92.00	32.46	7.25	36.86	0.00	100	227	Peak	2	3616.00	97.84	-----	-----	92.74	32.96	8.78	36.64	0.00	100	227	Peak	3	5530.00	100.88	-----	-----	91.29	34.77	10.93	36.11	0.00	100	227	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																					
1	5446.00	58.96	74.00	-15.04	49.69	34.68	10.82	36.23	0.00	100	227	PEAK																																																																																																																																																																			
2	5466.16	58.13	68.20	-10.07	48.79	34.70	10.85	36.21	0.00	100	227	PEAK																																																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																					
1	2480.00	94.85	-----	-----	92.00	32.46	7.25	36.86	0.00	100	227	Peak																																																																																																																																																																			
2	3616.00	97.84	-----	-----	92.74	32.96	8.78	36.64	0.00	100	227	Peak																																																																																																																																																																			
3	5530.00	100.88	-----	-----	91.29	34.77	10.93	36.11	0.00	100	227	PEAK																																																																																																																																																																			
Avg																																																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.84</td><td>50.47</td><td>54.00</td><td>-3.53</td><td>41.16</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>100</td><td>227</td><td>AVERAGE</td></tr></tbody></table>																							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5457.84	50.47	54.00	-3.53	41.16	34.69	10.84	36.22	0.00	100	227	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>92.04</td><td>-----</td><td>-----</td><td>89.19</td><td>32.46</td><td>7.25</td><td>36.86</td><td>0.00</td><td>100</td><td>227</td><td>Average</td></tr><tr><td>2</td><td>3616.00</td><td>94.35</td><td>-----</td><td>-----</td><td>89.25</td><td>32.96</td><td>8.78</td><td>36.64</td><td>0.00</td><td>100</td><td>227</td><td>Average</td></tr><tr><td>3</td><td>5530.00</td><td>91.40</td><td>-----</td><td>-----</td><td>81.84</td><td>34.76</td><td>10.92</td><td>36.12</td><td>0.00</td><td>100</td><td>227</td><td>Average</td></tr></tbody></table>																							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	92.04	-----	-----	89.19	32.46	7.25	36.86	0.00	100	227	Average	2	3616.00	94.35	-----	-----	89.25	32.96	8.78	36.64	0.00	100	227	Average	3	5530.00	91.40	-----	-----	81.84	34.76	10.92	36.12	0.00	100	227	Average													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																					
1	5457.84	50.47	54.00	-3.53	41.16	34.69	10.84	36.22	0.00	100	227	AVERAGE																																																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																					
1	2480.00	92.04	-----	-----	89.19	32.46	7.25	36.86	0.00	100	227	Average																																																																																																																																																																			
2	3616.00	94.35	-----	-----	89.25	32.96	8.78	36.64	0.00	100	227	Average																																																																																																																																																																			
3	5530.00	91.40	-----	-----	81.84	34.76	10.92	36.12	0.00	100	227	Average																																																																																																																																																																			





Mode	125																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.88</td><td>48.42</td><td>68.20</td><td>-19.78</td><td>39.66</td><td>34.95</td><td>11.18</td><td>37.37</td><td>0.00</td><td>100</td><td>227</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.88	48.42	68.20	-19.78	39.66	34.95	11.18	37.37	0.00	100	227	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5729.88	48.42	68.20	-19.78	39.66	34.95	11.18	37.37	0.00	100	227	PEAK																																												



		125																																																																																																																																													
Mode		Band Edge - L																																																																																																																																													
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																																																																													
ANT		CDD 6+7																																																																																																																																													
Pol.		Fundamental																																																																																																																																													
Peak	Vertical																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5445.68</td><td>53.47</td><td>74.00</td><td>-20.53</td><td>44.21</td><td>34.68</td><td>10.82</td><td>36.24</td><td>0.00</td><td>300</td><td>82 PEAK</td></tr><tr><td>2</td><td>5463.44</td><td>55.03</td><td>68.20</td><td>-13.17</td><td>45.70</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>300</td><td>82 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.68	53.47	74.00	-20.53	44.21	34.68	10.82	36.24	0.00	300	82 PEAK	2	5463.44	55.03	68.20	-13.17	45.70	34.70	10.84	36.21	0.00	300	82 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>85.59</td><td>-----</td><td>82.74</td><td>32.46</td><td>7.25</td><td>36.86</td><td>0.00</td><td>300</td><td>82 Peak</td></tr><tr><td>2</td><td>3616.00</td><td>105.26</td><td>-----</td><td>100.16</td><td>32.96</td><td>8.78</td><td>36.64</td><td>0.00</td><td>300</td><td>82 Peak</td></tr><tr><td>3</td><td>5530.00</td><td>96.01</td><td>-----</td><td>86.45</td><td>34.76</td><td>10.92</td><td>36.12</td><td>0.00</td><td>300</td><td>82 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	85.59	-----	82.74	32.46	7.25	36.86	0.00	300	82 Peak	2	3616.00	105.26	-----	100.16	32.96	8.78	36.64	0.00	300	82 Peak	3	5530.00	96.01	-----	86.45	34.76	10.92	36.12	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5445.68	53.47	74.00	-20.53	44.21	34.68	10.82	36.24	0.00	300	82 PEAK																																																																																																																																				
2	5463.44	55.03	68.20	-13.17	45.70	34.70	10.84	36.21	0.00	300	82 PEAK																																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	2480.00	85.59	-----	82.74	32.46	7.25	36.86	0.00	300	82 Peak																																																																																																																																					
2	3616.00	105.26	-----	100.16	32.96	8.78	36.64	0.00	300	82 Peak																																																																																																																																					
3	5530.00	96.01	-----	86.45	34.76	10.92	36.12	0.00	300	82 PEAK																																																																																																																																					
Avg	Vertical																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5452.88</td><td>45.04</td><td>54.00</td><td>-8.96</td><td>35.74</td><td>34.69</td><td>10.83</td><td>36.22</td><td>0.00</td><td>300</td><td>82 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.88	45.04	54.00	-8.96	35.74	34.69	10.83	36.22	0.00	300	82 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>83.47</td><td>-----</td><td>80.62</td><td>32.46</td><td>7.25</td><td>36.86</td><td>0.00</td><td>300</td><td>82 Average</td></tr><tr><td>2</td><td>3616.00</td><td>103.92</td><td>-----</td><td>98.82</td><td>32.96</td><td>8.78</td><td>36.64</td><td>0.00</td><td>300</td><td>82 Average</td></tr><tr><td>3</td><td>5530.00</td><td>88.14</td><td>-----</td><td>78.58</td><td>34.76</td><td>10.92</td><td>36.12</td><td>0.00</td><td>300</td><td>82 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	83.47	-----	80.62	32.46	7.25	36.86	0.00	300	82 Average	2	3616.00	103.92	-----	98.82	32.96	8.78	36.64	0.00	300	82 Average	3	5530.00	88.14	-----	78.58	34.76	10.92	36.12	0.00	300	82 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5452.88	45.04	54.00	-8.96	35.74	34.69	10.83	36.22	0.00	300	82 AVERAGE																																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	2480.00	83.47	-----	80.62	32.46	7.25	36.86	0.00	300	82 Average																																																																																																																																					
2	3616.00	103.92	-----	98.82	32.96	8.78	36.64	0.00	300	82 Average																																																																																																																																					
3	5530.00	88.14	-----	78.58	34.76	10.92	36.12	0.00	300	82 AVERAGE																																																																																																																																					



Mode	125																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5748.68</td><td>48.06</td><td>68.20</td><td>-20.14</td><td>39.55</td><td>34.97</td><td>11.21</td><td>37.67</td><td>0.00</td><td>300</td><td>82</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5748.68	48.06	68.20	-20.14	39.55	34.97	11.21	37.67	0.00	300	82	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5748.68	48.06	68.20	-20.14	39.55	34.97	11.21	37.67	0.00	300	82	PEAK																																												




Note: For all plots above, the over limit line signals are Fundamental signal which can be ignored.

Appendix D. Duty Cycle Plots

Ant.6+7


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	97.20	1.39	0.719	0.75KHz
802.11ax HE20	96.23	1.02	0.980	1KHz
802.11ax HE40	92.98	0.530	1.887	2KHz
802.11ax HE80	87.88	0.290	3.448	3.6kHz
802.11ax HE20 RU26	96.23	1.02	0.980	1KHz
802.11ax HE20 RU52	96.23	1.02	0.980	1KHz
802.11ax HE20 RU106	96.23	1.02	0.980	1KHz

802.11a







802.11ax HE20




802.11ax HE40



802.11ax HE80




802.11ax HE20 RU 26/52/106



Ant.6+10


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	97.22	1.40	0.714	0.75KHz
802.11ax HE20	96.23	1.02	0.980	1KHz
802.11ax HE40	91.38	0.530	1.887	2KHz
802.11ax HE80	87.88	0.290	3.448	3.6kHz
802.11ax HE20 RU26	96.23	1.02	0.980	1KHz
802.11ax HE20 RU52	96.23	1.02	0.980	1KHz
802.11ax HE20 RU106	96.23	1.02	0.980	1KHz

802.11a






802.11ax HE20




802.11ax HE40





802.11ax HE80



802.11ax HE20 RU 26/52/106

