

Report No.: FR9D0616-05D



# **FCC RADIO TEST REPORT**

FCC ID : A4RG025J

Equipment : Phone

Model Name : G025J, G025N, G025M

Applicant : Google LLC

1600 Amphitheatre Parkway,

Mountain View, California, 94043 USA

Standard : FCC Part 15 Subpart C §15.225

The product was received on Jan. 17, 2020 and testing was started from Jan. 14, 2020 and completed on Feb. 21, 2020. We, SPORTON INTERNATIONAL INC., EMC & Wireless Communications Laboratory, would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The report must not be used by the client to claim product certification, approval, or endorsement by TAF or any agency of government.

The test results in this report apply exclusively to the tested model / sample. Without written approval of SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory, the test report shall not be reproduced except in full.

Louis Wu

Reviewed by: Louis Wu

SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory

No. 52, Huaya 1st Rd., Guishan Dist., Taoyuan City, Taiwan (R.O.C.)

TEL: 886-3-327-3456 Page Number : 1 of 21
FAX: 886-3-328-4978 Issued Date : Mar. 27, 2020

Report Template No.: BU5-FR15CNFC Version 2.4

Report Version : 02

### **Table of Contents**

	of this test reportary of Test Result	
	eral Description	
1.1	Product Feature of Equipment Under Test	
1.2	Product Specification of Equipment Under Test	
1.3	Modification of EUT	
1.4	Testing Location	
1.5	Applicable Standards	
	Configuration of Equipment Under Test	
2.1	Descriptions of Test Mode	
2.2	Connection Diagram of Test System	
2.3	Table for Supporting Units	
2.4	EUT Operation Test Setup	
3. Test	Results	
3.1	AC Power Line Conducted Emissions Measurement	10
3.2	20dB and 99% OBW Spectrum Bandwidth Measurement	12
3.3	Frequency Stability Measurement	
3.4	Field Strength of Fundamental Emissions and Mask Measurement	14
3.5	Radiated Emissions Measurement	16
3.6	Antenna Requirements	19
4. List o	of Measuring Equipment	20
5. Unce	ertainty of Evaluation	21
Append	dix A. Test Results of Conducted Emission Test	
Append	dix B. Test Results of Spectrum Bandwidth and Frequency Stability	
B1. T	est Result of 20dB Spectrum Bandwidth	

- B2. Test Result of Frequency Stability

#### Appendix C. Test Results of Radiated Test Items

- C1. Test Result of Field Strength of Fundamental Emissions
- C2. Results of Radiated Emissions (9 kHz~30MHz)
- C3. Results of Radiated Emissions (30MHz~1GHz)

TEL: 886-3-327-3456 : 2 of 21 Page Number FAX: 886-3-328-4978 Issued Date : Mar. 27, 2020

Report Template No.: BU5-FR15CNFC Version 2.4

Report Version : 02

Report No.: FR9D0616-05D

## History of this test report

Report No.: FR9D0616-05D

Report No.	Version	Description	Issued Date
FR9D0616-05D	01	Initial issue of report	Mar. 23, 2020
FR9D0616-05D	02	Revise section 2.1	Mar. 27, 2020

### **Summary of Test Result**

Report No.: FR9D0616-05D

Report Clause	Ref Std. Clause	Test Items	Result (PASS/FAIL)	Remark
3.1	15.207	AC Power Line Conducted Emissions	Pass	Under limit 4.91 dB at 13.560MHz
3.2	15.215(c)	20dB Spectrum Bandwidth	Pass	-
3.2	2.1049	99% OBW Spectrum Bandwidth	Reporting only	-
3.3	15.225(e)	Frequency Stability	Pass	-
3.4	15.225(a)(b)(c)	Field Strength of Fundamental Emissions	Pass	Max level 23.90 dBµV/m at 13.560 MHz
3.5	15.225(d) 15.209	Radiated Spurious Emissions	Pass	Under limit 3.73 dB at 40.670MHz
3.6	15.203	Antenna Requirements	Pass	-

#### Declaration of Conformity:

The test results with all measurement uncertainty excluded are presented in accordance with the regulation limits or requirements declared by manufacturers.

### Comments and Explanations:

The declared of product specification for EUT presented in the report are provided by the manufacturer, and the manufacturer takes all the responsibilities for the accuracy of product specification.

Reviewed by: Wii Chang Report Producer: Amy Chen

TEL: 886-3-327-3456 Page Number : 4 of 21
FAX: 886-3-328-4978 Issued Date : Mar. 27, 2020

## 1. General Description

## 1.1 Product Feature of Equipment Under Test

Product Feature			
Equipment	Phone		
Model Name	G025J, G025N, G025M		
EUT supports Radios application	CDMA/EV-DO/GSM/EGPRS/WCDMA/HSPA/LTE/NFC/GNSS WLAN 11b/g/n HT20 WLAN 11a/n HT20/HT40 WLAN 11ac VHT20/VHT40/VHT80 Bluetooth BR/EDR/LE		
EUT Stage	Identical Prototype		

Report No.: FR9D0616-05D

Remark: The above EUT's information was declared by manufacturer.

EUT Information List		
S/N	Performed Test Item	
01021FQC200299	Conducted Emission	
01021FQC200308	Radiated Spurious Emission	
01021FQC200285	Spectrum Bandwidth and Frequency Stability	

### 1.2 Product Specification of Equipment Under Test

Standards-related Product Specification		
Tx/Rx Frequency	13.553 ~ 13.567MHz	
Channel Number	1	
Antenna Type	Loop Antenna	
Type of Modulation	ASK	

### 1.3 Modification of EUT

No modifications are made to the EUT during all test items.

TEL: 886-3-327-3456 Page Number : 5 of 21
FAX: 886-3-328-4978 Issued Date : Mar. 27, 2020

### 1.4 Testing Location

Test Site	SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory		
Test Site Location	No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City, Taiwan (R.O.C.) TEL: +886-3-327-3456 FAX: +886-3-328-4978		
Test Site No.	Sporton Site No.		
rest site No.	TH03-HY	CO05-HY	
Test Engineer	Louis Chung	Tom Lee and Howard Huang	
Temperature	<b>22~24</b> ℃	<b>22~25</b> ℃	
Relative Humidity	53~55% 45~53%		

Report No.: FR9D0616-05D

Note: The test site complies with ANSI C63.4 2014 requirement.

Test Site	SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory		
Test Site Location  No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist., Taoyuan City, Taiwan (R.O.C.) TEL: +886-3-327-0868 FAX: +886-3-327-0855			
Test Site No.	Sporton Site No.		
rest site No.	03CH11-HY		
Test Engineer	Troye Hsieh		
Temperature	18.9~24.6℃		
Relative Humidity	<b>e Humidity</b> 40.3~68.5%		

Note: The test site complies with ANSI C63.4 2014 requirement.

FCC designation No.: TW1190 and TW0007

## 1.5 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- FCC Part 15 Subpart C §15.225
- FCC KDB 414788 D01 Radiated Test Site v01r01
- ANSI C63.10-2013

TEL: 886-3-327-3456 Page Number : 6 of 21
FAX: 886-3-328-4978 Issued Date : Mar. 27, 2020

## 2. Test Configuration of Equipment Under Test

### 2.1 Descriptions of Test Mode

Investigation has been done on all the possible configurations.

The following table is a list of the test modes shown in this test report.

Test Items			
AC Power Line Conducted Emissions	Field Strength of Fundamental Emissions		
20dB Spectrum Bandwidth	Frequency Stability		
Radiated Emissions 9kHz~30MHz	Radiated Emissions 30MHz~1GHz		

**Report No.: FR9D0616-05D** 

The EUT pre-scanned in reader mode with NFC tag (four NFC type A, B, F, V) and without NFC tag. Based on the highest field strength of fundamental and spurious emissions, the worst case type (type F) was recorded in this report.


Pre-scanned tests, X, Y, Z in three orthogonal panels to determine the final configuration (Z plane as worst plane) from all possible combinations.

	Test Cases			
AC Conducted Emission	Mode 1: GSM850 Idle + Bluetooth Idle + WLAN Idle + NFC Read + 3.5mm AJ headset + USB Cable 2 (Charging from Adapter 2)			
Remark: For Cable 2.	Radiated Test Cases, the tests were performed with Adapter 1, Battery 1 and USB			

TEL: 886-3-327-3456 Page Number: 7 of 21
FAX: 886-3-328-4978 Issued Date: Mar. 27, 2020

## 2.2 Connection Diagram of Test System


#### <AC Conducted Emission Mode>



Report No.: FR9D0616-05D

: 02

#### <Radiated Emission Mode>



TEL: 886-3-327-3456 Page Number : 8 of 21 FAX: 886-3-328-4978 Issued Date : Mar. 27, 2020

### 2.3 Table for Supporting Units

Item	Equipment	Trade Name	Model Name	FCC ID	Data Cable	Power Cord
1.	System Simulator	R&S	CMU 200	N/A	N/A	Unshielded, 1.8 m
2.	Bluetooth Earphone	Google	G015B, G015C	SZGG015B	N/A	N/A
3.	WLAN AP	ASUS	RT-AC66U	MSQ-RTAC66U	N/A	Unshielded,1.8m
4.	NFC Card	N/A	N/A	N/A	N/A	N/A

Report No.: FR9D0616-05D

### 2.4 EUT Operation Test Setup

The EUT was programmed to be in continuously transmitting mode.

The ancillary equipment, NFC card, is used to make the EUT (NFC) continuously transmit at 13.56MHz and is placed around 4 cm gap to the EUT.

TEL: 886-3-327-3456 Page Number : 9 of 21
FAX: 886-3-328-4978 Issued Date : Mar. 27, 2020

### 3. Test Results

### 3.1 AC Power Line Conducted Emissions Measurement

#### 3.1.1 Limit of AC Conducted Emission

For equipment that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency or frequencies within the band 150 kHz to 30 MHz shall not exceed the limits in the following table.

Report No.: FR9D0616-05D

Frequency of Emission	Conducted Limit (dBμV)		
(MHz)	Quasi-Peak	Average	
0.15-0.5	66 to 56*	56 to 46*	
0.5-5	56	46	
5-30	60	50	

<sup>\*</sup>Decreases with the logarithm of the frequency.

### 3.1.2 Measuring Instruments


See list of measuring equipment of this test report.

#### 3.1.3 Test Procedures

- 1. The EUT was placed 0.4 meter from the conducting wall of the shielding room, and it was kept at least 80 centimeters from any other grounded conducting surface.
- 2. Connect EUT to the power mains through a line impedance stabilization network (LISN).
- 3. All the support units are connecting to the other LISN.
- 4. The LISN provides 50 ohm coupling impedance for the measuring instrument.
- 5. The FCC states that a 50 ohm, 50 microhenry LISN should be used.
- 6. Both sides of AC line were checked for maximum conducted interference.
- 7. The frequency range from 150 kHz to 30 MHz was searched.
- 8. Set the test-receiver system to Peak Detect Function and specified bandwidth (IF Bandwidth = 9kHz) with Maximum Hold Mode. Then measurement is also conducted by Average Detector and Quasi-Peak Detector Function respectively.

TEL: 886-3-327-3456 Page Number : 10 of 21 FAX: 886-3-328-4978 Issued Date : Mar. 27, 2020

### 3.1.4 Test setup



### 3.1.5 Test Result of AC Conducted Emission

Please refer to Appendix A.

TEL: 886-3-327-3456 : 11 of 21 Page Number Issued Date : Mar. 27, 2020 FAX: 886-3-328-4978 Report Version : 02

Report Template No.: BU5-FR15CNFC Version 2.4

Report No.: FR9D0616-05D

### 3.2 20dB and 99% OBW Spectrum Bandwidth Measurement

#### 3.2.1 Limit

Intentional radiators must be designed to ensure that the 20dB and 99% emission bandwidth in the specific band 13.553~13.567MHz.

**Report No.: FR9D0616-05D** 


### 3.2.2 Measuring Instruments

See list of measuring instruments of this test report.

#### 3.2.3 Test Procedures

- The spectrum analyzer connected via a receive antenna placed near the EUT in peak Max hold mode.
- 2. The resolution bandwidth of 1 kHz and the video bandwidth of 3 kHz were used.
- 3. Measured the spectrum width with power higher than 20dB below carrier.
- 4. Measured the 99% OBW.

### 3.2.4 Test Setup of 20dB and 99% OBW Spectrum Bandwidth



### 3.2.5 Test Result of 20dB and 99% OBW Spectrum Bandwidth

Please refer to Appendix B.

TEL: 886-3-327-3456 Page Number : 12 of 21 FAX: 886-3-328-4978 Issued Date : Mar. 27, 2020

### 3.3 Frequency Stability Measurement

#### 3.3.1 Limit

The frequency tolerance of the carrier signal shall be maintained within +/- 0.01% (100ppm) of the operating frequency over a temperature variation of -20 degrees to +50 degrees C at normal supply voltage, and for a variation in the primary supply voltage from 85% to 115% of the rated supply voltage at a temperature of 20 degrees C. For battery operated equipment, the equipment tests shall be performed using a new battery.

Report No.: FR9D0616-05D


### 3.3.2 Measuring Instruments

See list of measuring instruments of this test report.

#### 3.3.3 Test Procedures

- 1. The spectrum analyzer connected via a receive antenna placed near the EUT.
- 2. EUT have transmitted signal and fixed channelize.
- 3. Set the spectrum analyzer span to view the entire emissions bandwidth.
- 4. Set RBW = 1 kHz, VBW = 3 kHz with peak detector and maxhold settings.
- 5. The fc is declaring of channel frequency. Then the frequency error formula is  $(fc-f)/fc \times 10^6$  ppm and the limit is less than  $\pm 100$ ppm.
- 6. Extreme temperature rule is -20°C~50°C.

### 3.3.4 Test Setup of Frequency Stability



### 3.3.5 Test Result of Frequency Stability

Please refer to Appendix B.

TEL: 886-3-327-3456 Page Number : 13 of 21 FAX: 886-3-328-4978 Issued Date : Mar. 27, 2020

## 3.4 Field Strength of Fundamental Emissions and Mask Measurement

Report No.: FR9D0616-05D

### 3.4.1 Limit

Rules and specifications	FCC CFR 47 Part 15 section 15.225								
Description	Compliance with th	Compliance with the spectrum mask is tested with RBW set to 9kHz.							
From of Francisco (MIII-)	Field Strength	Field Strength	Field Strength	Field Strength					
Freq. of Emission (MHz)	(µV/m) at 30m	(dBµV/m) at 30m	(dBµV/m) at 10m	(dBµV/m) at 3m					
1.705~13.110	30	29.5 48.58		69.5					
13.110~13.410	106	40.5	59.58	80.5					
13.410~13.553	334	50.5	69.58	90.5					
13.553~13.567	15848	84.0	103.08	124.0					
13.567~13.710	334	50.5	69.58	90.5					
13.710~14.010	13.710~14.010 106		59.58	80.5					
14.010~30.000	30	29.5	48.58	69.5					

### 3.4.2 Measuring Instruments

See list of measuring instruments of this test report.

TEL: 886-3-327-3456 Page Number : 14 of 21
FAX: 886-3-328-4978 Issued Date : Mar. 27, 2020

#### 3.4.3 Test Procedures


 Configure the EUT according to ANSI C63.10. The EUT was placed on the top of the turntable 0.8 meter above ground. The phase center of the loop receiving antenna mounted antenna tower was placed 3 meters far away from the turntable.

Report No.: FR9D0616-05D

- 2. Power on the EUT and all the supporting units. The turntable was rotated by 360 degrees to determine the position of the highest radiation.
- 3. The height of the receiving antenna was fixed at one meter above ground to find the maximum emissions field strength.
- 4. For Fundamental emissions, use the receiver to measure QP reading.
- 5. When the radiated emissions limits are expressed in terms of the average value of the emissions, and pulsed operation is employed, the measurement field strength shall be determined by averaging over one complete pulse train, including blanking intervals, as long as the pulse train does not exceed 0.1 seconds. As an alternative (provided the transmitter operates for longer than 0.1 seconds) or in cases where the pulse train exceeds 0.1 seconds, the measured field strength shall be determined from the average absolute voltage during a 0.1 second interval during which the field strength is at its maximum value.
- Compliance with the spectrum mask is tested with RBW set to 9kHz.
   Note: Emission level (dBμV/m) = 20 log Emission level (μV/m).

### 3.4.4 Test Setup

For radiated emissions below 30MHz



#### 3.4.5 Test Result of Field Strength of Fundamental Emissions and Mask

Please refer to Appendix C.

TEL: 886-3-327-3456 Page Number : 15 of 21
FAX: 886-3-328-4978 Issued Date : Mar. 27, 2020

### 3.5 Radiated Emissions Measurement

#### 3.5.1 Limit

The field strength of any emissions which appear outside of 13.110 ~14.010MHz band shall not exceed the general radiated emissions limits.

**Report No.: FR9D0616-05D** 

Frequencies	Field Strength	Measurement Distance		
(MHz)	(μV/m)	(meters)		
0.009~0.490	2400/F(kHz)	300		
0.490~1.705	24000/F(kHz)	30		
1.705~30.0	30	30		
30~88	100	3		
88~216	150	3		
216~960	200	3		
Above 960	500	3		

### 3.5.2 Measuring Instruments

See list of measuring instruments of this test report.

### 3.5.3 Measuring Instrument Setting

The following table is the setting of receiver:

Receiver Parameter	Setting
Attenuation	Auto
Frequency Range: 9kHz~150kHz	RBW 200Hz for QP
Frequency Range: 150kHz~30MHz	RBW 9kHz for QP
Frequency Range: 30MHz~1000MHz	RBW 120kHz for Peak

**Note:** The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90 kHz and 110-490 kHz. Radiated emission limits in these two bands are based on measurements employing an average detector.

TEL: 886-3-327-3456 Page Number : 16 of 21
FAX: 886-3-328-4978 Issued Date : Mar. 27, 2020

#### 3.5.4 Test Procedures

 Configure the EUT according to ANSI C63.10. The EUT was placed on the top of the turntable 0.8 meter above ground. The phase center of the receiving antenna mounted on the top of a height-variable antenna tower was placed 3 meters far away from the turntable.


Report No.: FR9D0616-05D

- 2. Power on the EUT and all the supporting units. The turntable was rotated by 360 degrees to determine the position of the highest radiation.
- The height of the broadband receiving antenna was varied between one meter and four meters above ground to find the maximum emissions field strength of both horizontal and vertical polarization.
- 4. For each suspected emissions, the antenna tower was scan (from 1 M to 4 M) and then the turntable was rotated (from 0 degree to 360 degrees) to find the maximum reading.
- Set the test-receiver system to Peak or CISPR quasi-peak Detect Function with specified bandwidth under Maximum Hold Mode.
- 6. When the radiated emissions limits are expressed in terms of the average value of the emissions, and pulsed operation is employed, the measurement field strength shall be determined by averaging over one complete pulse train, including blanking intervals, as long as the pulse train does not exceed 0.1 seconds. As an alternative (provided the transmitter operates for longer than 0.1 seconds) or in cases where the pulse train exceeds 0.1 seconds, the measured field strength shall be determined from the average absolute voltage during a 0.1 second interval during which the field strength is at its maximum value.
- 7. In case the emission is lower than 30MHz, loop antenna has to be used for measurement and the recorded data should be QP measured by receiver.

TEL: 886-3-327-3456 Page Number: 17 of 21
FAX: 886-3-328-4978 Issued Date: Mar. 27, 2020


### 3.5.5 Test Setup

#### For radiated emissions below 30MHz



Report No.: FR9D0616-05D

#### For radiated emissions above 30MHz



### 3.5.6 Test Result of Radiated Emissions Measurement

Please refer to Appendix C.

**Remark:** There is a comparison data of both open-field test site and alternative test site - semi-Anechoic chamber according to 414788 D01 Radiated Test Site v01r01, and the result came out very similar.

TEL: 886-3-327-3456 Page Number : 18 of 21
FAX: 886-3-328-4978 Issued Date : Mar. 27, 2020

### 3.6 Antenna Requirements

### 3.6.1 Standard Applicable

Except for special regulations, the Low-power Radio-frequency Devices must not be equipped with any jacket for installing an antenna with extension cable. An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this Section. The manufacturer may design the unit so that the user can replace a broken antenna, but the use of a standard antenna jack or electrical connector is prohibited.

Report No.: FR9D0616-05D

The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the rule.

### 3.6.2 Antenna Anti-Replacement Construction

An embedded-in antenna design is used.

TEL: 886-3-327-3456 Page Number : 19 of 21
FAX: 886-3-328-4978 Issued Date : Mar. 27, 2020

## 4. List of Measuring Equipment

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Software	Audix	E3 6.2009-8-24	RK-00105 3	N/A	N/A	Jan. 14, 2020~ Feb. 21, 2020	N/A	Radiation (03CH11-HY)
Amplifier	SONOMA	310N	187312	9kHz~1GHz	Dec. 03, 2019	Jan. 14, 2020~ Feb. 21, 2020	Dec. 02, 2020	Radiation (03CH11-HY)
Bilog Antenna	TESEQ	CBL 6111D & N-6-06	35414 & AT-N0602	30MHz~1GHz	Oct. 12, 2019	Jan. 14, 2020~ Feb. 21, 2020	Oct. 11, 2020	Radiation (03CH11-HY)
Loop Antenna	Rohde & Schwarz	HFH2-Z2	100488	9 kHz~30 MHz	Jan. 09, 2020	Jan. 14, 2020~ Feb. 21, 2020	Jan. 08, 2021	Radiation (03CH11-HY)
Controller	EMEC	EM 1000	N/A	Control Turn table & Ant Mast	N/A	Jan. 14, 2020~ Feb. 21, 2020	N/A	Radiation (03CH11-HY)
Antenna Mast	EMEC	AM-BS-4500- B	N/A	1~4m	N/A	Jan. 14, 2020~ Feb. 21, 2020	N/A	Radiation (03CH11-HY)
Turn Table	EMEC	TT 2000	N/A	0~360 Degree	N/A	Jan. 14, 2020~ Feb. 21, 2020	N/A	Radiation (03CH11-HY)
EMI Test Receiver	Agilent	N9038A (MXE)	MY554201 70	20MHz~8.4GHz	Mar. 08, 2019	Jan. 14, 2020~ Feb. 21, 2020	Mar. 07, 2020	Radiation (03CH11-HY)
Spectrum Analyzer	Keysight	N9010A	MY542004 86	10Hz~44GHz	Oct. 28, 2019	Jan. 14, 2020~ Feb. 21, 2020	Oct. 27, 2020	Radiation (03CH11-HY)
Filter	Wainwright	WHK20/1000 C7/40SS	SN2	20M High Pass	Sep. 15, 2019	Jan. 14, 2020~ Feb. 21, 2020	Sep. 14, 2020	Radiation (03CH11-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 104	MY9837/4 PE	9kHz-30MHz	Mar. 13, 2019	Jan. 14, 2020~ Feb. 21, 2020	Mar. 12, 2020	Radiation (03CH11-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 104	MY9837/4 PE	30M-18G	Mar. 13, 2019	Jan. 14, 2020~ Feb. 21, 2020	Mar. 12, 2020	Radiation (03CH11-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 102	MY2859/2	30MHz-40GHz	Mar. 13, 2019	Jan. 14, 2020~ Feb. 21, 2020	Mar. 12, 2020	Radiation (03CH11-HY)
Hygrometer	TECPEL	DTN-303B	TP140325	N/A	Nov. 07, 2019	Jan. 14, 2020~ Feb. 21, 2020	Nov. 06, 2020	Radiation (03CH11-HY)
Hygrometer	TECPEL	DTN-303B	TP161237	N/A	Oct. 25, 2019	Jan. 14, 2020~ Feb. 21, 2020	Oct. 24, 2020	Radiation (03CH11-HY)
AC Power Source	ChainTek	APC-1000W	N/A	N/A	N/A	Jan. 27, 2020~ Jan. 31, 2020	N/A	Conduction (CO05-HY)
EMI Test Receiver	Rohde & Schwarz	ESR3	102388	9kHz~3.6GHz	Nov. 15, 2019	Jan. 27, 2020~ Jan. 31, 2020	Nov. 14, 2020	Conduction (CO05-HY)
Hygrometer	Testo	608-H1	34913912	N/A	Mar. 19, 2019	Jan. 27, 2020~ Jan. 31, 2020	Mar. 18, 2020	Conduction (CO05-HY)
LISN	Rohde & Schwarz	ENV216	100080	9kHz~30MHz	Nov. 20, 2019	Jan. 27, 2020~ Jan. 31, 2020	Nov. 19, 2020	Conduction (CO05-HY)
Software	Rohde & Schwarz	EMC32 V10.30	N/A	N/A	N/A	Jan. 27, 2020~ Jan. 31, 2020	N/A	Conduction (CO05-HY)
LF Cable	HUBER + SUHNER	RG-214/U	LF01	N/A	Jan. 02, 2020	Jan. 27, 2020~ Jan. 31, 2020	Jan. 01, 2021	Conduction (CO05-HY)
Pulse Limiter	Rohde & Schwarz	ESH3-Z2	100851	N/A	Jan. 02, 2020	Jan. 27, 2020~ Jan. 31, 2020	Jan. 01, 2021	Conduction (CO05-HY)
AC Power Source	AC POWER	AFC-500W	F10407001	50Hz~60Hz	Apr. 12, 2019	Jan. 30, 2020	Apr. 11, 2020	Conducted (TH03-HY)
Hygrometer	Testo	608-H1	34893241	N/A	Mar. 06, 2019	Jan. 30, 2020	Mar. 05, 2020	Conducted (TH03-HY)
Spectrum Analyzer	Rohde & Schwarz	FSP30	101329	9kHz~30GHz	Sep. 04, 2019	Jan. 30, 2020	Sep. 03, 2020	Conducted (TH03-HY)
Temperature Chamber	ESPEC	SU-641	92013721	-30℃ ~70℃	Nov. 26, 2019	Jan. 30, 2020	Nov. 25, 2020	Conducted (TH03-HY)

Report No.: FR9D0616-05D

TEL: 886-3-327-3456 Page Number : 20 of 21 FAX: 886-3-328-4978 Issued Date : Mar. 27, 2020

## 5. Uncertainty of Evaluation

### **Uncertainty of Conducted Emission Measurement (150 kHz ~ 30 MHz)**

Measuring Uncertainty for a Level of Confidence	2.00
of 95% (U = 2Uc(y))	2.00

Report No.: FR9D0616-05D

### Uncertainty of Radiated Emission Measurement (9 kHz ~ 30 MHz)

Measuring Uncertainty for a Level of Confidence	3.12
of 95% (U = 2Uc(y))	0112

### Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence	5.20
of 95% (U = 2Uc(y))	

TEL: 886-3-327-3456 Page Number : 21 of 21 FAX: 886-3-328-4978 Issued Date : Mar. 27, 2020

Appendix A. Test Results of Conducted Emission Test

Test Engineer : To	Tom Lee and Howard Huang	Temperature :	<b>22~25</b> ℃	
		Relative Humidity :	45~53%	

Report No.: FR9D0616-05D

TEL: 886-3-327-3456 Page Number : A1 of A1

### **EUT Information**


 Report NO :
 9D0616-05

 Test Mode :
 Mode 1

 Test Voltage :
 120Vac/60Hz

Phase: Line

### FullSpectrum



### **Final Result**


i iiiai_i\cs							_
Frequency	QuasiPeak	CAverage	Limit	Margin	Line	Filter	Corr.
(MHz)	(dBuV)	(dBuV)	(dBuV)	(dB)			(dB)
0.163500	49.10		65.28	16.18	L1	OFF	19.5
0.163500		29.78	55.28	25.50	L1	OFF	19.5
0.166380	49.05		65.14	16.09	L1	OFF	19.5
0.166380	-	30.21	55.14	24.93	L1	OFF	19.5
0.168000	49.58		65.06	15.48	L1	OFF	19.5
0.168000		30.48	55.06	24.58	L1	OFF	19.5
0.186360	47.52		64.20	16.68	L1	OFF	19.5
0.186360		34.03	54.20	20.17	L1	OFF	19.5
0.195270	50.63		63.81	13.18	L1	OFF	19.5
0.195270	-	38.99	53.81	14.82	L1	OFF	19.5
0.215520	44.11		62.99	18.88	L1	OFF	19.5
0.215520		28.57	52.99	24.42	L1	OFF	19.5
0.233250	45.49		62.33	16.84	L1	OFF	19.5
0.233250		30.17	52.33	22.16	L1	OFF	19.5
0.249000	44.43		61.79	17.36	L1	OFF	19.5
0.249000	-	26.75	51.79	25.04	L1	OFF	19.5
0.288510	44.46		60.57	16.11	L1	OFF	19.5
0.288510		33.61	50.57	16.96	L1	OFF	19.5
0.292110	44.55		60.46	15.91	L1	OFF	19.5
0.292110	-	33.49	50.46	16.97	L1	OFF	19.5
0.335580	38.51		59.31	20.80	L1	OFF	19.5

0.335580	0.005500		04.00	10.01	04-4		0.55	40.5
0.361500          25.40         48.69         23.29         L1         OFF         19.5           0.384720          58.18         17.56         L1         OFF         19.5           0.384720          27.58         48.18         20.60         L1         OFF         19.5           0.424500         38.60          57.36         18.76         L1         OFF         19.5           0.424500          24.25         47.36         23.11         L1         OFF         19.5           0.471120          26.67         46.49         19.82         L1         OFF         19.5           0.486060         35.94          56.24         20.30         L1         OFF         19.5           0.486060          27.44         46.24         18.80         L1         OFF         19.5           0.523500         31.61          56.00         24.39         L1         OFF         19.5           0.570570         34.97          56.00         21.03         L1         OFF         19.5           0.591450         38.71	0.335580		24.60	49.31	24.71	L1	OFF	19.5
0.384720         40.62		39.65						
0.384720          27.58         48.18         20.60         L1         OFF         19.5           0.424500         38.60          57.36         18.76         L1         OFF         19.5           0.424500          24.25         47.36         23.11         L1         OFF         19.5           0.471120          56.49         21.20         L1         OFF         19.5           0.486060         35.94          56.24         20.30         L1         OFF         19.5           0.486060          27.44         46.24         18.80         L1         OFF         19.5           0.523500         31.61          56.00         24.39         L1         OFF         19.5           0.523500          23.32         46.00         22.68         L1         OFF         19.5           0.523500          23.32         46.00         22.68         L1         OFF         19.5           0.523500          23.32         46.00         19.00         L1         OFF         19.5           0.570570          27.00			25.40					
0.424500         38.60          57.36         18.76         L1         OFF         19.5           0.424500          24.25         47.36         23.11         L1         OFF         19.5           0.471120          26.67         46.49         19.82         L1         OFF         19.5           0.486060         35.94          56.24         20.30         L1         OFF         19.5           0.486060          27.44         46.24         18.80         L1         OFF         19.5           0.523500         31.61          56.00         24.39         L1         OFF         19.5           0.523500          23.32         46.00         22.68         L1         OFF         19.5           0.570570         34.97          56.00         21.03         L1         OFF         19.5           0.570570         34.97          56.00         21.03         L1         OFF         19.5           0.591450         38.71          56.00         17.29         L1         OFF         19.5           0.591450         38.71		40.62					_	
0.424500          24.25         47.36         23.11         L1         OFF         19.5           0.471120         35.29          56.49         21.20         L1         OFF         19.5           0.486060         35.94          56.24         20.30         L1         OFF         19.5           0.486060          27.44         46.24         18.80         L1         OFF         19.5           0.523500         31.61          56.00         24.39         L1         OFF         19.5           0.523500          23.32         46.00         22.68         L1         OFF         19.5           0.523500          23.32         46.00         22.68         L1         OFF         19.5           0.570570         34.97          56.00         21.03         L1         OFF         19.5           0.570570         34.97          56.00         21.03         L1         OFF         19.5           0.591450         38.71          56.00         17.29         L1         OFF         19.5           0.620250         29.64			27.58				_	
0.471120         35.29          56.49         21.20         L1         OFF         19.5           0.471120          26.67         46.49         19.82         L1         OFF         19.5           0.486060         35.94          56.24         20.30         L1         OFF         19.5           0.486060          27.44         46.24         18.80         L1         OFF         19.5           0.523500         31.61          56.00         24.39         L1         OFF         19.5           0.523500          23.32         46.00         22.68         L1         OFF         19.5           0.570570         34.97          56.00         21.03         L1         OFF         19.5           0.570570          27.00         46.00         19.00         L1         OFF         19.5           0.570570          27.00         46.00         19.00         L1         OFF         19.5           0.591450          27.88         46.00         18.12         L1         OFF         19.5           0.620250		38.60						
0.471120          26.67         46.49         19.82         L1         OFF         19.5           0.486060         35.94          56.24         20.30         L1         OFF         19.5           0.486060          27.44         46.24         18.80         L1         OFF         19.5           0.523500         31.61          56.00         24.39         L1         OFF         19.5           0.570570          23.32         46.00         22.68         L1         OFF         19.5           0.570570         34.97          56.00         21.03         L1         OFF         19.5           0.570570          27.00         46.00         19.00         L1         OFF         19.5           0.591450         38.71          56.00         17.29         L1         OFF         19.5           0.591450          27.88         46.00         18.12         L1         OFF         19.5           0.620250         29.64          56.00         26.36         L1         OFF         19.5           0.687750         31.54			24.25				_	
0.486060         35.94          56.24         20.30         L1         OFF         19.5           0.486060          27.44         46.24         18.80         L1         OFF         19.5           0.523500         31.61          56.00         24.39         L1         OFF         19.5           0.523500          23.32         46.00         22.68         L1         OFF         19.5           0.570570         34.97          56.00         21.03         L1         OFF         19.5           0.570570          27.00         46.00         19.00         L1         OFF         19.5           0.591450         38.71          56.00         17.29         L1         OFF         19.5           0.591450          27.88         46.00         18.12         L1         OFF         19.5           0.591450          27.88         46.00         18.12         L1         OFF         19.5           0.620250          22.75         46.00         23.25         L1         OFF         19.5           0.687750         31.54	0.471120	35.29		56.49	21.20			19.5
0.486060          27.44         46.24         18.80         L1         OFF         19.5           0.523500         31.61          56.00         24.39         L1         OFF         19.5           0.523500          23.32         46.00         22.68         L1         OFF         19.5           0.570570         34.97          56.00         21.03         L1         OFF         19.5           0.570570          27.00         46.00         19.00         L1         OFF         19.5           0.591450         38.71          56.00         17.29         L1         OFF         19.5           0.591450         38.71          56.00         18.12         L1         OFF         19.5           0.591450          27.88         46.00         18.12         L1         OFF         19.5           0.620250         29.64          56.00         26.36         L1         OFF         19.5           0.687750         31.54          56.00         24.46         L1         OFF         19.5           0.782250         32.39	0.471120		26.67	46.49	19.82			
0.523500         31.61          56.00         24.39         L1         OFF         19.5           0.523500          23.32         46.00         22.68         L1         OFF         19.5           0.570570         34.97          56.00         21.03         L1         OFF         19.5           0.570570          27.00         46.00         19.00         L1         OFF         19.5           0.591450         38.71          56.00         17.29         L1         OFF         19.5           0.591450          27.88         46.00         18.12         L1         OFF         19.5           0.620250          27.88         46.00         18.12         L1         OFF         19.5           0.620250          27.88         46.00         23.36         L1         OFF         19.5           0.687750         31.54          56.00         24.46         L1         OFF         19.5           0.782250         32.39          56.00         23.61         L1         OFF         19.6           0.782250         32.39	0.486060	35.94		56.24	20.30	L1	OFF	19.5
0.523500          23.32         46.00         22.68         L1         OFF         19.5           0.570570         34.97          56.00         21.03         L1         OFF         19.5           0.570570          27.00         46.00         19.00         L1         OFF         19.5           0.591450         38.71          56.00         17.29         L1         OFF         19.5           0.591450          27.88         46.00         18.12         L1         OFF         19.5           0.620250         29.64          56.00         26.36         L1         OFF         19.5           0.620250          22.75         46.00         23.25         L1         OFF         19.5           0.687750         31.54          56.00         24.46         L1         OFF         19.5           0.782250         32.39          56.00         23.61         L1         OFF         19.6           0.897000         29.30          26.14         46.00         19.86         L1         OFF         19.6           1.163850	0.486060		27.44	46.24	18.80	L1	OFF	19.5
0.570570         34.97          56.00         21.03         L1         OFF         19.5           0.570570          27.00         46.00         19.00         L1         OFF         19.5           0.591450         38.71          56.00         17.29         L1         OFF         19.5           0.591450          27.88         46.00         18.12         L1         OFF         19.5           0.620250         29.64          56.00         26.36         L1         OFF         19.5           0.620250          22.75         46.00         23.25         L1         OFF         19.5           0.687750         31.54          56.00         24.46         L1         OFF         19.5           0.782250         32.39          56.00         23.61         L1         OFF         19.6           0.782250         32.39          56.00         23.61         L1         OFF         19.6           0.897000         29.30          26.14         46.00         19.86         L1         OFF         19.6           1.163850	0.523500	31.61		56.00	24.39	L1	OFF	19.5
0.570570          27.00         46.00         19.00         L1         OFF         19.5           0.591450         38.71          56.00         17.29         L1         OFF         19.5           0.591450          27.88         46.00         18.12         L1         OFF         19.5           0.620250         29.64          56.00         26.36         L1         OFF         19.5           0.620250          22.75         46.00         23.25         L1         OFF         19.5           0.687750         31.54          56.00         24.46         L1         OFF         19.5           0.687750          24.30         46.00         21.70         L1         OFF         19.5           0.782250         32.39          56.00         23.61         L1         OFF         19.6           0.782250          26.14         46.00         19.86         L1         OFF         19.6           0.897000         29.30          56.00         26.70         L1         OFF         19.6           1.163850         27.72	0.523500		23.32	46.00	22.68	L1	OFF	
0.591450         38.71          56.00         17.29         L1         OFF         19.5           0.591450          27.88         46.00         18.12         L1         OFF         19.5           0.620250         29.64          56.00         26.36         L1         OFF         19.5           0.620250          22.75         46.00         23.25         L1         OFF         19.5           0.687750         31.54          56.00         24.46         L1         OFF         19.5           0.687750          24.30         46.00         21.70         L1         OFF         19.5           0.687750         32.39          56.00         23.61         L1         OFF         19.5           0.782250         32.39          56.00         23.61         L1         OFF         19.6           0.897000         29.30          56.00         26.70         L1         OFF         19.6           1.163850         27.72          56.00         22.73         L1         OFF         19.6           1.880970         30.01	0.570570	34.97		56.00	21.03	L1	OFF	19.5
0.591450          27.88         46.00         18.12         L1         OFF         19.5           0.620250         29.64          56.00         26.36         L1         OFF         19.5           0.620250          22.75         46.00         23.25         L1         OFF         19.5           0.687750         31.54          56.00         24.46         L1         OFF         19.5           0.687750          24.30         46.00         21.70         L1         OFF         19.5           0.782250         32.39          56.00         23.61         L1         OFF         19.6           0.782250          26.14         46.00         19.86         L1         OFF         19.6           0.897000         29.30          56.00         26.70         L1         OFF         19.6           0.897000          23.27         46.00         22.73         L1         OFF         19.6           1.163850         27.72          56.00         28.28         L1         OFF         19.6           1.880970         30.01	0.570570		27.00	46.00	19.00	L1	OFF	19.5
0.620250         29.64          56.00         26.36         L1         OFF         19.5           0.620250          22.75         46.00         23.25         L1         OFF         19.5           0.687750         31.54          56.00         24.46         L1         OFF         19.5           0.687750          24.30         46.00         21.70         L1         OFF         19.5           0.782250         32.39          56.00         23.61         L1         OFF         19.6           0.897000         29.30          56.00         26.70         L1         OFF         19.6           0.897000         29.30          56.00         26.70         L1         OFF         19.6           0.897000         29.30          56.00         26.70         L1         OFF         19.6           1.163850         27.72          56.00         22.73         L1         OFF         19.6           1.880970         30.01          56.00         25.99         L1         OFF         19.6           1.880970	0.591450	38.71		56.00	17.29	L1	OFF	19.5
0.620250          22.75         46.00         23.25         L1         OFF         19.5           0.687750         31.54          56.00         24.46         L1         OFF         19.5           0.687750          24.30         46.00         21.70         L1         OFF         19.5           0.782250         32.39          56.00         23.61         L1         OFF         19.6           0.897000         29.30          56.00         26.70         L1         OFF         19.6           0.897000          23.27         46.00         22.73         L1         OFF         19.6           1.163850         27.72          56.00         28.28         L1         OFF         19.6           1.880970         30.01          56.00         25.99         L1         OFF         19.6           1.880970         30.01          56.00         25.99         L1         OFF         19.6           1.880970         30.93          56.00         25.97         L1         OFF         19.6           3.421500         30.93	0.591450		27.88	46.00	18.12	L1	OFF	19.5
0.687750         31.54          56.00         24.46         L1         OFF         19.5           0.687750          24.30         46.00         21.70         L1         OFF         19.5           0.782250         32.39          56.00         23.61         L1         OFF         19.6           0.897000         29.30          56.00         26.70         L1         OFF         19.6           0.897000          23.27         46.00         22.73         L1         OFF         19.6           1.163850         27.72          56.00         28.28         L1         OFF         19.6           1.163850          24.05         46.00         21.95         L1         OFF         19.6           1.880970         30.01          56.00         25.99         L1         OFF         19.6           1.880970         30.93          25.28         46.00         20.72         L1         OFF         19.6           3.421500         30.93          56.00         25.07         L1         OFF         19.7           6.193860	0.620250	29.64		56.00	26.36	L1	OFF	19.5
0.687750          24.30         46.00         21.70         L1         OFF         19.5           0.782250         32.39          56.00         23.61         L1         OFF         19.6           0.782250          26.14         46.00         19.86         L1         OFF         19.6           0.897000         29.30          56.00         26.70         L1         OFF         19.6           0.897000          23.27         46.00         22.73         L1         OFF         19.6           1.163850         27.72          56.00         28.28         L1         OFF         19.6           1.163850          24.05         46.00         21.95         L1         OFF         19.6           1.880970         30.01          56.00         25.99         L1         OFF         19.6           1.880970          25.28         46.00         20.72         L1         OFF         19.6           3.421500         30.93          56.00         25.07         L1         OFF         19.7           6.193860         31.26	0.620250		22.75	46.00	23.25	L1	OFF	19.5
0.782250         32.39          56.00         23.61         L1         OFF         19.6           0.782250          26.14         46.00         19.86         L1         OFF         19.6           0.897000         29.30          56.00         26.70         L1         OFF         19.6           0.897000          23.27         46.00         22.73         L1         OFF         19.6           1.163850         27.72          56.00         28.28         L1         OFF         19.6           1.880970         30.01          56.00         21.95         L1         OFF         19.6           1.880970         30.01          56.00         25.99         L1         OFF         19.6           1.880970          25.28         46.00         20.72         L1         OFF         19.6           3.421500         30.93          56.00         25.07         L1         OFF         19.7           6.193860         31.26          60.00         28.74         L1         OFF         19.8           6.193860	0.687750	31.54		56.00	24.46	L1	OFF	19.5
0.782250          26.14         46.00         19.86         L1         OFF         19.6           0.897000         29.30          56.00         26.70         L1         OFF         19.6           0.897000          23.27         46.00         22.73         L1         OFF         19.6           1.163850         27.72          56.00         28.28         L1         OFF         19.6           1.163850          24.05         46.00         21.95         L1         OFF         19.6           1.880970         30.01          56.00         25.99         L1         OFF         19.6           1.880970          25.28         46.00         20.72         L1         OFF         19.6           3.421500         30.93          56.00         25.07         L1         OFF         19.7           3.421500          25.99         46.00         20.01         L1         OFF         19.7           6.193860         31.26          60.00         28.74         L1         OFF         19.8           13.560000         46.06	0.687750		24.30	46.00	21.70	L1	OFF	19.5
0.897000       29.30        56.00       26.70       L1       OFF       19.6         0.897000        23.27       46.00       22.73       L1       OFF       19.6         1.163850       27.72        56.00       28.28       L1       OFF       19.6         1.163850        24.05       46.00       21.95       L1       OFF       19.6         1.880970       30.01        56.00       25.99       L1       OFF       19.6         1.880970        25.28       46.00       20.72       L1       OFF       19.6         3.421500       30.93        56.00       25.97       L1       OFF       19.7         3.421500        25.99       46.00       20.01       L1       OFF       19.7         6.193860       31.26        60.00       28.74       L1       OFF       19.8         6.193860        27.46       50.00       22.54       L1       OFF       19.8         13.560000       46.06        60.00       13.94       L1       OFF       20.1         27.120000 <td>0.782250</td> <td>32.39</td> <td></td> <td>56.00</td> <td>23.61</td> <td>L1</td> <td>OFF</td> <td>19.6</td>	0.782250	32.39		56.00	23.61	L1	OFF	19.6
0.897000        23.27       46.00       22.73       L1       OFF       19.6         1.163850       27.72        56.00       28.28       L1       OFF       19.6         1.163850        24.05       46.00       21.95       L1       OFF       19.6         1.880970       30.01        56.00       25.99       L1       OFF       19.6         1.880970        25.28       46.00       20.72       L1       OFF       19.6         3.421500       30.93        56.00       25.07       L1       OFF       19.7         3.421500        25.99       46.00       20.01       L1       OFF       19.7         6.193860       31.26        60.00       28.74       L1       OFF       19.8         6.193860        27.46       50.00       22.54       L1       OFF       19.8         13.560000       46.06        60.00       13.94       L1       OFF       20.1         13.560000       34.72        60.00       25.28       L1       OFF       20.4	0.782250		26.14	46.00	19.86	L1	OFF	19.6
1.163850       27.72        56.00       28.28       L1       OFF       19.6         1.163850        24.05       46.00       21.95       L1       OFF       19.6         1.880970       30.01        56.00       25.99       L1       OFF       19.6         1.880970        25.28       46.00       20.72       L1       OFF       19.6         3.421500       30.93        56.00       25.07       L1       OFF       19.7         3.421500        25.99       46.00       20.01       L1       OFF       19.7         6.193860       31.26        60.00       28.74       L1       OFF       19.8         6.193860        27.46       50.00       22.54       L1       OFF       19.8         13.560000       46.06        60.00       13.94       L1       OFF       20.1         13.560000        45.09       50.00       4.91       L1       OFF       20.4         27.120000       34.72        60.00       25.28       L1       OFF       20.4	0.897000	29.30		56.00	26.70	L1	OFF	19.6
1.163850        24.05       46.00       21.95       L1       OFF       19.6         1.880970       30.01        56.00       25.99       L1       OFF       19.6         1.880970        25.28       46.00       20.72       L1       OFF       19.6         3.421500       30.93        56.00       25.07       L1       OFF       19.7         3.421500        25.99       46.00       20.01       L1       OFF       19.7         6.193860       31.26        60.00       28.74       L1       OFF       19.8         6.193860        27.46       50.00       22.54       L1       OFF       19.8         13.560000       46.06        60.00       13.94       L1       OFF       20.1         13.560000        45.09       50.00       4.91       L1       OFF       20.4         27.120000       34.72        60.00       25.28       L1       OFF       20.4	0.897000		23.27	46.00	22.73	L1	OFF	19.6
1.880970       30.01        56.00       25.99       L1       OFF       19.6         1.880970        25.28       46.00       20.72       L1       OFF       19.6         3.421500       30.93        56.00       25.07       L1       OFF       19.7         3.421500        25.99       46.00       20.01       L1       OFF       19.7         6.193860       31.26        60.00       28.74       L1       OFF       19.8         6.193860        27.46       50.00       22.54       L1       OFF       19.8         13.560000       46.06        60.00       13.94       L1       OFF       20.1         13.560000        45.09       50.00       4.91       L1       OFF       20.1         27.120000       34.72        60.00       25.28       L1       OFF       20.4	1.163850	27.72		56.00	28.28	L1	OFF	19.6
1.880970        25.28       46.00       20.72       L1       OFF       19.6         3.421500       30.93        56.00       25.07       L1       OFF       19.7         3.421500        25.99       46.00       20.01       L1       OFF       19.7         6.193860       31.26        60.00       28.74       L1       OFF       19.8         6.193860        27.46       50.00       22.54       L1       OFF       19.8         13.560000       46.06        60.00       13.94       L1       OFF       20.1         13.560000        45.09       50.00       4.91       L1       OFF       20.1         27.120000       34.72        60.00       25.28       L1       OFF       20.4	1.163850		24.05	46.00	21.95	L1	OFF	19.6
3.421500     30.93      56.00     25.07     L1     OFF     19.7       3.421500      25.99     46.00     20.01     L1     OFF     19.7       6.193860     31.26      60.00     28.74     L1     OFF     19.8       6.193860      27.46     50.00     22.54     L1     OFF     19.8       13.560000     46.06      60.00     13.94     L1     OFF     20.1       13.560000      45.09     50.00     4.91     L1     OFF     20.1       27.120000     34.72      60.00     25.28     L1     OFF     20.4	1.880970	30.01		56.00	25.99	L1	OFF	19.6
3.421500      25.99     46.00     20.01     L1     OFF     19.7       6.193860     31.26      60.00     28.74     L1     OFF     19.8       6.193860      27.46     50.00     22.54     L1     OFF     19.8       13.560000     46.06      60.00     13.94     L1     OFF     20.1       13.560000      45.09     50.00     4.91     L1     OFF     20.1       27.120000     34.72      60.00     25.28     L1     OFF     20.4	1.880970		25.28	46.00	20.72	L1	OFF	19.6
6.193860       31.26        60.00       28.74       L1       OFF       19.8         6.193860        27.46       50.00       22.54       L1       OFF       19.8         13.560000       46.06        60.00       13.94       L1       OFF       20.1         13.560000        45.09       50.00       4.91       L1       OFF       20.1         27.120000       34.72        60.00       25.28       L1       OFF       20.4	3.421500	30.93		56.00	25.07	L1	OFF	19.7
6.193860      27.46     50.00     22.54     L1     OFF     19.8       13.560000     46.06      60.00     13.94     L1     OFF     20.1       13.560000      45.09     50.00     4.91     L1     OFF     20.1       27.120000     34.72      60.00     25.28     L1     OFF     20.4	3.421500		25.99	46.00	20.01	L1	OFF	19.7
13.560000     46.06      60.00     13.94     L1     OFF     20.1       13.560000      45.09     50.00     4.91     L1     OFF     20.1       27.120000     34.72      60.00     25.28     L1     OFF     20.4	6.193860	31.26		60.00	28.74	L1	OFF	19.8
13.560000 45.09 50.00 4.91 L1 OFF 20.1 27.120000 34.72 60.00 25.28 L1 OFF 20.4	6.193860		27.46	50.00	22.54	L1	OFF	19.8
27.120000 34.72 60.00 25.28 L1 OFF 20.4	13.560000	46.06		60.00	13.94	L1	OFF	20.1
27.120000 34.72 60.00 25.28 L1 OFF 20.4	13.560000		45.09	50.00	4.91	L1	OFF	20.1
27.120000 33.11 50.00 16.89 L1 OFF 20.4	27.120000	34.72		60.00	25.28	L1		20.4
	27.120000		33.11	50.00	16.89	L1	OFF	20.4

### **EUT Information**

Report NO: 9D0616-05
Test Mode: Mode 1
Test Voltage: 120Vac/60Hz
Phase: Neutral

FullSpectrum



### **Final Result**


Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.153690		32.76	55.80	23.04	N	OFF	19.6
0.153690	51.20		65.80	14.60	N	OFF	19.6
0.163500		33.96	55.28	21.32	N	OFF	19.6
0.163500	50.99		65.28	14.29	N	OFF	19.6
0.175200		29.09	54.71	25.62	N	OFF	19.6
0.175200	49.79		64.71	14.92	N	OFF	19.6
0.192300		27.51	53.94	26.43	N	OFF	19.6
0.192300	49.88		63.94	14.06	N	OFF	19.6
0.210750		28.34	53.18	24.84	N	OFF	19.6
0.210750	48.15		63.18	15.03	N	OFF	19.6
0.223710		29.77	52.68	22.91	N	OFF	19.6
0.223710	47.93		62.68	14.75	N	OFF	19.6
0.234060		31.11	52.30	21.19	N	OFF	19.6
0.234060	47.90		62.30	14.40	N	OFF	19.6
0.258000		27.49	51.50	24.01	N	OFF	19.6
0.258000	46.06		61.50	15.44	N	OFF	19.6
0.273750		28.43	51.00	22.57	N	OFF	19.6
0.273750	46.03		61.00	14.97	N	OFF	19.6
0.289500		28.98	50.54	21.56	N	OFF	19.6
0.289500	45.66		60.54	14.88	N	OFF	19.6
0.332250		25.97	49.40	23.43	N	OFF	19.6

0.332250	43.21		59.40	16.19	N	OFF	19.6
0.359250		25.81	48.75	22.94	N	OFF	19.6
0.359250	42.95		58.75	15.80	N	OFF	19.6
0.384000		25.49	48.19	22.70	N	OFF	19.6
0.384000	42.37		58.19	15.82	N	OFF	19.6
0.423690		24.61	47.38	22.77	N	OFF	19.6
0.423690	40.45		57.38	16.93	N	OFF	19.6
0.462750		25.65	46.64	20.99	N	OFF	19.6
0.462750	39.77		56.64	16.87	N	OFF	19.6
0.500910		26.93	46.00	19.07	N	OFF	19.6
0.500910	38.67		56.00	17.33	N	OFF	19.6
0.534750		25.62	46.00	20.38	N	OFF	19.6
0.534750	38.01		56.00	17.99	N	OFF	19.6
0.557250		23.20	46.00	22.80	N	OFF	19.6
0.557250	37.59		56.00	18.41	N	OFF	19.6
0.602250		30.22	46.00	15.78	N	OFF	19.6
0.602250	37.21		56.00	18.79	N	OFF	19.6
0.615660		27.83	46.00	18.17	N	OFF	19.6
0.615660	39.78		56.00	16.22	N	OFF	19.6
0.652380		23.10	46.00	22.90	N	OFF	19.6
0.652380	35.53		56.00	20.47	N	OFF	19.6
0.694860		23.10	46.00	22.90	N	OFF	19.6
0.694860	34.85		56.00	21.15	N	OFF	19.6
0.773250		23.07	46.00	22.93	N	OFF	19.6
0.773250	33.87		56.00	22.13	N	OFF	19.6
0.863250		22.84	46.00	23.16	N	OFF	19.6
0.863250	31.28		56.00	24.72	N	OFF	19.6
0.976560		24.50	46.00	21.50	N	OFF	19.6
0.976560	30.91		56.00	25.09	N	OFF	19.6
1.254120		23.35	46.00	22.65	N	OFF	19.6
1.254120	28.85		56.00	27.15	N	OFF	19.6
2.656500		25.47	46.00	20.53	N	OFF	19.6
2.656500	30.74		56.00	25.26	N	OFF	19.6
3.437250		25.29	46.00	20.71	N	OFF	19.7
3.437250	29.17		56.00	26.83	N	OFF	19.7
4.123770		25.42	46.00	20.58	N	OFF	19.7
4.123770	28.32		56.00	27.68	N	OFF	19.7
5.343990		26.21	50.00	23.79	N	OFF	19.8
5.343990	30.37		60.00	29.63	N	OFF	19.8
6.660150		25.97	50.00	24.03	N	OFF	19.9
6.660150	29.07		60.00	30.93	N	OFF	19.9
13.560000		44.72	50.00	5.28	N	OFF	20.1
13.560000	45.61		60.00	14.39	N	OFF	20.1
27.120000		33.35	50.00	16.65	N	OFF	20.6
27.120000	34.74		60.00	25.26	N	OFF	20.6

### Appendix B. Test Results of Spectrum Bandwidth and Frequency Stability

Report No.: FR9D0616-05D

### **B1.Test Result of 20dB Spectrum Bandwidth**



**Remark:** Because the measured signal is CW adjusting the RBW per C63.10 would not be practical since measured bandwidth will always follow the RBW and the result will be approximately twice the RBW.

TEL: 886-3-327-3456 Page Number: B1 of B3



### **B2. Test Result of Frequency Stability**

Voltage vs. Freque	uency Stability	Temperature vs. Frequency Stability					
Voltage (Vac)	Measurement Frequency (MHz)	Temperature (°C)	Time	Measurement Frequency (MHz)			
120		-20	0	13.560040			
102			2	13.560040			
138			5	13.560030			
			10	13.560020			
		-10	0	13.560030			
			2	13.560040			
			5	13.560040			
			10	13.560040			
		0	0	13.560040			
			2	13.560040			
			5	13.560071			
			10	13.560040			
		10	0	13.560040			
			2	13.560040			
			5	13.560030			
			10	13.560040			
		20	0	13.559940			
			2	13.559940			
			5	13.559940			
			10	13.559950			
		30	0	13.559980			
			2	13.559980			
			5	13.559980			
			10	13.559980			
		40	0	13.559950			
			2	13.559940			
			5	13.559940			
			10	13.559940			

Report No.: FR9D0616-05D

TEL: 886-3-327-3456 Page Number : B2 of B3


Voltage vs. Frequ	ency Stability	Temperature vs. Frequency Stability				
Voltage (Vac)	Measurement Frequency (MHz)	Temperature (°C)	Time	Measurement Frequency (MHz)		
		50 0 2 5		13.559920		
				13.559920		
				13.559920		
			10	13.559920		
Max.Deviation (MHz)	-0.000060	Max.Deviati	on (MHz)	-0.000080		
Max.Deviation (ppm)	-4.4248	Max.Deviati	-5.8997			
Limit	FS < ±100 ppm	Limi	FS < ±100 ppm			
Test Result	PASS	Test Re	PASS			

Report No.: FR9D0616-05D

TEL: 886-3-327-3456 Page Number : B3 of B3


## Appendix C. Test Results of Radiated Test Items

### C1. Test Result of Field Strength of Fundamental Emissions



Report No.: FR9D0616-05D


TEL: 886-3-327-3456 Page Number : C1 of C6



Report No.: FR9D0616-05D

TEL: 886-3-327-3456 Page Number : C2 of C6


### C2. Results of Radiated Spurious Emissions (9 kHz~30MHz)



Report No.: FR9D0616-05D

Frequency	Level	Distance extrapolation	Over	Limit	Read	Antenna	Cable	Ant	Table	Remark
(MHz)	( dBµV/m )	Factor ( dB )	Limit (dB)	Line ( dBµV/m )	Level (dBµV)	Factor (dB)	Loss (dB)	Pos ( cm )	Pos ( deg )	
0.01925	3.44	80	-38.48	41.92	64.3	19.13	0.01	-	-	Average
0.06747	-27.1	80	-58.12	31.02	33.96	18.93	0.01	-	-	Average
0.10996	-27.77	80	-54.55	26.78	33.62	18.6	0.01	-	-	QP
0.11	-27.96	80	-54.74	26.78	33.43	18.6	0.01	-	-	Average
0.17618	-30.06	80	-52.75	22.69	31.33	18.6	0.01	-	-	Average
1.136	4.51	40	-21.99	26.5	25.9	18.6	0.01	100	0	QP
13.56	21.72	40	-7.78	29.5	41	20.58	0.14	-	-	QP
15.496	-3.3	40	-32.8	29.5	15.81	20.74	0.15	-	-	QP
23.056	-0.78	40	-30.28	29.5	17.88	21.16	0.18	-	-	QP
25.905	-2.88	40	-32.38	29.5	15.71	21.22	0.19	-	-	QP

TEL: 886-3-327-3456 Page Number : C3 of C6



Report No.: FR9D0616-05D


Frequency	Level	Distance extrapolation	Over	Limit	Read	Antenna	Cable	Ant	Table	Remark
		Factor	Limit	Line	Level	Factor	Loss	Pos	Pos	
(MHz)	(dBµV/m)	( dB )	(dB)	$(dB\mu V/m)$	(dBµV)	( dB )	(dB)	( cm )	(deg)	
0.01925	-7.6	80	-49.52	41.92	53.26	19.13	0.01	-	-	Average
0.06666	-30.86	80	-61.99	31.13	30.2	18.93	0.01	-	-	Average
0.0906	-35.79	80	-64.25	28.46	25.51	18.69	0.01	-	-	QP
0.11	-37.01	80	-63.79	26.78	24.38	18.6	0.01	-	-	Average
0.18536	-34.42	80	-56.66	22.24	26.97	18.6	0.01	-	-	Average
0.49	-2.1	40	-15.9	13.8	19.29	18.6	0.01	100	0	QP
12.664	-1.68	40	-31.18	29.5	17.67	20.51	0.14	-	-	QP
13.56	21.56	40	-7.94	29.5	40.84	20.58	0.14	-	-	QP
19.96	-2.69	40	-32.19	29.5	16.04	21.1	0.17	-	-	QP
27.705	-2.63	40	-32.13	29.5	15.92	21.25	0.2	-	-	QP

#### Note:

- 1. 13.56 MHz is fundamental signal which can be ignored.
- 2. The amplitude of spurious emissions which are attenuated by more than 20dB below the permissible value has no need to be reported.
- 3. Distance extrapolation factor = 40 log (specific distance / test distance) (dB);
- 4. Limit line = specific limits  $(dB\mu V)$  + distance extrapolation factor.

TEL: 886-3-327-3456 Page Number : C4 of C6

### C3. Results of Radiated Spurious Emissions (30MHz~1GHz)




Report No.: FR9D0616-05D

Frequenc	y Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
		Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	
(MHz)	( dBµV/m )	(dB)	(dBµV/m)	(dBµV)	(dB)	(dB)	( dB )	( cm )	(deg)	
38.73	25.96	-14.04	40	37.5	20	0.93	32.47	-	-	Peak
40.67	25.95	-14.05	40	38.64	18.85	0.94	32.48	-	-	Peak
64.92	24.49	-15.51	40	44.25	11.57	1.16	32.49	-	-	Peak
861.29	33.08	-12.92	46	30.84	29.01	5.13	31.9	-	-	Peak
868.08	33.36	-12.64	46	31.09	29.05	5.09	31.87	-	-	Peak
952.47	34.05	-11.95	46	29.64	30.2	5.25	31.04	100	0	Peak

TEL: 886-3-327-3456 Page Number : C5 of C6





Report No.: FR9D0616-05D

Frequency	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
(MHz)	( dBµV/m )	Limit (dB)	Line ( dBµV/m )	Level (dBµV)	Factor ( dB )	Loss (dB)	Factor (dB)	Pos (cm)	Pos (deg)	
35.82	36.02	-3.98	40	46.24	21.29	0.94	32.45	-	-	Peak
40.67	36.27	-3.73	40	48.96	18.85	0.94	32.48	100	85	QP
81.41	26.69	-13.31	40	44.37	13.43	1.33	32.44	-	-	Peak
856.44	32.27	-13.73	46	30.1	28.94	5.15	31.92	-	-	Peak
927.25	32.69	-13.31	46	29.9	29.08	5.08	31.37	-	-	Peak
948.59	34.57	-11.43	46	30.47	29.99	5.2	31.09	-	-	Peak

#### Note:

- 1. The amplitude of spurious emissions which are attenuated by more than 20dB below the permissible value has no need to be reported.
- 2. Emission level (dB $\mu$ V/m) = 20 log Emission level ( $\mu$ V/m).
- 3. Corrected Reading: Antenna Factor + Cable Loss + Read Level Preamp Factor= Level.

———THE END———

TEL: 886-3-327-3456 Page Number : C6 of C6