


MARK	REVISION	DATE	NAME	CHKD.



No.	Description
①	Conductor
②	Insulating Film
③	Co-axial Cable
④	Connector

REGD.	DWN.	02.10.08	TITLE	Hitachi Cable, Ltd.	Rev.
	CHKD.	PROJ.		Hitaka Works	
	APPD.		HFD04-R	EH4825577	
SCALE.	N.T.S.				



Confidential


(Deg)

File: TPOG3H01.DAT
Date: 10-Sep-02
Time: 22:29
Operator: Ken Ohno
Ser. no.: 001
Channel: Measure-V/Tx pol: Vert. Rx: Vert.
Frequency : See Legend

Calibration status:
File: TPOG3H01.DAT
Table: WNS2400
Chan.: Measure-Ve
Units: dBi

Overlays

Freq:	2.400 GHz	
Freq:	2.440 GHz	
Freq:	2.480 GHz	



Confidential

TYPE "B" (Left: Rx) Peak Gain: -2.63 dBi

Confidential

Magnitude (dB) vs. Az


(Deg)

IRX-2480EVT
2.4GHz

File: TPOG2H02.DAT
Date: 10-Sep-02
Time: 23:05
Operator: Ken Ohno
Ser. no.: 002
Channel: Measure-VTx pol: Vert. Rx: Vert.
Frequency : See Legend

Calibration status:
File: TPOG2H02.DAT
Table: WNS2400
Chan.: Measure-Ve
Units: dBi

Overlays
Freq: 2.400 GHz ———
Freq: 2.440 GHz ———
Freq: 2.480 GHz ———



Confidential