



TX CH157



Date: 19.APR.2015 14:41:39

TX CH165



Date: 19.APR.2015 14:42:32


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	7.12	0.04	7.16	30.00
CH157	5785	6.25	0.04	6.29	30.00
CH165	5825	4.63	0.04	4.67	30.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-3.77	0.05	-3.72	30.00
CH159	5795	-3.84	0.05	-3.79	30.00

TX CH151



Date: 19.APR.2015 15:54:10

TX CH159




Date: 19.APR.2015 15:55:25

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-3.77	0.05	-3.72	30.00
CH159	5795	-3.78	0.05	-3.73	30.00

TX CH151



Date: 19.APR.2015 15:53:02

TX CH159




Date: 19.APR.2015 15:56:10

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-2.55	0.05	-2.50	30.00
CH159	5795	-2.53	0.05	-2.48	30.00

TX CH151



Date: 19.APR.2015 15:52:07

TX CH159




Date: 19.APR.2015 15:57:08

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 7


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-3.57	0.05	-3.52	30.00
CH159	5795	-3.18	0.05	-3.13	30.00

TX CH151



Date: 19.APR.2015 15:50:27

TX CH159



Date: 19.APR.2015 15:57:59


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	2.64	0.05	2.69	30.00
CH159	5795	2.72	0.05	2.77	30.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH155	5775	-4.34	0.12	-4.22	30.00

TX CH155




Date: 19.APR.2015 16:39:48

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 5

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH155	5775	-5.45	0.12	-5.33	30.00

TX CH155




Date: 19.APR.2015 16:38:25

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 6

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH155	5775	-4.83	0.12	-4.71	30.00

TX CH155




Date: 19.APR.2015 16:36:59

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 7

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH155	5775	-5.37	0.12	-5.25	30.00

TX CH155



Date: 19.APR.2015 16:35:46

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH155	5775	1.05	0.12	1.17	30.00

ATTACHMENT I - FREQUENCY STABILITY

Test Mode:	UNII-1
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.0128
120	5180.0123
108	5180.0131
Max. Deviation (MHz)	0.0131
Max. Deviation (ppm)	2.5290

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5180.0115
5	5180.0117
15	5180.0120
25	5180.0125
35	5180.0123
45	5180.0126
50	5180.0128
Max. Deviation (MHz)	0.0128
Max. Deviation (ppm)	2.4710

Test Mode:	UNII-2A
-------------------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5260.0121
120	5260.0118
108	5260.0123
Max. Deviation (MHz)	0.0123
Max. Deviation (ppm)	2.3384

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5260.0000
-5	5260.0134
5	5260.0136
15	5260.0135
25	5260.0138
35	5260.0137
45	5260.0139
50	5260.0141
Max. Deviation (MHz)	0.0141
Max. Deviation (ppm)	2.6806

Test Mode:	UNII-2C
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5500.0134
120	5500.0132
108	5500.0137
Max. Deviation (MHz)	0.0137
Max. Deviation (ppm)	2.4909

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5500.0000
-5	5500.0137
5	5500.0139
15	5500.0141
25	5500.0143
35	5500.0142
45	5500.0145
50	5500.0147
Max. Deviation (MHz)	0.0147
Max. Deviation (ppm)	2.6727

Test Mode:	UNII-3
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0236
120	5745.0231
108	5745.0238
Max. Deviation (MHz)	0.0238
Max. Deviation (ppm)	4.1427

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5745.0253
5	5745.0254
15	5745.0256
25	5745.0258
35	5745.0257
45	5745.0259
50	5745.0261
Max. Deviation (MHz)	0.0261
Max. Deviation (ppm)	4.5431