


$802.11ax20_5745MHz_RU_Full_Chain~0$



$802.11ax20_5785MHz_RU_Full_Chain~0$




ProjectNo.:RKSA241202004 Tester:Neil Zhou Date: 11.JAN.2025 11:52:52




ProjectNo.:RKSA241202004 Tester:Neil Zhou Date: 11.JAN.2025 11:55:37

802.11ax20_5745MHz_RU_Full_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou

802.11ax20 5785MHz RU Full Chain 1



ProjectNo.:RKSA241202004 Tester:Neil Zhou

802.11ax20 5825MHz RU Full Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou Date: 13.JAN.2025 11:48:57

ProjectNo.:RKSA241202004 Tester:Neil Zhou


FCC Part 15.407

Page 257 of 261

$802.11ax40_5755MHz_RU_Full_Chain~0$




$802.11ax40_5795MHz_RU_Full_Chain~0$




ProjectNo.:RKSA241202004 Tester:Neil Zhou Date: 11.JAN.2025 12:03:28







ProjectNo.:RKSA241202004 Tester:Neil Zhou Date: 11.JAN.2025 13:17:00

802.11ax40_5795MHz_RU_Full_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou





ProjectNo.:RKSA241202004 Tester:Neil Zhou

802.11ax80 5775MHz RU Full Chain 1



ProjectNo.: RKSA241202004 Tester: Neil Zhou

ProjectNo.:RKSA241202004 Tester:Neil Zhou

EUT PHOTOGRAPHS

Please refer to the attachment EXHIBIT A - EUT EXTERNAL PHOTOGRAPHS and EXHIBIT B - EUT INTERNAL PHOTOGRAPHS.

Report No.: RKSA241202004-00E

FCC Part 15.407 Page 259 of 261

TEST SETUP PHOTOGRAPHS

Please refer to the attachment EXHIBIT D - TEST SETUP PHOTOGRAPHS.

Report No.: RKSA241202004-00E

FCC Part 15.407 Page 260 of 261

Declarations

Report No.: RKSA241202004-00E

- 1. The laboratory is not responsible for the authenticity of any information provided by the applicant. Information from the applicant that may affect test results is marked with "★".
- 2. The test data was only valid for the test sample(s).
- 3. This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.
- 4. Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.
- 5. The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor k=2 with the 95.45% confidence interval.

***** END OF REPORT *****

FCC Part 15.407 Page 261 of 261