

Appendix A

RF Test Data for BT V5.0(BDR/EDR) (Conducted Measurement)

Product Name: speaker lamp with wireless charging

Trade Mark: N/A

Test Model: A21

Environmental Conditions


Temperature:	23.1° C
Relative Humidity:	50.6%
ATM Pressure:	100.0 kPa
Test Engineer:	Carl Fu
Supervised by:	Li Huan

A.1 Maximum Conducted Peak Output Power


Mode	Channel.	Maximum Peak Output Power [dBm]	Limit [dBm]	Verdict
GFSK	LCH	0.226	21	PASS
	MCH	-0.351	21	PASS
	HCH	0.235	21	PASS
$\pi/4$ DQPSK	LCH	0.687	21	PASS
	MCH	0.273	21	PASS
	HCH	0.544	21	PASS

Test Graphs



GFSK/LCH




GFSK/MCH



GFSK/HCH


 π /4DQPSK/LCH




A.2 20dB Bandwidth

Mode	Channel.	20dB Bandwidth [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.9839	Not Specified	PASS
	MCH	0.9553	Not Specified	PASS
	HCH	0.9616	Not Specified	PASS
$\pi/4$ DQPSK	LCH	1.368	Not Specified	PASS
	MCH	1.341	Not Specified	PASS
	HCH	1.338	Not Specified	PASS


Test Graphs






GFSK/MCH



GFSK/HCH



$\pi/4$ DQPSK/LCH $\pi/4$ DQPSK/MCH

$\pi/4$ DQPSK/HCH


A.3 Carrier Frequency Separation

Mode	Channel.	Carrier Frequency Separation [MHz]	Limit [MHz]	Verdict
GFSK	LCH	1.061	0.671	PASS
	MCH	1.140	0.671	PASS
	HCH	1.040	0.671	PASS
π /4DQPSK	LCH	1.192	0.912	PASS
	MCH	1.136	0.912	PASS
	HCH	0.932	0.912	PASS


Test Graphs






GFSK/MCH



GFSK/HCH



$\pi/4$ DQPSK/LCH $\pi/4$ DQPSK/MCH


$\pi/4$ DQPSK/HCH

A.4 Hopping Channel Number

Mode	Channel.	Number of Hopping Channel [N]	Limit [N]	Verdict
GFSK	Hop	79	≥ 15	PASS
$\pi/4$ DQPSK	Hop	79	≥ 15	PASS


Test Graphs

GFSK/Hop



Frequency

Auto Tune

Center Freq
2.441750000 GHzStart Freq
2.400000000 GHzStop Freq
2.483500000 GHzCF Step
8.350000 MHz
ManFreq Offset
0 Hz $\pi/4$ DQPSK/Hop

Frequency

Auto Tune


Center Freq
2.441750000 GHzStart Freq
2.400000000 GHzStop Freq
2.483500000 GHzCF Step
8.350000 MHz
ManFreq Offset
0 Hz

A.5 Dwell Time


Mode	Packet	Channel	Burst Width [ms/hop/ch]	Total Hops[hop*ch]	Dwell Time[s]	Limit [s]	Verdict
GFSK	DH5	LCH	2.9	106.7	0.309	0.4	PASS
	DH5	MCH	2.9	106.7	0.309	0.4	PASS
	DH5	HCH	2.9	106.7	0.309	0.4	PASS
$\pi/4$ DQPSK	2DH5	LCH	2.9	106.7	0.31	0.4	PASS
	2DH5	MCH	2.9	106.7	0.309	0.4	PASS
	2DH5	HCH	2.9	106.7	0.309	0.4	PASS

Test Graphs


GFSK_DH5/LCH




GFSK_DH5/MCH




GFSK_DH5/HCH




$\pi/4$ DQPSK
_2DH5/LCH



$\pi/4$ DQPSK
_2DH5/MCH




$\pi/4$ DQPSK
_2DH5/HCH



A.6 RF Conducted Spurious Emissions


Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	-0.056	-38.163	-20.056	PASS
	MCH	-0.745	-37.253	-20.745	PASS
	HCH	-0.277	-37.717	-20.277	PASS
$\pi/4$ DQPSK	LCH	-0.438	-38.042	-20.438	PASS
	MCH	-1.059	-37.686	-21.059	PASS
	HCH	-0.746	-37.210	-20.746	PASS

GFSK LCH Graphs




GFSK_MCH_Graphs

Pref




Puw




GFSK HCH_Graphs

Pref




Puw




$\pi/4$ DQPSK LCH_Graphs

Pref




Puw




π /4DQPSK_MCH_Graphs

Pref




Puw




$\pi/4$ DQPSK HCH_Graphs

Pref



Puw



A.7 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Frequency [MHz]	Carrier Power [dBm]	Frequency Hopping	Max Spurious Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	2402	-0.056	Off	-49.248	-20.06	PASS
			-0.158	On	-49.110	-20.16	PASS
	HCH	2480	-0.067	Off	-48.283	-20.07	PASS
			0.019	On	-48.671	-19.98	PASS
$\pi/4$ DQPSK	LCH	2402	-0.866	Off	-49.490	-20.87	PASS
			-0.510	On	-49.180	-20.51	PASS
	HCH	2480	-0.569	Off	-49.216	-20.57	PASS
			-0.479	On	-47.308	-20.48	PASS