
# (UL)

### REPORT NO.: 4789598114.1-3 Page 177 of 179



### REPORT NO.: 4789598114.1-3 Page 178 of 179



Center Freq 13.75000	tsa DC 00000 GHz	SENSE:INT	ALIGN AUTO	TRACE 1 2 3 4 5 6	Frequency
	FE PNO: Fast +++ IFGain:Low	Trig: Free Run #Atten: 20 dB	Avg Hold: 10/10	DET PPPPP	
Ref Offset 19.7	9 dB		Mkr1	26.052 90 GHz -44.189 dBm	Auto Tune
10 dB/div Ref 20.00 dE	3m	Y		-44. 189 UBIII	
10.0					Center Freq 13.750000000 GHz
0.00					
					Start Freq 1.000000000 GHz
-10.0					
-20.0					Stop Freq
-30.0				DL1 -30.12 dBm	26.50000000 GHz
-40.0					CF Step 2.550000000 GHz
-50.0	a provident de la decimination de la decimination	The second statements of the second	the state of the s	a special and the part of the second descent for	<u>Auto</u> Man
-60.0	and the second secon	a Marine Marine and Annual Providence of the Party of the	an a	ATTAC AND	Freq Offset
					0 Hz
-70.0					Scale Type
Start 1.00 GHz				Stop 26.50 GHz	
#Res BW 100 kHz	#VBW	300 kHz	Sweep 93 STATUS	38.0 ms (30001 pts)	
	11N/0	MIMO_Ant1_			
	111110			1111	
Keysight Spectrum Analyzer - Swept					
	DC 000 GHz	SENSE:INT	ALIGN AUTO	01:51:33 PM Aug 26, 2020 TRACE 1 2 3 4 5 6 TYPE M WAAAAAAAA	Frequency
	DC	SENSE:INT	ALIGN AUTO #Avg Type: RMS Avg Hold: 100/100	01:51:33 PM Aug 26, 2020 TRACE 1 2 3 4 5 6 TYPE M WAYAWAY DET P P P P P P	Frequency
W         RL         RF         50 Ω           Center Freq 2.452000         Ni           Ni         Ni           Ref Offset 19.73           10 dB/div         Ref 30.00 dB	DC GHZ FE PNO: Fast +++ IFGain:Low 9 dB	SENSE:INT	ALIGN AUTO #Avg Type: RMS Avg Hold: 100/100	01:51:33 PM Aug 26, 2020 TRACE 1 2 3 4 5 6 TYPE M WAAAAAAAA	Frequency Auto Tune
M         RL         RF         50 2           Center Freq 2.4520000         Ref 2.452000         N           10 dB/div         Ref Offset 19.7: Ref 30.00 dE         Ref 30.00 dE	DC GHZ FE PNO: Fast +++ IFGain:Low 9 dB	SENSE:INT	ALIGN AUTO #Avg Type: RMS Avg Hold: 100/100	01:51:33 PM Aug 26, 2020 TRACE 1 2 3 4 5 6 TYPE M WWWW DET P P P P P P 1 2.456 98 GHz	Auto Tune
RL         RF         50 Ω           Center Freq 2.452000         N           N         N           Ref Offset 19.7:           10 dB/div         Ref 30.00 dB	DC GHZ FE PNO: Fast +++ IFGain:Low 9 dB	SENSE:INT	ALIGN AUTO #Avg Type: RMS Avg Hold: 100/100	01:51:33 PM Aug 26, 2020 TRACE 1 2 3 4 5 6 TYPE M WWWW DET P P P P P P 1 2.456 98 GHz	Frequency Auto Tune
RL         RF         50 2           Center Freq 2.4520000         N           N         N           10 dB/div         Ref Offset 19.7: Ref 30.00 dE	DC GHZ FE PNO: Fast +++ IFGain:Low 9 dB	SENSE:INT	ALIGN AUTO #Avg Type: RMS Avg Hold: 100/100	01:51:33 PM Aug 26, 2020 TRACE 1 2 3 4 5 6 TYPE M WWWW DET P P P P P P 1 2.456 98 GHz	Auto Tune
00 RL RF 50 Ω Center Freq 2.452000 N 10 dB/div Ref 0ffset 19.7 20.0 10.0 0.00	PC	SENSE:INT	ALIGN AUTO #Avg Type: RMS Avg Hold: 100/100	01:51:33 PM Aug 26, 2020 TRACE 1 2 3 4 5 6 TYPE M WWWW DET P P P P P P 1 2.456 98 GHz -0.237 dBm	Auto Tune
XM         RF         50 ∞           Center Freq 2.452000         N           10 dB/div         Ref Offset 19.7: Ref 30.00 dE           20.0	DC GHZ FE PNO: Fast +++ IFGain:Low 9 dB	SENSE:INT	ALIGN AUTO #Avg Type: RMS Avg Hold: 100/100	01:51:33 PM Aug 26, 2020 TRACE 1 2 3 4 5 6 TYPE M WWWW DET P P P P P P 1 2.456 98 GHz -0.237 dBm	Auto Tune Center Freq 2.45200000 GHz Start Freq
Od         RL         RF         50 0.           Center Freq 2.4520000         Ref Offset 19.7:           10 dB/div         Ref Offset 19.7:           20.0	PC	SENSE:INT	ALIGN AUTO #Avg Type: RMS Avg Hold: 100/100	01:51:33 PM Aug 26, 2020 TRACE 1 2 3 4 5 6 TYPE M WWWW DET P P P P P P 1 2.456 98 GHz -0.237 dBm	Frequency Auto Tune Center Freq 2.45200000 GHz Start Freq 2.42200000 GHz
XX         RL         RF         50 °C           Center Freq 2.452000         N           10         Ref Offset 19.7: Ref 30.00 dE           20.0	PC	SENSE:INT	ALIGN AUTO #Avg Type: RMS Avg Hold: 100/100	01:51:33 PM Aug 26, 2020 TRACE 1 2 3 4 5 6 TYPE M WWWW DET P P P P P P 1 2.456 98 GHz -0.237 dBm	Frequency Auto Tune Center Freq 2.45200000 GHz Start Freq 2.42200000 GHz Stop Freq 2.48200000 GHz CF Step
KL         RF         50 a           Center Freq 2.452000         Ref Offset 19.7:           10 dB/div         Ref Offset 19.7:           20.0	PC	SENSE:INT	ALIGN AUTO #Avg Type: RMS Avg Hold: 100/100	01:51:33 PM Aug 26, 2020 TRACE 1 2 3 4 5 6 TYPE M WWWW DET P P P P P P 1 2.456 98 GHz -0.237 dBm	Frequency Auto Tune Center Freq 2.45200000 GHz Start Freq 2.42200000 GHz Stop Freq 2.48200000 GHz
XI         RF         50 °C           Center Freq 2.452000         N           10 dB/div         Ref Offset 19.7:           20.0	PC	SENSE:INT	ALIGN AUTO #Avg Type: RMS Avg Hold: 100/100	01:51:33 PM Aug 26, 2020 TRACE 1 2 3 4 5 6 TYPE M WWWW DET P P P P P P 1 2.456 98 GHz -0.237 dBm	Frequency Auto Tune Center Freq 2.45200000 GHz Start Freq 2.42200000 GHz Stop Freq 2.48200000 GHz CF Step 6.00000 MHz Auto Man
XI         RF         50 0           Center Freq 2.4520000         N           10 dB/div         Ref Offset 19.7:           20.0	PC	SENSE:INT	ALIGN AUTO #Avg Type: RMS Avg Hold: 100/100	01:51:33 PM Aug 26, 2020 TRACE 1 2 3 4 5 6 TYPE M WWWWW DET P P P P P P 7 1 2.456 98 GHz -0.237 dBm	Frequency Auto Tune Center Freq 2.45200000 GHz Start Freq 2.42200000 GHz Stop Freq 2.48200000 GHz CF Step 6.00000 MHz
Ø/         RL         RF         50 0           Center Freq 2.452000         Ref 30.00 dE           10 dB/div         Ref 0ffset 19.7.           20.0	PC	SENSE:INT	ALIGN AUTO #Avg Type: RMS Avg Hold: 100/100	01:51:33 PM Aug 26, 2020 TRACE 1 2 3 4 5 6 TYPE M WWWWW DET P P P P P P 7 1 2.456 98 GHz -0.237 dBm	Frequency Auto Tune Center Freq 2.45200000 GHz Start Freq 2.42200000 GHz CF Step 6.00000 MHz Auto Man Freq Offset 0 Hz
XI         RF         50 0           Center Freq 2.452000         Ref Offset 19.7:           10 dB/div         Ref Offset 19.7:           20.0	PC	SENSE:INT	ALIGN AUTO #Avg Type: RMS Avg Hold: 100/100	01:51:33 PM Aug 26, 2020 TRACE 1 2 3 4 5 6 TYPE M WWWWW DET P P P P P P 7 1 2.456 98 GHz -0.237 dBm	Frequency         Auto Tune         Center Freq         2.45200000 GHz         Start Freq         2.42200000 GHz         Stop Freq         2.48200000 GHz         CF Step         6.00000 MHz         Auto         Man         Freq Offset         0 Hz         Scale Type

#### REPORT NO.: 4789598114.1-3 Page 179 of 179



Center Freq 515.00000	PNO: Fast - Trig: Free Run	ALIGN AUTO #Avg Type: RMS Avg Hold: 10/10	01:51:41 PM Aug 26, 2020 TRACE 1 2 3 4 5 6 TYPE M	Frequency
Ref Offset 19.79 o 10 dB/div <b>Ref 20.00 dBn</b>	IFGain:Low #Atten: 20 dB	М	ьет РРРРРР kr1 818.97 MHz -52.557 dBm	Auto Tune
10.0				Center Freq 515.000000 MHz
-10.0				Start Freq 30.000000 MHz
-20.0			DL1 -30.24 dBm	<b>Stop Freq</b> 1.000000000 GHz
-40.0			.1	CF Step 97.000000 MHz <u>Auto</u> Man
-50.0	ang na katang mang mang mang mang katang na katang katang katang katang katang katang katang katang katang kata Katang ng katang mang katang	ha tera a la dependencia de la constituente de la constituente de la constituente de la constituente de la cons Aconstan encolette con a statuent aconstante de la constituente de la constituente de la constituente de la cons	a Angly and Anthe Approximal gradient A Allow Market & Arteria Strategies	Freq Offset
-70.0				Scale Type
Start 0.0300 GHz #Res BW 100 kHz	#VBW 300 kHz		Stop 1.0000 GHz 5.00 ms (30001 pts)	
MSG	11N40MIMO_An	status t2 2452 30~100		
Keysight Spectrum Analyzer - Swept SA				- # <b>*</b>
Keysight Spectrum Analyzer - Swept SA     RL     RF     50 Ω     DC     Center Freq 13.750000     NFE	SENSE:INT 000 GHz PNO: Fast ↔ Trig: Free Run	ALIGN AUTO #Avg Type: RMS Avg Hold: 10/10	01:52:08 PM Aug 26, 2020 TRACE 1 2 3 4 5 6 TYPE M WWWWW DET P P P P P P	Frequency
02 RL RF 50 Ω DC Center Freq 13.750000 NFE Ref Offset 19.79 of 10 dB/div Ref 20.00 dBn	B SENSE:INT SENSE:INT SENSE:INT Trig: Free Run #Atten: 20 dB	ALIGN AUTO #Avg Type: RMS Avg Hold: 10/10	01:52:08 PM Aug 26, 2020 TRACE 1 2 3 4 5 6 TYPE M WWWWW	Frequency
222 RL   RF   50 Ω DC Center Freq 13.750000 NFE Ref Offset 19.79 α	B SENSE:INT SENSE:INT SENSE:INT Trig: Free Run #Atten: 20 dB	ALIGN AUTO #Avg Type: RMS Avg Hold: 10/10	01:52:08 PM Aug 26, 2020 TRACE 1 2 3 4 5 6 TYPE M WWWW DET P P P P P P 25.742 65 GHz	Frequency
RL         RF         50 Ω         DC           Center Freq 13.750000         NFE         NFE           10 dB/div         Ref Offset 19.79 d         Ref 20.00 dBn	B SENSE:INT SENSE:INT SENSE:INT Trig: Free Run #Atten: 20 dB	ALIGN AUTO #Avg Type: RMS Avg Hold: 10/10	01:52:08 PM Aug 26, 2020 TRACE 1 2 3 4 5 6 TYPE M WWWW DET P P P P P P 25.742 65 GHz	Frequency Auto Tune Center Freq
M         RL         RF         50 Ω         DC           Center Freq 13.750000         NFE           0         Ref Offset 19.79 c           10 dB/div         Ref 20.00 dBn           -00	B SENSE:INT SENSE:INT SENSE:INT Trig: Free Run #Atten: 20 dB	ALIGN AUTO #Avg Type: RMS Avg Hold: 10/10	01:52:08 PM Aug 26, 2020 TRACE 1 2 3 4 5 6 TYPE M WWWW DET P P P P P P 25.742 65 GHz	Frequency Auto Tune Center Freq 13.75000000 GHz Start Freq
RL         RF         50 Ω         DC           Center Freq 13.750000         NFE           0         B/div         Ref Offset 19.79 c           10         dB/div         Ref 20.00 dBn           0.00	SENSE:INT 000 GHZ PN0: Fast ↔ Trig: Free Run IFGain:Low #Atten: 20 dB 18 18 18 19 10 10 10 10 10 10 10 10 10 10	ALIGN AUTO #Avg Type: RMS Avg Hold: 10/10  Mkr1	01:52:08 PMAug 26, 2020 TRACE 11 2 3 4 5 6 TYPE M WWWWW DET P P P P P P 25:742 65 GHz -44.315 dBm	Frequency Auto Tune Center Freq 13.75000000 GHz Start Freq 1.00000000 GHz Stop Freq
RL         RF         50 Ω         DC           Center Freq 13.750000         NFE           0         B/div         Ref Offset 19.79 c           10         B/div         Ref 20.00 dBn           -0.00	SENSE:INT 000 GHZ PN0: Fast ↔ Trig: Free Run IFGain:Low #Atten: 20 dB 18 18 18 19 10 10 10 10 10 10 10 10 10 10	ALIGN AUTO #Avg Type: RMS Avg Hold: 10/10	01:52:08 PMAug 26, 2020 TRACE 11 2 3 4 5 6 TYPE M WWWWW DET P P P P P P 25:742 65 GHz -44.315 dBm	Frequency Auto Tune Center Freq 13.75000000 GHz Start Freq 1.00000000 GHz CF Step 2.55000000 GHz Auto Man Freq Offset
Odd         RL         RF         50 0 pc           Center Freq 13.750000         NFE           10 dB/div         Ref Offset 19.79 c           10 dB/div         Ref 20.00 dBn           10.0	SENSE:INT 000 GHZ PN0: Fast ↔ Trig: Free Run IFGain:Low #Atten: 20 dB 18 18 18 19 10 10 10 10 10 10 10 10 10 10	ALIGN AUTO #Avg Type: RMS Avg Hold: 10/10  Mkr1	01:52:08 PMAug 26, 2020 TRACE 11 2 3 4 5 6 TYPE M WWWWW DET P P P P P P 25:742 65 GHz -44.315 dBm	Frequency           Auto Tune           Center Freq           13.75000000 GHz           Start Freq           1.00000000 GHz           Stop Freq           26.50000000 GHz           CF Step           2.55000000 GHz           Auto

## **END OF REPORT**

UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.