











Mode	37																																																																																																			
	Band Edge - L																																																																																																			
	2400-2483.5_802.11be EHT40_CH03_Full RU_2422MHz																																																																																																			
ANT	0+1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	 Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.86</td><td>60.34</td><td>74.00</td><td>-13.66</td><td>47.24</td><td>26.90</td><td>8.52</td><td>32.35</td><td>10.03</td><td>200</td><td>90</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.86	60.34	74.00	-13.66	47.24	26.90	8.52	32.35	10.03	200	90	PEAK	 Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>107.83</td><td>-----</td><td>-----</td><td>94.63</td><td>26.98</td><td>8.56</td><td>32.37</td><td>10.03</td><td>200</td><td>90</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	107.83	-----	-----	94.63	26.98	8.56	32.37	10.03	200	90	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.86	60.34	74.00	-13.66	47.24	26.90	8.52	32.35	10.03	200	90	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2422.00	107.83	-----	-----	94.63	26.98	8.56	32.37	10.03	200	90	PEAK																																																																																								
Avg	 Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.97</td><td>49.38</td><td>54.00</td><td>-4.62</td><td>36.28</td><td>26.90</td><td>8.52</td><td>32.35</td><td>10.03</td><td>200</td><td>90</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.97	49.38	54.00	-4.62	36.28	26.90	8.52	32.35	10.03	200	90	AVERAGE	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>97.57</td><td>-----</td><td>-----</td><td>84.38</td><td>26.96</td><td>8.57</td><td>32.37</td><td>10.03</td><td>200</td><td>90</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	97.57	-----	-----	84.38	26.96	8.57	32.37	10.03	200	90	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.97	49.38	54.00	-4.62	36.28	26.90	8.52	32.35	10.03	200	90	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2422.00	97.57	-----	-----	84.38	26.96	8.57	32.37	10.03	200	90	AVERAGE																																																																																								





Mode	37																																																														
	Band Edge - R																																																														
	2400-2483.5_802.11be EHT40_CH03_Full RU_2422MHz																																																														
ANT	0+1																																																														
Pol.	Vertical						Fundamental																																																								
Peak	 Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.63</td><td>52.78</td><td>74.00</td><td>-21.22</td><td>39.57</td><td>26.90</td><td>8.69</td><td>32.41</td><td>10.03</td><td>200</td><td>90</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2484.63	52.78	74.00	-21.22	39.57	26.90	8.69	32.41	10.03	200	90	PEAK	Blank					
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																				
1	2484.63	52.78	74.00	-21.22	39.57	26.90	8.69	32.41	10.03	200	90	PEAK																																																			
Avg	 Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.09</td><td>42.12</td><td>54.00</td><td>-11.88</td><td>28.91</td><td>26.90</td><td>8.69</td><td>32.41</td><td>10.03</td><td>200</td><td>90</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2484.09	42.12	54.00	-11.88	28.91	26.90	8.69	32.41	10.03	200	90	AVERAGE	Blank					
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																				
1	2484.09	42.12	54.00	-11.88	28.91	26.90	8.69	32.41	10.03	200	90	AVERAGE																																																			







Mode	37																																																																																																																															
	Harmonic																																																																																																																															
	2400-2483.5_802.11be EHT40_CH03_Full RU_2422MHz																																																																																																																															
ANT	0+1																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4844.00</td><td>44.80</td><td>74.00</td><td>-29.20</td><td>32.76</td><td>32.48</td><td>12.34</td><td>33.49</td><td>0.71</td><td>-- Peak</td></tr><tr><td>2</td><td>7266.00</td><td>48.92</td><td>74.00</td><td>-25.08</td><td>31.28</td><td>37.50</td><td>15.31</td><td>35.81</td><td>0.64</td><td>-- Peak</td></tr><tr><td>3</td><td>7266.00</td><td>40.76</td><td>54.00</td><td>-13.24</td><td>23.12</td><td>37.50</td><td>15.31</td><td>35.81</td><td>0.64</td><td>-- Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	44.80	74.00	-29.20	32.76	32.48	12.34	33.49	0.71	-- Peak	2	7266.00	48.92	74.00	-25.08	31.28	37.50	15.31	35.81	0.64	-- Peak	3	7266.00	40.76	54.00	-13.24	23.12	37.50	15.31	35.81	0.64	-- Average	 Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4844.00</td><td>44.81</td><td>74.00</td><td>-29.19</td><td>32.77</td><td>32.48</td><td>12.34</td><td>33.49</td><td>0.71</td><td>-- Peak</td></tr><tr><td>2</td><td>7266.00</td><td>49.30</td><td>74.00</td><td>-24.70</td><td>31.66</td><td>37.50</td><td>15.31</td><td>35.81</td><td>0.64</td><td>-- Peak</td></tr><tr><td>3</td><td>7266.00</td><td>39.87</td><td>54.00</td><td>-14.13</td><td>22.23</td><td>37.50</td><td>15.31</td><td>35.81</td><td>0.64</td><td>-- Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	44.81	74.00	-29.19	32.77	32.48	12.34	33.49	0.71	-- Peak	2	7266.00	49.30	74.00	-24.70	31.66	37.50	15.31	35.81	0.64	-- Peak	3	7266.00	39.87	54.00	-14.13	22.23	37.50	15.31	35.81	0.64	-- Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	4844.00	44.80	74.00	-29.20	32.76	32.48	12.34	33.49	0.71	-- Peak																																																																																																																						
2	7266.00	48.92	74.00	-25.08	31.28	37.50	15.31	35.81	0.64	-- Peak																																																																																																																						
3	7266.00	40.76	54.00	-13.24	23.12	37.50	15.31	35.81	0.64	-- Average																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	4844.00	44.81	74.00	-29.19	32.77	32.48	12.34	33.49	0.71	-- Peak																																																																																																																						
2	7266.00	49.30	74.00	-24.70	31.66	37.50	15.31	35.81	0.64	-- Peak																																																																																																																						
3	7266.00	39.87	54.00	-14.13	22.23	37.50	15.31	35.81	0.64	-- Average																																																																																																																						





Mode	37	
	Harmonic	
	2400-2483.5_802.11be EHT40_CH03_Full RU_2422MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN HORIZONTAL	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN VERTICAL







Mode	38																																																																																																			
	Band Edge - L																																																																																																			
	2400-2483.5_802.11be EHT40_CH06_Full RU_2437MHz																																																																																																			
ANT	0+1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.11</td><td>65.45</td><td>74.00</td><td>-8.55</td><td>52.33</td><td>26.92</td><td>8.52</td><td>32.35</td><td>10.03</td><td>143</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.11	65.45	74.00	-8.55	52.33	26.92	8.52	32.35	10.03	143	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>112.19</td><td>-----</td><td>-----</td><td>99.13</td><td>26.80</td><td>8.61</td><td>32.38</td><td>10.03</td><td>100</td><td>143</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2437.00	112.19	-----	-----	99.13	26.80	8.61	32.38	10.03	100	143	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2388.11	65.45	74.00	-8.55	52.33	26.92	8.52	32.35	10.03	143	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2437.00	112.19	-----	-----	99.13	26.80	8.61	32.38	10.03	100	143	PEAK																																																																																								
Avg																																																																																																				
	Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.88</td><td>52.60</td><td>54.00</td><td>-1.40</td><td>39.50</td><td>26.90</td><td>8.52</td><td>32.35</td><td>10.03</td><td>143</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.88	52.60	54.00	-1.40	39.50	26.90	8.52	32.35	10.03	143	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>101.89</td><td>-----</td><td>-----</td><td>88.77</td><td>26.86</td><td>8.62</td><td>32.39</td><td>10.03</td><td>100</td><td>143</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2437.00	101.89	-----	-----	88.77	26.86	8.62	32.39	10.03	100	143
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2389.88	52.60	54.00	-1.40	39.50	26.90	8.52	32.35	10.03	143	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2437.00	101.89	-----	-----	88.77	26.86	8.62	32.39	10.03	100	143	AVERAGE																																																																																								





Mode	38																																																				
	Band Edge - R																																																				
	2400-2483.5_802.11be EHT40_CH06_Full RU_2437MHz																																																				
ANT	0+1																																																				
Pol.	Horizontal	Fundamental																																																			
Peak	 Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2486.52</td><td>66.44</td><td>74.00</td><td>-7.56</td><td>53.22</td><td>26.90</td><td>8.70</td><td>32.41</td><td>10.03</td><td>100</td><td>143</td><td>PEAK</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2486.52	66.44	74.00	-7.56	53.22	26.90	8.70	32.41	10.03	100	143	PEAK	Blank
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																										
1	2486.52	66.44	74.00	-7.56	53.22	26.90	8.70	32.41	10.03	100	143	PEAK																																									
Avg	 Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.82</td><td>52.86</td><td>54.00</td><td>-1.14</td><td>39.65</td><td>26.90</td><td>8.69</td><td>32.41</td><td>10.03</td><td>100</td><td>143</td><td>AVERAGE</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2484.82	52.86	54.00	-1.14	39.65	26.90	8.69	32.41	10.03	100	143	AVERAGE	Blank
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																										
1	2484.82	52.86	54.00	-1.14	39.65	26.90	8.69	32.41	10.03	100	143	AVERAGE																																									





Mode	38																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_802.11be EHT40_CH06_Full RU_2437MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.76</td><td>59.44</td><td>74.00</td><td>-14.56</td><td>46.34</td><td>26.90</td><td>8.52</td><td>32.35</td><td>10.03</td><td>163</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.76	59.44	74.00	-14.56	46.34	26.90	8.52	32.35	10.03	163	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>112.54</td><td>-----</td><td>-----</td><td>99.48</td><td>26.80</td><td>8.61</td><td>32.38</td><td>10.03</td><td>100</td><td>163</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	112.54	-----	-----	99.48	26.80	8.61	32.38	10.03	100	163	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.76	59.44	74.00	-14.56	46.34	26.90	8.52	32.35	10.03	163	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2437.00	112.54	-----	-----	99.48	26.80	8.61	32.38	10.03	100	163	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.88</td><td>48.23</td><td>54.00</td><td>-5.77</td><td>35.13</td><td>26.90</td><td>8.52</td><td>32.35</td><td>10.03</td><td>100</td><td>163</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.88	48.23	54.00	-5.77	35.13	26.90	8.52	32.35	10.03	100	163	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>102.28</td><td>-----</td><td>-----</td><td>89.23</td><td>26.80</td><td>8.60</td><td>32.38</td><td>10.03</td><td>100</td><td>163</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	102.28	-----	-----	89.23	26.80	8.60	32.38	10.03	100	163
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.88	48.23	54.00	-5.77	35.13	26.90	8.52	32.35	10.03	100	163	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2437.00	102.28	-----	-----	89.23	26.80	8.60	32.38	10.03	100	163	AVERAGE																																																																																							





Mode	38																																											
	Band Edge - R																																											
	2400-2483.5_802.11be EHT40_CH06_Full RU_2437MHz																																											
ANT	0+1																																											
Pol.	Vertical	Fundamental																																										
Peak	 Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.19</td><td>65.40</td><td>74.00</td><td>-8.60</td><td></td><td>52.19</td><td>26.90</td><td>8.69</td><td>32.41</td><td>10.03</td><td>100</td><td>163</td><td>PEAK</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2484.19	65.40	74.00	-8.60		52.19	26.90	8.69	32.41	10.03	100	163	PEAK	Blank
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg																															
1	2484.19	65.40	74.00	-8.60		52.19	26.90	8.69	32.41	10.03	100	163	PEAK																															
Avg	 Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.75</td><td>51.37</td><td>54.00</td><td>-2.63</td><td></td><td>38.16</td><td>26.90</td><td>8.69</td><td>32.41</td><td>10.03</td><td>100</td><td>163</td><td>AVERAGE</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2483.75	51.37	54.00	-2.63		38.16	26.90	8.69	32.41	10.03	100	163	AVERAGE	Blank
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg																															
1	2483.75	51.37	54.00	-2.63		38.16	26.90	8.69	32.41	10.03	100	163	AVERAGE																															







Mode	38																																																																																																																																							
	Harmonic																																																																																																																																							
	2400-2483.5_802.11be EHT40_CH06_Full RU_2437MHz																																																																																																																																							
ANT	0+1																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	 Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>45.67</td><td>74.00</td><td>-28.33</td><td>33.54</td><td>32.55</td><td>12.36</td><td>33.49</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>49.41</td><td>74.00</td><td>-24.59</td><td>31.75</td><td>37.50</td><td>15.36</td><td>35.84</td><td>0.64</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7311.00</td><td>40.63</td><td>54.00</td><td>-13.37</td><td>22.97</td><td>37.50</td><td>15.36</td><td>35.84</td><td>0.64</td><td>--</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	45.67	74.00	-28.33	33.54	32.55	12.36	33.49	0.71	--	Peak	2	7311.00	49.41	74.00	-24.59	31.75	37.50	15.36	35.84	0.64	--	Peak	3	7311.00	40.63	54.00	-13.37	22.97	37.50	15.36	35.84	0.64	--	Average	 Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>45.12</td><td>74.00</td><td>-28.88</td><td>32.99</td><td>32.55</td><td>12.36</td><td>33.49</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>49.63</td><td>74.00</td><td>-24.37</td><td>31.97</td><td>37.50</td><td>15.36</td><td>35.84</td><td>0.64</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7311.00</td><td>40.77</td><td>54.00</td><td>-13.23</td><td>23.11</td><td>37.50</td><td>15.36</td><td>35.84</td><td>0.64</td><td>--</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	45.12	74.00	-28.88	32.99	32.55	12.36	33.49	0.71	--	Peak	2	7311.00	49.63	74.00	-24.37	31.97	37.50	15.36	35.84	0.64	--	Peak	3	7311.00	40.77	54.00	-13.23	23.11	37.50	15.36	35.84	0.64	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	4874.00	45.67	74.00	-28.33	33.54	32.55	12.36	33.49	0.71	--	Peak																																																																																																																													
2	7311.00	49.41	74.00	-24.59	31.75	37.50	15.36	35.84	0.64	--	Peak																																																																																																																													
3	7311.00	40.63	54.00	-13.37	22.97	37.50	15.36	35.84	0.64	--	Average																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	4874.00	45.12	74.00	-28.88	32.99	32.55	12.36	33.49	0.71	--	Peak																																																																																																																													
2	7311.00	49.63	74.00	-24.37	31.97	37.50	15.36	35.84	0.64	--	Peak																																																																																																																													
3	7311.00	40.77	54.00	-13.23	23.11	37.50	15.36	35.84	0.64	--	Average																																																																																																																													





Mode	38	
	Harmonic	
	2400-2483.5_802.11be EHT40_CH06_Full RU_2437MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN HORIZONTAL	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN VERTICAL







Mode	39																																																																																																				
	Band Edge - L																																																																																																				
	2400-2483.5_802.11be EHT40_CH09_Full RU_2452MHz																																																																																																				
ANT	0+1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.09</td><td>52.43</td><td>74.00</td><td>-21.57</td><td>39.32</td><td>26.91</td><td>8.52</td><td>32.35</td><td>10.03</td><td>60</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.09	52.43	74.00	-21.57	39.32	26.91	8.52	32.35	10.03	60	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>111.79</td><td>-----</td><td>-----</td><td>98.71</td><td>26.80</td><td>8.65</td><td>32.40</td><td>10.03</td><td>100</td><td>60</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	111.79	-----	-----	98.71	26.80	8.65	32.40	10.03	100	60	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2389.09	52.43	74.00	-21.57	39.32	26.91	8.52	32.35	10.03	60	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2452.00	111.79	-----	-----	98.71	26.80	8.65	32.40	10.03	100	60	PEAK																																																																																									
Avg																																																																																																					
	Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.38</td><td>42.78</td><td>54.00</td><td>-11.22</td><td>29.67</td><td>26.91</td><td>8.52</td><td>32.35</td><td>10.03</td><td>100</td><td>60</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.38	42.78	54.00	-11.22	29.67	26.91	8.52	32.35	10.03	100	60	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>99.94</td><td>-----</td><td>-----</td><td>86.84</td><td>26.82</td><td>8.64</td><td>32.39</td><td>10.03</td><td>100</td><td>60</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	99.94	-----	-----	86.84	26.82	8.64	32.39	10.03	100	60
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2389.38	42.78	54.00	-11.22	29.67	26.91	8.52	32.35	10.03	100	60	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2452.00	99.94	-----	-----	86.84	26.82	8.64	32.39	10.03	100	60	AVERAGE																																																																																									





Mode	39																																													
	Band Edge - R																																													
	2400-2483.5_802.11be EHT40_CH09_Full RU_2452MHz																																													
ANT	0+1																																													
Pol.	Horizontal	Fundamental																																												
Peak	 Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.56</td><td>65.46</td><td>74.00</td><td>-8.54</td><td>52.24</td><td>26.90</td><td>8.70</td><td>32.41</td><td>10.03</td><td>100</td><td>60</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.56	65.46	74.00	-8.54	52.24	26.90	8.70	32.41	10.03	100	60	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2486.56	65.46	74.00	-8.54	52.24	26.90	8.70	32.41	10.03	100	60	PEAK																																		
Avg	 Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.87</td><td>53.28</td><td>54.00</td><td>-0.72</td><td>40.07</td><td>26.90</td><td>8.69</td><td>32.41</td><td>10.03</td><td>100</td><td>60</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.87	53.28	54.00	-0.72	40.07	26.90	8.69	32.41	10.03	100	60	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2483.87	53.28	54.00	-0.72	40.07	26.90	8.69	32.41	10.03	100	60	AVERAGE																																		





Mode	39																																																																																																				
	Band Edge - L																																																																																																				
	2400-2483.5_802.11be EHT40_CH09_Full RU_2452MHz																																																																																																				
ANT	0+1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.81</td><td>52.40</td><td>74.00</td><td>-21.60</td><td>39.29</td><td>26.91</td><td>8.52</td><td>32.35</td><td>10.03</td><td>100</td><td>154</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.81	52.40	74.00	-21.60	39.29	26.91	8.52	32.35	10.03	100	154	PEAK	Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>108.56</td><td>-----</td><td>-----</td><td>95.41</td><td>26.88</td><td>8.63</td><td>32.39</td><td>10.03</td><td>100</td><td>154</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	108.56	-----	-----	95.41	26.88	8.63	32.39	10.03	100	154	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2388.81	52.40	74.00	-21.60	39.29	26.91	8.52	32.35	10.03	100	154	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2452.00	108.56	-----	-----	95.41	26.88	8.63	32.39	10.03	100	154	PEAK																																																																																									
Avg																																																																																																					
	Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2387.67</td><td>52.56</td><td>54.00</td><td>-1.44</td><td>39.44</td><td>26.92</td><td>8.52</td><td>32.35</td><td>10.03</td><td>100</td><td>154</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2387.67	52.56	54.00	-1.44	39.44	26.92	8.52	32.35	10.03	100	154	AVERAGE	Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>98.96</td><td>-----</td><td>-----</td><td>85.82</td><td>26.86</td><td>8.64</td><td>32.39</td><td>10.03</td><td>100</td><td>154</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	98.96	-----	-----	85.82	26.86	8.64	32.39	10.03	100	154
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2387.67	52.56	54.00	-1.44	39.44	26.92	8.52	32.35	10.03	100	154	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2452.00	98.96	-----	-----	85.82	26.86	8.64	32.39	10.03	100	154	AVERAGE																																																																																									





Mode	39																																																						
	Band Edge - R																																																						
	2400-2483.5_802.11be EHT40_CH09_Full RU_2452MHz																																																						
ANT	0+1																																																						
Pol.	Vertical						Fundamental																																																
Peak	 Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.87</td><td>68.92</td><td>74.00</td><td>-13.08</td><td>47.71</td><td>26.90</td><td>8.69</td><td>32.41</td><td>10.03</td><td>154</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.87	68.92	74.00	-13.08	47.71	26.90	8.69	32.41	10.03	154	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.87	68.92	74.00	-13.08	47.71	26.90	8.69	32.41	10.03	154	PEAK																																												
Avg	 Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.26</td><td>49.03</td><td>54.00</td><td>-4.97</td><td>35.82</td><td>26.90</td><td>8.69</td><td>32.41</td><td>10.03</td><td>154</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.26	49.03	54.00	-4.97	35.82	26.90	8.69	32.41	10.03	154	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2484.26	49.03	54.00	-4.97	35.82	26.90	8.69	32.41	10.03	154	AVERAGE																																												





Mode	39																																																																																																																															
	Harmonic																																																																																																																															
	2400-2483.5_802.11be EHT40_CH09_Full RU_2452MHz																																																																																																																															
ANT	0+1																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>45.03</td><td>74.00</td><td>-28.97</td><td>32.82</td><td>32.61</td><td>12.38</td><td>33.48</td><td>0.70</td><td>-- Peak</td></tr><tr><td>2</td><td>7356.00</td><td>49.13</td><td>74.00</td><td>-24.87</td><td>31.45</td><td>37.49</td><td>15.42</td><td>35.87</td><td>0.64</td><td>-- Peak</td></tr><tr><td>3</td><td>7356.00</td><td>40.89</td><td>54.00</td><td>-13.11</td><td>23.21</td><td>37.49</td><td>15.42</td><td>35.87</td><td>0.64</td><td>-- Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	45.03	74.00	-28.97	32.82	32.61	12.38	33.48	0.70	-- Peak	2	7356.00	49.13	74.00	-24.87	31.45	37.49	15.42	35.87	0.64	-- Peak	3	7356.00	40.89	54.00	-13.11	23.21	37.49	15.42	35.87	0.64	-- Average	 Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>44.61</td><td>74.00</td><td>-29.39</td><td>32.40</td><td>32.61</td><td>12.38</td><td>33.48</td><td>0.70</td><td>-- Peak</td></tr><tr><td>2</td><td>7356.00</td><td>49.29</td><td>74.00</td><td>-24.71</td><td>31.61</td><td>37.49</td><td>15.42</td><td>35.87</td><td>0.64</td><td>-- Peak</td></tr><tr><td>3</td><td>7356.00</td><td>40.53</td><td>54.00</td><td>-13.47</td><td>22.85</td><td>37.49</td><td>15.42</td><td>35.87</td><td>0.64</td><td>-- Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	44.61	74.00	-29.39	32.40	32.61	12.38	33.48	0.70	-- Peak	2	7356.00	49.29	74.00	-24.71	31.61	37.49	15.42	35.87	0.64	-- Peak	3	7356.00	40.53	54.00	-13.47	22.85	37.49	15.42	35.87	0.64	-- Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	4904.00	45.03	74.00	-28.97	32.82	32.61	12.38	33.48	0.70	-- Peak																																																																																																																						
2	7356.00	49.13	74.00	-24.87	31.45	37.49	15.42	35.87	0.64	-- Peak																																																																																																																						
3	7356.00	40.89	54.00	-13.11	23.21	37.49	15.42	35.87	0.64	-- Average																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	4904.00	44.61	74.00	-29.39	32.40	32.61	12.38	33.48	0.70	-- Peak																																																																																																																						
2	7356.00	49.29	74.00	-24.71	31.61	37.49	15.42	35.87	0.64	-- Peak																																																																																																																						
3	7356.00	40.53	54.00	-13.47	22.85	37.49	15.42	35.87	0.64	-- Average																																																																																																																						



Mode	39	
	Harmonic	
	2400-2483.5_802.11be EHT40_CH09_Full RU_2452MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN HORIZONTAL	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN VERTICAL



Mode	40																																																																																																																																																																																																															
	LF																																																																																																																																																																																																															
	2400-2483.5_802.11ac VHT40_CH06_2437MHz																																																																																																																																																																																																															
ANT	0+1																																																																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																																																																														
QP/ Peak	 Site : 03CH22-HY Condition: QP 3m CBL6111D_633048002 HORIZONTAL : RBW:120.000kHz VBW:300.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>78.50</td><td>27.81</td><td>40.00</td><td>-12.19</td><td>45.06</td><td>13.10</td><td>1.53</td><td>32.72</td><td>0.04</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>104.69</td><td>28.28</td><td>43.50</td><td>-15.22</td><td>42.70</td><td>16.47</td><td>1.79</td><td>32.72</td><td>0.04</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>308.39</td><td>31.08</td><td>46.00</td><td>-14.92</td><td>41.52</td><td>19.20</td><td>3.05</td><td>32.73</td><td>0.04</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>462.62</td><td>39.23</td><td>46.00</td><td>-6.77</td><td>44.95</td><td>23.20</td><td>3.75</td><td>32.79</td><td>0.12</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>576.11</td><td>31.58</td><td>46.00</td><td>-14.42</td><td>34.31</td><td>25.78</td><td>4.18</td><td>32.85</td><td>0.16</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>932.10</td><td>33.64</td><td>46.00</td><td>-12.36</td><td>29.79</td><td>29.98</td><td>5.29</td><td>31.57</td><td>0.15</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	78.50	27.81	40.00	-12.19	45.06	13.10	1.53	32.72	0.04	--	Peak	2	104.69	28.28	43.50	-15.22	42.70	16.47	1.79	32.72	0.04	--	Peak	3	308.39	31.08	46.00	-14.92	41.52	19.20	3.05	32.73	0.04	--	Peak	4	462.62	39.23	46.00	-6.77	44.95	23.20	3.75	32.79	0.12	--	Peak	5	576.11	31.58	46.00	-14.42	34.31	25.78	4.18	32.85	0.16	--	Peak	6	932.10	33.64	46.00	-12.36	29.79	29.98	5.29	31.57	0.15	--	Peak	 Site : 03CH22-HY Condition: QP 3m CBL6111D_633048002 VERTICAL : RBW:120.000kHz VBW:300.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>69.77</td><td>31.65</td><td>40.00</td><td>-8.35</td><td>50.64</td><td>12.28</td><td>1.43</td><td>32.73</td><td>0.03</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>78.50</td><td>33.32</td><td>40.00</td><td>-6.68</td><td>51.37</td><td>13.10</td><td>1.53</td><td>32.72</td><td>0.04</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>103.72</td><td>28.41</td><td>43.50</td><td>-15.09</td><td>42.98</td><td>16.34</td><td>1.78</td><td>32.72</td><td>0.03</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>310.33</td><td>29.92</td><td>46.00</td><td>-16.08</td><td>40.34</td><td>19.21</td><td>3.06</td><td>32.73</td><td>0.04</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>465.53</td><td>39.57</td><td>46.00</td><td>-6.43</td><td>45.19</td><td>23.30</td><td>3.76</td><td>32.80</td><td>0.12</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>576.11</td><td>33.44</td><td>46.00</td><td>-12.56</td><td>36.17</td><td>25.78</td><td>4.18</td><td>32.85</td><td>0.16</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	69.77	31.65	40.00	-8.35	50.64	12.28	1.43	32.73	0.03	--	Peak	2	78.50	33.32	40.00	-6.68	51.37	13.10	1.53	32.72	0.04	--	Peak	3	103.72	28.41	43.50	-15.09	42.98	16.34	1.78	32.72	0.03	--	Peak	4	310.33	29.92	46.00	-16.08	40.34	19.21	3.06	32.73	0.04	--	Peak	5	465.53	39.57	46.00	-6.43	45.19	23.30	3.76	32.80	0.12	--	Peak	6	576.11	33.44	46.00	-12.56	36.17	25.78	4.18	32.85	0.16	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																						
1	78.50	27.81	40.00	-12.19	45.06	13.10	1.53	32.72	0.04	--	Peak																																																																																																																																																																																																					
2	104.69	28.28	43.50	-15.22	42.70	16.47	1.79	32.72	0.04	--	Peak																																																																																																																																																																																																					
3	308.39	31.08	46.00	-14.92	41.52	19.20	3.05	32.73	0.04	--	Peak																																																																																																																																																																																																					
4	462.62	39.23	46.00	-6.77	44.95	23.20	3.75	32.79	0.12	--	Peak																																																																																																																																																																																																					
5	576.11	31.58	46.00	-14.42	34.31	25.78	4.18	32.85	0.16	--	Peak																																																																																																																																																																																																					
6	932.10	33.64	46.00	-12.36	29.79	29.98	5.29	31.57	0.15	--	Peak																																																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																						
1	69.77	31.65	40.00	-8.35	50.64	12.28	1.43	32.73	0.03	--	Peak																																																																																																																																																																																																					
2	78.50	33.32	40.00	-6.68	51.37	13.10	1.53	32.72	0.04	--	Peak																																																																																																																																																																																																					
3	103.72	28.41	43.50	-15.09	42.98	16.34	1.78	32.72	0.03	--	Peak																																																																																																																																																																																																					
4	310.33	29.92	46.00	-16.08	40.34	19.21	3.06	32.73	0.04	--	Peak																																																																																																																																																																																																					
5	465.53	39.57	46.00	-6.43	45.19	23.30	3.76	32.80	0.12	--	Peak																																																																																																																																																																																																					
6	576.11	33.44	46.00	-12.56	36.17	25.78	4.18	32.85	0.16	--	Peak																																																																																																																																																																																																					




Mode	41																																																																																
	SHF																																																																																
	2400-2483.5_802.11ac VHT40_CH06_2437MHz																																																																																
ANT	0+1																																																																																
Pol.	Horizontal	Vertical																																																																															
Peak	Site : 03CH22-HY Condition: PEAK_74 1m SHF_1224_230710 HORIZONTAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 20720.56</td><td>36.97</td><td>74.00</td><td>-37.03</td><td>44.41</td><td>38.06</td><td>26.66</td><td>62.62</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 20720.56	36.97	74.00	-37.03	44.41	38.06	26.66	62.62	-9.54	--	--	--	PEAK	Site : 03CH22-HY Condition: PEAK_74 1m SHF_1224_230710 VERTICAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 24893.40</td><td>37.06</td><td>74.00</td><td>-36.94</td><td>37.42</td><td>39.63</td><td>29.26</td><td>59.71</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg		1 24893.40	37.06	74.00	-36.94	37.42	39.63	29.26	59.71	-9.54	--	--	--	PEAK
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																					
1 20720.56	36.97	74.00	-37.03	44.41	38.06	26.66	62.62	-9.54	--	--	--	PEAK																																																																					
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																					
1 24893.40	37.06	74.00	-36.94	37.42	39.63	29.26	59.71	-9.54	--	--	--	PEAK																																																																					

Appendix D. Duty Cycle Plots


MIMO <Ant. 0+1>
<Ant.0>

Antenna	Band	Duty Cycle(%)	T(us)	Duty Factor(dB)
0+1	802.11b_Ant 0	94.85	5520	0.23
0+1	802.11g_Ant 0	94.27	1976	0.26
0+1	2.4GHz 802.11ac VHT20_Ant 0	94.83	4400	0.23
0+1	2.4GHz 802.11ac VHT40_Ant 0	94.37	2680	0.25
0+1	2.4GHz 802.11be EHT20 Full RU_Ant 0	95.14	4700	0.22
0+1	2.4GHz 802.11be EHT40 Full RU_Ant 0	93.70	2380	0.28







2.4GHz 802.11ac VHT20




2.4GHz 802.11ac VHT40



2.4GHz 802.11be EHT20 Full RU



2.4GHz 802.11be EHT40 Full RU






MIMO <Ant. 0+1>


<Ant.1>

Antenna	Band	Duty Cycle(%)	T(us)	Duty Factor(dB)
0+1	802.11b_Ant 1	94.85	5520	0.23
0+1	802.11g_Ant 1	93.56	1976	0.29
0+1	2.4GHz 802.11ac VHT20_Ant 1	94.42	4400	0.25
0+1	2.4GHz 802.11ac VHT40_Ant 1	94.37	2680	0.25
0+1	2.4GHz 802.11be EHT20 Full RU_Ant 1	94.74	4680	0.23
0+1	2.4GHz 802.11be EHT40 Full RU_Ant 1	94.44	2380	0.25







2.4GHz 802.11ac VHT20




2.4GHz 802.11ac VHT40



2.4GHz 802.11be EHT20 Full RU



2.4GHz 802.11be EHT40 Full RU



—THE END—