




REPORT NO.: 4791354637-1-RF-1

Page 106 of 122

## Appendix F: Band Edge

Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
125K	2402	Ant1	-52.02	-20	Pass
	2480		-53.8	-20	Pass
500K	2402		-54.4	-20	Pass
	2480		-55.23	-20	Pass
BLE 1M	2402		-54.37	-20	Pass
	2480		-58.4	-20	Pass
BLE 2M	2402		-32.81	-20	Pass
	2480		-56.46	-20	Pass































REPORT NO.: 4791354637-1-RF-1

Page 113 of 122

## Appendix G: Conducted RF Spurious Emission

Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
125K	2402	Ant1	-54.75	-20	Pass
	2440		-54.02	-20	Pass
	2480		-56	-20	Pass
500K	2402		-57.03	-20	Pass
	2440		-57.37	-20	Pass
	2480		-58.96	-20	Pass
BLE 1M	2402		-58.49	-20	Pass
	2440		-59.59	-20	Pass
	2480		-62.02	-20	Pass
BLE 2M	2402		-55.92	-20	Pass
	2440		-56.59	-20	Pass
	2480		-56.86	-20	Pass










































**END OF REPORT**