









EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS

EUT Housing and Board View 1	 A photograph showing the internal components of an EUT (Electronic Under Test) housing. The housing is open, revealing a green printed circuit board (PCB) with various electronic components, including a battery, a microcontroller, and several surface-mount components. The housing is black plastic. A ruler is placed vertically on the left side of the housing for scale, showing measurements in millimeters.
Solder Board-Component View 1	 A close-up photograph of the green PCB, showing the solder joints and components. The board is populated with various electronic components, including a microcontroller, several surface-mount components, and a battery. A ruler is placed vertically on the left side of the board for scale, showing measurements in millimeters.



Solder Board-Component View 2	 A photograph of a green printed circuit board (PCB) component, labeled '2', positioned against a black background with white millimeter and centimeter rulers. The component is a small, rectangular board with various electronic components, including a central integrated circuit (IC) and several surface-mount components. The rulers show the component's dimensions, which are approximately 100 mm in length and 20 mm in width.
Solder Board-Component View 3	 A photograph of a green printed circuit board (PCB) component, labeled '3', positioned against a black background with white millimeter and centimeter rulers. The component is a small, rectangular board with various electronic components, including a central integrated circuit (IC) and several surface-mount components. The rulers show the component's dimensions, which are approximately 100 mm in length and 20 mm in width.

Solder Board-Component View 4	 A photograph of a green printed circuit board (PCB) component, likely a USB dongle, placed on a black surface with a white ruler. The ruler has markings in millimeters (0 to 100) and centimeters (0 to 10). The PCB is oriented horizontally, with its USB connector on the left. Various electronic components, including a small black chip and several surface-mount components, are visible on the board.
Antenna View	 A photograph of the same green PCB component, oriented vertically, showing its antenna. The antenna is a small, black, rectangular component with a gold-colored base. It is connected to the PCB by a thin, black, flexible cable. The PCB is placed on a black surface with a white ruler. The ruler has markings in millimeters (0 to 100) and centimeters (0 to 10). Two red boxes with labels are present: one on the left labeled "BT(Chip~A TS2835) Antenna" and one on the right labeled "BT(Chip ~ST17H26) Antenna".