



FCC RADIO TEST REPORT

FCC ID : 2AW3A-2NAC24ACUCM
Equipment : EV Charger
Brand Name : RIVIAN
Model Name : 2NAC24ACUCM
Marketing Name : RIVIAN WAYPOINTS CHARGER
Applicant : Rivian Automotive LLC.
14600 Myford Road, Irvine Irvine CA, 92606
Manufacturer : Lite-On Technology Corporation
29F , No.555, Siyuan Rd., Xinzhuang Dist.,
New Taipei City, Taiwan (R.O.C.)
Standard : FCC Part 15 Subpart C §15.247

The product was received on Mar. 27, 2024 and testing was performed from Apr. 22, 2024 to Jul. 03, 2024. We, Sporton International Inc. Wensan Laboratory, would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The test results in this partial report apply exclusively to the tested model / sample. Without written approval from Sporton International Inc. Wensan Laboratory, the test report shall not be reproduced except in full.

Louis Wu

Approved by: Louis Wu

Sporton International Inc. Wensan Laboratory

No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist., Taoyuan City 333010, Taiwan (R.O.C.)



Table of Contents

History of this test report.....	3
Summary of Test Result.....	4
1 General Description	5
1.1 Product Feature of Equipment Under Test.....	5
1.2 Modification of EUT	5
1.3 Testing Location	6
1.4 Applicable Standards.....	6
2 Test Configuration of Equipment Under Test	7
2.1 Carrier Frequency and Channel	7
2.2 Test Mode.....	7
2.3 Connection Diagram of Test System.....	8
2.4 Support Unit used in test configuration and system	8
2.5 EUT Operation Test Setup	8
3 Test Result	9
3.1 Output Power Measurement.....	9
3.2 Radiated Band Edges and Spurious Emission Measurement	10
3.3 AC Conducted Emission Measurement.....	14
3.4 Antenna Requirements.....	16
4 List of Measuring Equipment.....	17
5 Measurement Uncertainty	19
Appendix A. Conducted Test Results	
Appendix B. AC Conducted Emission Test Result	
Appendix C. Radiated Spurious Emission	
Appendix D. Radiated Spurious Emission Plots	
Appendix E. Duty Cycle Plots	
Appendix F. Setup Photographs	



History of this test report

Report No.	Version	Description	Issue Date
FR432616B	01	Initial issue of report	Jul. 30, 2024
FR432616B	02	Revise Antenna Type This report is an updated version, replacing the report issued on Jul. 30, 2024.	Aug. 21, 2024

Summary of Test Result

Report Clause	Ref Std. Clause	Test Items	Result (PASS/FAIL)	Remark
3.1	15.247(b)	Power Output Measurement	Pass	-
3.2	15.247(d)	Radiated Band Edges and Radiated Spurious Emission	Pass	0.72 dB under the limit at 4824.00 MHz
3.3	15.207	AC Conducted Emission	Pass	1.05 dB under the limit at 17.78 MHz
3.4	15.203	Antenna Requirement	Pass	-

Note: The module (Model: LILY-W131) makes no difference after verifying output power, this report reuses test data from the module report.

Conformity Assessment Condition:

1. The test results (PASS/FAIL) with all measurement uncertainty excluded are presented against the regulation limits or in accordance with the requirements stipulated by the applicant/manufacture who shall bear all the risks of non-compliance that may potentially occur if measurement uncertainty is taken into account.
2. The measurement uncertainty please refer to each test result in the section "Measurement Uncertainty".

Disclaimer:

The product specifications of the EUT presented in the test report that may affect the test assessments are declared by the manufacturer who shall take full responsibility for the authenticity.

Reviewed by: Danny Lee

Report Producer: Mila Chen



1 General Description

1.1 Product Feature of Equipment Under Test

Product Feature		
General Specs GSM/LTE, Bluetooth - LE, Wi-Fi 2.4GHz 802.11b/g/n, and NFC.		
Antenna Type WWAN: FPC Antenna WLAN: FPC Antenna Bluetooth-LE: Internal Antenna NFC: Loop Antenna		
Antenna information		
2400 MHz ~ 2483.5 MHz	Peak Gain (dBi)	Ant. 1: 2.2

Remark: The EUT's information above is declared by manufacturer. Please refer to Disclaimer in report summary.

1.2 Modification of EUT

No modifications made to the EUT during the testing.

1.3 Testing Location

Test Site	Sporton International Inc. EMC & Wireless Communications Laboratory
Test Site Location	No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.) TEL: +886-3-327-3456 FAX: +886-3-328-4978
Test Site No.	Sporton Site No. CO05-HY(TAF Code: 1190)
Remark	The AC Conducted Emission test item subcontracted to Sporton International Inc. EMC & Wireless Communications Laboratory.

Note: The test site complies with ANSI C63.4 2014 requirement.

Test Site	Sporton International Inc. Wensan Laboratory
Test Site Location	No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist., Taoyuan City 333010, Taiwan (R.O.C.) TEL: +886-3-327-0868 FAX: +886-3-327-0855
Test Site No.	Sporton Site No. TH05-HY, 03CH11-HY

Note: The test site complies with ANSI C63.4 2014 requirement.

FCC designation No.: TW1190 and TW3786

1.4 Applicable Standards

According to the specifications declared by the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ FCC Part 15 Subpart C §15.247
- ♦ FCC KDB Publication No. 558074 D01 15.247 Meas Guidance v05r02
- ♦ FCC KDB 414788 D01 Radiated Test Site v01r01.
- ♦ ANSI C63.10-2013

Remark:

1. All the test items were validated and recorded in accordance with the standards without any modification during the testing.
2. The TAF code is not including all the FCC KDB listed without accreditation.

2 Test Configuration of Equipment Under Test

- a. The EUT has been associated with peripherals and configuration operated in a manner tended to maximize its emission characteristics in a typical application. Frequency range investigated: conduction emission (150 kHz to 30 MHz), radiation emission (9 kHz to the 10th harmonic of the highest fundamental frequency or to 40 GHz, whichever is lower).
- b. AC power line Conducted Emission was tested under maximum output power.

2.1 Carrier Frequency and Channel

Frequency Band	Channel	Freq. (MHz)	Channel	Freq. (MHz)
2400-2483.5 MHz	1	2412	7	2442
	2	2417	8	2447
	3	2422	9	2452
	4	2427	10	2457
	5	2432	11	2462
	6	2437		

2.2 Test Mode

The final test modes include the worst data rates for each modulation shown in the table below.


Modulation	Data Rate
802.11b	1 Mbps
802.11g	6 Mbps
802.11n HT20	MCS0

Test Cases	
AC Conducted Emission	Mode 1 :WLAN (2.4GHz) Link + Bluetooth Link + Power Cable (240 Vac/ 60Hz)

Ch. #	2400-2483.5 MHz		
	802.11b	802.11g	802.11n HT20
Low	01	01	01
Middle	06	06	06
High	11	11	11

Remark: For radiation spurious emission, the modulation and the data rate picked for testing are determined by the Max. RF conducted power.

2.3 Connection Diagram of Test System



2.4 Support Unit used in test configuration and system

Item	Equipment	Brand Name	Model Name	FCC ID	Data Cable	Power Cord
1.	WLAN AP	ASUS	RT-AC66U	MSQ-RTAC66U	N/A	Unshielded,1.8m
2.	Notebook	DELL	Latitude E6320	FCC DoC	N/A	AC I/P: Unshielded, 1.2 m DC O/P: Shielded, 1.8 m
3.	Notebook	DELL	Latitude 3400	FCC DoC	N/A	AC I/P: Unshielded, 1.2 m DC O/P: Shielded, 1.8 m
4.	Mobile Phone	Apple	A1586	BCG-E2816A	N/A	N/A

2.5 EUT Operation Test Setup

The RF test items, utility "Dut Labtool version 2.0.0.92" was installed in Notebook which was programmed in order to make the EUT get into the engineering modes to provide channel selection, power level, data rate and the application type and for continuous transmitting signals.

3 Test Result

3.1 Output Power Measurement

3.1.1 Limit of Output Power

For systems using digital modulation in the 2400-2483.5 MHz, the limit for output power is 30 dBm. If transmitting antenna with directional gain greater than 6 dBi is used, the peak output power from the intentional radiator shall be reduced below the above stated value by the amount in dB that the directional gain of the antenna exceeds 6 dBi. In case of point-to-point operation, the limit has to be reduced by 1 dB for every 3 dB that the directional gain of the antenna exceeds 6 dBi.


3.1.2 Measuring Instruments

Please refer to the measuring equipment list in this test report.

3.1.3 Test Procedures

1. For Peak Power, the testing follows ANSI C63.10 Section 11.9.1.3 PKPM1
2. The RF output of EUT is connected to the power meter by RF cable and attenuator. The path loss is compensated to the results for each measurement.
3. Set the maximum power setting and enable the EUT to transmit continuously.
4. Measure the conducted output power and record the results in the test report.

3.1.4 Test Setup



3.1.5 Test Result of Peak Output Power

Please refer to Appendix A.



3.2 Radiated Band Edges and Spurious Emission Measurement

3.2.1 Limit of Radiated band edge and Spurious Emission Measurement

In any 100 kHz bandwidth outside the intentional radiator frequency band, all harmonics/spurious must be at least 20 dB below the highest emission level within the authorized band. If the output power of this device is measured by spectrum analyzer, the attenuation under this paragraph shall be 30 dB instead of 20 dB. In addition, radiated emissions which fall in the restricted bands must also comply with the limits as below.

Frequency (MHz)	Field Strength (microvolts/meter)	Measurement Distance (meters)
0.009 – 0.490	2400/F(kHz)	300
0.490 – 1.705	24000/F(kHz)	30
1.705 – 30.0	30	30
30 – 88	100	3
88 – 216	150	3
216 - 960	200	3
Above 960	500	3

3.2.2 Measuring Instruments

Please refer to the measuring equipment list in this test report.

3.2.3 Test Procedures

1. The testing follows the ANSI C63.10 Section 11.12.1 Radiated emission measurements.
2. The EUT is arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading. A pre-amp and a high pass filter are used for the test in order to get better signal level.
3. The EUT is placed on a turntable with 0.8 meter for frequency below 1 GHz and 1.5 meter for frequency above 1 GHz respectively above ground.
4. The EUT is set 3 meters away from the receiving antenna, which is mounted on the top of a variable height antenna tower.
5. Corrected Reading: Antenna Factor + Cable Loss + Read Level - Preamp Factor = Level
6. Radiated testing below 1 GHz is performed by adjusting the antenna tower from 1 m to 4 m and by rotating the turn table from 0 degree to 360 degrees to find the peak maximum hold reading. When there is no suspected emission found and the emission level is with at least 6 dB margin against QP limit line, the position is marked as “-”.


7. Radiated testing above 1 GHz is performed by adjusting the antenna tower from 1 m to 4 m and by rotating the turn table from 0 degree to 360 degrees to find the peak maximum hold reading for scanning all frequencies. When there is no suspected emission found and the harmonic emission level is with at least 6 dB margin against average limit line, the position is marked as “-”.
8. Use the following spectrum analyzer settings:
 - (1) Span shall wide enough to fully capture the emission being measured;
 - (2) Set RBW = 100 kHz for $f < 1$ GHz; VBW $\geq$ RBW; Sweep = auto; Detector function = peak; Trace = max hold;
 - (3) Set RBW = 1 MHz, VBW = 3 MHz for $f \geq 1$ GHz for peak measurement.

For average measurement:


 - VBW = 10 Hz, when duty cycle is no less than 98 percent.
 - VBW $\geq 1/T$, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.

3.2.4 Test Setup


For radiated emissions below 30MHz




For radiated emissions from 30MHz to 1GHz



For radiated test from 1GHz to 18GHz



For radiated test above 18GHz





3.2.5 Test Results of Radiated Spurious Emissions (9kHz ~ 30MHz)

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.

There is adequate comparison measurement of both open-field test site and alternative test site - semi-Anechoic chamber according to 414788 D01 Radiated Test Site v01r01, and the result comes out very similar.

3.2.6 Test Result of Radiated Spurious at Band Edges

Please refer to Appendix C and D.

3.2.7 Duty Cycle

Please refer to Appendix E.

3.2.8 Test Result of Radiated Spurious Emission (30MHz ~ 10th Harmonic)

Please refer to Appendix C and D.

3.3 AC Conducted Emission Measurement

3.3.1 Limit of AC Conducted Emission

For equipment that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency or frequencies within the band 150 kHz to 30 MHz shall not exceed the limits in the following table.

Frequency of Emission (MHz)	Conducted Limit (dB μ V)	
	Quasi-Peak	Average
0.15-0.5	66 to 56*	56 to 46*
0.5-5	56	46
5-30	60	50

*Decreases with the logarithm of the frequency.


3.3.2 Measuring Instruments

Please refer to the measuring equipment list in this test report.

3.3.3 Test Procedures

1. The EUT is placed 0.4 meter away from the conducting wall of the shielding room, and is kept at least 80 centimeters from any other grounded conducting surface.
2. Connect EUT to the power mains through a line impedance stabilization network (LISN).
3. All the support units are connecting to the other LISN.
4. The LISN provides 50 ohm coupling impedance for the measuring instrument.
5. The FCC states that a 50 ohm, 50 microhenry LISN shall be used.
6. Both Line and Neutral shall be tested in order to find out the maximum conducted emission.
7. The frequency range from 150 kHz to 30 MHz is scanned.
8. Set the test-receiver system to Peak Detect Function and specified bandwidth (IF bandwidth = 9kHz) with Maximum Hold Mode.

3.3.4 Test Setup



3.3.5 Test Result of AC Conducted Emission

Please refer to Appendix B.



3.4 Antenna Requirements

3.4.1 Standard Applicable

The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the rule.

3.4.2 Antenna Anti-Replacement Construction

An embedded-in antenna design is used.



4 List of Measuring Equipment

Instrument	Brand Name	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
AC Power Source	ChainTek	APC-1000W	N/A	N/A	N/A	Jun. 28, 2024	N/A	Conduction (CO05-HY)
EMI Test Receiver	Rohde & Schwarz	ESR3	102388	9kHz~3.6GHz	Dec. 06, 2023	Jun. 28, 2024	Dec. 05, 2024	Conduction (CO05-HY)
Hygrometer	Testo	608-H1	34913912	N/A	Oct. 26, 2023	Jun. 28, 2024	Oct. 25, 2024	Conduction (CO05-HY)
LISN	Rohde & Schwarz	ENV216	100081	9kHz~30MHz	Nov. 22, 2023	Jun. 28, 2024	Nov. 21, 2024	Conduction (CO05-HY)
Software	Rohde & Schwarz	EMC32	N/A	N/A	N/A	Jun. 28, 2024	N/A	Conduction (CO05-HY)
Pulse Limiter	SCHWARZBECK	VTSD 9561-F N	00691	N/A	Jul. 28, 2023	Jun. 28, 2024	Jul. 27, 2024	Conduction (CO05-HY)
LISN Cable	MVE	RG-400	260260	N/A	Dec. 28, 2023	Jun. 28, 2024	Dec. 27, 2024	Conduction (CO05-HY)
Hygrometer	TECPEL	DTM-303A	TP201996	N/A	Nov. 07, 2023	Apr. 22, 2024~Jul. 03, 2024	Nov. 06, 2024	Conducted (TH05-HY)
Power Meter	Anritsu	ML2495A	1036004	N/A	Jul. 27, 2023	Apr. 22, 2024~Jul. 03, 2024	Jul. 26, 2024	Conducted (TH05-HY)
Power Sensor	Anritsu	MA2411B	1027253	300MHz~40GHz	Jul. 27, 2023	Apr. 22, 2024~Jul. 03, 2024	Jul. 26, 2024	Conducted (TH05-HY)
Signal Analyzer	Rohde & Schwarz	FSV3044	101466	10HZ~44GHZ	Jan. 24, 2024	Apr. 22, 2024~Jul. 03, 2024	Jan. 23, 2025	Conducted (TH05-HY)
Software	Sporton	BTWiFi_Final_version:1.0(2024-04-11)	N/A	Conducted Items	N/A	Apr. 22, 2024~Jul. 03, 2024	N/A	Conducted (TH05-HY)
Bilog Antenna	TESEQ	CBL 6111D & N-6-06	35414 & AT-N0602	30MHz~1GHz	Oct. 07, 2023	Jun. 14, 2024~Jul. 01, 2024	Oct. 06, 2024	Radiation (03CH11-HY)
Loop Antenna	Rohde & Schwarz	HFH2-Z2	100488	9 kHz~30 MHz	Sep. 12, 2023	Jun. 14, 2024~Jul. 01, 2024	Sep. 11, 2024	Radiation (03CH11-HY)
Horn Antenna	SCHWARZBECK	BBHA 9120 D	9120D-01620	1GHz~18GHz	Aug. 17, 2023	Jun. 14, 2024~Jul. 01, 2024	Aug. 16, 2024	Radiation (03CH11-HY)
SHF-EHF Horn Antenna	SCHWARZBECK	BBHA 9170	00993	18GHz~40GHz	Nov. 24, 2023	Jun. 14, 2024~Jul. 01, 2024	Nov. 23, 2024	Radiation (03CH11-HY)
Amplifier	SONOMA	310N	187312	9kHz~1GHz	Dec. 08, 2023	Jun. 14, 2024~Jul. 01, 2024	Dec. 07, 2024	Radiation (03CH11-HY)
Preamplifier	Keysight	83017A	MY53270080	1GHz~26.5GHz	Mar. 25, 2024	Jun. 14, 2024~Jul. 01, 2024	Mar. 24, 2025	Radiation (03CH11-HY)
Preamplifier	Jet-Power	JPA0118-55-303	1710001800055007	1GHz~18GHz	Jun. 13, 2024	Jun. 14, 2024~Jul. 01, 2024	Jun. 12, 2025	Radiation (03CH11-HY)
Preamplifier	EMEC	EM18G40G	060871	18GHz~40GHz	Aug. 30, 2024	Jun. 14, 2024~Jul. 01, 2024	Aug. 29, 2025	Radiation (03CH11-HY)
Spectrum Analyzer	Keysight	N9010A	MY54200486	10Hz~44GHz	Oct. 05, 2023	Jun. 14, 2024~Jul. 01, 2024	Oct. 04, 2024	Radiation (03CH11-HY)
EMI Test Receiver	Keysight	N9038A(MXE)	MY54130085	20MHz~8.4GHz	Oct. 06, 2023	Jun. 14, 2024~Jul. 01, 2024	Oct. 05, 2024	Radiation (03CH11-HY)



Instrument	Brand Name	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Controller	EMEC	EM 1000	N/A	Control Turn table & Ant Mast	N/A	Jun. 14, 2024~ Jul. 01, 2024	N/A	Radiation (03CH11-HY)
Antenna Mast	EMEC	AM-BS-4500-B	N/A	1~4m	N/A	Jun. 14, 2024~ Jul. 01, 2024	N/A	Radiation (03CH11-HY)
Turn Table	EMEC	TT 2000	N/A	0~360 Degree	N/A	Jun. 14, 2024~ Jul. 01, 2024	N/A	Radiation (03CH11-HY)
Software	Audix	E3 6.2009-8-24	RK-001053	N/A	N/A	Jun. 14, 2024~ Jul. 01, 2024	N/A	Radiation (03CH11-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 102	MY2859/2	30MHz~40GHz	Mar. 06, 2024	Jun. 14, 2024~ Jul. 01, 2024	Mar. 05, 2025	Radiation (03CH11-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 102	804013/2	30M~40G	May 23, 2024	Jun. 14, 2024~ Jul. 01, 2024	May 22, 2025	Radiation (03CH11-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 102	803951/2	9K~30M	Mar. 06, 2024	Jun. 14, 2024~ Jul. 01, 2024	Mar. 05, 2025	Radiation (03CH11-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 102	803951/2	30M~40G	Mar. 06, 2024	Jun. 14, 2024~ Jul. 01, 2024	Mar. 05, 2025	Radiation (03CH11-HY)
Filter	Wainwright	WLK4-1000-15 30-8000-40SS	SN11	1.53G Low Pass	Sep. 11, 2023	Jun. 14, 2024~ Jul. 01, 2024	Sep. 10, 2024	Radiation (03CH11-HY)
Filter	Wainwright	WHKX12-2700 -3000-18000-6 0SS	SN3	3GHz High Pass Filter	Sep. 11, 2023	Jun. 14, 2024~ Jul. 01, 2024	Sep. 10, 2024	Radiation (03CH11-HY)

5 Measurement Uncertainty

Uncertainty of Conducted Emission Measurement (150kHz ~ 30MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	3.5 dB
---	--------

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	6.1 dB
---	--------

Uncertainty of Radiated Emission Measurement (1000 MHz ~ 6000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	4.3 dB
---	--------

Uncertainty of Radiated Emission Measurement (6000 MHz ~ 18000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	4.3 dB
---	--------

Uncertainty of Radiated Emission Measurement (18000 MHz ~ 40000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	5.3 dB
---	--------

Appendix A. Test Result of Conducted Test Items

Test Engineer:	Ju Chang, Benny Ku, and Junyu Jhou	Temperature:	21.9~23.1	°C
Test Date:	2024/04/22-2024/07/03	Relative Humidity:	54.1~56.5	%

TEST RESULTS DATA
Peak Output Power

2.4GHz Band Single Antenna															
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	Peak Conducted Power (dBm)		Conducted Power Limit (dBm)		DG (dBi)		EIRP Power (dBm)		EIRP Power Limit (dBm)		Pass /Fail
					Ant1	Ant2	Ant1	Ant2	Ant1	Ant2	Ant1	Ant2	Ant1	Ant2	
11b	1Mbps	1	1	2412	16.24	-	30.00	-	2.20	-	18.44	-	36.00	-	Pass
11b	1Mbps	1	6	2437	16.32	-	30.00	-	2.20	-	18.52	-	36.00	-	Pass
11b	1Mbps	1	11	2462	16.75	-	30.00	-	2.20	-	18.95	-	36.00	-	Pass
11g	6Mbps	1	1	2412	19.30	-	30.00	-	2.20	-	21.50	-	36.00	-	Pass
11g	6Mbps	1	6	2437	20.02	-	30.00	-	2.20	-	22.22	-	36.00	-	Pass
11g	6Mbps	1	11	2462	17.90	-	30.00	-	2.20	-	20.10	-	36.00	-	Pass
HT20	MCS0	1	1	2412	17.98	-	30.00	-	2.20	-	20.18	-	36.00	-	Pass
HT20	MCS0	1	6	2437	20.32	-	30.00	-	2.20	-	22.52	-	36.00	-	Pass
HT20	MCS0	1	11	2462	16.30	-	30.00	-	2.20	-	18.50	-	36.00	-	Pass

Note: Measured power (dBm) has offset with cable loss.



Appendix B. AC Conducted Emission Test Results


Test Engineer :	Calvin Wang	Temperature :	23~26℃
		Relative Humidity :	45~55%

EUT Information

Report NO :
Test Mode :
Test Voltage :
Phase :

432616
Mode 1
240Vac/60Hz
Line

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.264750	---	44.27	51.28	7.01	L1	OFF	19.8
0.264750	53.50	---	61.28	7.78	L1	OFF	19.8
0.273750	---	46.99	51.00	4.01	L1	OFF	19.8
0.273750	55.27	---	61.00	5.73	L1	OFF	19.8
0.282750	---	49.24	50.74	1.50	L1	OFF	19.8
0.282750	55.78	---	60.74	4.96	L1	OFF	19.8
0.298500	---	48.95	50.28	1.33	L1	OFF	19.8
0.298500	55.45	---	60.28	4.83	L1	OFF	19.8
0.334500	---	37.29	49.34	12.05	L1	OFF	19.8
0.334500	46.79	---	59.34	12.55	L1	OFF	19.8
0.352500	---	39.19	48.90	9.71	L1	OFF	19.8
0.352500	47.32	---	58.90	11.58	L1	OFF	19.8
0.390750	---	40.12	48.05	7.93	L1	OFF	19.8
0.390750	50.69	---	58.05	7.36	L1	OFF	19.8
0.422250	---	41.36	47.40	6.04	L1	OFF	19.8
0.422250	49.89	---	57.40	7.51	L1	OFF	19.8
0.449250	---	41.70	46.89	5.19	L1	OFF	19.8
0.449250	49.95	---	56.89	6.94	L1	OFF	19.8
0.480750	---	40.31	46.33	6.02	L1	OFF	19.8
0.480750	48.24	---	56.33	8.09	L1	OFF	19.8
0.514500	---	39.01	46.00	6.99	L1	OFF	19.8

0.514500	47.83	---	56.00	8.17	L1	OFF	19.8
0.552750	---	34.85	46.00	11.15	L1	OFF	19.8
0.552750	44.96	---	56.00	11.04	L1	OFF	19.8
0.595500	---	26.08	46.00	19.92	L1	OFF	19.8
0.595500	34.62	---	56.00	21.38	L1	OFF	19.8
0.638250	---	32.53	46.00	13.47	L1	OFF	19.8
0.638250	43.65	---	56.00	12.35	L1	OFF	19.8
0.676500	---	42.28	46.00	3.72	L1	OFF	19.8
0.676500	49.39	---	56.00	6.61	L1	OFF	19.8
0.726000	---	40.86	46.00	5.14	L1	OFF	19.8
0.726000	48.59	---	56.00	7.41	L1	OFF	19.8
0.771000	---	40.74	46.00	5.26	L1	OFF	19.8
0.771000	48.74	---	56.00	7.26	L1	OFF	19.8
0.818250	---	38.99	46.00	7.01	L1	OFF	19.8
0.818250	47.44	---	56.00	8.56	L1	OFF	19.8
0.872250	---	32.72	46.00	13.28	L1	OFF	19.8
0.872250	41.93	---	56.00	14.07	L1	OFF	19.8
0.937500	---	40.30	46.00	5.70	L1	OFF	19.8
0.937500	48.76	---	56.00	7.24	L1	OFF	19.8
1.009500	---	40.07	46.00	5.93	L1	OFF	19.8
1.009500	47.95	---	56.00	8.05	L1	OFF	19.8
1.101750	---	39.44	46.00	6.56	L1	OFF	19.8
1.101750	47.49	---	56.00	8.51	L1	OFF	19.8
1.180500	---	31.39	46.00	14.61	L1	OFF	19.8
1.180500	42.04	---	56.00	13.96	L1	OFF	19.8
1.266000	---	36.58	46.00	9.42	L1	OFF	19.8
1.266000	45.79	---	56.00	10.21	L1	OFF	19.8
1.342500	---	41.02	46.00	4.98	L1	OFF	19.8
1.342500	48.02	---	56.00	7.98	L1	OFF	19.8
1.405500	---	39.07	46.00	6.93	L1	OFF	19.8
1.405500	47.24	---	56.00	8.76	L1	OFF	19.8
1.482000	---	39.01	46.00	6.99	L1	OFF	19.8
1.482000	47.57	---	56.00	8.43	L1	OFF	19.8
1.585500	---	38.64	46.00	7.36	L1	OFF	19.8
1.585500	46.91	---	56.00	9.09	L1	OFF	19.8
1.682250	---	39.95	46.00	6.05	L1	OFF	19.8
1.682250	47.18	---	56.00	8.82	L1	OFF	19.8
1.794750	---	33.42	46.00	12.58	L1	OFF	19.8
1.794750	41.91	---	56.00	14.09	L1	OFF	19.8
1.938750	---	40.72	46.00	5.28	L1	OFF	19.8
1.938750	46.90	---	56.00	9.10	L1	OFF	19.8
2.033250	---	37.14	46.00	8.86	L1	OFF	19.8
2.033250	45.86	---	56.00	10.14	L1	OFF	19.8
2.134500	---	40.59	46.00	5.41	L1	OFF	19.8
2.134500	47.05	---	56.00	8.95	L1	OFF	19.8
2.278500	---	39.23	46.00	6.77	L1	OFF	19.8
2.278500	45.80	---	56.00	10.20	L1	OFF	19.8
2.463000	---	35.45	46.00	10.55	L1	OFF	19.8
2.463000	44.59	---	56.00	11.41	L1	OFF	19.8
2.625000	---	36.56	46.00	9.44	L1	OFF	19.8
2.625000	44.70	---	56.00	11.30	L1	OFF	19.8
2.784750	---	35.59	46.00	10.41	L1	OFF	19.8
2.784750	43.58	---	56.00	12.42	L1	OFF	19.8
3.000750	---	34.81	46.00	11.19	L1	OFF	19.8
3.000750	41.96	---	56.00	14.04	L1	OFF	19.8
3.248250	---	36.41	46.00	9.59	L1	OFF	19.8
3.248250	43.61	---	56.00	12.39	L1	OFF	19.8
3.495750	---	36.60	46.00	9.40	L1	OFF	19.8
3.495750	44.03	---	56.00	11.97	L1	OFF	19.8
3.612750	---	39.10	46.00	6.90	L1	OFF	19.8
3.612750	44.08	---	56.00	11.92	L1	OFF	19.8
3.864750	---	34.42	46.00	11.58	L1	OFF	19.8
3.864750	39.50	---	56.00	16.50	L1	OFF	19.8
4.103250	---	34.10	46.00	11.90	L1	OFF	19.8
4.103250	40.12	---	56.00	15.88	L1	OFF	19.8
4.350750	---	33.48	46.00	12.52	L1	OFF	19.8
4.350750	39.73	---	56.00	16.27	L1	OFF	19.8
4.638750	---	32.91	46.00	13.09	L1	OFF	19.8
4.638750	40.01	---	56.00	15.99	L1	OFF	19.8
5.073000	---	33.95	50.00	16.05	L1	OFF	19.8
5.073000	39.41	---	60.00	20.59	L1	OFF	19.8

5.525250	---	32.44	50.00	17.56	L1	OFF	19.8
5.525250	37.59	---	60.00	22.41	L1	OFF	19.8
6.639000	---	31.96	50.00	18.04	L1	OFF	19.9
6.639000	37.99	---	60.00	22.01	L1	OFF	19.9
7.653750	---	31.28	50.00	18.72	L1	OFF	19.9
7.653750	37.88	---	60.00	22.12	L1	OFF	19.9
7.986750	---	31.00	50.00	19.00	L1	OFF	19.9
7.986750	41.12	---	60.00	18.88	L1	OFF	19.9
8.574000	---	31.90	50.00	18.10	L1	OFF	19.9
8.574000	42.85	---	60.00	17.15	L1	OFF	19.9
8.967750	---	33.76	50.00	16.24	L1	OFF	19.9
8.967750	43.38	---	60.00	16.62	L1	OFF	19.9
9.469500	---	32.11	50.00	17.89	L1	OFF	19.9
9.469500	41.12	---	60.00	18.88	L1	OFF	19.9
9.957750	---	31.63	50.00	18.37	L1	OFF	19.9
9.957750	38.36	---	60.00	21.64	L1	OFF	19.9
10.558500	---	31.89	50.00	18.11	L1	OFF	19.9
10.558500	38.91	---	60.00	21.09	L1	OFF	19.9
10.938750	---	31.94	50.00	18.06	L1	OFF	19.9
10.938750	38.67	---	60.00	21.33	L1	OFF	19.9
11.544000	---	34.24	50.00	15.76	L1	OFF	19.9
11.544000	39.64	---	60.00	20.36	L1	OFF	19.9
11.955750	---	32.77	50.00	17.23	L1	OFF	19.9
11.955750	38.24	---	60.00	21.76	L1	OFF	19.9
12.477750	---	30.94	50.00	19.06	L1	OFF	19.9
12.477750	36.85	---	60.00	23.15	L1	OFF	19.9
13.285500	---	29.11	50.00	20.89	L1	OFF	19.9
13.285500	42.98	---	60.00	17.02	L1	OFF	19.9
14.824500	---	20.87	50.00	29.13	L1	OFF	19.9
14.824500	42.66	---	60.00	17.34	L1	OFF	19.9
15.209250	---	21.43	50.00	28.57	L1	OFF	19.9
15.209250	44.38	---	60.00	15.62	L1	OFF	19.9
15.675000	---	21.01	50.00	28.99	L1	OFF	19.9
15.675000	45.52	---	60.00	14.48	L1	OFF	19.9
15.992250	---	21.46	50.00	28.54	L1	OFF	19.9
15.992250	45.39	---	60.00	14.61	L1	OFF	19.9
16.190250	---	22.16	50.00	27.84	L1	OFF	19.9
16.190250	48.06	---	60.00	11.94	L1	OFF	19.9
16.577250	---	22.58	50.00	27.42	L1	OFF	19.9
16.577250	48.56	---	60.00	11.44	L1	OFF	19.9
16.791000	---	24.65	50.00	25.35	L1	OFF	19.9
16.791000	52.39	---	60.00	7.61	L1	OFF	19.9
17.085750	---	25.44	50.00	24.56	L1	OFF	19.9
17.085750	54.28	---	60.00	5.72	L1	OFF	19.9
17.398500	---	27.26	50.00	22.74	L1	OFF	19.9
17.398500	54.80	---	60.00	5.20	L1	OFF	19.9
17.583000	---	28.62	50.00	21.38	L1	OFF	19.9
17.583000	56.45	---	60.00	3.55	L1	OFF	19.9
17.783250	---	30.01	50.00	19.99	L1	OFF	19.9
17.783250	58.82	---	60.00	1.18	L1	OFF	19.9
18.350250	---	27.30	50.00	22.70	L1	OFF	19.9
18.350250	55.92	---	60.00	4.08	L1	OFF	19.9
18.631500	---	23.45	50.00	26.55	L1	OFF	19.9
18.631500	52.45	---	60.00	7.55	L1	OFF	19.9
18.935250	---	20.96	50.00	29.04	L1	OFF	19.9
18.935250	49.10	---	60.00	10.90	L1	OFF	19.9
19.144500	---	21.31	50.00	28.69	L1	OFF	19.9
19.144500	49.71	---	60.00	10.29	L1	OFF	19.9
19.356000	---	19.57	50.00	30.43	L1	OFF	19.9
19.356000	47.19	---	60.00	12.81	L1	OFF	19.9
19.727250	---	19.07	50.00	30.93	L1	OFF	19.9
19.727250	46.27	---	60.00	13.73	L1	OFF	19.9
20.213250	---	17.17	50.00	32.83	L1	OFF	19.9
20.213250	41.93	---	60.00	18.07	L1	OFF	19.9
20.604750	---	16.92	50.00	33.08	L1	OFF	19.9
20.604750	41.30	---	60.00	18.70	L1	OFF	19.9
25.638000	---	20.90	50.00	29.10	L1	OFF	20.0
25.638000	44.77	---	60.00	15.23	L1	OFF	20.0
25.903500	---	22.26	50.00	27.74	L1	OFF	20.0
25.903500	47.94	---	60.00	12.06	L1	OFF	20.0
26.148750	---	22.83	50.00	27.17	L1	OFF	20.0


26.148750	47.70	---	60.00	12.30	L1	OFF	20.0
26.371500	---	22.19	50.00	27.81	L1	OFF	20.0
26.371500	48.66	---	60.00	11.34	L1	OFF	20.0
26.515500	---	20.81	50.00	29.19	L1	OFF	20.0
26.515500	46.81	---	60.00	13.19	L1	OFF	20.0
26.682000	---	20.07	50.00	29.93	L1	OFF	20.0
26.682000	45.22	---	60.00	14.78	L1	OFF	20.0
26.835000	---	19.48	50.00	30.52	L1	OFF	20.0
26.835000	41.78	---	60.00	18.22	L1	OFF	20.0

EUT Information

Report NO :
Test Mode :
Test Voltage :
Phase :

432616
Mode 1
240Vac/60Hz
Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.235500	---	41.14	52.25	11.11	N	OFF	19.8
0.235500	49.51	---	62.25	12.74	N	OFF	19.8
0.262500	---	45.57	51.35	5.78	N	OFF	19.8
0.262500	54.63	---	61.35	6.72	N	OFF	19.8
0.273750	---	48.88	51.00	2.12	N	OFF	19.8
0.273750	57.19	---	61.00	3.81	N	OFF	19.8
0.289500	---	49.41	50.54	1.13	N	OFF	19.8
0.289500	57.65	---	60.54	2.89	N	OFF	19.8
0.303000	---	47.01	50.16	3.15	N	OFF	19.8
0.303000	55.29	---	60.16	4.87	N	OFF	19.8
0.341250	---	40.77	49.17	8.40	N	OFF	19.8
0.341250	50.97	---	59.17	8.20	N	OFF	19.8
0.375000	---	41.00	48.39	7.39	N	OFF	19.8
0.375000	49.28	---	58.39	9.11	N	OFF	19.8
0.399750	---	41.78	47.86	6.08	N	OFF	19.8
0.399750	50.03	---	57.86	7.83	N	OFF	19.8
0.429000	---	44.16	47.27	3.11	N	OFF	19.8
0.429000	52.27	---	57.27	5.00	N	OFF	19.8
0.458250	---	43.56	46.72	3.16	N	OFF	19.8
0.458250	51.77	---	56.72	4.95	N	OFF	19.8
0.492000	---	40.77	46.13	5.36	N	OFF	19.8

0.492000	50.30	---	56.13	5.83	N	OFF	19.8
0.516750	---	40.90	46.00	5.10	N	OFF	19.8
0.516750	49.85	---	56.00	6.15	N	OFF	19.8
0.546000	---	39.01	46.00	6.99	N	OFF	19.8
0.546000	48.09	---	56.00	7.91	N	OFF	19.8
0.579750	---	30.91	46.00	15.09	N	OFF	19.8
0.579750	41.97	---	56.00	14.03	N	OFF	19.8
0.636000	---	33.59	46.00	12.41	N	OFF	19.8
0.636000	45.48	---	56.00	10.52	N	OFF	19.8
0.672000	---	40.49	46.00	5.51	N	OFF	19.8
0.672000	48.51	---	56.00	7.49	N	OFF	19.8
0.703500	---	41.73	46.00	4.27	N	OFF	19.8
0.703500	49.62	---	56.00	6.38	N	OFF	19.8
0.757500	---	42.89	46.00	3.11	N	OFF	19.8
0.757500	50.84	---	56.00	5.16	N	OFF	19.8
0.791250	---	41.75	46.00	4.25	N	OFF	19.8
0.791250	50.15	---	56.00	5.85	N	OFF	19.8
0.834000	---	38.27	46.00	7.73	N	OFF	19.8
0.834000	47.61	---	56.00	8.39	N	OFF	19.8
0.863250	---	34.47	46.00	11.53	N	OFF	19.8
0.863250	45.16	---	56.00	10.84	N	OFF	19.8
0.924000	---	31.26	46.00	14.74	N	OFF	19.8
0.924000	44.13	---	56.00	11.87	N	OFF	19.8
0.966750	---	38.55	46.00	7.45	N	OFF	19.8
0.966750	47.79	---	56.00	8.21	N	OFF	19.8
1.020750	---	42.17	46.00	3.83	N	OFF	19.8
1.020750	49.96	---	56.00	6.04	N	OFF	19.8
1.092750	---	42.54	46.00	3.46	N	OFF	19.8
1.092750	50.34	---	56.00	5.66	N	OFF	19.8
1.146750	---	38.42	46.00	7.58	N	OFF	19.8
1.146750	47.36	---	56.00	8.64	N	OFF	19.8
1.234500	---	33.85	46.00	12.15	N	OFF	19.8
1.234500	45.31	---	56.00	10.69	N	OFF	19.8
1.290750	---	40.66	46.00	5.34	N	OFF	19.8
1.290750	48.78	---	56.00	7.22	N	OFF	19.8
1.371750	---	42.16	46.00	3.84	N	OFF	19.8
1.371750	49.32	---	56.00	6.68	N	OFF	19.8
1.450500	---	37.53	46.00	8.47	N	OFF	19.8
1.450500	47.77	---	56.00	8.23	N	OFF	19.8
1.466250	---	35.45	46.00	10.55	N	OFF	19.8
1.466250	45.48	---	56.00	10.52	N	OFF	19.8
1.551750	---	36.23	46.00	9.77	N	OFF	19.8
1.551750	46.90	---	56.00	9.10	N	OFF	19.8
1.628250	---	41.37	46.00	4.63	N	OFF	19.8
1.628250	48.88	---	56.00	7.12	N	OFF	19.8
1.725000	---	39.87	46.00	6.13	N	OFF	19.8
1.725000	48.97	---	56.00	7.03	N	OFF	19.8
1.756500	---	36.80	46.00	9.20	N	OFF	19.8
1.756500	46.50	---	56.00	9.50	N	OFF	19.8
1.839750	---	35.64	46.00	10.36	N	OFF	19.8
1.839750	46.32	---	56.00	9.68	N	OFF	19.8
1.911750	---	41.31	46.00	4.69	N	OFF	19.8
1.911750	48.36	---	56.00	7.64	N	OFF	19.8
1.997250	---	40.98	46.00	5.02	N	OFF	19.8
1.997250	48.90	---	56.00	7.10	N	OFF	19.8
2.033250	---	38.64	46.00	7.36	N	OFF	19.8
2.033250	47.27	---	56.00	8.73	N	OFF	19.8
2.159250	---	37.34	46.00	8.66	N	OFF	19.8
2.159250	47.01	---	56.00	8.99	N	OFF	19.8
2.269500	---	41.00	46.00	5.00	N	OFF	19.8
2.269500	47.55	---	56.00	8.45	N	OFF	19.8
2.357250	---	37.15	46.00	8.85	N	OFF	19.8
2.357250	45.63	---	56.00	10.37	N	OFF	19.8
2.451750	---	36.26	46.00	9.74	N	OFF	19.8
2.451750	45.77	---	56.00	10.23	N	OFF	19.8
2.553000	---	39.91	46.00	6.09	N	OFF	19.8
2.553000	46.23	---	56.00	9.77	N	OFF	19.8
2.656500	---	36.91	46.00	9.09	N	OFF	19.8
2.656500	45.20	---	56.00	10.80	N	OFF	19.8
2.787000	---	36.79	46.00	9.21	N	OFF	19.8
2.787000	44.71	---	56.00	11.29	N	OFF	19.8

2.877000	---	38.79	46.00	7.21	N	OFF	19.8
2.877000	45.71	---	56.00	10.29	N	OFF	19.8
2.985000	---	36.62	46.00	9.38	N	OFF	19.8
2.985000	44.13	---	56.00	11.87	N	OFF	19.8
3.203250	---	38.06	46.00	7.94	N	OFF	19.8
3.203250	45.33	---	56.00	10.67	N	OFF	19.8
3.401250	---	37.17	46.00	8.83	N	OFF	19.8
3.401250	44.04	---	56.00	11.96	N	OFF	19.8
3.558750	---	36.96	46.00	9.04	N	OFF	19.8
3.558750	44.43	---	56.00	11.57	N	OFF	19.8
3.779250	---	36.23	46.00	9.77	N	OFF	19.8
3.779250	42.78	---	56.00	13.22	N	OFF	19.8
4.191000	---	36.19	46.00	9.81	N	OFF	19.8
4.191000	42.05	---	56.00	13.95	N	OFF	19.8
4.490250	---	35.94	46.00	10.06	N	OFF	19.8
4.490250	42.19	---	56.00	13.81	N	OFF	19.8
4.735500	---	36.22	46.00	9.78	N	OFF	19.8
4.735500	42.22	---	56.00	13.78	N	OFF	19.8
5.039250	---	35.84	50.00	14.16	N	OFF	19.8
5.039250	41.76	---	60.00	18.24	N	OFF	19.8
5.786250	---	34.19	50.00	15.81	N	OFF	19.9
5.786250	39.95	---	60.00	20.05	N	OFF	19.9
6.076500	---	34.56	50.00	15.44	N	OFF	19.9
6.076500	40.44	---	60.00	19.56	N	OFF	19.9
6.609750	---	34.27	50.00	15.73	N	OFF	19.9
6.609750	40.63	---	60.00	19.37	N	OFF	19.9
6.839250	---	34.04	50.00	15.96	N	OFF	19.9
6.839250	40.05	---	60.00	19.95	N	OFF	19.9
7.611000	---	33.83	50.00	16.17	N	OFF	19.9
7.611000	41.37	---	60.00	18.63	N	OFF	19.9
8.180250	---	35.26	50.00	14.74	N	OFF	19.9
8.180250	42.92	---	60.00	17.08	N	OFF	19.9
8.596500	---	35.56	50.00	14.44	N	OFF	19.9
8.596500	44.79	---	60.00	15.21	N	OFF	19.9
9.152250	---	36.26	50.00	13.74	N	OFF	19.9
9.152250	44.16	---	60.00	15.84	N	OFF	19.9
9.597750	---	36.05	50.00	13.95	N	OFF	19.9
9.597750	44.21	---	60.00	15.79	N	OFF	19.9
10.403250	---	36.70	50.00	13.30	N	OFF	19.9
10.403250	42.66	---	60.00	17.34	N	OFF	19.9
10.713750	---	36.77	50.00	13.23	N	OFF	19.9
10.713750	42.46	---	60.00	17.54	N	OFF	19.9
11.319000	---	37.30	50.00	12.70	N	OFF	20.0
11.319000	42.98	---	60.00	17.02	N	OFF	20.0
11.618250	---	38.21	50.00	11.79	N	OFF	20.0
11.618250	43.58	---	60.00	16.42	N	OFF	20.0
11.964750	---	38.42	50.00	11.58	N	OFF	20.0
11.964750	43.84	---	60.00	16.16	N	OFF	20.0
12.329250	---	37.62	50.00	12.38	N	OFF	20.0
12.329250	42.67	---	60.00	17.33	N	OFF	20.0
12.473250	---	36.04	50.00	13.96	N	OFF	20.0
12.473250	41.68	---	60.00	18.32	N	OFF	20.0
13.089750	---	31.98	50.00	18.02	N	OFF	20.0
13.089750	37.94	---	60.00	22.06	N	OFF	20.0
13.863750	---	26.85	50.00	23.15	N	OFF	20.0
13.863750	39.91	---	60.00	20.09	N	OFF	20.0
14.637750	---	25.00	50.00	25.00	N	OFF	20.0
14.637750	46.46	---	60.00	13.54	N	OFF	20.0
14.817750	---	24.98	50.00	25.02	N	OFF	20.0
14.817750	49.44	---	60.00	10.56	N	OFF	20.0
15.027000	---	23.76	50.00	26.24	N	OFF	20.0
15.027000	46.76	---	60.00	13.24	N	OFF	20.0
15.306000	---	22.96	50.00	27.04	N	OFF	20.0
15.306000	48.21	---	60.00	11.79	N	OFF	20.0
15.425250	---	23.71	50.00	26.29	N	OFF	20.0
15.425250	48.63	---	60.00	11.37	N	OFF	20.0
15.726750	---	22.67	50.00	27.33	N	OFF	20.0
15.726750	48.16	---	60.00	11.84	N	OFF	20.0
16.023750	---	22.78	50.00	27.22	N	OFF	20.0
16.023750	47.79	---	60.00	12.21	N	OFF	20.0
16.188000	---	23.29	50.00	26.71	N	OFF	20.0

16.188000	49.80	---	60.00	10.20	N	OFF	20.0
16.399500	---	23.20	50.00	26.80	N	OFF	20.0
16.399500	50.15	---	60.00	9.85	N	OFF	20.0
16.602000	---	23.46	50.00	26.54	N	OFF	20.0
16.602000	50.24	---	60.00	9.76	N	OFF	20.0
16.793250	---	24.62	50.00	25.38	N	OFF	20.0
16.793250	52.46	---	60.00	7.54	N	OFF	20.0
17.065500	---	25.10	50.00	24.90	N	OFF	20.0
17.065500	52.71	---	60.00	7.29	N	OFF	20.0
17.259000	---	25.45	50.00	24.55	N	OFF	20.0
17.259000	53.17	---	60.00	6.83	N	OFF	20.0
17.542500	---	27.38	50.00	22.62	N	OFF	20.0
17.542500	53.67	---	60.00	6.33	N	OFF	20.0
17.702250	---	28.66	50.00	21.34	N	OFF	20.0
17.702250	57.35	---	60.00	2.65	N	OFF	20.0
17.783250	---	30.86	50.00	19.14	N	OFF	20.0
17.783250	58.95	---	60.00	1.05	N	OFF	20.0
17.920500	---	28.82	50.00	21.18	N	OFF	20.0
17.920500	56.14	---	60.00	3.86	N	OFF	20.0
18.352500	---	25.96	50.00	24.04	N	OFF	20.0
18.352500	55.15	---	60.00	4.85	N	OFF	20.0
18.530250	---	23.18	50.00	26.82	N	OFF	20.0
18.530250	51.12	---	60.00	8.88	N	OFF	20.0
18.919500	---	21.23	50.00	28.77	N	OFF	20.0
18.919500	49.55	---	60.00	10.45	N	OFF	20.0
19.342500	---	19.63	50.00	30.37	N	OFF	20.1
19.342500	47.26	---	60.00	12.74	N	OFF	20.1
19.828500	---	17.09	50.00	32.91	N	OFF	20.1
19.828500	41.42	---	60.00	18.58	N	OFF	20.1
20.166000	---	17.18	50.00	32.82	N	OFF	20.1
20.166000	41.44	---	60.00	18.56	N	OFF	20.1
20.710500	---	16.83	50.00	33.17	N	OFF	20.1
20.710500	39.76	---	60.00	20.24	N	OFF	20.1
21.725250	---	16.10	50.00	33.90	N	OFF	20.1
21.725250	35.69	---	60.00	24.31	N	OFF	20.1
25.525500	---	18.85	50.00	31.15	N	OFF	20.1
25.525500	40.20	---	60.00	19.80	N	OFF	20.1
25.710000	---	21.50	50.00	28.50	N	OFF	20.1
25.710000	46.59	---	60.00	13.41	N	OFF	20.1
25.928250	---	22.72	50.00	27.28	N	OFF	20.1
25.928250	49.12	---	60.00	10.88	N	OFF	20.1
26.196000	---	21.85	50.00	28.15	N	OFF	20.2
26.196000	46.92	---	60.00	13.08	N	OFF	20.2
26.391750	---	20.85	50.00	29.15	N	OFF	20.2
26.391750	46.12	---	60.00	13.88	N	OFF	20.2
26.578500	---	21.01	50.00	28.99	N	OFF	20.2
26.578500	46.85	---	60.00	13.15	N	OFF	20.2
26.709000	---	20.01	50.00	29.99	N	OFF	20.2
26.709000	45.23	---	60.00	14.77	N	OFF	20.2
26.859750	---	19.37	50.00	30.63	N	OFF	20.2
26.859750	41.47	---	60.00	18.53	N	OFF	20.2
26.904750	---	19.31	50.00	30.69	N	OFF	20.2
26.904750	41.47	---	60.00	18.53	N	OFF	20.2



Appendix C. Radiated Spurious Emission

Test Engineer :	Yuan Lee, Fu Chen, and Troye Hsieh	Temperature :	19.9~20.9°C
		Relative Humidity :	52.1~65.6%

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11b CH 01 2412MHz		2376.885	55.67	-18.33	74	44.95	27.37	16.7	33.35	281	3	P	H
		2390	42.21	-11.79	54	31.34	27.5	16.71	33.34	281	3	A	H
	*	2412	107.99	-	-	97.07	27.5	16.74	33.32	281	3	P	H
	*	2412	104.93	-	-	94.01	27.5	16.74	33.32	281	3	A	H
													H
		2386.86	57.51	-16.49	74	46.67	27.47	16.71	33.34	168	277	P	V
		2390	42.07	-11.93	54	31.2	27.5	16.71	33.34	168	277	A	V
	*	2412	104.45	-	-	93.53	27.5	16.74	33.32	168	277	P	V
	*	2412	101.34	-	-	90.42	27.5	16.74	33.32	168	277	A	V
													V
802.11b CH 06 2437MHz		2373.36	53.55	-20.45	74	42.87	27.33	16.7	33.35	165	187	P	H
		2390	42.01	-11.99	54	31.14	27.5	16.71	33.34	165	187	A	H
	*	2437	107.12	-	-	96.06	27.6	16.77	33.31	165	187	P	H
	*	2437	104.03	-	-	92.97	27.6	16.77	33.31	165	187	A	H
		2487.6	53.84	-20.16	74	42.57	27.7	16.85	33.28	165	187	P	H
		2491.76	42.61	-11.39	54	31.34	27.7	16.85	33.28	165	187	A	H
		2383.28	53	-21	74	42.2	27.43	16.71	33.34	106	280	P	V
		2389.68	41.86	-12.14	54	30.99	27.5	16.71	33.34	106	280	A	V
	*	2437	103.85	-	-	92.79	27.6	16.77	33.31	106	280	P	V
	*	2437	100.74	-	-	89.68	27.6	16.77	33.31	106	280	A	V
		2488.24	54.29	-19.71	74	43.02	27.7	16.85	33.28	106	280	P	V
		2497.36	42.38	-11.62	54	31.09	27.7	16.86	33.27	106	280	A	V



802.11b CH 11 2462MHz	*	2462	104.65	-	-	93.61	27.52	16.81	33.29	304	354	P	H
	*	2462	101.61	-	-	90.57	27.52	16.81	33.29	304	354	A	H
		2486.4	61.54	-12.46	74	50.27	27.7	16.85	33.28	304	354	P	H
		2487.64	42.84	-11.16	54	31.57	27.7	16.85	33.28	304	354	A	H
													H
													H
	*	2462	102.07	-	-	91.03	27.52	16.81	33.29	134	282	P	V
	*	2462	98.88	-	-	87.84	27.52	16.81	33.29	134	282	A	V
		2485.68	60.95	-13.05	74	49.69	27.7	16.84	33.28	134	282	P	V
		2487.92	42.65	-11.35	54	31.38	27.7	16.85	33.28	134	282	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**2.4GHz 2400~2483.5MHz****WIFI 802.11b (Harmonic @ 3m)**

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		4824	55.11	-18.89	74	68.99	32.54	12.12	58.54	100	334	P	H
		4824	53.28	-0.72	54	67.16	32.54	12.12	58.54	100	334	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4824	49.44	-24.56	74	63.32	32.54	12.12	58.54	100	82	P	V
		4824	46.27	-7.73	54	60.15	32.54	12.12	58.54	100	82	A	V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 06 2437MHz		4874	52.72	-21.28	74	66.46	32.7	12.14	58.58	119	356	P	H
		4874	51.72	-2.28	54	65.46	32.7	12.14	58.58	119	356	A	H
		7311	44.91	-29.09	74	51.84	36.86	15.2	58.99	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4874	49.55	-24.45	74	63.29	32.7	12.14	58.58	100	335	P	V
		4874	47.37	-6.63	54	61.11	32.7	12.14	58.58	100	335	A	V
		7311	44.26	-29.74	74	51.19	36.86	15.2	58.99	-	-	P	V
													V
													V
													V
													V
													V
													V

[illegible]



2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		2389.905	57.67	-16.33	74	46.8	27.5	16.71	33.34	258	208	P	H
		2390	45.19	-8.81	54	34.32	27.5	16.71	33.34	258	208	A	H
	*	2412	107.51	-	-	96.59	27.5	16.74	33.32	258	208	P	H
	*	2412	99.79	-	-	88.87	27.5	16.74	33.32	258	208	A	H
													H
													H
		2389.9	54.84	-19.16	74	43.97	27.5	16.71	33.34	192	360	P	V
		2390	42.8	-11.2	54	31.93	27.5	16.71	33.34	192	360	A	V
	*	2412	99.97	-	-	89.05	27.5	16.74	33.32	192	360	P	V
	*	2412	92.25	-	-	81.33	27.5	16.74	33.32	192	360	A	V
													V
													V
802.11g CH 06 2437MHz		2367.6	52.88	-21.12	74	42.23	27.3	16.7	33.35	262	201	P	H
		2390	42.06	-11.94	54	31.19	27.5	16.71	33.34	262	201	A	H
	*	2437	106.77	-	-	95.71	27.6	16.77	33.31	262	201	P	H
	*	2437	99.28	-	-	88.22	27.6	16.77	33.31	262	201	A	H
		2498.88	54.2	-19.8	74	42.91	27.7	16.86	33.27	262	201	P	H
		2496.96	43	-11	54	31.71	27.7	16.86	33.27	262	201	A	H
		2353.36	52.57	-21.43	74	41.94	27.3	16.69	33.36	200	322	P	V
		2389.84	41.66	-12.34	54	30.79	27.5	16.71	33.34	200	322	A	V
	*	2437	99.11	-	-	88.05	27.6	16.77	33.31	200	322	P	V
	*	2437	91.49	-	-	80.43	27.6	16.77	33.31	200	322	A	V
		2487.04	54.03	-19.97	74	42.76	27.7	16.85	33.28	200	322	P	V
		2496.8	42.18	-11.82	54	30.89	27.7	16.86	33.27	200	322	A	V



802.11g CH 11 2462MHz	*	2462	100.18	-	-	89.14	27.52	16.81	33.29	301	352	P	H
	*	2462	92.34	-	-	81.3	27.52	16.81	33.29	301	352	A	H
		2492.08	60.04	-13.96	74	48.76	27.7	16.85	33.27	301	352	P	H
		2483.52	43.47	-10.53	54	32.21	27.7	16.84	33.28	301	352	A	H
													H
													H
	*	2462	95.76	-	-	84.72	27.52	16.81	33.29	208	0	P	V
	*	2462	88	-	-	76.96	27.52	16.81	33.29	208	0	A	V
		2484.04	54	-20	74	42.74	27.7	16.84	33.28	208	0	P	V
		2483.52	42.62	-11.38	54	31.36	27.7	16.84	33.28	208	0	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		4824	45.4	-28.6	74	59.28	32.54	12.12	58.54	119	360	P	H
		4824	42.79	-11.21	54	56.67	32.54	12.12	58.54	119	360	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4824	41.47	-32.53	74	55.35	32.54	12.12	58.54	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 06 2437MHz		4874	45.91	-28.09	74	59.65	32.7	12.14	58.58	100	357	P	H
		4874	41.48	-12.52	54	55.22	32.7	12.14	58.58	100	357	A	H
		7311	42.33	-31.67	74	49.26	36.86	15.2	58.99	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4874	43.63	-30.37	74	57.37	32.7	12.14	58.58	100	13	P	V
		4874	40.09	-13.91	54	53.83	32.7	12.14	58.58	100	13	A	V
		7311	42.83	-31.17	74	49.76	36.86	15.2	58.99	-	-	P	V
													V
													V
													V
													V
													V
													V
													V

[illegible]



2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 01 2412MHz		2390	60.8	-13.2	74	49.93	27.5	16.71	33.34	260	199	P	H
		2390	44.93	-9.07	54	34.06	27.5	16.71	33.34	260	199	A	H
	*	2412	106.34	-	-	95.42	27.5	16.74	33.32	260	199	P	H
	*	2412	98.59	-	-	87.67	27.5	16.74	33.32	260	199	A	H
													H
													H
		2390	55.92	-18.08	74	45.05	27.5	16.71	33.34	193	357	P	V
		2390	42.66	-11.34	54	31.79	27.5	16.71	33.34	193	357	A	V
	*	2412	98.65	-	-	87.73	27.5	16.74	33.32	193	357	P	V
	*	2412	90.8	-	-	79.88	27.5	16.74	33.32	193	357	A	V
													V
													V
802.11n HT20 CH 06 2437MHz		2384.72	52.93	-21.07	74	42.11	27.45	16.71	33.34	261	202	P	H
		2389.2	42.08	-11.92	54	31.22	27.49	16.71	33.34	261	202	A	H
	*	2437	106.86	-	-	95.8	27.6	16.77	33.31	261	202	P	H
	*	2437	99.09	-	-	88.03	27.6	16.77	33.31	261	202	A	H
		2495.2	54.55	-19.45	74	43.26	27.7	16.86	33.27	261	202	P	H
		2496.4	42.99	-11.01	54	31.7	27.7	16.86	33.27	261	202	A	H
		2374.96	53.11	-20.89	74	42.41	27.35	16.7	33.35	200	360	P	V
		2389.52	41.85	-12.15	54	30.98	27.5	16.71	33.34	200	360	A	V
	*	2437	100.31	-	-	89.25	27.6	16.77	33.31	200	360	P	V
	*	2437	92.65	-	-	81.59	27.6	16.77	33.31	200	360	A	V
		2491.68	53.34	-20.66	74	42.07	27.7	16.85	33.28	200	360	P	V
		2498.72	42.39	-11.61	54	31.1	27.7	16.86	33.27	200	360	A	V



802.11n HT20 CH 11 2462MHz	*	2462	100.58	-	-	89.54	27.52	16.81	33.29	252	202	P	H
	*	2462	92.69	-	-	81.65	27.52	16.81	33.29	252	202	A	H
		2484.76	62.26	-11.74	74	51	27.7	16.84	33.28	252	202	P	H
		2483.52	43.95	-10.05	54	32.69	27.7	16.84	33.28	252	202	A	H
													H
													H
	*	2462	94.31	-	-	83.27	27.52	16.81	33.29	221	360	P	V
	*	2462	86.44	-	-	75.4	27.52	16.81	33.29	221	360	A	V
		2485.68	58.03	-15.97	74	46.77	27.7	16.84	33.28	221	360	P	V
		2483.68	42.61	-11.39	54	31.35	27.7	16.84	33.28	221	360	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz
WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 01 2412MHz		4824	47.54	-26.46	74	61.42	32.54	12.12	58.54	116	360	P	H
		4824	42.8	-11.2	54	56.68	32.54	12.12	58.54	116	360	A	H
													H
													H
													H
													H
		4824	41.83	-32.17	74	55.71	32.54	12.12	58.54	150	13	P	V
		4824	38.25	-15.75	54	52.13	32.54	12.12	58.54	150	13	A	V
													V
													V
													V
													V



WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 06 2437MHz		4874	49.92	-24.08	74	63.66	32.7	12.14	58.58	100	358	P	H
		4874	44.99	-9.01	54	58.73	32.7	12.14	58.58	100	358	A	H
		7311	42.54	-31.46	74	49.47	36.86	15.2	58.99	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4874	44.65	-29.35	74	58.39	32.7	12.14	58.58	100	14	P	V
		4874	39.69	-14.31	54	53.43	32.7	12.14	58.58	100	14	A	V
		7311	43.1	-30.9	74	50.03	36.86	15.2	58.99	-	-	P	V
													V
													V
													V
													V
													V
													V

[illegible]

Emission above 18GHz

2.4GHz WIFI 802.11b (SHF)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
2.4GHz 802.11b SHF		23400	36.67	-37.33	74	54.92	38.84	-3.03	54.06	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
						</							

Emission below 1GHz

2.4GHz WIFI 802.11b (LF)

[illegible]



Note symbol

*	Fundamental Frequency which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is Margin line.
P/A	Peak or Average
H/V	Horizontal or Vertical



A calculation example for radiated spurious emission is shown as below:

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11b		2390	55.45	-18.55	74	54.51	32.22	4.58	35.86	103	308	P	H
CH 01													
2412MHz		2390	43.54	-10.46	54	42.6	32.22	4.58	35.86	103	308	A	H

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)

2. Level(dBμV/m) =

Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)

3. Margin (dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 2390MHz:

1. Level(dBμV/m)

= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)

= 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)

= 55.45 (dBμV/m)

2. Margin (dB)

= Level(dBμV/m) – Limit Line(dBμV/m)

= 55.45(dBμV/m) – 74(dBμV/m)

= -18.55(dB)

For Average Limit @ 2390MHz:

1. Level(dBμV/m)

= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)

= 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)

= 43.54 (dBμV/m)

2. Margin (dB)

= Level(dBμV/m) – Limit Line(dBμV/m)

= 43.54(dBμV/m) – 54(dBμV/m)

= -10.46(dB)

Both peak and average measured complies with the limit line, so test result is “PASS”.



Appendix D. Radiated Spurious Emission Plots





Test Engineer :	Yuan Lee, Fu Chen, and Troye Hsieh	Temperature :	19.9~20.9°C
		Relative Humidity :	52.1~65.6%

Note symbol





-L	Low channel location
-R	High channel location



2.4GHz 2400~2483.5MHz
WIFI 802.11b (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH11-1HY Condition : PEAK_BE_74 3m 91200_01620_230817 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH11-1HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH11-1HY Condition : AVG_BE_54 3m 91200_01620_230817 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH11-1HY Condition : AVG_54 3m 91200_01620_230817 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
1	Vertical	Fundamental
Peak	 Site : 03CH11-HY Condition : PEAK_BE_74 3m 91200_01620_230817 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH11-HY Condition : AV6_BE_54 3m 91200_01620_230817 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH11-HY Condition : AV6_54 3m 91200_01620_230817 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
1	Horizontal	Fundamental
Peak	Site : 03CHI1-HY Condition : PEAK_BE_74 3m 91200_01620_230817 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CHI1-HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	Site : 03CHI1-HY Condition : AVG_BE_54 3m 91200_01620_230817 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	Site : 03CHI1-HY Condition : AVG_54 3m 91200_01620_230817 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
1	Horizontal	Fundamental
Peak	 Site : 03CH11-HY Condition : PEAK_BE_74 3m 91200_01620_230817 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Left blank
Avg.	 Site : 03CH11-HY Condition : AVG_BE_54 3m 91200_01620_230817 HORIZONTAL RBW:1000.000KHz VBW:0.100KHz SWT:Auto	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
1	Vertical	Fundamental
Peak	Site : 03CHI1-HY Condition : PEAK_BE_74 3m 91200_01620_230817 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CHI1-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CHI1-HY Condition : AVG_BE_54 3m 91200_01620_230817 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	Site : 03CHI1-HY Condition : AVG_54 3m 91200_01620_230817 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
1	Vertical	Fundamental
Peak	 Site : 03CH11-HY Condition : PEAK_BE_74 3m 91200_01620_230817 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Left blank
Avg.	 Site : 03CH11-HY Condition : AVG_BE_54 3m 91200_01620_230817 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH11-HY Condition : PEAK_BE_74 3m 91200_01620_230817 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH11-HY Condition : AVG_BE_54 3m 91200_01620_230817 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH11-HY Condition : AVG_54 3m 91200_01620_230817 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
1	Vertical	Fundamental
Peak	 Site : 03CH11-HY Condition : PEAK_BE_74 3m 91200_01620_230817 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH11-HY Condition : AVG_BE_54 3m 91200_01620_230817 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH11-HY Condition : AVG_54 3m 91200_01620_230817 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		







2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH11-1HY Condition : PEAK_BE_74 3m 91200_01620_230817 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH11-1HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH11-1HY Condition : AVG_BE_54 3m 91200_01620_230817 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH11-1HY Condition : AVG_54 3m 91200_01620_230817 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
1	Vertical	Fundamental
Peak	Site : 03CH11-HY Condition : PEAK_BE_74 3m 91200_01620_230817 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH11-HY Condition : AVG_BE_54 3m 91200_01620_230817 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	Site : 03CH11-HY Condition : AVG_54 3m 91200_01620_230817 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
1	Horizontal	Fundamental
Peak	 Site : 03CHI1-HY Condition : PEAK_BE_74 3m 91200_01620_230817 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CHI1-HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CHI1-HY Condition : AVG_BE_54 3m 91200_01620_230817 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CHI1-HY Condition : AVG_54 3m 91200_01620_230817 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
1	Horizontal	Fundamental
Peak	 Site : 03CHI1-HY Condition : PEAK_BE_74 3m 91200_01620_230817 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	 Site : 03CHI1-HY Condition : AVG_BE_54 3m 91200_01620_230817 HORIZONTAL RBW:1000.000kHz VBW:0.100kHz SWT:Auto	Left blank



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
1	Vertical	Fundamental
Peak	 Site : 03CHI1-HY Condition : PEAK_BE_74 3m 91200_01620_230817 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CHI1-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CHI1-HY Condition : AV6_BE_54 3m 91200_01620_230817 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CHI1-HY Condition : AV6_54 3m 91200_01620_230817 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
1	Vertical	Fundamental
Peak	 Site : 03CH11-HY Condition : PEAK_BE_74 3m 91200_01620_230817 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left Blank
Avg.	 Site : 03CH11-HY Condition : AVG_BE_54 3m 91200_01620_230817 VERTICAL RBW:1000.000kHz VBW:0.010kHz SWT:Auto	Left Blank



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
1	Horizontal	Fundamental
Peak	Level (dBuV/m) Frequency (MHz) Site : 03CH11-HY Condition : PEAK_BE_74 3m 91200_01620_230817 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto PEAK_BE_74	Level (dBuV/m) Frequency (MHz) Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto PEAK_74
Avg.	Level (dBuV/m) Frequency (MHz) Site : 03CH11-HY Condition : AVG_BE_54 3m 91200_01620_230817 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto AVG_BE_54	Level (dBuV/m) Frequency (MHz) Site : 03CH11-HY Condition : AVG_54 3m 91200_01620_230817 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto AVG_54







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
1	Vertical	Fundamental
Peak	 Site : 03CH11-HY Condition : PEAK_BE_74 3m 91200_01620_230817 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH11-HY Condition : AV6_BE_54 3m 91200_01620_230817 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH11-HY Condition : AV6_54 3m 91200_01620_230817 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto



2.4GHz 2400~2483.5MHz





WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH01 2412MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH11-1HY Condition : PEAK_BE_74 3m 91200_01620_230817 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH11-1HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH11-1HY Condition : AVG_BE_54 3m 91200_01620_230817 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH11-1HY Condition : AVG_54 3m 91200_01620_230817 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH01 2412MHz	
1	Vertical	Fundamental
Peak	Site : 03CH11-HY Condition : PEAK_BE_74 3m 91200_01620_230817 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	Site : 03CH11-HY Condition : AVG_BE_54 3m 91200_01620_230817 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	Site : 03CH11-HY Condition : AVG_54 3m 91200_01620_230817 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - L	
1	Horizontal	Fundamental
Peak	 Site : 03CHI1-HY Condition : PEAK_BE_74 3m 91200_01620_230817 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CHI1-HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CHI1-HY Condition : AVG_BE_54 3m 91200_01620_230817 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SWT:Auto	 Site : 03CHI1-HY Condition : AVG_54 3m 91200_01620_230817 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - R	
1	Horizontal	Fundamental
Peak	 Site : 03CH11-HY Condition : PEAK_BE_74 3m 91200_01620_230817 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	 Site : 03CH11-HY Condition : AVG_BE_54 3m 91200_01620_230817 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SWT:Auto	Left blank



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - L	
1	Vertical	Fundamental
Peak	 Site : 03CHI1-HY Condition : PEAK_BE_74 3m 91200_01620_230817 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CHI1-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CHI1-HY Condition : AVG_BE_54 3m 91200_01620_230817 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CHI1-HY Condition : AVG_54 3m 91200_01620_230817 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - R	
1	Vertical	Fundamental
Peak	Site : 03CH11-HY Condition : PEAK_BE_74 3m 91200_01620_230817 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left Blank
Avg.	Site : 03CH11-HY Condition : AVG_BE_54 3m 91200_01620_230817 VERTICAL RBW:1000.000kHz VBW:0.010kHz SWT:Auto	Left Blank



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH11 2462MHz	
1	Horizontal	Fundamental
Peak	Horizontal Peak Spectrum Plot showing Level (dBm/100kHz) vs Frequency (MHz) from 2400 to 2500 MHz. The plot shows a sharp peak at 2462 MHz, labeled 'PEAK_BE_74'. The site is 03CH11-HY and the condition is PEAK_BE_74 3m 91200_01620_230817 HORIZONTAL, RBW:1000.000kHz VBW:3000.000kHz SWT:Auto.	Fundamental Peak Spectrum Plot showing Level (dBm/100kHz) vs Frequency (MHz) from 1000 to 3000 MHz. The plot shows a sharp peak at 2462 MHz, labeled 'PEAK_74'. The site is 03CH11-HY and the condition is PEAK_74 3m 91200_01620_230817 HORIZONTAL, RBW:1000.000kHz VBW:3000.000kHz SWT:Auto.
Avg.	Horizontal Avg. Spectrum Plot showing Level (dBm/100kHz) vs Frequency (MHz) from 2400 to 2500 MHz. The plot shows a sharp peak at 2462 MHz, labeled 'AVG_BE_54'. The site is 03CH11-HY and the condition is AVG_BE_54 3m 91200_01620_230817 HORIZONTAL, RBW:1000.000kHz VBW:0.010kHz SWT:Auto.	Fundamental Avg. Spectrum Plot showing Level (dBm/100kHz) vs Frequency (MHz) from 1000 to 3000 MHz. The plot shows a sharp peak at 2462 MHz, labeled 'AVG_54'. The site is 03CH11-HY and the condition is AVG_54 3m 91200_01620_230817 HORIZONTAL, RBW:1000.000kHz VBW:0.010kHz SWT:Auto.



WIFI	2.4GHz 2400~2483.5MHz Fundamental @ 3m	
ANT	802.11n HT20 CH11 2462MHz	
1	Vertical	Fundamental
Peak	 Site : 03CH11-HY Condition : PEAK_BE_74 3m 91200_01620_230817 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH11-HY Condition : AV6_BE_54 3m 91200_01620_230817 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH11-HY Condition : AV6_54 3m 91200_01620_230817 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		





2.4GHz 2400~2483.5MHz
WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH01 2412MHz	
1	Horizontal	Vertical
Peak Avg.	Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL	Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH01 2412MHz	
1	Horizontal	Vertical
14.47G ~14.5G Avg.		





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH06 2437MHz	
1	Horizontal	Vertical
Peak Avg.	 Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL :	 Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH06 2437MHz	
1	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a peak at 14.47G and an average level around 14.5G. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a peak at 14.47G and an average level around 14.5G. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a peak at 17.7G and an average level around 18G. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a peak at 17.7G and an average level around 18G. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH11 2462MHz	
1	Horizontal	Vertical
Peak Avg.	 Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL :	 Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH11 2462MHz	
1	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a peak at 2462 MHz with a level of approximately 75 dBuV/m. The average level is around 45 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a peak at 2462 MHz with a level of approximately 75 dBuV/m. The average level is around 45 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a peak at 2462 MHz with a level of approximately 75 dBuV/m. The average level is around 45 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a peak at 2462 MHz with a level of approximately 75 dBuV/m. The average level is around 45 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL





2.4GHz 2400~2483.5MHz
WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH01 2412MHz	
1	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2024-06-29 Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL	Level (dBuV/m) Date: 2024-06-29 Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH01 2412MHz	
1	Horizontal	Vertical
14.47G ~14.5G Avg.		





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH06 2437MHz	
1	Horizontal	Vertical
Peak Avg.	 Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL :	 Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH06 2437MHz	
1	Horizontal	Vertical
14.47G ~14.5G Avg.	Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL :	Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL :
	Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL :	Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH11 2462MHz	
1	Horizontal	Vertical
Peak Avg.	 Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL :	 Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH11 2462MHz	
1	Horizontal	Vertical
14.47G ~14.5G Avg.	Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL :	Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL :
	Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL :	Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL :





2.4GHz 2400~2483.5MHz
WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT20 CH01 2412MHz	
1	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2024-06-29 Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL :	Level (dBuV/m) Date: 2024-06-29 Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL :







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT20 CH01 2412MHz	
1	Horizontal	Vertical
14.47G ~14.5G Avg.	Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL	Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL
	Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL	Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT20 CH06 2437MHz	
1	Horizontal	Vertical
Peak Avg.	 Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL :	 Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL :







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT20 CH06 2437MHz	
1	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL :	 Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL :
	 Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL :	 Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT20 CH11 2462MHz	
1	Horizontal	Vertical
Peak Avg.	 Site : 03CH11-HY Condition : PEAK_74 3m 9120d_01620_230817 HORIZONTAL :	 Site : 03CH11-HY Condition : PEAK_74 3m 9120d_01620_230817 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT20 CH11 2462MHz	
1	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL	 Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL
	 Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 HORIZONTAL	 Site : 03CH11-HY Condition : PEAK_74 3m 91200_01620_230817 VERTICAL



Emission above 18GHz
2.4GHz WIFI 802.11b (SHF @ 1m)

WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11b SHF	
1	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2024-06-29 Site : 03CH11-HY Condition : PEAK_74 1m SHF_00993_211130 HORIZONTAL	Level (dBuV/m) Date: 2024-06-29 Site : 03CH11-HY Condition : PEAK_74 1m SHF_00993_211130 VERTICAL



Emission below 1GHz
2.4GHz WIFI 802.11b (LF)

WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11b LF	
1	Horizontal	Vertical
QP / Peak	Level (dBuV/m) Date: 2024-06-29 Frequency (MHz) Site : 03CH11-HY Condition : QP 3m 2_BILO6_35414_231007 HORIZONTAL	Level (dBuV/m) Date: 2024-06-29 Frequency (MHz) Site : 03CH11-HY Condition : QP 3m 2_BILO6_35414_231007 VERTICAL



Appendix E. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
1	802.11b	100.00	-	-	10Hz
1	802.11g	100.00	-	-	10Hz
1	802.11n HT20	100.00	-	-	10Hz

