

	SVK Siren Voice Keypad	Ver. / Rev.: 1.0 Date: 2023/01/04
Title: SVK LATAM SRD ANTENNA DATASHEET	Page: 1 / 5	

SVK

LATAM SRD ANTENNA DATASHEET

Date	Version	Change description
2023/01/04	V1.0	Initial revision

	SVK Siren Voice Keypad	Ver. / Rev.: 1.0 Date: 2023/01/04
Title: SVK LATAM SRD ANTENNA DATASHEET	Page: 2 / 5	

1.

ELECTRICAL SPECIFICATIONS

3

2.

VSWR

3

3.

RADIATION PATTERNS

3

4.

ANTENNA MANUFACTURER.....

5

1. Electrical specifications

Frequency range:	902 MHz to 928 MHz
Peak gain:	0.23 dBi
Wavelength:	1/4-wave
Impedance:	50 Ohm
Polarization:	Linear
Radiation:	Omnidirectional

2. VSWR




Figure 1: Antenna VSWR

3. Radiation patterns




Figure 2: SVK Position 1 (P1), 0°




Figure 3: SVK Position 2 (P2), 0°




Figure 4: SVK Position 3 (P3), 0°




Figure 5: Radiation patterns 905.5 MHz




Figure 6: Radiation patterns 915.5 MHz




Figure 7: Radiation patterns 927.5 MHz

	SVK Siren Voice Keypad	Ver. / Rev.: 1.0 Date: 2023/01/04
Title: SVK LATAM SRD ANTENNA DATASHEET	Page: 5 / 5	

4. Antenna Manufacturer

Manufacturer	Part Number
Telecom Design	EAT-9D25548-00