


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band2

1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.81	-13	Pass	2985
30	1000	0.1	RMS	906.59	-55.03	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.24	-13	Pass	830
1830	1920	1	RMS	1850.25	23.09	60	Pass	601
1920	3000	1	RMS	2670.695	-39.34	-13	Pass	1080
3000	12000	1	RMS	5551.283	-46.22	-13	Pass	9000
12000	20000	1	RMS	19841.98	-28.83	-13	Pass	8000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.87	-13	Pass	2985
30	1000	0.1	RMS	971.097	-55.13	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.25	-13	Pass	830
1830	1920	1	RMS	1851.15	23.09	60	Pass	601
1920	3000	1	RMS	2668.693	-39.35	-13	Pass	1080
3000	12000	1	RMS	5553.284	-45.86	-13	Pass	9000
12000	20000	1	RMS	19853.982	-28.77	-13	Pass	8000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.06	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.38	-13	Pass	2985
30	1000	0.1	RMS	884.588	-54.8	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.25	-13	Pass	830
1830	1920	1	RMS	1850.25	23.38	60	Pass	601
1920	3000	1	RMS	2670.695	-39.37	-13	Pass	1080
3000	12000	1	RMS	5551.283	-43.98	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.72	-13	Pass	8000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-47.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.87	-13	Pass	2985
30	1000	0.1	RMS	901.39	-54.85	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.23	-13	Pass	830
1830	1920	1	RMS	1851.15	23.41	60	Pass	601
1920	3000	1	RMS	2671.696	-39.35	-13	Pass	1080
3000	12000	1	RMS	5553.284	-45.08	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.71	-13	Pass	8000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.08	-13	Pass	2985
30	1000	0.1	RMS	904.39	-55.05	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.2	-13	Pass	830
1830	1920	1	RMS	1879.5	22.91	60	Pass	601
1920	3000	1	RMS	2674.699	-39.43	-13	Pass	1080
3000	12000	1	RMS	11908.99	-46.7	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.85	-13	Pass	8000



1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.61	-13	Pass	2985
30	1000	0.1	RMS	888.288	-55.04	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.2	-13	Pass	830
1830	1920	1	RMS	1880.4	22.83	60	Pass	601
1920	3000	1	RMS	2667.692	-39.34	-13	Pass	1080
3000	12000	1	RMS	5641.293	-46.56	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.81	-13	Pass	8000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.89	-13	Pass	2985
30	1000	0.1	RMS	926.092	-54.9	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.25	-13	Pass	830
1830	1920	1	RMS	1879.5	22.9	60	Pass	601
1920	3000	1	RMS	2669.694	-39.32	-13	Pass	1080
3000	12000	1	RMS	5187.243	-44.8	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.77	-13	Pass	8000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.35	-13	Pass	2985
30	1000	0.1	RMS	896.689	-54.86	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.23	-13	Pass	830
1830	1920	1	RMS	1880.55	22.95	60	Pass	601
1920	3000	1	RMS	2670.695	-39.3	-13	Pass	1080
3000	12000	1	RMS	5641.293	-46.68	-13	Pass	9000
12000	20000	1	RMS	19841.98	-28.7	-13	Pass	8000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.71	-13	Pass	2985
30	1000	0.1	RMS	908.091	-54.92	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.19	-13	Pass	830
1830	1920	1	RMS	1908.9	22.68	60	Pass	601
1920	3000	1	RMS	2669.694	-39.3	-13	Pass	1080
3000	12000	1	RMS	5726.303	-44.91	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.71	-13	Pass	8000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.16	-13	Pass	2985
30	1000	0.1	RMS	900.39	-54.93	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.2	-13	Pass	830
1830	1920	1	RMS	1909.8	22.75	60	Pass	601
1920	3000	1	RMS	2462.502	-39.29	-13	Pass	1080
3000	12000	1	RMS	5729.303	-43.79	-13	Pass	9000
12000	20000	1	RMS	19854.982	-28.69	-13	Pass	8000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.55	-13	Pass	2985
30	1000	0.1	RMS	933.193	-54.81	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.18	-13	Pass	830
1830	1920	1	RMS	1908.9	21.79	60	Pass	601
1920	3000	1	RMS	2670.695	-39.38	-13	Pass	1080
3000	12000	1	RMS	5726.303	-44.73	-13	Pass	9000
12000	20000	1	RMS	19840.98	-28.76	-13	Pass	8000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.55	-13	Pass	2985
30	1000	0.1	RMS	901.09	-55.15	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.24	-13	Pass	830
1830	1920	1	RMS	1909.8	21.76	60	Pass	601
1920	3000	1	RMS	2671.696	-39.4	-13	Pass	1080
3000	12000	1	RMS	5729.303	-45.14	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.76	-13	Pass	8000



1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.39	-13	Pass	2985
30	1000	0.1	RMS	998.3	-55.16	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.22	-13	Pass	830
1830	1920	1	RMS	1850.25	23.08	60	Pass	601
1920	3000	1	RMS	2668.693	-39.38	-13	Pass	1080
3000	12000	1	RMS	5550.283	-46.55	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.76	-13	Pass	8000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.92	-13	Pass	2985
30	1000	0.1	RMS	980.598	-55.16	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.23	-13	Pass	830
1830	1920	1	RMS	1852.8	22.99	60	Pass	601
1920	3000	1	RMS	2670.695	-39.35	-13	Pass	1080
3000	12000	1	RMS	5558.284	-46.53	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.8	-13	Pass	8000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.77	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.26	-13	Pass	2985
30	1000	0.1	RMS	885.188	-55.17	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.19	-13	Pass	830
1830	1920	1	RMS	1850.25	22.63	60	Pass	601
1920	3000	1	RMS	2670.695	-39.36	-13	Pass	1080
3000	12000	1	RMS	5551.283	-45.89	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.76	-13	Pass	8000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.42	-13	Pass	2985
30	1000	0.1	RMS	909.691	-55.07	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.18	-13	Pass	830
1830	1920	1	RMS	1852.8	22.48	60	Pass	601
1920	3000	1	RMS	2666.691	-39.31	-13	Pass	1080
3000	12000	1	RMS	11905.99	-46.71	-13	Pass	9000
12000	20000	1	RMS	19841.98	-28.55	-13	Pass	8000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.37	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.62	-13	Pass	2985
30	1000	0.1	RMS	888.288	-55.16	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.21	-13	Pass	830
1830	1920	1	RMS	1878.75	22.99	60	Pass	601
1920	3000	1	RMS	2669.694	-39.35	-13	Pass	1080
3000	12000	1	RMS	11903.989	-46.65	-13	Pass	9000
12000	20000	1	RMS	19840.98	-28.89	-13	Pass	8000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.43	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.55	-13	Pass	2985
30	1000	0.1	RMS	965.296	-54.88	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.19	-13	Pass	830
1830	1920	1	RMS	1881.3	22.91	60	Pass	601
1920	3000	1	RMS	2671.696	-39.36	-13	Pass	1080
3000	12000	1	RMS	11916.991	-46.76	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.8	-13	Pass	8000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.57	-13	Pass	2985
30	1000	0.1	RMS	890.689	-55.09	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.19	-13	Pass	830
1830	1920	1	RMS	1878.75	22.72	60	Pass	601
1920	3000	1	RMS	2674.699	-39.38	-13	Pass	1080
3000	12000	1	RMS	11899.989	-46.7	-13	Pass	9000
12000	20000	1	RMS	19856.982	-28.76	-13	Pass	8000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.15	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.86	-13	Pass	2985
30	1000	0.1	RMS	982.098	-55	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.19	-13	Pass	830
1830	1920	1	RMS	1881.3	23.02	60	Pass	601
1920	3000	1	RMS	2669.694	-39.35	-13	Pass	1080
3000	12000	1	RMS	11904.989	-46.64	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.58	-13	Pass	8000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.5	-13	Pass	2985
30	1000	0.1	RMS	919.692	-55.24	-13	Pass	9700
1000	1830	1	RMS	1804.97	-44.22	-13	Pass	830
1830	1920	1	RMS	1907.25	22.78	60	Pass	601
1920	3000	1	RMS	2671.696	-39.37	-13	Pass	1080
3000	12000	1	RMS	5721.302	-45.98	-13	Pass	9000
12000	20000	1	RMS	19853.982	-28.79	-13	Pass	8000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.51	-13	Pass	2985
30	1000	0.1	RMS	919.692	-55.11	-13	Pass	9700
1000	1830	1	RMS	1816.984	-44.2	-13	Pass	830
1830	1920	1	RMS	1909.8	22.66	60	Pass	601
1920	3000	1	RMS	2668.693	-39.38	-13	Pass	1080
3000	12000	1	RMS	5729.303	-43.98	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.8	-13	Pass	8000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.66	-13	Pass	2985
30	1000	0.1	RMS	927.092	-54.81	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.2	-13	Pass	830
1830	1920	1	RMS	1907.25	22.17	60	Pass	601
1920	3000	1	RMS	2669.694	-39.38	-13	Pass	1080
3000	12000	1	RMS	5721.302	-46.29	-13	Pass	9000
12000	20000	1	RMS	19855.982	-28.73	-13	Pass	8000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.73	-13	Pass	2985
30	1000	0.1	RMS	902.59	-55.12	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.19	-13	Pass	830
1830	1920	1	RMS	1909.8	22.12	60	Pass	601
1920	3000	1	RMS	2672.697	-39.36	-13	Pass	1080
3000	12000	1	RMS	5729.303	-44.13	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.68	-13	Pass	8000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40	-13	Pass	2985
30	1000	0.1	RMS	897.389	-54.87	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.18	-13	Pass	830
1830	1920	1	RMS	1850.4	22.97	60	Pass	601
1920	3000	1	RMS	2675.7	-39.41	-13	Pass	1080
3000	12000	1	RMS	5551.283	-45.3	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.77	-13	Pass	8000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.09	-13	Pass	2985
30	1000	0.1	RMS	988.099	-55.24	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.16	-13	Pass	830
1830	1920	1	RMS	1854.6	22.85	60	Pass	601
1920	3000	1	RMS	2668.693	-39.38	-13	Pass	1080
3000	12000	1	RMS	11916.991	-46.61	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.76	-13	Pass	8000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.67	-13	Pass	2985
30	1000	0.1	RMS	914.791	-54.79	-13	Pass	9700
1000	1830	1	RMS	1804.97	-44.24	-13	Pass	830
1830	1920	1	RMS	1850.4	22.08	60	Pass	601
1920	3000	1	RMS	2670.695	-39.37	-13	Pass	1080
3000	12000	1	RMS	11900.989	-46.57	-13	Pass	9000
12000	20000	1	RMS	19842.98	-28.8	-13	Pass	8000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.01	-13	Pass	601
0.15	30	0.01	RMS	0.16	-41.04	-13	Pass	2985
30	1000	0.1	RMS	897.489	-55.03	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.19	-13	Pass	830
1830	1920	1	RMS	1854.6	21.94	60	Pass	601
1920	3000	1	RMS	2668.693	-39.39	-13	Pass	1080
3000	12000	1	RMS	11913.99	-46.39	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.73	-13	Pass	8000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.62	-13	Pass	2985
30	1000	0.1	RMS	901.99	-54.93	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.21	-13	Pass	830
1830	1920	1	RMS	1877.85	22.97	60	Pass	601
1920	3000	1	RMS	2670.695	-39.33	-13	Pass	1080
3000	12000	1	RMS	11901.989	-46.69	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.75	-13	Pass	8000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.15	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.05	-13	Pass	2985
30	1000	0.1	RMS	924.592	-54.88	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.21	-13	Pass	830
1830	1920	1	RMS	1882.2	22.93	60	Pass	601
1920	3000	1	RMS	2672.697	-39.35	-13	Pass	1080
3000	12000	1	RMS	11915.991	-46.7	-13	Pass	9000
12000	20000	1	RMS	19842.98	-28.83	-13	Pass	8000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.41	-13	Pass	2985
30	1000	0.1	RMS	871.587	-55.07	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.21	-13	Pass	830
1830	1920	1	RMS	1877.85	22.57	60	Pass	601
1920	3000	1	RMS	2670.695	-39.39	-13	Pass	1080
3000	12000	1	RMS	11916.991	-46.64	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.73	-13	Pass	8000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.69	-13	Pass	2985
30	1000	0.1	RMS	882.588	-55.1	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.22	-13	Pass	830
1830	1920	1	RMS	1882.2	22.52	60	Pass	601
1920	3000	1	RMS	2669.694	-39.42	-13	Pass	1080
3000	12000	1	RMS	11903.989	-46.73	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.72	-13	Pass	8000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.21	-13	Pass	2985
30	1000	0.1	RMS	908.491	-54.84	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.19	-13	Pass	830
1830	1920	1	RMS	1905.3	22.6	60	Pass	601
1920	3000	1	RMS	2671.696	-39.38	-13	Pass	1080
3000	12000	1	RMS	5716.302	-46.43	-13	Pass	9000
12000	20000	1	RMS	19857.982	-28.72	-13	Pass	8000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.51	-13	Pass	2985
30	1000	0.1	RMS	997.3	-55.1	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.24	-13	Pass	830
1830	1920	1	RMS	1909.65	22.75	60	Pass	601
1920	3000	1	RMS	2671.696	-39.37	-13	Pass	1080
3000	12000	1	RMS	5729.303	-44.67	-13	Pass	9000
12000	20000	1	RMS	19841.98	-28.81	-13	Pass	8000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.89	-13	Pass	2985
30	1000	0.1	RMS	898.39	-54.95	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.2	-13	Pass	830
1830	1920	1	RMS	1905.3	22.26	60	Pass	601
1920	3000	1	RMS	2666.691	-39.39	-13	Pass	1080
3000	12000	1	RMS	5716.302	-46.53	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.72	-13	Pass	8000



1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.11	-13	Pass	2985
30	1000	0.1	RMS	939.294	-54.96	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.24	-13	Pass	830
1830	1920	1	RMS	1909.65	22.16	60	Pass	601
1920	3000	1	RMS	2463.503	-38.08	-13	Pass	1080
3000	12000	1	RMS	5729.303	-45.35	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.77	-13	Pass	8000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.14	-13	Pass	2985
30	1000	0.1	RMS	970.697	-55.21	-13	Pass	9700
1000	1830	1	RMS	1801.966	-44.2	-13	Pass	830
1830	1920	1	RMS	1850.55	23.05	60	Pass	601
1920	3000	1	RMS	2669.694	-39.31	-13	Pass	1080
3000	12000	1	RMS	5173.241	-45.07	-13	Pass	9000
12000	20000	1	RMS	19843.98	-28.71	-13	Pass	8000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.18	-13	Pass	2985
30	1000	0.1	RMS	996.8	-55.15	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.19	-13	Pass	830
1830	1920	1	RMS	1859.4	22.95	60	Pass	601
1920	3000	1	RMS	2670.695	-39.36	-13	Pass	1080
3000	12000	1	RMS	5578.286	-46.22	-13	Pass	9000
12000	20000	1	RMS	19841.98	-28.83	-13	Pass	8000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-46.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.6	-13	Pass	2985
30	1000	0.1	RMS	992.399	-54.64	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.22	-13	Pass	830
1830	1920	1	RMS	1850.55	22.49	60	Pass	601
1920	3000	1	RMS	2667.692	-39.35	-13	Pass	1080
3000	12000	1	RMS	5552.284	-46.54	-13	Pass	9000
12000	20000	1	RMS	19842.98	-28.72	-13	Pass	8000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.88	-13	Pass	2985
30	1000	0.1	RMS	999.7	-54.8	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.26	-13	Pass	830
1830	1920	1	RMS	1859.4	22.44	60	Pass	601
1920	3000	1	RMS	2770.788	-39.4	-13	Pass	1080
3000	12000	1	RMS	5578.286	-46.65	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.69	-13	Pass	8000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.59	-13	Pass	2985
30	1000	0.1	RMS	916.591	-54.88	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.19	-13	Pass	830
1830	1920	1	RMS	1875.6	22.98	60	Pass	601
1920	3000	1	RMS	2669.694	-39.39	-13	Pass	1080
3000	12000	1	RMS	11904.989	-46.63	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.79	-13	Pass	8000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.83	-13	Pass	2985
30	1000	0.1	RMS	954.395	-54.82	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.21	-13	Pass	830
1830	1920	1	RMS	1884.45	23.02	60	Pass	601
1920	3000	1	RMS	2668.693	-39.36	-13	Pass	1080
3000	12000	1	RMS	11921.991	-46.66	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.87	-13	Pass	8000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.2	-13	Pass	2985
30	1000	0.1	RMS	991.099	-54.9	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.14	-13	Pass	830
1830	1920	1	RMS	1875.6	22.51	60	Pass	601
1920	3000	1	RMS	2672.697	-39.35	-13	Pass	1080
3000	12000	1	RMS	11902.989	-46.65	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.69	-13	Pass	8000



1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.09	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.81	-13	Pass	2985
30	1000	0.1	RMS	895.889	-55.15	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.2	-13	Pass	830
1830	1920	1	RMS	1884.45	22.47	60	Pass	601
1920	3000	1	RMS	2668.693	-39.28	-13	Pass	1080
3000	12000	1	RMS	11912.99	-46.57	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.71	-13	Pass	8000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.14	-13	Pass	2985
30	1000	0.1	RMS	908.991	-54.95	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.21	-13	Pass	830
1830	1920	1	RMS	1900.65	22.69	60	Pass	601
1920	3000	1	RMS	2668.693	-39.34	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.65	-13	Pass	9000
12000	20000	1	RMS	19855.982	-28.72	-13	Pass	8000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.99	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.15	-13	Pass	2985
30	1000	0.1	RMS	994.499	-55.08	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.2	-13	Pass	830
1830	1920	1	RMS	1909.35	22.62	60	Pass	601
1920	3000	1	RMS	2665.69	-39.34	-13	Pass	1080
3000	12000	1	RMS	5728.303	-44.99	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.86	-13	Pass	8000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.27	-13	Pass	2985
30	1000	0.1	RMS	952.395	-55.1	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.23	-13	Pass	830
1830	1920	1	RMS	1900.65	21.87	60	Pass	601
1920	3000	1	RMS	2670.695	-39.34	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.52	-13	Pass	9000
12000	20000	1	RMS	19853.982	-28.73	-13	Pass	8000




1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.02	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.2	-13	Pass	2985
30	1000	0.1	RMS	863.186	-55.06	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.21	-13	Pass	830
1830	1920	1	RMS	1909.35	22.08	60	Pass	601
1920	3000	1	RMS	2669.694	-39.39	-13	Pass	1080
3000	12000	1	RMS	5728.303	-44.42	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.8	-13	Pass	8000



1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-47.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.59	-13	Pass	2985
30	1000	0.1	RMS	987.399	-54.95	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.19	-13	Pass	830
1830	1920	1	RMS	1850.85	23.09	60	Pass	601
1920	3000	1	RMS	2669.694	-39.38	-13	Pass	1080
3000	12000	1	RMS	5552.284	-45.64	-13	Pass	9000
12000	20000	1	RMS	19839.98	-28.63	-13	Pass	8000




1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.82	-13	Pass	2985
30	1000	0.1	RMS	925.692	-55.11	-13	Pass	9700
1000	1830	1	RMS	1803.969	-44.22	-13	Pass	830
1830	1920	1	RMS	1864.2	23.03	60	Pass	601
1920	3000	1	RMS	2668.693	-39.37	-13	Pass	1080
3000	12000	1	RMS	5592.288	-46.68	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.65	-13	Pass	8000




1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.82	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.28	-13	Pass	2985
30	1000	0.1	RMS	954.095	-54.79	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.22	-13	Pass	830
1830	1920	1	RMS	1850.85	22.67	60	Pass	601
1920	3000	1	RMS	2666.691	-39.39	-13	Pass	1080
3000	12000	1	RMS	5552.284	-46.01	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.71	-13	Pass	8000




1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.12	-13	Pass	2985
30	1000	0.1	RMS	898.79	-54.79	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.24	-13	Pass	830
1830	1920	1	RMS	1864.2	22.49	60	Pass	601
1920	3000	1	RMS	2670.695	-39.37	-13	Pass	1080
3000	12000	1	RMS	11900.989	-46.64	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.72	-13	Pass	8000




1.53. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.94	-13	Pass	2985
30	1000	0.1	RMS	989.599	-55.1	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.24	-13	Pass	830
1830	1920	1	RMS	1873.35	23.01	60	Pass	601
1920	3000	1	RMS	2670.695	-39.31	-13	Pass	1080
3000	12000	1	RMS	11898.989	-46.69	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.81	-13	Pass	8000




1.54. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.9	-13	Pass	2985
30	1000	0.1	RMS	893.889	-54.82	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.18	-13	Pass	830
1830	1920	1	RMS	1886.7	23.09	60	Pass	601
1920	3000	1	RMS	2670.695	-39.38	-13	Pass	1080
3000	12000	1	RMS	11910.99	-46.68	-13	Pass	9000
12000	20000	1	RMS	19840.98	-28.78	-13	Pass	8000




1.55. LTE Transmitter Spurious Emissions(NTNV)(Subtest:55, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.53	-13	Pass	2985
30	1000	0.1	RMS	937.294	-55.13	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.2	-13	Pass	830
1830	1920	1	RMS	1873.35	22.46	60	Pass	601
1920	3000	1	RMS	2671.696	-39.31	-13	Pass	1080
3000	12000	1	RMS	11909.99	-46.76	-13	Pass	9000
12000	20000	1	RMS	19842.98	-28.8	-13	Pass	8000




1.56. LTE Transmitter Spurious Emissions(NTNV)(Subtest:56, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.31	-13	Pass	2985
30	1000	0.1	RMS	973.597	-55.04	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.19	-13	Pass	830
1830	1920	1	RMS	1886.7	23.23	60	Pass	601
1920	3000	1	RMS	2673.698	-39.38	-13	Pass	1080
3000	12000	1	RMS	5660.296	-46.53	-13	Pass	9000
12000	20000	1	RMS	19855.982	-28.8	-13	Pass	8000




1.57. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.74	-13	Pass	2985
30	1000	0.1	RMS	996.4	-54.95	-13	Pass	9700
1000	1830	1	RMS	1815.983	-44.23	-13	Pass	830
1830	1920	1	RMS	1895.85	22.65	60	Pass	601
1920	3000	1	RMS	2667.692	-39.32	-13	Pass	1080
3000	12000	1	RMS	11909.99	-46.66	-13	Pass	9000
12000	20000	1	RMS	19834.979	-28.77	-13	Pass	8000




1.58. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.4	-13	Pass	2985
30	1000	0.1	RMS	903.59	-54.99	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.21	-13	Pass	830
1830	1920	1	RMS	1909.2	22.71	60	Pass	601
1920	3000	1	RMS	2669.694	-39.38	-13	Pass	1080
3000	12000	1	RMS	5727.303	-44.5	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.73	-13	Pass	8000




1.59. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-46.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.94	-13	Pass	2985
30	1000	0.1	RMS	943.594	-55.1	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.24	-13	Pass	830
1830	1920	1	RMS	1895.85	22.43	60	Pass	601
1920	3000	1	RMS	2671.696	-39.38	-13	Pass	1080
3000	12000	1	RMS	11918.991	-46.72	-13	Pass	9000
12000	20000	1	RMS	19853.982	-28.74	-13	Pass	8000



1.60. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.82	-13	Pass	2985
30	1000	0.1	RMS	904.09	-55.07	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.2	-13	Pass	830
1830	1920	1	RMS	1909.2	22.36	60	Pass	601
1920	3000	1	RMS	2670.695	-39.34	-13	Pass	1080
3000	12000	1	RMS	5727.303	-44.51	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.77	-13	Pass	8000




1.61. LTE Transmitter Spurious Emissions(NTNV)(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.99	-13	Pass	2985
30	1000	0.1	RMS	899.49	-55.18	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.18	-13	Pass	830
1830	1920	1	RMS	1851.15	23.18	60	Pass	601
1920	3000	1	RMS	2661.687	-39.38	-13	Pass	1080
3000	12000	1	RMS	5553.284	-45.92	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.73	-13	Pass	8000




1.62. LTE Transmitter Spurious Emissions(NTNV)(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.21	-13	Pass	2985
30	1000	0.1	RMS	948.695	-55.17	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.19	-13	Pass	830
1830	1920	1	RMS	1868.85	23.21	60	Pass	601
1920	3000	1	RMS	2670.695	-39.33	-13	Pass	1080
3000	12000	1	RMS	11928.992	-46.56	-13	Pass	9000
12000	20000	1	RMS	19854.982	-28.75	-13	Pass	8000




1.63. LTE Transmitter Spurious Emissions(NTNV)(Subtest:63, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.09	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.27	-13	Pass	2985
30	1000	0.1	RMS	919.992	-54.78	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.23	-13	Pass	830
1830	1920	1	RMS	1851.15	22.51	60	Pass	601
1920	3000	1	RMS	2669.694	-39.34	-13	Pass	1080
3000	12000	1	RMS	5553.284	-45.78	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.7	-13	Pass	8000




1.64. LTE Transmitter Spurious Emissions(NTNV)(Subtest:64, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.61	-13	Pass	2985
30	1000	0.1	RMS	884.188	-55.09	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.21	-13	Pass	830
1830	1920	1	RMS	1868.85	22.51	60	Pass	601
1920	3000	1	RMS	2670.695	-39.37	-13	Pass	1080
3000	12000	1	RMS	11907.99	-46.52	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.56	-13	Pass	8000




1.65. LTE Transmitter Spurious Emissions(NTNV)(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.83	-13	Pass	2985
30	1000	0.1	RMS	986.699	-55.06	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.22	-13	Pass	830
1830	1920	1	RMS	1871.1	23.04	60	Pass	601
1920	3000	1	RMS	2674.699	-39.39	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.63	-13	Pass	9000
12000	20000	1	RMS	19839.98	-28.7	-13	Pass	8000




1.66. LTE Transmitter Spurious Emissions(NTNV)(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.19	-13	Pass	2985
30	1000	0.1	RMS	897.989	-54.96	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.21	-13	Pass	830
1830	1920	1	RMS	1888.95	23	60	Pass	601
1920	3000	1	RMS	2667.692	-39.31	-13	Pass	1080
3000	12000	1	RMS	11910.99	-46.63	-13	Pass	9000
12000	20000	1	RMS	19843.98	-28.69	-13	Pass	8000




1.67. LTE Transmitter Spurious Emissions(NTNV)(Subtest:67, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.95	-13	Pass	2985
30	1000	0.1	RMS	974.497	-54.96	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.23	-13	Pass	830
1830	1920	1	RMS	1870.95	22.14	60	Pass	601
1920	3000	1	RMS	2769.787	-39.41	-13	Pass	1080
3000	12000	1	RMS	5173.241	-44.68	-13	Pass	9000
12000	20000	1	RMS	19862.983	-28.84	-13	Pass	8000




1.68. LTE Transmitter Spurious Emissions(NTNV)(Subtest:68, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.15	-13	Pass	2985
30	1000	0.1	RMS	902.39	-55.06	-13	Pass	9700
1000	1830	1	RMS	1802.967	-44.24	-13	Pass	830
1830	1920	1	RMS	1888.95	22.09	60	Pass	601
1920	3000	1	RMS	2671.696	-39.4	-13	Pass	1080
3000	12000	1	RMS	11898.989	-46.65	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.72	-13	Pass	8000



1.69. LTE Transmitter Spurious Emissions(NTNV)(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.72	-13	Pass	2985
30	1000	0.1	RMS	872.087	-55.21	-13	Pass	9700
1000	1830	1	RMS	1830	-44.23	-13	Pass	830
1830	1920	1	RMS	1891.05	23.07	60	Pass	601
1920	3000	1	RMS	2668.693	-39.37	-13	Pass	1080
3000	12000	1	RMS	5673.297	-46.59	-13	Pass	9000
12000	20000	1	RMS	19840.98	-28.8	-13	Pass	8000




1.70. LTE Transmitter Spurious Emissions(NTNV)(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.74	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.05	-13	Pass	2985
30	1000	0.1	RMS	975.998	-54.95	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.22	-13	Pass	830
1830	1920	1	RMS	1908.9	22.85	60	Pass	601
1920	3000	1	RMS	2668.693	-39.36	-13	Pass	1080
3000	12000	1	RMS	5726.303	-44.6	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.7	-13	Pass	8000




1.71. LTE Transmitter Spurious Emissions(NTNV)(Subtest:71, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.39	-13	Pass	2985
30	1000	0.1	RMS	994.599	-54.65	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.21	-13	Pass	830
1830	1920	1	RMS	1891.05	22.68	60	Pass	601
1920	3000	1	RMS	2670.695	-39.31	-13	Pass	1080
3000	12000	1	RMS	11904.989	-46.72	-13	Pass	9000
12000	20000	1	RMS	19856.982	-28.8	-13	Pass	8000



1.72. LTE Transmitter Spurious Emissions(NTNV)(Subtest:72, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.6	-13	Pass	2985
30	1000	0.1	RMS	906.09	-54.98	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.21	-13	Pass	830
1830	1920	1	RMS	1908.9	22.49	60	Pass	601
1920	3000	1	RMS	2669.694	-39.34	-13	Pass	1080
3000	12000	1	RMS	5726.303	-44.56	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.57	-13	Pass	8000



END