
# **1.0 GRAPHICAL TEST RESULTS**

Please note that the graphical visualization of the phone position onto the SAR distribution gives only limited information on the current distribution of the device, since the curvature of the head results in graphical distortion. Full information can only be obtained either by H-field scans in free space or SAR evaluation with a flat phantom.




## SAR PLOTS FOR SYSTEM VERIFICATION




### **Exhibit 1: 900 MHz Dipole Validation**






# Exhibit 2: 1800 MHz Dipole Validation











# Exhibit 4: 2450 MHz Dipole Validation








# SAR PLOTS FOR CDMA CELL AND PCS BANDS









#### Exhibit 7: CDMA Cell Channel 384 Screen Facing In With Extra Battery










#### Exhibit 9: CDMA Cell Channel 384 Screen Facing Out With Extra Battery





#### Exhibit 10: CDMA Cell Channel 600 Screen Facing In








Exhibit 11: CDMA Cell Channel 600 Screen Facing In With Extra Battery






#### Exhibit 12: CDMA Cell Channel 600 Screen Facing Out









#### Exhibit 13: CDMA Cell Channel 600 Screen Facing Out With Extra Battery



# SAR PLOTS FOR RLAN BANDS









### Exhibit 15: RLAN Channel 6 Screen Facing In With Extra Battery






### Exhibit 16: RLAN Channel 6 Screen Facing Out









#### Exhibit 17: RLAN Channel 6 Screen Facing Out With Extra Battery



## SAR PLOTS FOR BLUETOOTH BANDS











Intertek ETL SEMKO



#### Exhibit 20: Bluetooth Channel 2443 Screen Facing Out





#### Exhibit 21: Bluetooth Channel 2443 Screen Facing Out With Extra Battery