



Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5755	31.198	36.800	500	Pass
5795	36.600	36.800	500	Pass

CH151




Date: 23.APR.2024 21:34:12


CH159
6 dB Bandwidth


Date: 23.APR.2024 21:36:26

99 % Occupied Bandwidth



Date: 23.APR.2024 21:33:19




Date: 23.APR.2024 21:35:44

Test Mode	IEEE 802.11ac (VHT80)
-----------	-----------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5210	83.196	76.000	No limit

CH42 26 dB Bandwidth



Date: 23.APR.2024 21:42:28


99 % Occupied Bandwidth



Date: 23.APR.2024 21:39:20


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5290	82.814	75.600	No limit

CH58 26 dB Bandwidth



Date: 23.APR.2024 21:44:48


99 % Occupied Bandwidth



Date: 23.APR.2024 21:44:08


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5530	84.000	76.000	No limit
5610	83.200	75.600	No limit

CH106




Date: 23.APR.2024 21:47:10

CH122
26 dB Bandwidth




Date: 23.APR.2024 21:50:14

99 % Occupied Bandwidth




Date: 23.APR.2024 21:46:33



Date: 23.APR.2024 21:49:36


Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5775	76.386	75.600	500	Pass

CH155 6 dB Bandwidth



Date: 23.APR.2024 21:53:06

99 % Occupied Bandwidth




Date: 23.APR.2024 21:52:24


Test Mode	IEEE 802.11ax (HE20)
-----------	----------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5180	21.950	19.000	No limit
5200	21.600	19.100	No limit
5240	24.590	19.100	No limit

CH36




Date: 23.APR.2024 22:33:14

CH40
26 dB Bandwidth



Date: 23.APR.2024 22:36:09

CH48




Date: 23.APR.2024 22:40:03


99 % Occupied Bandwidth



Date: 23.APR.2024 22:32:46




Date: 23.APR.2024 22:35:38



Date: 23.APR.2024 22:39:35

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5260	22.090	19.100	No limit
5300	21.650	19.000	No limit
5320	21.709	19.000	No limit


CH52



Date: 23.APR.2024 22:41:27


CH60

26 dB Bandwidth




Date: 23.APR.2024 22:42:57

CH64




Date: 23.APR.2024 22:44:23


99 % Occupied Bandwidth



Date: 23.APR.2024 22:40:57




Date: 23.APR.2024 22:42:29




Date: 23.APR.2024 22:43:54

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5500	21.950	19.000	No limit
5580	21.499	19.100	No limit
5700	21.700	19.100	No limit

CH100




Date: 23.APR.2024 22:46:07

CH116
26 dB Bandwidth



Date: 23.APR.2024 22:48:15

CH140




Date: 23.APR.2024 22:50:19


99 % Occupied Bandwidth



Date: 23.APR.2024 22:45:39




Date: 23.APR.2024 22:47:45




Date: 23.APR.2024 22:49:50

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5745	18.490	19.000	500	Pass
5785	18.750	19.100	500	Pass
5825	18.399	19.200	500	Pass

CH149




Date: 23.APR.2024 22:52:12

CH157
6 dB Bandwidth



Date: 23.APR.2024 22:53:16

CH165




Date: 23.APR.2024 22:57:11


99 % Occupied Bandwidth



Date: 23.APR.2024 22:51:41



Date: 23.APR.2024 22:53:05




Date: 23.APR.2024 22:57:16


Test Mode	IEEE 802.11ax (HE40)
-----------	----------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5190	40.100	37.800	No limit
5230	40.100	38.200	No limit

CH38




Date: 23.APR.2024 23:00:16


CH46
26 dB Bandwidth


Date: 23.APR.2024 23:03:03

99 % Occupied Bandwidth




Date: 23.APR.2024 22:59:34



Date: 23.APR.2024 23:02:19


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5270	40.500	38.000	No limit
5310	40.300	38.000	No limit

CH54




Date: 23.APR.2024 23:04:56

CH62 26 dB Bandwidth




Date: 23.APR.2024 23:07:08

99 % Occupied Bandwidth




Date: 23.APR.2024 23:04:16




Date: 23.APR.2024 23:06:25

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5510	40.300	38.000	No limit
5550	40.300	38.000	No limit
5670	40.300	38.000	No limit

CH102




Date: 23.APR.2024 23:10:43

CH110
26 dB Bandwidth



Date: 23.APR.2024 23:12:38

CH134




Date: 23.APR.2024 23:14:31


99 % Occupied Bandwidth



Date: 23.APR.2024 23:09:59




Date: 23.APR.2024 23:11:52




Date: 23.APR.2024 23:13:45

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5755	34.600	38.000	500	Pass
5795	34.504	38.400	500	Pass

CH151




Date: 23.APR.2024 23:16:52


CH159
6 dB Bandwidth


Date: 23.APR.2024 23:23:21

99 % Occupied Bandwidth



Date: 23.APR.2024 23:15:56




Date: 23.APR.2024 23:22:31

Test Mode	IEEE 802.11ax (HE80)
-----------	----------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5210	83.200	78.000	No limit

CH42
26 dB Bandwidth



Date: 23-APR-2024 23:25:55


99 % Occupied Bandwidth



Date: 23.APR.2024 23:24:59


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5290	82.800	77.200	No limit

CH58 26 dB Bandwidth



Date: 23.APR.2024 23:30:39


99 % Occupied Bandwidth



Date: 23.APR.2024 23:30:00


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5530	83.800	77.600	No limit
5610	83.400	77.200	No limit

CH106




Date: 23.APR.2024 23:32:56

CH122 26 dB Bandwidth




Date: 23.APR.2024 23:36:14

99 % Occupied Bandwidth




Date: 23.APR.2024 23:33:57



Date: 23.APR.2024 23:35:35


Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5775	67.596	77.200	500	Pass

CH155 6 dB Bandwidth



Date: 23.APR.2024 23:38:44

99 % Occupied Bandwidth




Date: 23.APR.2024 23:37:31

Test Mode	IEEE 802.11ac (VHT160)
-----------	------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5250	173.592	159.200	No limit


CH50

26 dB Bandwidth



Date: 23.APR.2024 22:05:05


99 % Occupied Bandwidth



Date: 23.APR.2024 21:57:40


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5570	165.200	158.400	No limit

CH114 26 dB Bandwidth



Date: 23.APR.2024 22:07:55

99 % Occupied Bandwidth




Date: 23.APR.2024 22:07:20

Test Mode	IEEE 802.11ax (HE160)
-----------	-----------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5250	216.790	159.200	No limit

CH50 26 dB Bandwidth



Date: 23.APR.2024 23:53:55


99 % Occupied Bandwidth



Date: 23.APR.2024 23:42:54


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5570	167.600	158.400	No limit

CH114 26 dB Bandwidth



Date: 23.APR.2024 23:59:32

99 % Occupied Bandwidth



Date: 23.APR.2024 23:58:59

APPENDIX E CONDUCTED OUTPUT POWER

Test Mode	IEEE 802.11a_Ant. 1	Tested Date	2024/3/29-2024/4/24
-----------	---------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Duty Factor	Conducted Power + Duty Factor (dBm)	Conducted Power + Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	18.57	0.0719	0.26	18.83	0.0764	30.00	1.0000	Pass
5200	22.13	0.1633	0.26	22.39	0.1734	30.00	1.0000	Pass
5240	22.90	0.1950	0.26	23.16	0.2070	30.00	1.0000	Pass
5260	16.80	0.0479	0.26	17.06	0.0508	23.98	0.2500	Pass
5300	16.43	0.0440	0.26	16.69	0.0467	23.98	0.2500	Pass
5320	17.01	0.0502	0.26	17.27	0.0533	23.98	0.2500	Pass
5500	18.53	0.0713	0.26	18.79	0.0757	23.98	0.2500	Pass
5580	17.15	0.0519	0.26	17.41	0.0551	23.98	0.2500	Pass
5700	17.10	0.0513	0.26	17.36	0.0545	23.98	0.2500	Pass
5745	20.75	0.1189	0.26	21.01	0.1262	30.00	1.0000	Pass
5785	20.11	0.1026	0.26	20.37	0.1089	30.00	1.0000	Pass
5825	20.14	0.1033	0.26	20.40	0.1096	30.00	1.0000	Pass

Test Mode	IEEE 802.11a_Ant. 2	Tested Date	2024/3/29-2024/4/24
-----------	---------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Duty Factor	Conducted Power + Duty Factor (dBm)	Conducted Power + Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	19.83	0.0962	0.26	20.09	0.1021	30.00	1.0000	Pass
5200	23.73	0.2360	0.26	23.99	0.2506	30.00	1.0000	Pass
5240	23.43	0.2203	0.26	23.69	0.2339	30.00	1.0000	Pass
5260	17.43	0.0553	0.26	17.69	0.0587	23.98	0.2500	Pass
5300	17.10	0.0513	0.26	17.36	0.0545	23.98	0.2500	Pass
5320	17.72	0.0592	0.26	17.98	0.0628	23.98	0.2500	Pass
5500	18.62	0.0728	0.26	18.88	0.0773	23.98	0.2500	Pass
5580	18.03	0.0635	0.26	18.29	0.0675	23.98	0.2500	Pass
5700	16.81	0.0480	0.26	17.07	0.0509	23.98	0.2500	Pass
5745	20.32	0.1076	0.26	20.58	0.1143	30.00	1.0000	Pass
5785	20.03	0.1007	0.26	20.29	0.1069	30.00	1.0000	Pass
5825	20.02	0.1005	0.26	20.28	0.1067	30.00	1.0000	Pass

Test Mode	IEEE 802.11a_Total	Tested Date	2024/3/29-2024/4/24
-----------	--------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	22.51	0.1782	30.00	1.0000	Pass
5200	26.27	0.4236	30.00	1.0000	Pass
5240	26.44	0.4406	30.00	1.0000	Pass
5260	20.39	0.1094	23.98	0.2500	Pass
5300	20.04	0.1009	23.98	0.2500	Pass
5320	20.65	0.1161	23.98	0.2500	Pass
5500	21.84	0.1528	23.98	0.2500	Pass
5580	20.88	0.1225	23.98	0.2500	Pass
5700	20.22	0.1052	23.98	0.2500	Pass
5745	23.81	0.2404	30.00	1.0000	Pass
5785	23.34	0.2158	30.00	1.0000	Pass
5825	23.35	0.2163	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT20) _Ant. 1	Tested Date	2024/3/29-2024/4/24
-----------	-----------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Duty Factor	Conducted Power + Duty Factor (dBm)	Conducted Power + Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	17.57	0.0571	0.41	17.98	0.0628	30.00	1.0000	Pass
5200	19.03	0.0800	0.41	19.44	0.0879	30.00	1.0000	Pass
5240	20.52	0.1127	0.41	20.93	0.1239	30.00	1.0000	Pass
5260	16.30	0.0427	0.41	16.71	0.0469	23.98	0.2500	Pass
5300	16.88	0.0488	0.41	17.29	0.0536	23.98	0.2500	Pass
5320	16.36	0.0433	0.41	16.77	0.0475	23.98	0.2500	Pass
5500	18.70	0.0741	0.41	19.11	0.0815	23.98	0.2500	Pass
5580	17.67	0.0585	0.41	17.29	0.0536	23.98	0.2500	Pass
5700	16.72	0.0470	0.41	16.77	0.0475	23.98	0.2500	Pass
5745	19.07	0.0807	0.41	19.48	0.0887	30.00	1.0000	Pass
5785	20.53	0.1130	0.41	20.94	0.1242	30.00	1.0000	Pass
5825	20.55	0.1135	0.41	20.96	0.1247	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT20) _Ant. 2	Tested Date	2024/3/29-2024/4/24
-----------	-----------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Duty Factor	Conducted Power + Duty Factor (dBm)	Conducted Power + Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	18.52	0.0711	0.41	18.93	0.0782	30.00	1.0000	Pass
5200	19.83	0.0962	0.41	20.24	0.1057	30.00	1.0000	Pass
5240	21.18	0.1312	0.41	21.59	0.1442	30.00	1.0000	Pass
5260	16.67	0.0465	0.41	17.08	0.0511	23.98	0.2500	Pass
5300	17.44	0.0555	0.41	17.85	0.0610	23.98	0.2500	Pass
5320	17.05	0.0507	0.41	17.46	0.0557	23.98	0.2500	Pass
5500	18.20	0.0661	0.41	18.61	0.0726	23.98	0.2500	Pass
5580	17.31	0.0538	0.41	17.72	0.0592	23.98	0.2500	Pass
5700	16.12	0.0409	0.41	16.53	0.0450	23.98	0.2500	Pass
5745	18.75	0.0750	0.41	19.16	0.0824	30.00	1.0000	Pass
5785	20.38	0.1091	0.41	20.79	0.1199	30.00	1.0000	Pass
5825	20.57	0.1140	0.41	20.98	0.1253	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT20) _Total	Tested Date	2024/3/29-2024/4/24
-----------	----------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	21.49	0.1409	30.00	1.0000	Pass
5200	22.87	0.1936	30.00	1.0000	Pass
5240	24.28	0.2679	30.00	1.0000	Pass
5260	19.91	0.0979	23.98	0.2500	Pass
5300	20.59	0.1146	23.98	0.2500	Pass
5320	20.14	0.1033	23.98	0.2500	Pass
5500	21.88	0.1542	23.98	0.2500	Pass
5580	20.92	0.1236	23.98	0.2500	Pass
5700	19.85	0.0966	23.98	0.2500	Pass
5745	22.33	0.1710	30.00	1.0000	Pass
5785	23.88	0.2443	30.00	1.0000	Pass
5825	23.98	0.2500	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT40) _Ant. 1	Tested Date	2024/3/29-2024/4/24
-----------	-----------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Duty Factor	Conducted Power + Duty Factor (dBm)	Conducted Power + Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	14.15	0.0260	0.42	14.57	0.0286	30.00	1.0000	Pass
5230	17.76	0.0597	0.42	18.18	0.0658	30.00	1.0000	Pass
5270	16.52	0.0449	0.42	16.94	0.0494	23.98	0.2500	Pass
5310	15.19	0.0330	0.42	15.61	0.0364	23.98	0.2500	Pass
5510	17.09	0.0512	0.42	17.51	0.0564	23.98	0.2500	Pass
5550	17.79	0.0601	0.42	18.21	0.0662	23.98	0.2500	Pass
5670	17.52	0.0565	0.42	17.94	0.0622	23.98	0.2500	Pass
5755	20.96	0.1247	0.42	21.38	0.1374	30.00	1.0000	Pass
5795	20.62	0.1153	0.42	21.04	0.1271	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT40) _Ant. 2	Tested Date	2024/3/29-2024/4/24
-----------	-----------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Duty Factor	Conducted Power + Duty Factor (dBm)	Conducted Power + Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	15.00	0.0316	0.42	15.42	0.0348	30.00	1.0000	Pass
5230	18.29	0.0675	0.42	18.71	0.0743	30.00	1.0000	Pass
5270	17.03	0.0505	0.42	17.45	0.0556	23.98	0.2500	Pass
5310	15.62	0.0365	0.42	16.04	0.0402	23.98	0.2500	Pass
5510	17.15	0.0519	0.42	17.57	0.0571	23.98	0.2500	Pass
5550	17.72	0.0592	0.42	18.14	0.0652	23.98	0.2500	Pass
5670	17.12	0.0515	0.42	17.54	0.0568	23.98	0.2500	Pass
5755	20.85	0.1216	0.42	21.27	0.1340	30.00	1.0000	Pass
5795	20.51	0.1125	0.42	20.93	0.1239	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT40) _Total	Tested Date	2024/3/29-2024/4/24
-----------	----------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	18.02	0.0634	30.00	1.0000	Pass
5230	21.46	0.1400	30.00	1.0000	Pass
5270	20.21	0.1050	23.98	0.2500	Pass
5310	18.84	0.0766	23.98	0.2500	Pass
5510	20.55	0.1135	23.98	0.2500	Pass
5550	21.18	0.1312	23.98	0.2500	Pass
5670	20.75	0.1189	23.98	0.2500	Pass
5755	24.33	0.2710	30.00	1.0000	Pass
5795	23.99	0.2506	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT20) _Ant. 1	Tested Date	2024/3/29-2024/4/24
-----------	-------------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Duty Factor	Conducted Power + Duty Factor (dBm)	Conducted Power + Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	17.35	0.0543	0.49	17.84	0.0608	30.00	1.0000	Pass
5200	19.08	0.0809	0.49	19.57	0.0906	30.00	1.0000	Pass
5240	20.55	0.1135	0.49	21.04	0.1271	30.00	1.0000	Pass
5260	16.30	0.0427	0.49	16.79	0.0478	23.98	0.2500	Pass
5300	16.83	0.0482	0.49	17.32	0.0540	23.98	0.2500	Pass
5320	16.60	0.0457	0.49	17.09	0.0512	23.98	0.2500	Pass
5500	18.55	0.0716	0.49	19.04	0.0802	23.98	0.2500	Pass
5580	17.76	0.0597	0.49	18.25	0.0668	23.98	0.2500	Pass
5700	16.80	0.0479	0.49	17.29	0.0536	23.98	0.2500	Pass
5745	18.21	0.0662	0.49	18.70	0.0741	30.00	1.0000	Pass
5785	20.55	0.1135	0.49	21.04	0.1271	30.00	1.0000	Pass
5825	20.55	0.1135	0.49	21.04	0.1271	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT20) _Ant. 2	Tested Date	2024/3/29-2024/4/24
-----------	-------------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Duty Factor	Conducted Power + Duty Factor (dBm)	Conducted Power + Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	18.64	0.0731	0.49	19.13	0.0818	30.00	1.0000	Pass
5200	20.15	0.1035	0.49	20.64	0.1159	30.00	1.0000	Pass
5240	21.58	0.1439	0.49	22.07	0.1611	30.00	1.0000	Pass
5260	17.02	0.0504	0.49	17.51	0.0564	23.98	0.2500	Pass
5300	17.70	0.0589	0.49	18.19	0.0659	23.98	0.2500	Pass
5320	17.27	0.0533	0.49	17.76	0.0597	23.98	0.2500	Pass
5500	18.45	0.0700	0.49	18.94	0.0783	23.98	0.2500	Pass
5580	17.42	0.0552	0.49	17.91	0.0618	23.98	0.2500	Pass
5700	16.42	0.0439	0.49	16.91	0.0491	23.98	0.2500	Pass
5745	18.82	0.0762	0.49	19.31	0.0853	30.00	1.0000	Pass
5785	20.35	0.1084	0.49	20.84	0.1213	30.00	1.0000	Pass
5825	20.72	0.1180	0.49	21.21	0.1321	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT20) _Total	Tested Date	2024/3/29-2024/4/24
-----------	------------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	21.54	0.1426	30.00	1.0000	Pass
5200	23.15	0.2065	30.00	1.0000	Pass
5240	24.60	0.2884	30.00	1.0000	Pass
5260	20.18	0.1042	23.98	0.2500	Pass
5300	20.79	0.1199	23.98	0.2500	Pass
5320	20.45	0.1109	23.98	0.2500	Pass
5500	22.00	0.1585	23.98	0.2500	Pass
5580	21.09	0.1285	23.98	0.2500	Pass
5700	20.12	0.1028	23.98	0.2500	Pass
5745	22.03	0.1596	30.00	1.0000	Pass
5785	23.95	0.2483	30.00	1.0000	Pass
5825	24.14	0.2594	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT40) _Ant. 1	Tested Date	2024/3/29-2024/4/24
-----------	-------------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Duty Factor	Conducted Power + Duty Factor (dBm)	Conducted Power + Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	14.63	0.0290	0.44	15.07	0.0321	30.00	1.0000	Pass
5230	18.20	0.0661	0.44	18.64	0.0731	30.00	1.0000	Pass
5270	16.86	0.0485	0.44	17.30	0.0537	23.98	0.2500	Pass
5310	16.14	0.0411	0.44	16.58	0.0455	23.98	0.2500	Pass
5510	17.67	0.0585	0.44	18.11	0.0647	23.98	0.2500	Pass
5550	18.27	0.0671	0.44	18.71	0.0743	23.98	0.2500	Pass
5670	17.99	0.0630	0.44	18.43	0.0697	23.98	0.2500	Pass
5755	21.71	0.1483	0.44	22.15	0.1641	30.00	1.0000	Pass
5795	21.18	0.1312	0.44	21.62	0.1452	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT40) _Ant. 2	Tested Date	2024/3/29-2024/4/24
-----------	-------------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Duty Factor	Conducted Power + Duty Factor (dBm)	Conducted Power + Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	15.41	0.0348	0.44	15.85	0.0385	30.00	1.0000	Pass
5230	18.87	0.0771	0.44	19.31	0.0853	30.00	1.0000	Pass
5270	17.61	0.0577	0.44	18.05	0.0638	23.98	0.2500	Pass
5310	16.11	0.0408	0.44	16.55	0.0452	23.98	0.2500	Pass
5510	17.54	0.0568	0.44	17.98	0.0628	23.98	0.2500	Pass
5550	17.20	0.0525	0.44	17.64	0.0581	23.98	0.2500	Pass
5670	17.59	0.0574	0.44	18.03	0.0635	23.98	0.2500	Pass
5755	21.07	0.1279	0.44	21.51	0.1416	30.00	1.0000	Pass
5795	20.98	0.1253	0.44	21.42	0.1387	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT40) _Total	Tested Date	2024/3/29-2024/4/24
-----------	------------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	18.49	0.0706	30.00	1.0000	Pass
5230	22.00	0.1585	30.00	1.0000	Pass
5270	20.70	0.1175	23.98	0.2500	Pass
5310	19.57	0.0906	23.98	0.2500	Pass
5510	21.05	0.1274	23.98	0.2500	Pass
5550	21.22	0.1324	23.98	0.2500	Pass
5670	21.24	0.1330	23.98	0.2500	Pass
5755	24.85	0.3055	30.00	1.0000	Pass
5795	24.53	0.2838	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT80) _Ant. 1	Tested Date	2024/3/29-2024/4/24
-----------	-------------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Duty Factor	Conducted Power + Duty Factor (dBm)	Conducted Power + Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	12.53	0.0179	0.55	13.08	0.0203	30.00	1.0000	Pass
5290	14.32	0.0270	0.55	14.87	0.0307	23.98	0.2500	Pass
5530	13.16	0.0207	0.55	13.71	0.0235	23.98	0.2500	Pass
5610	18.46	0.0701	0.55	19.01	0.0796	23.98	0.2500	Pass
5775	17.90	0.0617	0.55	18.45	0.0700	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT80) _Ant. 2	Tested Date	2024/3/29-2024/4/24
-----------	-------------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Duty Factor	Conducted Power + Duty Factor (dBm)	Conducted Power + Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	12.85	0.0193	0.55	13.40	0.0219	30.00	1.0000	Pass
5290	14.82	0.0303	0.55	15.37	0.0344	23.98	0.2500	Pass
5530	14.19	0.0262	0.55	14.74	0.0298	23.98	0.2500	Pass
5610	18.08	0.0643	0.55	18.63	0.0729	23.98	0.2500	Pass
5775	17.84	0.0608	0.55	18.39	0.0690	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT80) _Total	Tested Date	2024/3/29-2024/4/24
-----------	------------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	16.25	0.0422	30.00	1.0000	Pass
5290	18.13	0.0650	23.98	0.2500	Pass
5530	17.26	0.0532	23.98	0.2500	Pass
5610	21.83	0.1524	23.98	0.2500	Pass
5775	21.43	0.1390	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT160) _Ant. 1	Tested Date	2024/3/29-2024/4/24
-----------	--------------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Duty Factor	Conducted Power + Duty Factor (dBm)	Conducted Power + Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	11.36	0.0137	0.43	11.79	0.0151	23.98	0.2500	Pass
5570	13.11	0.0205	0.43	13.54	0.0226	23.98	0.2500	Pass

Test Mode	IEEE 802.11ac (VHT160) _Ant. 2	Tested Date	2024/3/29-2024/4/24
-----------	--------------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Duty Factor	Conducted Power + Duty Factor (dBm)	Conducted Power + Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	12.28	0.0169	0.43	12.71	0.0187	23.98	0.2500	Pass
5570	12.91	0.0195	0.43	13.34	0.0216	23.98	0.2500	Pass

Test Mode	IEEE 802.11ac (VHT160) _Total	Tested Date	2024/3/29-2024/4/24
-----------	-------------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	15.28	0.0337	23.98	0.2500	Pass
5290	16.45	0.0442	23.98	0.2500	Pass

Test Mode	IEEE 802.11ax (HE20) _Ant. 1	Tested Date	2024/3/29-2024/4/24
-----------	------------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Duty Factor	Conducted Power + Duty Factor (dBm)	Conducted Power + Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	17.15	0.0519	0.41	17.56	0.0570	30.00	1.0000	Pass
5200	19.15	0.0822	0.41	19.56	0.0904	30.00	1.0000	Pass
5240	20.23	0.1054	0.41	20.64	0.1159	30.00	1.0000	Pass
5260	16.55	0.0452	0.41	16.96	0.0497	23.98	0.2500	Pass
5300	17.05	0.0507	0.41	17.46	0.0557	23.98	0.2500	Pass
5320	16.93	0.0493	0.41	17.34	0.0542	23.98	0.2500	Pass
5500	18.01	0.0632	0.41	18.42	0.0695	23.98	0.2500	Pass
5580	18.05	0.0638	0.41	18.46	0.0701	23.98	0.2500	Pass
5700	17.55	0.0569	0.41	17.96	0.0625	23.98	0.2500	Pass
5745	20.04	0.1009	0.41	20.45	0.1109	30.00	1.0000	Pass
5785	20.30	0.1072	0.41	20.71	0.1178	30.00	1.0000	Pass
5825	20.30	0.1072	0.41	20.71	0.1178	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE20) _Ant. 2	Tested Date	2024/3/29-2024/4/24
-----------	------------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Duty Factor	Conducted Power + Duty Factor (dBm)	Conducted Power + Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	18.77	0.0753	0.41	19.18	0.0828	30.00	1.0000	Pass
5200	20.35	0.1084	0.41	20.76	0.1191	30.00	1.0000	Pass
5240	21.10	0.1288	0.41	21.51	0.1416	30.00	1.0000	Pass
5260	17.20	0.0525	0.41	17.61	0.0577	23.98	0.2500	Pass
5300	18.03	0.0635	0.41	18.44	0.0698	23.98	0.2500	Pass
5320	17.51	0.0564	0.41	17.92	0.0619	23.98	0.2500	Pass
5500	18.17	0.0656	0.41	18.58	0.0721	23.98	0.2500	Pass
5580	18.11	0.0647	0.41	18.52	0.0711	23.98	0.2500	Pass
5700	17.03	0.0505	0.41	17.44	0.0555	23.98	0.2500	Pass
5745	19.95	0.0989	0.41	20.36	0.1086	30.00	1.0000	Pass
5785	20.65	0.1161	0.41	21.06	0.1276	30.00	1.0000	Pass
5825	20.57	0.1140	0.41	20.98	0.1253	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE20) _Total	Tested Date	2024/3/29-2024/4/24
-----------	-----------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	21.45	0.1396	30.00	1.0000	Pass
5200	23.21	0.2094	30.00	1.0000	Pass
5240	24.10	0.2570	30.00	1.0000	Pass
5260	20.30	0.1072	23.98	0.2500	Pass
5300	20.98	0.1253	23.98	0.2500	Pass
5320	20.65	0.1161	23.98	0.2500	Pass
5500	21.51	0.1416	23.98	0.2500	Pass
5580	21.50	0.1413	23.98	0.2500	Pass
5700	20.72	0.1180	23.98	0.2500	Pass
5745	23.41	0.2193	30.00	1.0000	Pass
5785	23.90	0.2455	30.00	1.0000	Pass
5825	23.85	0.2427	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE40) _Ant. 1	Tested Date	2024/3/29-2024/4/24
-----------	------------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Duty Factor	Conducted Power + Duty Factor (dBm)	Conducted Power + Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	14.25	0.0266	0.46	14.71	0.0296	30.00	1.0000	Pass
5230	17.60	0.0575	0.46	18.06	0.0640	30.00	1.0000	Pass
5270	16.35	0.0432	0.46	16.81	0.0480	23.98	0.2500	Pass
5310	14.95	0.0313	0.46	15.41	0.0348	23.98	0.2500	Pass
5510	16.75	0.0473	0.46	17.21	0.0526	23.98	0.2500	Pass
5550	18.03	0.0635	0.46	18.49	0.0706	23.98	0.2500	Pass
5670	17.35	0.0543	0.46	17.81	0.0604	23.98	0.2500	Pass
5755	20.45	0.1109	0.46	20.91	0.1233	30.00	1.0000	Pass
5795	20.56	0.1138	0.46	20.91	0.1233	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE40) _Ant. 2	Tested Date	2024/3/29-2024/4/24
-----------	------------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Duty Factor	Conducted Power + Duty Factor (dBm)	Conducted Power + Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	15.10	0.0324	0.46	15.56	0.0360	30.00	1.0000	Pass
5230	18.50	0.0708	0.46	18.96	0.0787	30.00	1.0000	Pass
5270	17.42	0.0552	0.46	17.88	0.0614	23.98	0.2500	Pass
5310	15.75	0.0376	0.46	16.21	0.0418	23.98	0.2500	Pass
5510	17.12	0.0515	0.46	17.58	0.0573	23.98	0.2500	Pass
5550	18.42	0.0695	0.46	18.88	0.0773	23.98	0.2500	Pass
5670	17.12	0.0515	0.46	17.58	0.0573	23.98	0.2500	Pass
5755	20.35	0.1084	0.46	20.81	0.1205	30.00	1.0000	Pass
5795	20.55	0.1135	0.46	21.01	0.1262	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE40) _Total	Tested Date	2024/3/29-2024/4/24
-----------	-----------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	18.17	0.0656	30.00	1.0000	Pass
5230	21.54	0.1426	30.00	1.0000	Pass
5270	20.39	0.1094	30.00	1.0000	Pass
5310	18.84	0.0766	23.98	0.2500	Pass
5510	20.41	0.1099	23.98	0.2500	Pass
5550	21.70	0.1479	23.98	0.2500	Pass
5670	20.71	0.1178	23.98	0.2500	Pass
5755	23.87	0.2438	30.00	1.0000	Pass
5795	24.03	0.2529	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE80) _Ant. 1	Tested Date	2024/3/29-2024/4/24
-----------	------------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Duty Factor	Conducted Power + Duty Factor (dBm)	Conducted Power + Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	12.05	0.0160	0.44	12.49	0.0177	30.00	1.0000	Pass
5290	13.53	0.0225	0.44	13.97	0.0249	23.98	0.2500	Pass
5530	12.62	0.0183	0.44	13.06	0.0202	23.98	0.2500	Pass
5610	18.13	0.0650	0.44	18.57	0.0719	23.98	0.2500	Pass
5775	17.51	0.0564	0.44	17.95	0.0624	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE80) _Ant. 2	Tested Date	2024/3/29-2024/4/24
-----------	------------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Duty Factor	Conducted Power + Duty Factor (dBm)	Conducted Power + Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	12.48	0.0177	0.44	12.92	0.0196	30.00	1.0000	Pass
5290	14.15	0.0260	0.44	14.59	0.0288	23.98	0.2500	Pass
5530	13.81	0.0240	0.44	14.25	0.0266	23.98	0.2500	Pass
5610	17.85	0.0610	0.44	18.29	0.0675	23.98	0.2500	Pass
5775	17.45	0.0556	0.44	17.89	0.0615	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE80) _Total	Tested Date	2024/3/29-2024/4/24
-----------	-----------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	15.72	0.0373	30.00	1.0000	Pass
5290	17.31	0.0538	23.98	0.2500	Pass
5530	16.71	0.0469	23.98	0.2500	Pass
5610	21.45	0.1396	23.98	0.2500	Pass
5775	20.93	0.1239	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE160) _Ant. 1	Tested Date	2024/3/29-2024/4/24
-----------	-------------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Duty Factor	Conducted Power + Duty Factor (dBm)	Conducted Power + Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	11.25	0.0133	0.46	11.71	0.0148	23.98	0.2500	Pass
5570	12.55	0.0180	0.46	13.01	0.0200	23.98	0.2500	Pass

Test Mode	IEEE 802.11ax (HE160) _Ant. 2	Tested Date	2024/3/29-2024/4/24
-----------	-------------------------------	-------------	---------------------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Duty Factor	Conducted Power + Duty Factor (dBm)	Conducted Power + Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	11.41	0.0138	0.46	11.87	0.0154	23.98	0.2500	Pass
5570	12.65	0.0184	0.46	13.11	0.0205	23.98	0.2500	Pass

Test Mode	IEEE 802.11ax (HE 160) _Total	Tested Date	2024/3/29-2024/4/24
-----------	-------------------------------	-------------	---------------------


Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	14.80	0.0302	23.98	0.2500	Pass
5290	16.07	0.0405	23.98	0.2500	Pass

APPENDIX F POWER SPECTRAL DENSITY

Test Mode IEEE 802.11a_Ant. 1


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	7.26	0.26	7.52	17	Pass
5200	10.87	0.26	11.13	17	Pass
5240	11.01	0.26	11.27	17	Pass

5180 MHz




Date: 23.APR.2024 18:38:17

5200 MHz




Date: 23.APR.2024 18:39:35

5240 MHz




Date: 23.APR.2024 18:40:37

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	4.88	0.26	5.14	11	Pass
5300	5.40	0.26	5.66	11	Pass
5320	5.69	0.26	5.95	11	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	6.23	0.26	6.49	11	Pass
5580	6.11	0.26	6.37	11	Pass
5700	4.93	0.26	5.19	11	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	5.51	12.50	0.26	12.76	30	Pass
5785	5.08	12.07	0.26	12.33	30	Pass
5825	4.59	11.58	0.26	11.84	30	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode IEEE 802.11a_Ant. 2


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	7.57	0.26	7.83	17	Pass
5200	11.24	0.26	11.50	17	Pass
5240	11.45	0.26	11.71	17	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	5.17	0.26	5.43	11	Pass
5300	5.34	0.26	5.60	11	Pass
5320	5.71	0.26	5.97	11	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	6.00	0.26	6.26	11	Pass
5580	5.87	0.26	6.13	11	Pass
5700	4.32	0.26	4.58	11	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	5.67	12.66	0.26	12.92	30	Pass
5785	5.84	12.83	0.26	13.09	30	Pass
5825	4.89	11.88	0.26	12.14	30	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11a_Total
-----------	--------------------

Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5180	10.69	17.00	Pass
5200	14.33	17.00	Pass
5240	14.51	17.00	Pass
5260	8.30	11.00	Pass
5300	8.64	11.00	Pass
5320	8.97	11.00	Pass
5500	9.39	11.00	Pass
5580	9.26	11.00	Pass
5700	7.91	11.00	Pass
5745	15.85	30.00	Pass
5785	15.74	30.00	Pass
5825	15.00	30.00	Pass

Test Mode IEEE 802.11ac (VHT20)_Ant. 1


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	5.44	0.49	5.93	17	Pass
5200	6.25	0.49	6.74	17	Pass
5240	8.77	0.49	9.26	17	Pass

5180 MHz




Date: 23.APR.2024 20:18:53

5200 MHz




Date: 23.APR.2024 20:20:26

5240 MHz




Date: 23.APR.2024 20:21:46

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	4.40	0.49	4.89	11	Pass
5300	4.54	0.49	5.03	11	Pass
5320	3.57	0.49	4.06	11	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	5.16	0.49	5.65	11	Pass
5580	5.19	0.49	5.68	11	Pass
5700	3.34	0.49	3.83	11	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	3.67	10.66	0.49	11.15	30	Pass
5785	2.78	9.77	0.49	10.26	30	Pass
5825	5.08	12.07	0.49	12.56	30	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$



Test Mode IEEE 802.11ac (VHT20)_Ant. 2


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	5.60	0.49	6.09	17	Pass
5200	5.53	0.49	6.02	17	Pass
5240	8.86	0.49	9.35	17	Pass

5180 MHz




Date: 23.APR.2024 17:13:42

5200 MHz




Date: 23.APR.2024 17:14:24

5240 MHz




Date: 23.APR.2024 17:15:00

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	4.73	0.49	5.22	11	Pass
5300	4.28	0.49	4.77	11	Pass
5320	3.19	0.49	3.68	11	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	5.40	0.49	5.89	11	Pass
5580	5.45	0.49	5.94	11	Pass
5700	3.17	0.49	3.66	11	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	3.26	10.25	0.49	10.74	30	Pass
5785	2.72	9.71	0.49	10.2	30	Pass
5825	3.87	10.86	0.49	11.35	30	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT20)_Total
-----------	-----------------------------


Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5180	9.02	17.00	Pass
5200	9.41	17.00	Pass
5240	12.32	17.00	Pass
5260	8.07	11.00	Pass
5300	7.91	11.00	Pass
5320	6.88	11.00	Pass
5500	8.78	11.00	Pass
5580	8.82	11.00	Pass
5700	6.76	11.00	Pass
5745	13.96	30.00	Pass
5785	13.24	30.00	Pass
5825	15.01	30.00	Pass

Test Mode IEEE 802.11ac (VHT40)_Ant. 1


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-1.56	0.44	-1.12	17	Pass
5230	-3.66	0.44	-3.22	17	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	2.15	0.44	2.59	11	Pass
5310	1.00	0.44	1.44	11	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	0.73	0.44	1.17	11	Pass
5550	3.08	0.44	3.52	11	Pass
5670	0.49	0.44	0.93	11	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	2.76	9.75	0.44	10.19	30	Pass
5795	-0.19	6.80	0.44	7.24	30	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$



Test Mode IEEE 802.11ac (VHT40)_Ant. 2

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-1.60	0.44	-1.16	17	Pass
5230	3.70	0.44	4.14	17	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	2.13	0.44	2.57	11	Pass
5310	1.13	0.44	1.57	11	Pass

