

APPENDIX I: 802.11AX RU SAR EXCLUSION

I.1 IEEE 802.11ax RU SAR Exclusion

To make the most efficient use of the additional available subcarriers (data tones), IEEE 802.11ax can utilize Orthogonal Frequency-Division Multiple Access (OFDMA) which divides the existing 802.11 channels into smaller subchannels called Resource Units (RUs). Possible RU sizes are: 26T, 52T, 106T, 242T, 484T and 996T.

Per FCC Guidance, 802.11ax was considered a higher order 802.11 mode when compared to a/b/g/n/ac to apply KDB Publication 248227 D01v02r02 for OFDM mode selection. Therefore, SAR tests were not required for 802.11ax based on the maximum allowed output powers of OFDM modes and the reported SAR values. Per FCC Guidance, maximum conducted powers were performed for each RU size to demonstrate that the output powers would not be higher than the other OFDM 802.11 modes.

I.2 IEEE 802.11ax RU Target Powers

I.2.1 Maximum 802.11ax RU WLAN Output Power

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1a															
		Power															
		SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD
2.4 GHz WFI 20 MHz Bandwidth	1	20T (Maximum)	20T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	242T (Maximum)	242T (Nominal)	484T (Maximum)	484T (Nominal)	996T (Maximum)	996T (Nominal)	242T (Maximum)	242T (Nominal)	242T (Maximum)	242T (Nominal)
	2	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75
	3	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75
	4	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75
	5	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75
	6	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75
	7	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75
	8	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75
	9	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75
	10	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75
	11	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75
	12	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b															
		Power															
		SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD
2.4 GHz WFI 20 MHz Bandwidth	1	20T (Maximum)	20T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	242T (Maximum)	242T (Nominal)	484T (Maximum)	484T (Nominal)	996T (Maximum)	996T (Nominal)	242T (Maximum)	242T (Nominal)	242T (Maximum)	242T (Nominal)
	2	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	3	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	4	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	5	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	6	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	7	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	8	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	9	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	10	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	11	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	12	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b																
		Power																
		SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD		
5 GHz WFI 20 MHz Bandwidth		20T (Maximum)	20T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	242T (Maximum)	242T (Nominal)	484T (Maximum)	484T (Nominal)	996T (Maximum)	996T (Nominal)	996T*2 (Maximum)	996T*2 (Nominal)			
	36	8.75	7.25	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	40	8.75	7.25	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	44	8.75	7.25	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	48	8.75	7.25	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	52	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	56	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	60	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	64	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	68	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	72	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	76	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	80	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	84	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	88	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	92	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
5 GHz WFI 40 MHz Bandwidth <td>100</td> <td>NS</td> <td>NS</td> <td>11.00</td> <td>9.50</td> <td>11.00</td> <td>9.50</td> <td>11.00</td> <td>9.50</td> <td>11.00</td> <td>9.50</td> <td>11.00</td> <td>9.50</td> <td>11.00</td> <td>9.50</td> <td></td> <td></td>	100	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	104	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	108	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	112	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	116	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	120	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	124	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	128	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	132	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	136	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	140	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	144	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	148	8.75	7.25	9.75	8.25	8.75	8.75	8.25	8.75	8.75	8.25	8.75	8.75	8.25	8.75	8.25		
	152	8.75	7.25	9.75	8.25	8.75	8.75	8.25	8.75	8.75	8.25	8.75	8.75	8.25	8.75	8.25		
	156	8.75	7.25	9.75	8.25	8.75	8.75	8.25	8.75	8.75	8.25	8.75	8.75	8.25	8.75	8.25		
	160	8.75	7.25	9.75	8.25	8.75	8.75	8.25	8.75	8.75	8.25	8.75	8.75	8.25	8.75	8.25		
5 GHz WFI 80 MHz Bandwidth <td>36</td> <td>8.75</td> <td>7.25</td> <td>11.00</td> <td>9.50</td> <td>11.00</td> <td>9.50</td> <td>11.00</td> <td>9.50</td> <td>11.00</td> <td>9.50</td> <td>11.00</td> <td>9.50</td> <td>11.00</td> <td>9.50</td> <td></td> <td></td>	36	8.75	7.25	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	40	8.75	7.25	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	44	8.75	7.25	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	48	8.75	7.25	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	52	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	56	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	60	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	64	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	68	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	72	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	76	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	80	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	84	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	88	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	92	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	96	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
5 GHz WFI 160 MHz Bandwidth <td>100</td> <td>NS</td> <td>NS</td> <td>11.00</td> <td>9.50</td> <td>11.00</td> <td>9.50</td> <td>11.00</td> <td>9.50</td> <td>11.00</td> <td>9.50</td> <td>11.00</td> <td>9.50</td> <td>11.00</td> <td>9.50</td> <td></td> <td></td>	100	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	104	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	108	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	112	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	116	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	120	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	124	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	128	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	132	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	136	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	140	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	144	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50			
	148	8.75	7.25	9.75	8.25	8.75	8.75	8.25	8.75	8.75	8.25	8.75	8.75	8.25	8.75	8.25		
	152	8.75	7.25	9.75	8.25	8.75	8.75	8.25	8.75	8.75	8.25	8.75	8.75	8.25	8.75	8.25		
	156	8.75	7.25	9.75	8.25	8.75	8.75	8.25	8.75	8.75	8.25	8.75	8.75	8.25	8.75	8.25		
	160	8.75	7.25	9.75	8.25	8.75	8.75	8.25	8.75	8.75	8.25	8.75	8.75	8.25	8.75	8.25		

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b															
		SS0		SS0		SS0		SS0		SS0		SS0		SS0		SS0	
		2d1 (Maximum)	2d1 (Nominal)	32T (Maximum)	32T (Nominal)	10d1 (Maximum)	10d1 (Nominal)	242T (Maximum)	242T (Nominal)	48d1 (Maximum)	48d1 (Nominal)	96d1 (Maximum)	96d1 (Nominal)	96d1*2 (Maximum)	96d1*2 (Nominal)		
6 GHz Wd1 (30MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	6-28	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	33-45	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	46-56	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	57	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	117-181	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	182-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	226	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
6 GHz Wd1 (30MHz BW) VLP	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	14-27	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	28-38	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	39-45	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	46-56	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	57	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	117-181	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	182-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
6 GHz Wd1 (30MHz BW) VLP	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	14-27	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	28-38	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	39-45	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	46-56	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	57	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	117-181	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	182-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
6 GHz Wd1 (30MHz BW) VLP	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	14-27	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	28-38	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	39-45	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	46-56	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	57	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	117-181	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	182-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
6 GHz Wd1 (30MHz BW) VLP	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	14-27	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	28-38	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	39-45	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	46-56	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	57	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	117-181	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	182-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
6 GHz Wd1 (30MHz BW) VLP	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	14-27	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	28-38	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	39-45	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	46-56	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	57	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	117-181	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	182-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
6 GHz Wd1 (30MHz BW) VLP	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	14-27	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	28-38	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	39-45	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	46-56	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	57	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	117-181	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	182-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
6 GHz Wd1 (30MHz BW) VLP	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	14-27	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	28-38	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	39-45	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	46-56	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	57	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	117-181	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	182-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b																					
		SS0		SS0		SS0		SS0		SS0		SS0		SS0		SS0		SS0		SS0		SS0	
		2d1 (Maximum)	2d1 (Nominal)	32T (Maximum)	32T (Nominal)	10d1 (Maximum)	10d1 (Nominal)	242T (Maximum)	242T (Nominal)	48d1 (Maximum)	48d1 (Nominal)	96d1 (Maximum)	96d1 (Nominal)	96d1*2 (Maximum)	96d1*2 (Nominal)								
6 GHz Wd1 (30MHz BW) SP	2	N5	N5	N5	N5	N5	N5	N5	N5	N5	N5	N5	N5	N5									
	3	1.75	6.75	10.00	6.75	10.00	6.75	10.00	6.75	10.00	6.75	10.00	6.75	10.00									
	5	1.75	6.75	10.00	6.75	10.00	6.75	10.00	6.75	10.00	6.75	10.00	6.75	10.00									
	10	6.75	6.75	10.00	6.75	10.00	6.75	10.00	6.75	10.00	6.75	10.00	6.75	10.00									
	10-45	6.75	6.75	10.00	6.75	10.00	6.75	10.00	6.75	10.00	6.75	10.00	6.75	10.00									
	10-60	6.75	6.75	10.00	6.75	10.00	6.75	10.00	6.75	10.00	6.75	10.00	6.75	10.00									
	10-75	6.75	6.75	10.00	6.75	10.00	6.75	10.00	6.75	10.00	6.75	10.00	6.75	10.00									
	10-90	6.75	6.75	10.00	6.75	10.00	6.75	10.00	6.75	10.00	6.75	10.00	6.75	10.00									
	10-110	6.75	6.75	10.00	6.75	10.00	6.75	10.00	6.75	10.00	6.75	10.00	6.75	10.00									
	110-180	7.25	5.75	10.25	8.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25									
6 GHz Wd1 (30MHz BW) SP	200	N5	N5	N5	N5	N5	N5	N5	N5	N5	N5	N5	N5	N5									
	200-225	N5	N5	N5	N5	N5	N5	N5	N5	N5	N5	N5	N5	N5									
	225	N5	N5	N5	N5	N5	N5	N5	N5	N5	N5	N5	N5	N5									
	3	6.25	6.75	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00									
	13	6.25	6.75	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00									
	10-10	6.25	6.75	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00									
	10-20	6.25	6.75	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00									
	10-30	6.25	6.75	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00									
	10-40	6.25	6.75	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00									
	10-50	6.25	6.75	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00									
6 GHz Wd1 (30MHz BW) SP	10-60	6.25	6.75	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00									
	10-70	6.25	6.75	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00									
	10-80	6.25	6.75	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00									
	10-90	6.25	6.75	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00									
	10-100	6.25	6.75	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00									
	10-110	6.25	6.75	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00									
	10-120	6.25	6.75	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00									
	10-130	6.25	6.75	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00	6.50	10.00									
	10-140	6.25	6.75	10.00	6.50																		

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 2b															
		SISO		SISO		SISO		SISO		SISO		SISO		SISO		SISO	
S-GW WRT (optimal SW) LP	28T (Maximum)	28T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	242T (Maximum)	242T (Nominal)	484T (Maximum)	484T (Nominal)	996T (Maximum)	996T (Nominal)	996T*2 (Maximum)	996T*2 (Nominal)			
	0	NS	NS	NS	NS	NS	NS	NS									
	1	-4.25	-5.75	-1.25	-2.75	-1.75	-3.25	-3.75	3.75	8.25	6.75						
	5	-4.25	-5.75	-1.25	-2.75	-1.75	-3.25	-3.75	3.75	8.25	6.75						
	9.25	-4.25	-5.75	-1.25	-2.75	-1.75	-3.25	-3.75	3.75	8.25	6.75						
	39.45	-3.75	-5.25	-0.75	-2.25	-2.25	-3.75	-3.75	3.75	8.25	6.75						
	59.65	-4.00	-5.50	-1.00	-2.50	-2.50	-4.00	-4.00	3.50	8.00	6.50						
	89	-4.00	-5.50	-1.00	-2.50	-2.50	-4.00	-4.00	3.50	8.00	6.50						
	109	-4.00	-5.50	-1.00	-2.50	-2.50	-4.00	-4.00	3.50	8.00	6.50						
	129.125	-4.00	-5.50	-1.00	-2.50	-2.50	-4.00	-4.00	3.50	8.00	6.50						
	149.125	-4.00	-5.50	-1.00	-2.50	-2.50	-4.00	-4.00	3.50	8.00	6.50						
	169.125	-4.00	-5.50	-1.00	-2.50	-2.50	-4.00	-4.00	3.50	8.00	6.50						
	189.125	-4.00	-5.50	-1.00	-2.50	-2.50	-4.00	-4.00	3.50	8.00	6.50						
	209	NS	NS	NS	NS	NS	NS	NS	NS								
	229	NS	NS	NS	NS	NS	NS	NS	NS								
	S-GW WRT (optimal SW) LP	28T (Maximum)	28T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	242T (Maximum)	242T (Nominal)	484T (Maximum)	484T (Nominal)	996T (Maximum)	996T (Nominal)	996T*2 (Maximum)	996T*2 (Nominal)		
0		NS	NS	NS	NS	NS	NS	NS									
1		-4.25	-5.75	-1.25	-2.75	-1.75	-3.25	-3.75	3.75	8.25	6.75						
5		-4.25	-5.75	-1.25	-2.75	-1.75	-3.25	-3.75	3.75	8.25	6.75						
9.25		-4.25	-5.75	-1.25	-2.75	-1.75	-3.25	-3.75	3.75	8.25	6.75						
39.45		-4.00	-5.50	-1.00	-2.50	-2.50	-4.00	-4.00	3.50	8.00	6.50						
59.65		-4.00	-5.50	-1.00	-2.50	-2.50	-4.00	-4.00	3.50	8.00	6.50						
89		-4.00	-5.50	-1.00	-2.50	-2.50	-4.00	-4.00	3.50	8.00	6.50						
109		-4.00	-5.50	-1.00	-2.50	-2.50	-4.00	-4.00	3.50	8.00	6.50						
129.125		-4.00	-5.50	-1.00	-2.50	-2.50	-4.00	-4.00	3.50	8.00	6.50						
149.125		-4.00	-5.50	-1.00	-2.50	-2.50	-4.00	-4.00	3.50	8.00	6.50						
169.125		-4.00	-5.50	-1.00	-2.50	-2.50	-4.00	-4.00	3.50	8.00	6.50						
189.125		-4.00	-5.50	-1.00	-2.50	-2.50	-4.00	-4.00	3.50	8.00	6.50						
209		NS	NS	NS	NS	NS	NS	NS	NS								
229		NS	NS	NS	NS	NS	NS	NS	NS								
S-GW WRT (optimal SW) LP		28T (Maximum)	28T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	242T (Maximum)	242T (Nominal)	484T (Maximum)	484T (Nominal)	996T (Maximum)	996T (Nominal)	996T*2 (Maximum)	996T*2 (Nominal)		
	0	NS	NS	NS	NS	NS	NS	NS									
	1	-4.25	-5.75	-1.25	-2.75	-1.											

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b															
		SISO	SISO	SISO	SISO	SISO	SISO	TDD		SISO	SISO	SISO	SISO	SISO	SISO	SISO	SISO
		20T (Maximum)	20T (Nominal)	52T (Maximum)	52T (Nominal)	100T (Maximum)	100T (Nominal)	242T (Maximum)	242T (Nominal)	404T (Maximum)	404T (Nominal)	996T (Maximum)	996T (Nominal)	996T*2 (Maximum)	996T*2 (Nominal)	996T*2 (Maximum)	996T*2 (Nominal)
6 GHz WIF (20MHz BW)	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	9-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WIF (20MHz BW)	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	9-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WIF (20MHz BW)	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	9-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WIF (20MHz BW)	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	9-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

[illegible]

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 17															
		SISO															
		TxPower															
6 GHz Wi-Fi (6000 MHz) VLP	20T (Maximum)	20T (Nominal)	52T (Maximum)	52T (Nominal)	100T (Maximum)	100T (Nominal)	242T (Maximum)	242T (Nominal)	404T (Maximum)	404T (Nominal)	996T (Maximum)	996T (Nominal)	996T*2 (Maximum)	996T*2 (Nominal)			
	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	8-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	40	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	40	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
6 GHz Wi-Fi (6000 MHz) VLP	20T (Maximum)	20T (Nominal)	52T (Maximum)	52T (Nominal)	100T (Maximum)	100T (Nominal)	242T (Maximum)	242T (Nominal)	404T (Maximum)	404T (Nominal)	996T (Maximum)	996T (Nominal)	996T*2 (Maximum)	996T*2 (Nominal)			
	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	8-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	40	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	40	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
6 GHz Wi-Fi (6000 MHz) VLP	20T (Maximum)	20T (Nominal)	52T (Maximum)	52T (Nominal)	100T (Maximum)	100T (Nominal)	242T (Maximum)	242T (Nominal)	404T (Maximum)	404T (Nominal)	996T (Maximum)	996T (Nominal)	996T*2 (Maximum)	996T*2 (Nominal)			
	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	8-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	40	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	40	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
6 GHz Wi-Fi (6000 MHz) VLP	20T (Maximum)	20T (Nominal)	52T (Maximum)	52T (Nominal)	100T (Maximum)	100T (Nominal)	242T (Maximum)	242T (Nominal)	404T (Maximum)	404T (Nominal)	996T (Maximum)	996T (Nominal)	996T*2 (Maximum)	996T*2 (Nominal)			
	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	8-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	40	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	40	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	10-110	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

Mode	Channel	RIS B01.11 (Maximum in dBm) - Antenna S1															
		SISO		SISO		SISO		SISO		SISO		SISO		SISO		SISO	
		2d1 (Maximum)	2d1 (Nominal)	32T (Maximum)	32T (Nominal)	10d1 (Maximum)	10d1 (Nominal)	242T (Maximum)	242T (Nominal)	4d4T (Maximum)	4d4T (Nominal)	9d1T (Maximum)	9d1T (Nominal)	9d1T*2 (Maximum)	9d1T*2 (Nominal)		
6 GHz WRT (30MHz BW) SP	2	8.25	8.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	3	10.00	8.50	12.75	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	9-29	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	33-43	10.00	8.50	12.75	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	49-59	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	65	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	80	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	95-105	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	SP	57-133	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	134-150	6.00	7.50	10.00	10.00	10.00	10.00	10.75	12.25	10.75	12.25	10.75	12.25	10.75	12.25		
6 GHz WRT (30MHz BW) SP	151	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	159-165	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	166-172	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	173	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	174	8.25	8.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	175	10.00	8.50	12.75	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	176-182	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	183-189	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	190-196	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	197	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
6 GHz WRT (30MHz BW) SP	198	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	199	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	200-206	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	207	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	208	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	209	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	210-216	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	217	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	218	8.25	7.75	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	219	10.00	8.50	12.75	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
6 GHz WRT (30MHz BW) SP	220	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	221-227	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	228	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	229	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	230	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	231	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	232	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	233	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	234	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	235	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
6 GHz WRT (30MHz BW) SP	236	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	237	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	238	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	239	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	240	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	241	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	242	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	243	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	244	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	245	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
6 GHz WRT (30MHz BW) SP	246	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	247	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	248	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	249	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	250	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	251	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	252	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	253	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	254	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		
	255	10.00	8.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25		

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

I.2.2 Reduced 802.11ax RU WLAN Output Power

Table below is applicable in the following conditions:

- Simultaneous conditions with Licensed Bands Antenna 1a/1b active and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active

[illegible]

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

Table below is applicable in the following conditions:

- Simultaneous conditions with Licensed Bands Antenna 3a/3b and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active

[illegible]

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 13 of 71



Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

Table below is applicable in the following conditions:

- Simultaneous conditions with Licensed Bands Antenna 1a/1b active and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b															
		5200	5300	5500	5600	5800	5900	6000	6200	6400	6600	6800	7000	7200	7400	7600	7800
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	242T (Maximum)	242T (Nominal)	484T (Maximum)	484T (Nominal)	996T (Maximum)	996T (Nominal)	996T*2 (Maximum)	996T*2 (Nominal)		
5 GHz WPI 20 MHz Bandwidth	36	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50								
	40	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50								
	44	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50								
	48	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50								
	52	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50								
	56	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50								
	60	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50								
	64	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50								
	100	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00								
	104	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00								
	108	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00								
	112	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00								
	116	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00								
	120	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00								
	124	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00								
	128	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00								
	132	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00								
	136	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00								
	140	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00								
5 GHz WPI 40 MHz Bandwidth	144	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00								
	148	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25								
	152	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25								
	156	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25								
	160	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25								
	164	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25								
	168	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25								
	180	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50						
	184	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50						
	188	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50						
	192	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00						
	196	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00						
	200	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00						
	204	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00						
	208	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00						
	212	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00						
	216	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00						
	220	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00						
5 GHz WPI 80 MHz Bandwidth	224	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00						
	228	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00						
	232	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00						
	236	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00						
	240	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00						
	244	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00						
	248	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00						
	252	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25						
	256	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25						
	260	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25						
	264	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25						
	268	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25						
	272	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25						
	276	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25						
	280	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25						
	284	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25						
	288	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25						
	292	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25						
	296	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25						
5 GHz WPI 160 MHz Bandwidth	300	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	304	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	308	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	312	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	316	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	320	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	324	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	328	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	332	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	336	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	340	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	344	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	348	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	352	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	356	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	360	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	364	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	368	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	372	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	376	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	380	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	384	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	388	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	392	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	396	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	400	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	404	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	408	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	412	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	416	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			5.00	3.50
	420	NS	NS	5.00	3.50	5.											



Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b													
		MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	242T (Maximum)	242T (Nominal)	684T (Maximum)	684T (Nominal)	996T (Maximum)	996T (Nominal)	996T*2 (Maximum)	996T*2 (Nominal)
5 GHz WiFi 20 MHz Bandwidth	36	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50						
	40	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50						
	44	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50						
	48	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50						
	52	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50						
	56	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50						
	60	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50						
	64	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50						
	100	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00						
	104	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00						
	108	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00						
	112	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00						
	116	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00						
	120	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00						
	124	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00						
	128	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00						
	132	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00						
	136	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00						
	140	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00						
	144	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00						
	148	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25						
	152	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25						
	156	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25						
	160	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25						
5 GHz WiFi 40 MHz Bandwidth	36	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50				
	40	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50				
	44	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50				
	48	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50				
	52	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	56	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	60	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	64	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	100	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	104	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	108	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	112	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
5 GHz WiFi 80 MHz Bandwidth	116	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25				
	120	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25				
	124	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50		
	128	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50		
5 GHz WiFi 160 MHz Bandwidth	132	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	136	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
5 GHz WiFi 320 MHz Bandwidth	140	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	144	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
5 GHz WiFi 640 MHz Bandwidth	148	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25				
	152	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25				
5 GHz WiFi 1280 MHz Bandwidth	156	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50		
	160	NS	NS	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50		
5 GHz WiFi 2560 MHz Bandwidth	164	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	168	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
5 GHz WiFi 5120 MHz Bandwidth	172	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	176	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
5 GHz WiFi 10240 MHz Bandwidth	180	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	184	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
5 GHz WiFi 20480 MHz Bandwidth	188	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	192	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
5 GHz WiFi 40960 MHz Bandwidth	196	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	200	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
5 GHz WiFi 81920 MHz Bandwidth	204	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	208	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
5 GHz WiFi 163840 MHz Bandwidth	212	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	216	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
5 GHz WiFi 327680 MHz Bandwidth	220	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	224	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
5 GHz WiFi 655360 MHz Bandwidth	228	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	232	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
5 GHz WiFi 1310720 MHz Bandwidth	236	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	240	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
5 GHz WiFi 2621440 MHz Bandwidth	244	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	248	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
5 GHz WiFi 5242880 MHz Bandwidth	252	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	256	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
5 GHz WiFi 10485760 MHz Bandwidth	260	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	264	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
5 GHz WiFi 20971520 MHz Bandwidth	268	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	272	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
5 GHz WiFi 41943040 MHz Bandwidth	276	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	280	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
5 GHz WiFi 83886080 MHz Bandwidth	284	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	288	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
5 GHz WiFi 167772160 MHz Bandwidth	292	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	296	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
5 GHz WiFi 335544320 MHz Bandwidth	300	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	304	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
5 GHz WiFi 671088640 MHz Bandwidth	308	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	312	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
5 GHz WiFi 1342177280 MHz Bandwidth	316	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	320	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
5 GHz WiFi 2684354560 MHz Bandwidth	324	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	328	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
5 GHz WiFi 5368709120 MHz Bandwidth	332	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	336	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
5 GHz WiFi 10737418240 MHz Bandwidth	340	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
	344	NS	NS	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00				
5 GHz WiFi															


FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 16 of 71



Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 2b														
		MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM	
		Times														
5 GHz Wi-Fi 20 MHz Bandwidth	26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	104T (Maximum)	104T (Nominal)	208T (Maximum)	208T (Nominal)	404T (Maximum)	404T (Nominal)	808T (Maximum)	808T (Nominal)	1616T (Maximum)	1616T (Nominal)	3232T (Maximum)	3232T (Nominal)
	36	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
	40	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
	44	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
	48	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
	52	NS	NS	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
	56	NS	NS	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
	60	NS	NS	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
	64	NS	NS	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
	100	NS	NS	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75
	104	NS	NS	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75
	108	NS	NS	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75
	112	NS	NS	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75
	116	NS	NS	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75
	120	NS	NS	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75
	124	NS	NS	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75
	128	NS	NS	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75
	132	NS	NS	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75
	136	NS	NS	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75
	140	NS	NS	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75
	144	NS	NS	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75
	148	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00	4.50
	152	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00	4.50
	156	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00	4.50
	160	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00	4.50
5 GHz Wi-Fi 40 MHz Bandwidth	36	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
	40	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
	44	NS	NS	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
	48	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
	52	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
	56	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
	60	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
	64	NS	NS	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
	100	NS	NS	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75
	104	NS	NS	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75
	108	NS	NS	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75
	112	NS	NS	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75
5 GHz Wi-Fi 80 MHz Bandwidth	40	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
	56	NS	NS	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
	72	NS	NS	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75
	88	NS	NS	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75
5 GHz Wi-Fi 160 MHz Bandwidth	40	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
	56	NS	NS	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
	72	NS	NS	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75
	88	NS	NS	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75	2.25	1.75
5GHz Wi-Fi 320 MHz Bandwidth	40	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
	56	NS	NS	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
5GHz Wi-Fi 480 MHz Bandwidth	40	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
	56	NS	NS	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 17 of 71



FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 18 of 71



Mode	Channel	SAR M2-13 (Maximum in dBm) - Antenna37													
		MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM	Totals		MIMO 2xM	MIMO 2xM	MIMO 2xM	MIMO 2xM
		2x7 (Maximum)	2x7 (Nominal)	5x7 (Maximum)	5x7 (Nominal)	10x7 (Maximum)	10x7 (Nominal)	24x7 (Maximum)	24x7 (Nominal)	64x7 (Maximum)	64x7 (Nominal)	99x7 (Maximum)	99x7 (Nominal)	99x7*2 (Maximum)	99x7*2 (Nominal)
5 GHz Wi-Fi 20 MHz Bandwidth	36	8.00	7.50	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00
	40	8.00	7.50	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00
	44	8.00	7.50	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00
	48	8.00	7.50	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00
	52	N/A	N/A	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00
	56	N/A	N/A	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00
	60	N/A	N/A	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00
	64	N/A	N/A	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00
	100	N/A	N/A	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00
	104	N/A	N/A	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00
	108	N/A	N/A	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00
	112	N/A	N/A	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00
	116	N/A	N/A	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00
	120	N/A	N/A	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00
	124	N/A	N/A	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00
	128	N/A	N/A	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00
	132	N/A	N/A	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00
	136	N/A	N/A	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00
	140	N/A	N/A	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00
	144	N/A	N/A	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00
	148	8.25	7.75	8.25	7.75	8.25	7.75	8.25	7.75	8.25	7.75	8.25	7.75	8.25	7.75
	152	8.25	7.75	8.25	7.75	8.25	7.75	8.25	7.75	8.25	7.75	8.25	7.75	8.25	7.75
	156	8.25	7.75	8.25	7.75	8.25	7.75	8.25	7.75	8.25	7.75	8.25	7.75	8.25	7.75
	160	8.25	7.75	8.25	7.75	8.25	7.75	8.25	7.75	8.25	7.75	8.25	7.75	8.25	7.75
5 GHz Wi-Fi 40 MHz Bandwidth	36	8.00	7.50	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00
	40	8.00	7.50	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00
	44	N/A	N/A	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00
	48	N/A	N/A	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00
	120	N/A	N/A	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00
	124	N/A	N/A	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00
	128	N/A	N/A	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00
	132	N/A	N/A	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00
	136	N/A	N/A	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00
	140	N/A	N/A	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00
	144	N/A	N/A	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00
	152	8.25	7.75	8.25	7.75	8.25	7.75	8.25	7.75	8.25	7.75	8.25	7.75	8.25	7.75
5 GHz Wi-Fi 80 MHz Bandwidth	40	8.00	7.50	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00
	56	N/A	N/A	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00
	120	N/A	N/A	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00
	136	N/A	N/A	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00
5 GHz Wi-Fi 160 MHz Bandwidth	40	8.00	7.50	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00
	56	N/A	N/A	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00
	120	N/A	N/A	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00
	136	N/A	N/A	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00	8.50	8.00

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 19 of 71

- Simultaneous conditions with Licensed Bands Antenna 1a/1b active and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active


Module	Channel	WB2-B2.11 (Maximum in dBm) - Antenna 1a															
		SSO		SSO		SSO		SSO		SSO		SSO		SSO		SSO	
		28T (Maximum)	28T (Nominal)	32T (Maximum)	32T (Nominal)	10K7 (Maximum)	10K7 (Nominal)	24K7 (Maximum)	24K7 (Nominal)	48K7 (Maximum)	48K7 (Nominal)	96K7 (Maximum)	96K7 (Nominal)	96K7*2 (Maximum)	96K7*2 (Nominal)		
G-Glu WB21 (280MHz BW)	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	2	-4.00	-4.00	-4.00	-4.00	-4.00	-4.00	-4.00	-4.00	-4.00	-4.00	-4.00	-4.00	-4.00	-4.00		
	3	-6.00	-7.00	-3.00	-3.00	-4.00	-4.00	-3.00	-3.00	-2.00	-2.00	-1.00	-1.00	-1.00	-1.00		
	4	-6.00	-7.00	-3.00	-3.00	-4.00	-4.00	-3.00	-3.00	-2.00	-2.00	-1.00	-1.00	-1.00	-1.00		
	5	-6.00	-7.00	-3.00	-3.00	-4.00	-4.00	-3.00	-3.00	-2.00	-2.00	-1.00	-1.00	-1.00	-1.00		
	6	-6.00	-7.00	-3.00	-3.00	-4.00	-4.00	-3.00	-3.00	-2.00	-2.00	-1.00	-1.00	-1.00	-1.00		
	7	-6.00	-7.00	-3.00	-3.00	-4.00	-4.00	-3.00	-3.00	-2.00	-2.00	-1.00	-1.00	-1.00	-1.00		
	8	-6.00	-7.00	-3.00	-3.00	-4.00	-4.00	-3.00	-3.00	-2.00	-2.00	-1.00	-1.00	-1.00	-1.00		
	9	-6.00	-7.00	-3.00	-3.00	-4.00	-4.00	-3.00	-3.00	-2.00	-2.00	-1.00	-1.00	-1.00	-1.00		
	10	-6.00	-7.00	-3.00	-3.00	-4.00	-4.00	-3.00	-3.00	-2.00	-2.00	-1.00	-1.00	-1.00	-1.00		
	11	-6.00	-7.00	-3.00	-3.00	-4.00	-4.00	-3.00	-3.00	-2.00	-2.00	-1.00	-1.00	-1.00	-1.00		
	12	-6.00	-7.00	-3.00	-3.00	-4.00	-4.00	-3.00	-3.00	-2.00	-2.00	-1.00	-1.00	-1.00	-1.00		
	13	-6.00	-7.00	-3.00	-3.00	-4.00	-4.00	-3.00	-3.00	-2.00	-2.00	-1.00	-1.00	-1.00	-1.00		
	14	-6.00	-7.00	-3.00	-3.00	-4.00	-4.00	-3.00	-3.00	-2.00	-2.00	-1.00	-1.00	-1.00	-1.00		
	15	-6.00	-7.00	-3.00	-3.00	-4.00	-4.00	-3.00	-3.00	-2.00	-2.00	-1.00	-1.00	-1.00	-1.00		
	16	-6.00	-7.00	-3.00	-3.00	-4.00	-4.00	-3.00	-3.00	-2.00	-2.00	-1.00	-1.00	-1.00	-1.00		
G-Glu WB21 (280MHz BW)	17	-6.00	-7.00	-3.00	-3.00	-4.00	-4.00	-3.00	-3.00	-2.00	-2.00	-1.00	-1.00	-1.00	-1.00		
	18	-6.00	-7.00	-3.00	-3.00	-4.00	-4.00	-3.00	-3.00	-2.00	-2.00	-1.00	-1.00	-1.00	-1.00		
	19	-6.00	-7.00	-3.00	-3.00	-4.00	-4.00	-3.00	-3.00	-2.00	-2.00	-1.00	-1.00	-1.00	-1.00		
	20	-6.00	-7.00	-3.00	-3.00	-4.00	-4.00	-3.00	-3.00	-2.00	-2.00	-1.00	-1.00	-1.00	-1.00		
	21	-6.00	-7.00	-3.00	-3.00	-4.00	-4.00	-3.00	-3.00	-2.00	-2.00	-1.00	-1.00	-1.00	-1.00		
	22	-6.00	-7.00	-3.00	-3.00	-4.00	-4.00	-3.00	-3.00	-2.00	-2.00	-1.00	-1.00	-1.00	-1.00		
	23	-6.00	-7.00	-3.00	-3.00	-4.00	-4.00	-3.00	-3.00	-2.00	-2.00	-1.00	-1.00	-1.00	-1.00		
	24	-6.00	-7.00	-3.00	-3.00	-4.00	-4.00	-3.00	-3.00	-2.00	-2.00	-1.00	-1.00	-1.00	-1.00		
	25	-6.00	-7.00	-3.00	-3.00	-4.00	-4.00	-3.00	-3.00	-2.00	-2.00	-1.00	-1.00	-1.00	-1.00		
	26	-6.00	-7.00	-3.00	-3.00	-4.00	-4.00	-3.00	-3.00	-2.00	-2.00	-1.00	-1.00	-1.00	-1.00		
	27	-6.00	-7.00	-3.00	-3.00	-4.00	-4.00	-3.00	-3.00	-2.00	-2.00	-1.00	-1.00	-1.00	-1.00		
	28	-6.00	-7.00	-3.00	-3.00	-4.00	-4.00	-3.00	-3.00	-2.00	-2.00	-					

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

- Simultaneous conditions with Licensed Bands Antenna 1a/1b active and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active

[illegible]

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.



Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 22 of 71

- Simultaneous conditions with Licensed Bands Antenna 3a/3b active and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active

Module	Channel	WET 802.11 (Maximum in dBm) - Antenna 3b															
		SISO		SISO		SISO		SISO		SISO		SISO		SISO		SISO	
		28T (Maximum)	28T (Nominal)	S2T (Maximum)	S2T (Nominal)	10K7 (Maximum)	10K7 (Nominal)	24T (Maximum)	24T (Nominal)	48T (Maximum)	48T (Nominal)	96T (Maximum)	96T (Nominal)	96T*2 (Maximum)	96T*2 (Nominal)		
G Cio W8T1 (20dBi SW) LP	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	3	-4.25	-5.75	-5.25	-3.75	-1.75	-1.75	0.25	1.25	3.25	3.25	5.25	5.25	7.25	7.25		
	5	-4.25	-5.75	-5.25	-3.75	-1.75	-1.75	0.25	1.25	3.25	3.25	5.25	5.25	7.25	7.25		
	9-29	-4.25	-5.75	-5.25	-3.75	-1.75	-1.75	0.25	1.25	3.25	3.25	5.25	5.25	7.25	7.25		
	30-45	-4.25	-5.75	-5.25	-3.75	-1.75	-1.75	0.25	1.25	3.25	3.25	5.25	5.25	7.25	7.25		
	46-85	-4.00	-5.50	-5.00	-3.50	-1.50	-1.50	0.50	1.50	3.50	3.50	5.50	5.50	7.50	7.50		
	86	-4.00	-5.50	-5.00	-3.50	-1.50	-1.50	0.50	1.50	3.50	3.50	5.50	5.50	7.50	7.50		
	86	-4.00	-5.50	-5.00	-3.50	-1.50	-1.50	0.50	1.50	3.50	3.50	5.50	5.50	7.50	7.50		
	97-111	-4.50	-6.00	-5.50	-4.00	-2.00	-2.00	0.50	1.50	3.50	3.50	5.50	5.50	7.50	7.50		
G Cio W8T1 (20dBi SW) LP	121-185	-5.00	-6.50	-6.00	-4.50	-2.50	-2.50	0.50	1.50	3.50	3.50	5.50	5.50	7.50	7.50		
	186	-5.00	-6.50	-6.00	-4.50	-2.50	-2.50	0.50	1.50	3.50	3.50	5.50	5.50	7.50	7.50		
	186-225	-5.50	-7.00	-6.50	-5.00	-3.00	-3.00	0.50	1.50	3.50	3.50	5.50	5.50	7.50	7.50		
	226	-5.50	-7.00	-6.50	-5.00	-3.00	-3.00	0.50	1.50	3.50	3.50	5.50	5.50	7.50	7.50		
	226	-5.50	-7.00	-6.50	-5.00	-3.00	-3.00	0.50	1.50	3.50	3.50	5.50	5.50	7.50	7.50		
	233	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	3	-4.25	-5.75	-5.25	-3.75	-1.75	-1.75	0.25	1.25	3.25	3.25	5.25	5.25	7.25	7.25		
	5	-4.25	-5.75	-5.25	-3.75	-1.75	-1.75	0.25	1.25	3.25	3.25	5.25	5.25	7.25	7.25		
	9-29	-4.25	-5.75	-5.25	-3.75	-1.75	-1.75	0.25	1.25	3.25	3.25	5.25	5.25	7.25	7.25		
	30-45	-3.75	-5.25	-4.75	-3.25	-1.25	-1.25	0.75	1.75	3.75	3.75	5.75	5.75	7.75	7.75		
G Cio W8T1 (20dBi SW) LP	46-85	-4.00	-5.50	-5.00	-3.50	-1.50	-1.50	0.50	1.50	3.50	3.50	5.50	5.50	7.50	7.50		
	86	-4.00	-5.50	-5.00	-3.50	-1.50	-1.50	0.50	1.50	3.50	3.50	5.50	5.50	7.50	7.50		
	86	-4.00	-5.50	-5.00	-3.50	-1.50	-1.50	0.50	1.50	3.50	3.50	5.50	5.50	7.50	7.50		
	97-111	-4.50	-6.00	-5.50	-4.00	-2.00	-2.00	0.50	1.50	3.50	3.50	5.50	5.50	7.50	7.50		
	121-185	-5.00	-6.50	-6.00	-4.50	-2.50	-2.50	0.50	1.50	3.50	3.50	5.50	5.50	7.50	7.50		
	186	-5.00	-6.50	-6.00	-4.50	-2.50	-2.50	0.50	1.50	3.50	3.50	5.50	5.50	7.50	7.50		
	186-225	-5.50	-7.00	-6.50	-5.00	-3.00	-3.00	0.50	1.50	3.50	3.50	5.50	5.50	7.50	7.50		
	226	-5.50	-7.00	-6.50	-5.00	-3.00	-3.00	0.50	1.50	3.50	3.50	5					

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by:
		Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 23 of 71

- Simultaneous conditions with Licensed Bands Antenna 3a/3b active and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active

[illegible]

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.



Table below is applicable in the following conditions:

- Simultaneous conditions with Licensed Bands Antenna 3a/3b active and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active

Mode	Channel	EIR 802.11 (Maximum in dBm) - Antenna 3a															
		SISO	SISO	SISO	SISO	SISO	SISO	SISO	SISO	SISO	SISO	SISO	SISO	SISO	SISO	SISO	SISO
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	242T (Maximum)	242T (Nominal)	Tones							
6 GHz WPT (30MHz BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS	484T (Maximum)	484T (Nominal)	996T (Maximum)	996T (Nominal)	996T*2 (Maximum)	996T*2 (Nominal)		
	1	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50				
	5	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50				
	9-20	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50				
	88-95	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50				
	95-98	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50				
	99	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50				
	100	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50				
	107-113	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	117-185	0.00	7.50	0.00	7.50	0.00	7.50	0.00	7.50	0.00	7.50	0.00	7.50				
	186	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	189-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	226	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	233	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
6 GHz WPT (30MHz BW) SP	1	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50				
	11	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50				
	19-27	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50				
	28-30	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50				
	65-75	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50				
	81	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50				
	84	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50				
	96-207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	208	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	215-219	0.00	7.50	0.00	7.50	0.00	7.50	0.00	7.50	0.00	7.50	0.00	7.50				
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	189-238	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	239	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
6 GHz WPT (30MHz BW) SP	7	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50				
	13	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50				
	89-95	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50				
	11	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50				
	19-27	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50				
	65-75	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50				
	81	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50				
	84	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50				
	96-207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	208	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	189-238	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	239	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
6 GHz WPT (30MHz BW) SP	7	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50				
	13	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50				
	89-95	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50				
	11	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50				
	19-27	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50	0.00	4.50				
	65-75	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50				
	81	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50				
	84	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50	0.00	6.50				
	96-207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	208	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	189-238	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	239	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	240	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.


FCC ID BCGA3269

SAR EVALUATION REPORT

Approved by:
Technical Manager

DUT Type:
Tablet Device

APPENDIX I:
Page 25 of 71



Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by:
DUT Type: Tablet Device		Technical Manager APPENDIX I: Page 26 of 71

- Simultaneous conditions with Licensed Bands Antenna 3a/3b active and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 37															
		SISO	SISO	SISO	SISO	SISO	SISO	SISO	SISO	SISO	SISO	SISO	SISO	SISO	SISO	SISO	
		Totals															
6 GHz WFI (300MHz BW) VFP	28T (Maximum)	28T (Nominal)	52T (Maximum)	52T (Nominal)	100T (Maximum)	100T (Nominal)	242T (Maximum)	242T (Nominal)	484T (Maximum)	484T (Nominal)	966T (Maximum)	966T (Nominal)	966T*2 (Maximum)	966T*2 (Nominal)			
	3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	8-9	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	10-15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	16-18	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	19	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	20-21	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	22	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	23	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	24	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	25-27	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	28	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	29	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	6 GHz WFI (300MHz BW) VFP	28T (Maximum)	28T (Nominal)	52T (Maximum)	52T (Nominal)	100T (Maximum)	100T (Nominal)	242T (Maximum)	242T (Nominal)	484T (Maximum)	484T (Nominal)	966T (Maximum)	966T (Nominal)	966T*2 (Maximum)	966T*2 (Nominal)		
3		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
1		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
5		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
8-9		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
10-15		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
16-18		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
19		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
20-21		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
22		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
23		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
24		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
25-27		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
28		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
29		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
6 GHz WFI (300MHz BW) VFP		28T (Maximum)	28T (Nominal)	52T (Maximum)	52T (Nominal)	100T (Maximum)	100T (Nominal)	242T (Maximum)	242T (Nominal)	484T (Maximum)	484T (Nominal)	966T (Maximum)	966T (Nominal)	966T*2 (Maximum)	966T*2 (Nominal)		
	3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	8-9	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	10-15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	16-18	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	19	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	20-21	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	22	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	23	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	24	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	25-27	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	28	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	29	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	6 GHz WFI (300MHz BW) VFP	28T (Maximum)	28T (Nominal)	52T (Maximum)	52T (Nominal)	100T (Maximum)	100T (Nominal)	242T (Maximum)	242T (Nominal)	484T (Maximum)	484T (Nominal)	966T (Maximum)	966T (Nominal)	966T*2 (Maximum)	966T*2 (Nominal)		
3		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
1		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
5		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
8-9		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
10-15		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
16-18		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
19		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
20-21		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
22		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
23		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
24		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
25-27		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
28		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
29		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
6 GHz WFI (300MHz BW) VFP		28T (Maximum)	28T (Nominal)	52T (Maximum)	52T (Nominal)	100T (Maximum)	100T (Nominal)	242T (Maximum)	242T (Nominal)	484T (Maximum)	484T (Nominal)	966T (Maximum)	966T (Nominal)	966T*2 (Maximum)	966T*2 (Nominal)		
	3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	8-9	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	10-15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	16-18	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	19	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	20-21	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	22	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	23	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	24	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	25-27	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	28	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
	29	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.



Table below is applicable in the following conditions:

- Simultaneous conditions with Licensed Bands Antenna 3a/3b active and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3T															
		SISO		SISO		SISO		SISO		SISO		SISO		SISO		SISO	
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	242T (Maximum)	242T (Nominal)	Tones							
6 GHz WPI (100MHz BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS	484T (Maximum)	484T (Nominal)	996T (Maximum)	996T (Nominal)	996T*2 (Maximum)	996T*2 (Nominal)		
	1	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	3	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	5	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	8-15	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	16-25	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	26	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	27	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	28	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	29	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	30	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	31	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	32-37	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	38-45	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	46-75	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
6 GHz WPI (100MHz BW) SP	76	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	77	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	78	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	79	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	80	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	81	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	82	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	83	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	84	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	85	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	86	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	87	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	88	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	89	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	90	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
6 GHz WPI (100MHz BW) SP	91	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	92	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	93	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	94	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	95	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	96	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	97	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	98	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	99	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	100	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	101	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	102	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	103	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	104	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	105	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
6 GHz WPI (100MHz BW) SP	106	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	107	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	108	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	109	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	110	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	111	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	112	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	113	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	114	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	115	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	116	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	117	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	118	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	119	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	120	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
6 GHz WPI (100MHz BW) SP	121	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	122	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	123	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	124	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	125	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	126	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	127	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	128	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	129	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	130	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	131	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	132	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	133	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	134	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	135	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
6 GHz WPI (100MHz BW) SP	136	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	137	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	138	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	139	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	140	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	141	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	142	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	143	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	144	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	145	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	146	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	147	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	148	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	149	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
	150	8.00	6.50	8.00	6.50	8.00	6.50	8.00	6.50								
6 GHz WPI (100MHz BW) SP	151	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	152	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75								
	153	8.25	6.75	8.25</													

I.3 IEEE 802.11ax Measured Powers

Table I-1
Maximum 2.4 GHz 802.11ax RU Output Power – Ant 1a

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			0	4	8
2412	1	26T	9.53	9.52	9.82
2437	6	26T	9.89	9.57	9.26
2462	11	26T	9.26	9.47	9.26
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			37	38	40
2412	1	52T	9.44	9.35	9.73
2437	6	52T	9.80	9.64	9.28
2462	11	52T	9.38	9.27	9.28
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			53	54	x
2412	1	106T	9.63	9.87	
2437	6	106T	9.99	9.35	
2462	11	106T	9.47	9.43	
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			61	x	x
2412	1	242T	9.60		
2437	6	242T	9.68		
2462	11	242T	9.38		

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 29 of 71

Table I-2
Maximum 2.4 GHz 802.11ax RU Output Power – Ant 3a

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			37	38	40
2412	1	52T	9.89	9.57	9.47
2437	6	52T	10.12	9.66	9.08
2462	11	52T	9.81	9.40	9.08
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			53	54	x
2412	1	106T	10.04	9.66	
2437	6	106T	9.98	9.27	
2462	11	106T	9.78	9.18	
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			61	x	x
2412	1	242T	9.91		
2437	6	242T	9.51		
2462	11	242T	9.41		

Table I-3
Maximum 5 GHz 802.11ax RU Output Power – Ant 1b

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	1	5180	36	26T	7.73	7.68	7.61
		5200	40	26T	7.82	7.76	7.74
		5220	44	26T	7.73	7.81	7.78
		5240	48	26T	7.66	7.78	7.83
	3	5745	149	26T	7.53	7.60	7.79
		5785	157	26T	7.46	7.52	7.71
		5825	165	26T	7.73	7.88	7.46

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 30 of 71

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	1	5180	36	52T	10.20	9.95	9.96
		5200	40	52T	10.32	10.08	10.10
		5220	44	52T	10.23	10.10	10.15
		5240	48	52T	10.15	10.11	10.33
	2A	5260	52	52T	10.13	10.13	10.20
		5280	56	52T	9.89	9.95	10.18
		5300	60	52T	10.05	9.88	10.14
		5320	64	52T	9.94	9.94	9.96
	2C	5500	100	52T	9.59	9.80	9.81
		5600	120	52T	10.06	9.96	10.04
		5580	124	52T	10.11	10.02	9.91
		5720	144	52T	10.20	10.23	10.00
	3	5745	149	52T	9.02	9.02	8.86
		5785	157	52T	8.92	8.89	8.75
		5825	165	52T	8.67	8.61	8.55

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	1	5180	36	106T	10.23	10.20	
		5200	40	106T	10.30	10.29	
		5220	44	106T	10.21	10.18	
		5240	48	106T	10.19	10.15	
	2A	5260	52	106T	10.25	10.22	
		5280	56	106T	9.99	9.95	
		5300	60	106T	9.91	10.07	
		5320	64	106T	9.76	9.81	
	2C	5500	100	106T	9.81	9.83	
		5600	120	106T	9.87	9.88	
		5620	124	106T	9.97	9.95	
		5720	144	106T	9.98	9.94	
	3	5745	149	106T	9.11	9.10	
		5785	157	106T	8.86	9.07	
		5825	165	106T	8.78	8.88	

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 31 of 71

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	N/A	N/A
	1	5180	36	242T	10.38		
		5200	40	242T	10.15		
		5220	44	242T	10.11		
		5240	48	242T	10.07		
	2A	5260	52	242T	10.21		
		5280	56	242T	10.11		
		5300	60	242T	10.14		
		5320	64	242T	10.17		
	2C	5500	100	242T	10.16		
		5600	120	242T	9.87		
		5620	124	242T	9.88		
		5720	144	242T	9.93		
	3	5745	149	242T	9.05		
		5785	157	242T	8.99		
		5825	165	242T	8.77		

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	8	17
	1	5190	38	26T	8.07	8.04	7.72
		5230	46	26T	7.94	7.91	7.82
	3	5755	151	26T	7.86	8.03	7.73
		5795	159	26T	7.75	7.91	7.67

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	40	44
	1	5190	38	52T	10.78	10.48	10.49
		5230	46	52T	10.62	10.57	10.58
	2A	5270	54	52T	10.42	10.51	10.40
		5310	62	52T	10.29	10.43	10.39
	2C	5550	110	52T	9.95	10.21	10.22
		5590	118	52T	9.97	10.23	10.26
		5630	126	52T	10.26	10.33	10.36
		5710	142	52T	10.43	10.48	10.44
	3	5755	151	52T	9.37	9.33	9.20
		5795	159	52T	9.11	9.07	9.02

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 32 of 71

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	56
	1	5190	38	106T	9.85	9.58	9.39
		5230	46	106T	9.82	9.66	9.63
	2A	5270	54	106T	9.49	9.47	9.23
		5310	62	106T	9.77	9.80	9.63
	2C	5550	110	106T	9.44	9.57	9.45
		5590	118	106T	9.55	9.63	9.34
		5670	126	106T	9.59	9.65	9.42
		5710	142	106T	9.64	9.58	9.43
	3	5755	151	106T	8.64	9.60	8.26
		5795	159	106T	8.58	8.42	8.18
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	N/A
	1	5190	38	242T	9.58	9.75	
		5230	46	242T	9.64	9.82	
	2A	5270	54	242T	9.41	9.53	
		5310	62	242T	9.29	9.28	
	2C	5550	110	242T	9.49	9.62	
		5590	118	242T	9.66	9.53	
		5670	126	242T	9.51	9.60	
		5710	142	242T	8.32	8.31	
	3	5755	151	242T	8.30	8.35	
		5795	159	242T	8.14	8.18	
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
	1	5190	38	484T	9.32		
		5230	46	484T	9.68		
	2A	5270	54	484T	9.53		
		5310	62	484T	9.27		
	2C	5550	110	484T	9.53		
		5590	118	484T	9.79		
		5630	126	484T	9.86		
		5710	142	484T	9.78		
	3	5755	151	484T	8.80		
		5795	159	484T	8.71		

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 33 of 71

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	1	5210	42	26T	7.43	7.23	7.21
80MHz BW	3	5775	155	26T	8.11	7.54	7.73
	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	1	5210	42	52T	10.10	9.89	9.86
	2A	5290	58	52T	9.53	9.48	9.53
	2C	5530	106	52T	9.52	9.86	9.80
		5610	122	52T	9.56	9.72	9.63
		5690	138	52T	9.79	9.73	9.50
	3	5775	155	52T	8.77	8.41	8.29
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	1	5210	42	106T	10.02	10.05	9.99
	2A	5290	58	106T	9.42	9.63	9.72
	2C	5530	106	106T	9.51	9.95	10.06
		5610	122	106T	9.49	9.85	9.83
		5690	138	106T	9.68	9.83	9.69
	3	5775	155	106T	8.49	8.58	8.57
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	1	5210	42	242T	9.98	9.74	9.99
	2A	5290	58	242T	9.69	9.71	9.47
	2C	5530	106	242T	9.74	9.57	10.13
		5610	122	242T	9.75	9.61	9.73
		5690	138	242T	8.68	8.59	8.69
	3	5775	155	242T	8.77	8.19	8.46

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 34 of 71

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
	1	5210	42	484T	9.85	10.19	
	2A	5290	58	484T	9.53	9.67	
	2C	5530	106	484T	8.01	8.51	
		5610	122	484T	9.67	9.83	
		5690	138	484T	9.54	9.76	
	3	5775	155	484T	8.78	8.85	

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	1	5250	50	52T	9.90	9.83	10.06
	2C	5570	114	52T	7.16	7.71	7.75
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	1	5250	50	106T	9.97	9.90	10.12
	2C	5570	114	106T	7.35	7.68	7.72
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	1	5250	50	242T	9.86	9.97	10.23
	2C	5570	114	242T	7.35	7.94	7.77
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
	1	5250	50	484T	9.91	9.94	
	2C	5570	114	484T	7.55	7.73	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	1	5250	50	996T	9.76		
	2C	5570	114	996T	7.70		

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 35 of 71

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	1	5250	50	996Tx2	9.75		
	2C	5570	114	996Tx2	7.72		

Table I-4
Maximum 5 GHz 802.11ax RU Output Power – Ant 3b

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	1	5180	36	26T	9.14	8.70	8.68
		5200	40	26T	9.34	9.08	8.67
		5220	44	26T	9.18	9.08	8.68
		5240	48	26T	9.29	8.99	8.70
	3	5745	149	26T	9.16	9.14	8.86
		5785	157	26T	8.92	8.91	8.56
		5825	165	26T	8.91	8.80	8.59

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	1	5180	36	52T	9.57	9.36	9.20
		5200	40	52T	9.64	9.43	9.32
		5220	44	52T	9.61	9.52	9.37
		5240	48	52T	9.51	9.48	9.64
	2A	5260	52	52T	9.59	9.56	9.50
		5280	56	52T	9.71	9.55	9.73
		5300	60	52T	9.43	9.62	9.46
		5320	64	52T	9.40	9.54	9.55
	2C	5500	100	52T	8.19	8.23	8.30
		5600	120	52T	8.55	8.34	8.41
		5580	124	52T	8.37	8.40	8.23
		5720	144	52T	8.47	8.20	8.31
	3	5745	149	52T	9.04	8.96	8.90
		5785	157	52T	8.68	8.75	8.61
		5825	165	52T	8.69	8.67	8.61

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 36 of 71

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	1	5180	36	106T	9.60	9.61	
		5200	40	106T	9.81	9.44	
		5220	44	106T	9.91	9.69	
		5240	48	106T	9.86	9.77	
	2A	5260	52	106T	9.43	10.08	
		5280	56	106T	9.79	9.84	
		5300	60	106T	9.39	9.71	
		5320	64	106T	9.58	9.67	
	2C	5500	100	106T	8.33	8.41	
		5600	120	106T	8.66	8.56	
		5620	124	106T	8.49	8.37	
		5720	144	106T	8.57	8.45	
	3	5745	149	106T	9.14	9.05	
		5785	157	106T	8.79	8.76	
		5825	165	106T	9.02	8.73	

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	N/A	N/A
	1	5180	36	242T	10.62		
		5200	40	242T	10.10		
		5220	44	242T	10.18		
		5240	48	242T	10.11		
	2A	5260	52	242T	10.38		
		5280	56	242T	10.44		
		5300	60	242T	10.38		
		5320	64	242T	10.53		
	2C	5500	100	242T	9.47		
		5600	120	242T	9.11		
		5620	124	242T	9.06		
		5720	144	242T	8.95		
	3	5745	149	242T	9.42		
		5785	157	242T	9.19		
		5825	165	242T	9.02		

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 37 of 71

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	8	17
	1	5190	38	26T	8.99	8.92	8.74
		5230	46	26T	9.06	9.15	8.87
	3	5755	151	26T	8.90	9.09	8.83
		5795	159	26T	8.95	8.91	8.76
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	40	44
	1	5190	38	52T	9.68	9.48	9.50
		5230	46	52T	9.61	9.55	9.94
	2A	5270	54	52T	9.59	9.70	9.75
		5310	62	52T	9.43	9.81	9.63
	2C	5550	110	52T	8.53	8.52	8.44
		5590	118	52T	8.54	8.41	8.47
		5630	126	52T	8.58	8.50	8.43
		5710	142	52T	8.47	8.25	8.42
	3	5755	151	52T	9.00	9.09	8.92
		5795	159	52T	9.04	8.90	8.85
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	56
	1	5190	38	106T	9.74	9.66	9.42
		5230	46	106T	9.69	9.60	9.46
	2A	5270	54	106T	9.76	9.73	9.61
		5310	62	106T	9.69	9.79	9.47
	2C	5550	110	106T	8.63	8.50	8.33
		5590	118	106T	8.63	8.41	8.40
		5670	126	106T	8.62	8.52	8.21
		5710	142	106T	8.57	8.26	8.30
	3	5755	151	106T	9.34	9.25	8.84
		5795	159	106T	9.12	8.92	8.72

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 38 of 71

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	N/A
	1	5190	38	242T	9.48	9.76	
		5230	46	242T	9.61	9.68	
	2A	5270	54	242T	9.71	9.83	
		5310	62	242T	9.57	9.63	
	2C	5550	110	242T	8.55	8.55	
		5590	118	242T	8.39	8.64	
		5670	126	242T	8.42	8.46	
		5710	142	242T	8.58	8.56	
	3	5755	151	242T	9.10	9.10	
		5795	159	242T	8.80	8.94	
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
	1	5190	38	484T	9.95		
		5230	46	484T	10.42		
	2A	5270	54	484T	10.54		
		5310	62	484T	10.03		
	2C	5550	110	484T	9.54		
		5590	118	484T	9.33		
		5630	126	484T	9.35		
		5710	142	484T	9.36		
	3	5755	151	484T	9.60		
		5795	159	484T	9.47		
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	1	5210	42	26T	9.15	8.91	9.05
	3	5775	155	26T	9.11	8.59	8.79

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 39 of 71

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	1	5210	42	52T	9.84	9.61	9.53
80MHz BW	2A	5290	58	52T	9.62	9.73	9.67
	2C	5530	106	52T	8.39	8.56	8.51
		5610	122	52T	8.45	8.50	8.26
		5690	138	52T	8.44	8.14	8.25
80MHz BW	3	5775	155	52T	8.89	8.69	8.82
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	1	5210	42	106T	9.56	9.74	9.73
80MHz BW	2A	5290	58	106T	9.46	9.78	9.78
	2C	5530	106	106T	8.37	8.61	8.68
		5610	122	106T	8.40	8.61	8.53
		5690	138	106T	8.32	8.24	8.13
80MHz BW	3	5775	155	106T	8.68	8.77	8.97
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	1	5210	42	242T	9.62	9.35	9.87
80MHz BW	2A	5290	58	242T	9.64	9.40	9.67
	2C	5530	106	242T	8.58	8.48	8.65
		5610	122	242T	8.53	8.34	8.58
		5690	138	242T	8.43	8.21	8.38
80MHz BW	3	5775	155	242T	8.80	8.73	8.72
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
	1	5210	42	484T	9.48	9.73	
80MHz BW	2A	5290	58	484T	9.23	9.80	
	2C	5530	106	484T	8.29	8.51	
		5610	122	484T	8.23	8.50	
		5690	138	484T	8.14	8.39	
80MHz BW	3	5775	155	484T	8.52	8.76	

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 40 of 71

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
					9.67		
	1	5210	42	996T	9.67		
	2A	5290	58	996T	9.48		
	2C	5530	106	996T	9.50		
		5610	122	996T	9.46		
		5690	138	996T	8.67		
	3	5775	155	996T	8.88		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
					9.29	9.31	9.53
	1	5250	50	52T	9.29	9.31	9.53
	2C	5570	114	52T	8.11	8.53	8.49
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
					9.23	9.35	9.56
	1	5250	50	106T	9.23	9.35	9.56
	2C	5570	114	106T	8.18	8.49	8.49
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
					9.23	9.38	9.62
	1	5250	50	242T	9.23	9.38	9.62
	2C	5570	114	242T	8.25	8.52	8.52
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
					9.20	9.21	
	1	5250	50	484T	9.20	9.21	
	2C	5570	114	484T	8.13	8.15	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
					9.14		
	1	5250	50	996T	9.14		
	2C	5570	114	996T	7.83		

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 41 of 71

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	1	5250	50	996Tx2	9.14		
	2C	5570	114	996Tx2	7.83		

Table I-5
Maximum 5 GHz 802.11ax RU Output Power – Ant 5T

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	1	5180	36	26T	9.21	9.47	9.73
		5200	40	26T	9.20	9.17	9.30
		5220	44	26T	9.28	9.19	9.19
		5240	48	26T	9.37	9.23	9.22
	3	5745	149	26T	9.63	9.41	9.62
		5785	157	26T	9.28	9.25	9.24
		5825	165	26T	9.36	9.31	9.31

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	1	5180	36	52T	12.19	12.48	12.51
		5200	40	52T	12.33	12.35	12.39
		5220	44	52T	12.44	12.30	12.33
		5240	48	52T	12.51	12.44	12.32
	2A	5260	52	52T	12.86	12.73	12.47
		5280	56	52T	12.66	12.77	12.87
		5300	60	52T	12.83	12.50	12.19
		5320	64	52T	12.54	12.27	12.37
	2C	5500	100	52T	12.38	12.50	12.28
		5600	120	52T	12.06	12.18	12.21
		5580	124	52T	11.97	12.13	12.15
		5720	144	52T	12.21	12.12	12.28
	3	5745	149	52T	12.59	12.65	12.64
		5785	157	52T	12.47	12.51	12.51
		5825	165	52T	12.37	12.22	12.30

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 42 of 71

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	1	5180	36	106T	14.65	14.90	
		5200	40	106T	15.42	15.49	
		5220	44	106T	15.52	15.49	
		5240	48	106T	15.61	15.47	
	2A	5260	52	106T	15.85	15.68	
		5280	56	106T	15.70	15.49	
		5300	60	106T	15.44	15.30	
		5320	64	106T	14.98	14.85	
	2C	5500	100	106T	13.07	13.27	
		5600	120	106T	14.25	14.36	
		5620	124	106T	14.22	14.34	
		5720	144	106T	14.14	14.21	
	3	5745	149	106T	14.17	14.20	
		5785	157	106T	14.05	14.07	
		5825	165	106T	13.92	13.89	

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	N/A	N/A
	1	5180	36	242T	15.44		
		5200	40	242T	15.63		
		5220	44	242T	15.54		
		5240	48	242T	15.56		
	2A	5260	52	242T	15.52		
		5280	56	242T	15.66		
		5300	60	242T	15.63		
		5320	64	242T	15.43		
	2C	5500	100	242T	14.31		
		5600	120	242T	13.76		
		5620	124	242T	13.64		
		5720	144	242T	13.9		
	3	5745	149	242T	14.27		
		5785	157	242T	14.02		
		5825	165	242T	13.82		

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 43 of 71

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	8	17
	1	5190	38	26T	9.35	9.63	9.60
		5230	46	26T	9.61	9.28	9.30
	3	5755	151	26T	9.67	9.71	9.72
		5795	159	26T	9.35	9.17	9.31
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	40	44
	1	5190	38	52T	12.04	12.41	12.26
		5230	46	52T	12.25	12.44	12.20
	2A	5270	54	52T	12.54	12.45	12.71
		5310	62	52T	12.22	12.24	12.31
	2C	5550	110	52T	11.96	12.36	12.38
		5590	118	52T	11.77	12.10	12.18
		5630	126	52T	11.91	12.26	11.96
		5710	142	52T	11.98	12.29	12.26
	3	5755	151	52T	12.49	12.51	12.53
		5795	159	52T	12.17	11.95	12.13
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	56
	1	5190	38	106T	13.43	13.56	13.49
		5230	46	106T	15.64	15.42	15.57
	2A	5270	54	106T	15.78	15.50	15.65
		5310	62	106T	12.96	12.96	12.81
	2C	5550	110	106T	14.37	14.40	14.40
		5590	118	106T	14.24	14.42	14.29
		5670	126	106T	14.14	14.48	14.46
		5710	142	106T	14.19	14.27	14.16
	3	5755	151	106T	14.31	14.36	14.17
		5795	159	106T	13.98	13.97	14.35

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 44 of 71

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	N/A
	1	5190	38	242T	13.25	13.41	
		5230	46	242T	16.40	16.43	
	2A	5270	54	242T	16.46	16.66	
		5310	62	242T	12.59	12.90	
	2C	5550	110	242T	14.27	14.27	
		5590	118	242T	14.23	14.31	
		5670	126	242T	14.13	14.06	
		5710	142	242T	11.67	11.73	
	3	5755	151	242T	14.26	14.30	
		5795	159	242T	13.93	13.88	
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
	1	5190	38	484T	13.32		
		5230	46	484T	16.63		
	2A	5270	54	484T	16.80		
		5310	62	484T	13.34		
	2C	5550	110	484T	13.65		
		5590	118	484T	13.63		
		5630	126	484T	13.64		
		5710	142	484T	13.55		
	3	5755	151	484T	13.83		
		5795	159	484T	13.71		
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	1	5210	42	26T	8.90	9.07	9.37
	3	5775	155	26T	9.20	8.89	9.45

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 45 of 71

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	1	5210	42	52T	12.16	12.35	12.41
80MHz BW	2A	5290	58	52T	12.56	12.38	12.60
	2C	5530	106	52T	11.23	11.47	11.73
		5610	122	52T	11.85	12.08	12.29
		5690	138	52T	11.90	11.75	12.26
	3	5775	155	52T	12.27	12.25	12.36
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	1	5210	42	106T	13.05	12.98	12.87
	2A	5290	58	106T	12.99	12.95	13.00
	2C	5530	106	106T	11.42	11.54	11.39
		5610	122	106T	14.27	14.33	14.41
		5690	138	106T	14.21	14.13	14.11
80MHz BW	3	5775	155	106T	14.21	14.17	13.96
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	1	5210	42	242T	12.92	12.81	12.85
80MHz BW	2A	5290	58	242T	12.84	12.41	13.01
	2C	5530	106	242T	11.37	11.24	11.36
		5610	122	242T	14.24	13.87	14.20
		5690	138	242T	11.52	11.41	11.63
	3	5775	155	242T	14.02	13.57	13.93
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
	1	5210	42	484T	12.51	12.63	
	2A	5290	58	484T	12.57	12.80	
	2C	5530	106	484T	11.13	11.32	
		5610	122	484T	14.02	14.00	
		5690	138	484T	13.19	13.28	
80MHz BW	3	5775	155	484T	13.84	13.68	

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 46 of 71

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	1	5210	42	996T	13.46		
160MHz BW	2A	5290	58	996T	13.42		
	2C	5530	106	996T	11.88		
		5610	122	996T	14.68		
		5690	138	996T	13.92		
160MHz BW	3	5775	155	996T	14.24		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	1	5250	50	52T	11.11	11.57	11.46
160MHz BW	2C	5570	114	52T	8.59	9.21	9.24
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	1	5250	50	106T	11.21	11.51	11.51
160MHz BW	2C	5570	114	106T	8.85	8.97	9.22
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	1	5250	50	242T	11.61	11.88	11.55
160MHz BW	2C	5570	114	242T	9.20	9.66	9.15
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
	1	5250	50	484T	11.40	11.49	
160MHz BW	2C	5570	114	484T	9.21	9.15	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	1	5250	50	996T	11.20		
160MHz BW	2C	5570	114	996T	8.94		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	1	5250	50	996Tx2	11.20		
160MHz BW	2C	5570	114	996Tx2	8.94		

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 47 of 71

Table I-6
Maximum 6 GHz 802.11ax RU Output Power – Ant 1b

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	5	5955	1	26T	7.19	7.13	7.16
		6175	45	26T	7.67	7.69	7.63
		6195	49	26T	7.47	7.42	7.44
		6415	93	26T	7.61	7.63	7.59
	6	6435	97	26T	-7.57	-7.52	-7.50
		6475	105	26T	-7.82	-7.85	-7.84
		6515	113	26T	-7.72	-7.73	-7.73
	7	6535	117	26T	6.18	6.14	6.19
		6695	149	26T	6.17	6.15	6.14
		6875	185	26T	-8.30	-8.29	-8.36
	8	6895	189	26T	-8.59	-8.56	-8.60
		6995	209	26T	-8.49	-8.47	-8.51
		7015	213	26T	-8.79	-8.76	-8.29
		7115	233	26T			
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
20MHz BW	5	5955	1	52T	8.62	8.62	8.62
		6195	49	52T	8.95	9.08	9.10
		6415	93	52T	9.12	9.07	9.07
	6	6435	97	52T	-4.01	-4.17	-4.03
		6475	105	52T	-4.70	-4.78	-4.74
		6515	113	52T	-4.59	-4.66	-4.64
	7	6535	117	52T	8.71	8.67	8.67
		6695	149	52T	8.96	8.90	8.91
		6875	185	52T	-5.14	-5.18	-5.32
	8	6895	189	52T	-5.28	-5.33	-5.42
		6995	209	52T	-5.41	-5.45	-5.50
		7015	213	52T	-5.23	-5.26	-5.30
		7115	233	52T			

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	5	5955	1	106T	8.78	8.76	
		6175	45	106T	9.09	9.08	
		6195	49	106T	9.04	9.02	
		6415	93	106T	9.02	9.01	
	6	6435	97	106T	-1.21	-1.21	
		6475	105	106T	-2.21	-2.23	
		6515	113	106T	-2.22	-2.22	
	7	6535	117	106T	9.89	9.50	
		6695	149	106T	10.25	9.67	
		6875	185	106T	-2.88	-2.91	
	8	6895	189	106T	-3.04	-3.08	
		6995	209	106T	-2.88	-2.89	
		7015	213	106T	-2.82	-2.85	
		7115	233	106T			

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	N/A	N/A
	5	5955	1	242T	8.84		
		6175	45	242T	9.45		
		6195	49	242T	9.28		
		6415	93	242T	9.21		
	6	6435	97	242T	3.15		
		6475	105	242T	3.23		
		6515	113	242T	3.21		
	7	6535	117	242T	9.88		
		6695	149	242T	10.23		
		6875	185	242T	1.85		
	8	6895	189	242T	1.69		
		6995	209	242T	1.74		
		7015	213	242T	1.90		
		7115	233	242T			

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 49 of 71

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	8	17
	5	5965	3	26T	7.92	7.98	7.90
		6165	43	26T	7.99	7.93	7.87
		6205	51	26T	8.00	7.94	7.95
		6405	91	26T	7.99	7.94	7.92
	6	6445	99	26T	-7.49	-6.89	-7.55
		6485	107	26T	-7.45	-7.48	-7.47
		6525	115	26T	-7.45	-7.43	-7.42
	7	6565	123	26T	6.79	6.85	6.82
		6685	147	26T	6.80	6.86	6.74
		6845	179	26T	6.82	6.85	6.15
	8	6885	187	26T	-8.26	-8.25	-8.38
		6965	203	26T	-8.24	-8.23	-8.27
		7005	211	26T	-8.23	-8.23	-8.24
		7085	227	26T	-8.24	-8.21	-8.23

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	40	44
	5	5965	3	52T	8.95	8.43	8.44
		6165	43	52T	9.02	8.42	8.37
		6205	51	52T	9.03	8.34	8.35
		6405	91	52T	9.20	9.23	9.09
	6	6445	99	52T	-4.42	-4.11	-4.59
		6485	107	52T	-4.43	-4.52	-4.51
		6525	115	52T	-4.41	-4.47	-4.47
	7	6565	123	52T	8.90	9.00	9.08
		6685	147	52T	8.89	9.04	8.95
		6725	155	52T	8.88	9.04	9.00
	8	6845	179	52T	8.89	9.07	9.06
		6885	187	52T	-4.98	-5.35	-5.34
		6965	203	52T	-5.38	-5.33	-5.33
		7005	211	52T	-5.36	-5.32	-5.31
		7085	227	52T	-5.35	-5.31	-5.30

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 50 of 71

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	56
	5	5965	3	106T	8.98	8.95	8.91
		6165	43	106T	8.98	8.88	8.89
		6205	51	106T	8.95	8.98	8.87
		6405	91	106T	8.92	8.96	8.93
	6	6445	99	106T	-2.16	-2.01	-2.24
		6485	107	106T	-0.35	-0.38	-0.37
		6525	115	106T	-2.38	-2.23	-2.64
	7	6565	123	106T	9.32	9.31	9.34
		6685	147	106T	9.31	9.46	9.43
		6725	155	106T	9.33	9.46	9.47
		6845	179	106T	9.34	9.32	9.45
	8	6885	187	106T	-2.88	-2.37	-2.38
		6965	203	106T	-2.33	-2.30	-2.89
		7005	211	106T	-2.26	-2.28	-2.29
		7085	227	106T	-2.31	-2.33	-2.45

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	N/A
	5	5965	3	242T	8.94	8.92	
		6165	43	242T	9.01	8.87	
		6205	51	242T	8.91	8.99	
		6405	91	242T	9.00	8.90	
	6	6445	99	242T	2.37	2.29	
		6485	107	242T	2.26	2.13	
		6525	115	242T	1.87	1.79	
	7	6565	123	242T	9.42	9.45	
		6685	147	242T	9.35	9.43	
		6725	155	242T	9.35	9.42	
		6845	179	242T	9.42	9.38	
	8	6885	187	242T	1.59	1.36	
		6965	203	242T	1.39	1.49	
		7005	211	242T	1.45	1.36	
		7085	227	242T	1.26	1.19	

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 51 of 71

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
	5	5965	3	484T	8.94		
		6165	43	484T	8.99		
		6205	51	484T	8.98		
		6405	91	484T	8.97		
	6	6445	99	484T	4.42		
		6485	107	484T	4.35		
		6525	115	484T	4.36		
	7	6565	123	484T	9.36		
		6685	147	484T	9.42		
		6725	155	484T	9.44		
		6845	179	484T	9.36		
	8	6885	187	484T	4.41		
		6965	203	484T	4.39		
		7005	211	484T	4.43		
		7085	227	484T	4.36		
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	5	5985	7	26T	6.72	6.80	6.81
		6145	39	26T	6.97	6.95	7.02
		6225	55	26T	6.98	6.94	7.01
		6385	87	26T	7.01	6.97	6.99
	6	6465	103	26T	-6.92	-6.86	-6.88
	7	6545	119	26T	-7.01	-6.96	-6.99
		6705	151	26T	5.69	5.72	5.79
		6865	183	26T	-8.73	-8.71	-8.76
	8	6945	199	26T	-8.80	-8.77	-8.81
		7025	215	26T	-9.09	-9.14	-9.11
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	5	5985	7	52T	8.65	8.50	8.52
		6145	39	52T	8.90	8.91	8.83
		6225	55	52T	8.97	8.99	8.97
		6385	87	52T	8.91	8.94	8.88
	6	6465	103	52T	-3.91	-3.94	-3.90
	7	6545	119	52T	-4.34	-4.42	-4.40
		6705	151	52T	8.95	8.97	8.84
		6865	183	52T	-5.06	-5.05	-5.12
	8	6945	199	52T	-5.33	-5.34	-5.38
		7025	215	52T	-5.58	-5.50	-5.56

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 52 of 71

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	5	5985	7	106T	8.54	8.68	8.64
		6145	39	106T	8.93	8.92	8.94
		6225	55	106T	9.00	8.98	8.99
		6385	87	106T	9.01	8.96	8.97
	6	6465	103	106T	-0.32	-0.46	-0.40
	7	6545	119	106T	-1.42	-1.45	-1.51
		6705	151	106T	9.86	9.89	9.88
		6865	183	106T	-2.29	-2.38	-2.35
	8	6945	199	106T	-2.40	-2.50	-2.37
		7025	215	106T	-2.55	-2.56	-2.61

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	5	5985	7	242T	8.55	8.69	8.67
		6145	39	242T	8.91	8.88	8.93
		6225	55	242T	8.96	8.98	8.99
		6385	87	242T	8.97	8.99	9.00
	6	6465	103	242T	2.47	2.36	2.39
	7	6545	119	242T	0.61	0.58	0.65
		6705	151	242T	9.56	9.60	9.42
		6865	183	242T	1.29	1.23	1.26
	8	6945	199	242T	1.17	1.15	1.13
		7025	215	242T	1.10	1.05	1.27

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
	5	5985	7	484T	8.67	8.66	
		6145	39	484T	8.96	8.93	
		6225	55	484T	8.98	8.97	
		6385	87	484T	8.99	8.95	
	6	6465	103	484T	5.22	5.15	
	7	6545	119	484T	3.36	3.35	
		6705	151	484T	9.84	9.92	
		6865	183	484T	4.38	4.30	
	8	6945	199	484T	4.11	3.97	
		7025	215	484T	3.86	3.93	

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 53 of 71

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	5	5985	7	996T	8.68		
		6145	39	996T	8.92		
		6225	55	996T	8.97		
		6385	87	996T	8.89		
	6	6465	103	996T	7.23		
	7	6545	119	996T	7.45		
		6705	151	996T	9.83		
		6865	183	996T	6.86		
	8	6945	199	996T	6.78		
		7025	215	996T	6.50		

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	5	6025	15	26T	6.82	6.87	6.81
		6185	47	26T	7.00	6.96	6.92
		6345	79	26T	7.04	7.11	7.10
	6	6505	111	26T	-7.26	-7.35	-7.32
	7	6665	143	26T	5.84	5.89	5.90
		6825	175	26T	-7.61	-7.66	-7.68
	8	6985	207	26T	-7.95	-7.91	-7.86

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	5	6025	15	52T	8.83	8.78	8.79
		6185	47	52T	8.87	8.97	8.98
		6345	79	52T	8.88	8.87	8.88
	6	6505	111	52T	-5.13	-5.26	-4.87
	7	6665	143	52T	8.96	8.88	8.86
		6825	175	52T	-5.16	-5.06	-5.13
	8	6985	207	52T	-5.36	-5.31	-5.34

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	5	6025	15	106T	8.85	8.86	8.79
		6185	47	106T	8.88	8.86	8.84
		6345	79	106T	8.94	8.91	8.94
	6	6505	111	106T	-2.24	-2.26	-2.38
	7	6665	143	106T	9.88	9.91	9.87
		6825	175	106T	-2.07	-2.08	-2.14
	8	6985	207	106T	-2.52	-2.55	-2.54

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 54 of 71

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
5	6	6025	15	242T	8.85	8.78	8.77
		6185	47	242T	8.88	8.86	8.94
		6345	79	242T	8.92	8.91	8.87
	7	6505	111	242T	1.85	1.67	1.96
	8	6665	143	242T	9.86	9.93	9.88
		6825	175	242T	1.26	1.46	1.17
8		6985	207	242T	1.29	1.31	1.12
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
5	6	6025	15	484T	8.83	8.76	
		6185	47	484T	8.88	8.91	
		6345	79	484T	8.92	8.90	
	7	6505	111	484T	4.71	4.83	
	8	6665	143	484T	9.87	9.99	
		6825	175	484T	4.39	4.47	
8		6985	207	484T	4.28	4.21	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67(L)	N/A	N/A
5	6	6025	15	996T	8.97		
		6185	47	996T	8.92		
		6345	79	996T	9.68		
	7	6505	111	996T	9.87		
	8	6665	143	996T	10.47		
		6825	175	996T	9.45		
8		6985	207	996T	9.33		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67(L)	N/A	N/A
5	6	6025	15	996Tx2	8.99		
		6185	47	996Tx2	8.96		
		6345	79	996Tx2	9.71		
	7	6505	111	996Tx2	9.89		
	8	6665	143	996Tx2	10.49		
		6825	175	996Tx2	9.46		
8		6985	207	996Tx2	9.32		

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 55 of 71

Table I-7
Maximum 6 GHz 802.11ax RU Output Power – Ant 3b

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	5	5955	1	26T	9.27	9.26	9.33
		6175	45	26T	9.41	9.46	9.54
		6195	49	26T	9.24	9.23	9.25
		6415	93	26T	9.63	9.71	9.53
	6	6435	97	26T	-6.11	-5.88	-5.91
		6475	105	26T	-6.24	-6.24	-6.30
		6515	113	26T	-6.07	-6.10	-6.11
	7	6535	117	26T	8.26	8.29	8.39
		6695	149	26T	8.33	8.31	8.25
		6875	185	26T	-7.49	-7.48	-7.50
	8	6895	189	26T	-6.68	-6.66	-6.72
		6995	209	26T	-6.55	-6.54	-6.52
		7015	213	26T	-6.26	-6.22	-6.23
		7115	233	26T			
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
20MHz BW	5	5955	1	52T	9.93	9.93	9.92
		6195	49	52T	10.07	10.12	10.11
		6415	93	52T	11.22	11.24	11.24
	6	6435	97	52T	-2.87	-2.94	-2.83
		6475	105	52T	-3.26	-3.22	-3.17
		6515	113	52T	-2.39	-2.41	-2.46
	7	6535	117	52T	10.38	10.35	10.61
		6695	149	52T	10.76	10.71	10.74
		6875	185	52T	-3.87	-3.93	-3.95
	8	6895	189	52T	-4.21	-4.22	-4.22
		6995	209	52T	-4.19	-4.16	-4.20
		7015	213	52T	-3.96	-3.85	-3.91
		7115	233	52T			

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	5	5955	1	106T	9.94	9.95	
		6175	45	106T	10.13	10.13	
		6195	49	106T	10.11	10.10	
		6415	93	106T	12.36	12.37	
	6	6435	97	106T	-0.11	-0.14	
		6475	105	106T	-0.37	-0.40	
		6515	113	106T	-0.28	-0.29	
	7	6535	117	106T	12.21	12.18	
		6695	149	106T	12.29	12.29	
		6875	185	106T	-0.57	-0.61	
	8	6895	189	106T	-0.91	-0.92	
		6995	209	106T	-0.66	-0.58	
		7015	213	106T	-0.52	-0.44	
		7115	233	106T			
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	N/A	N/A
	5	5955	1	242T	10.63		
		6175	45	242T	10.97		
		6195	49	242T	10.60		
		6415	93	242T	13.57		
	6	6435	97	242T	4.23		
		6475	105	242T	4.42		
		6515	113	242T	4.55		
	7	6535	117	242T	13.18		
		6695	149	242T	12.97		
		6875	185	242T	2.58		
	8	6895	189	242T	2.60		
		6995	209	242T	2.53		
		7015	213	242T	2.57		
		7115	233	242T			

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 57 of 71

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	8	17
40MHz BW	5	5965	3	26T	8.89	8.90	8.81
		6165	43	26T	8.78	8.94	8.89
		6205	51	26T	8.87	8.78	8.79
		6405	91	26T	8.91	8.84	8.82
	6	6445	99	26T	-5.79	-5.78	-5.78
		6485	107	26T	-5.44	-5.44	-5.46
		6525	115	26T	-5.26	-5.25	-5.24
	7	6565	123	26T	7.85	7.83	7.82
		6685	147	26T	7.86	7.86	7.81
		6845	179	26T	7.79	7.79	7.83
	8	6885	187	26T	-6.92	-6.97	-6.95
		6965	203	26T	-7.48	-7.49	-7.50
		7005	211	26T	-7.21	-7.21	-7.20
		7085	227	26T	-6.95	-6.97	-6.91
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	40	44
40MHz BW	5	5965	3	52T	10.26	10.20	10.22
		6165	43	52T	10.15	10.14	10.16
		6205	51	52T	10.21	10.15	10.14
		6405	91	52T	11.80	11.80	11.75
	6	6445	99	52T	-2.81	-2.80	-2.73
		6485	107	52T	-2.55	-2.63	-2.65
		6525	115	52T	-3.81	-3.79	-3.83
	7	6565	123	52T	10.82	10.81	10.77
		6685	147	52T	10.75	10.75	10.71
		6725	155	52T	10.72	10.73	10.76
		6845	179	52T	10.69	10.70	10.71
	8	6885	187	52T	-3.54	-3.62	-3.60
		6965	203	52T	-4.04	-4.03	-4.01
		7005	211	52T	-3.72	-3.70	-3.73
		7085	227	52T	-3.22	-3.23	-3.22

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 58 of 71

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	56
	5	5965	3	106T	10.21	10.20	10.20
		6165	43	106T	10.16	10.16	10.14
		6205	51	106T	10.18	10.17	10.20
		6405	91	106T	12.75	12.76	12.72
	6	6445	99	106T	-0.03	0.02	-0.02
		6485	107	106T	0.28	0.29	0.25
		6525	115	106T	0.48	0.41	0.38
	7	6565	123	106T	12.40	12.35	12.34
		6685	147	106T	12.36	12.52	12.55
		6725	155	106T	12.36	12.51	12.59
		6845	179	106T	12.53	12.54	12.55
	8	6885	187	106T	-1.34	-1.32	-1.37
		6965	203	106T	-1.01	-1.03	-1.11
		7005	211	106T	-0.73	-0.69	-0.70
		7085	227	106T	-0.45	-0.43	-0.46

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	N/A
	5	5965	3	242T	10.25	10.20	
		6165	43	242T	10.20	10.16	
		6205	51	242T	10.12	10.18	
		6405	91	242T	12.79	12.75	
	6	6445	99	242T	3.80	3.78	
		6485	107	242T	3.81	3.77	
		6525	115	242T	3.22	3.26	
	7	6565	123	242T	12.58	12.37	
		6685	147	242T	12.50	12.57	
		6725	155	242T	12.56	12.55	
		6845	179	242T	12.52	12.50	
	8	6885	187	242T	2.85	2.82	
		6965	203	242T	2.89	2.85	
		7005	211	242T	2.89	2.89	
		7085	227	242T	2.88	2.89	

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 59 of 71

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
	5	5965	3	484T	11.31		
		6165	43	484T	11.26		
		6205	51	484T	11.11		
		6405	91	484T	13.80		
	6	6445	99	484T	7.79		
		6485	107	484T	7.81		
		6525	115	484T	7.22		
	7	6565	123	484T	13.35		
		6685	147	484T	13.39		
		6725	155	484T	13.46		
		6845	179	484T	12.74		
	8	6885	187	484T	5.87		
		6965	203	484T	5.86		
		7005	211	484T	5.99		
		7085	227	484T	6.23		

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	5	5985	7	26T	8.82	8.80	8.80
		6145	39	26T	8.90	8.89	8.89
		6225	55	26T	9.03	9.02	9.03
		6385	87	26T	8.53	8.53	8.54
	6	6465	103	26T	-5.52	-5.56	-5.51
	7	6545	119	26T	-5.63	-5.61	-5.64
		6705	151	26T	7.92	7.91	7.91
		6865	183	26T	-6.91	-6.88	-6.85
	8	6945	199	26T	-6.96	-6.94	-6.97
		7025	215	26T	-6.73	-6.78	-6.76

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	5	5985	7	52T	10.35	10.33	10.32
		6145	39	52T	10.43	10.44	10.42
		6225	55	52T	10.33	10.33	10.32
		6385	87	52T	11.65	11.68	11.68
	6	6465	103	52T	-3.11	-2.67	-3.13
	7	6545	119	52T	-2.73	-2.78	-2.76
		6705	151	52T	10.85	10.84	10.83
		6865	183	52T	-3.88	-3.86	-3.89
	8	6945	199	52T	-4.34	-4.37	-4.33
		7025	215	52T	-4.09	-4.11	-4.13

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 60 of 71

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	5	5985	7	106T	10.37	10.35	10.33
		6145	39	106T	10.44	10.44	10.44
		6225	55	106T	10.33	10.34	10.33
		6385	87	106T	12.66	12.61	12.73
	6	6465	103	106T	0.21	-0.43	0.20
	7	6545	119	106T	-0.49	0.08	0.11
		6705	151	106T	13.01	13.11	13.09
		6865	183	106T	-1.15	-1.21	-1.23
	8	6945	199	106T	-1.21	-1.28	-1.30
		7025	215	106T	-1.01	-1.09	-0.99

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	5	5985	7	242T	10.38	10.36	10.33
		6145	39	242T	10.44	10.43	10.43
		6225	55	242T	10.34	10.33	10.34
		6385	87	242T	12.62	12.63	12.61
	6	6465	103	242T	3.65	3.65	3.65
	7	6545	119	242T	3.51	3.51	3.50
		6705	151	242T	13.11	13.08	13.09
		6865	183	242T	2.99	2.99	3.00
	8	6945	199	242T	2.80	2.79	2.80
		7025	215	242T	2.42	2.42	2.42

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
	5	5985	7	484T	10.37	10.35	
		6145	39	484T	10.45	10.44	
		6225	55	484T	10.35	10.34	
		6385	87	484T	12.64	12.63	
	6	6465	103	484T	6.52	6.51	
	7	6545	119	484T	6.39	6.37	
		6705	151	484T	13.08	13.08	
		6865	183	484T	5.95	5.96	
	8	6945	199	484T	5.70	5.70	
		7025	215	484T	5.48	5.47	

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 61 of 71

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	5	5985	7	996T	11.11		
		6145	39	996T	11.05		
		6225	55	996T	11.05		
		6385	87	996T	13.69		
	6	6465	103	996T	9.90		
	7	6545	119	996T	9.75		
		6705	151	996T	13.46		
		6865	183	996T	8.73		
	8	6945	199	996T	8.70		
		7025	215	996T	8.42		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	5	6025	15	26T	8.44	8.44	8.47
		6185	47	26T	8.44	8.46	8.45
		6345	79	26T	8.28	8.31	8.30
	6	6505	111	26T	-6.09	-5.95	-5.93
	7	6665	143	26T	7.44	7.45	7.42
		6825	175	26T	-7.15	-7.16	-6.72
	8	6985	207	26T	-6.92	-6.93	-6.96
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	5	6025	15	52T	9.78	9.99	9.97
		6185	47	52T	9.86	9.83	9.84
		6345	79	52T	11.13	11.14	11.17
	6	6505	111	52T	-3.40	-3.52	-3.49
	7	6665	143	52T	10.28	10.28	10.25
		6825	175	52T	-4.01	-4.33	-4.39
	8	6985	207	52T	-3.59	-3.86	-3.53
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	5	6025	15	106T	9.75	10.00	9.95
		6185	47	106T	9.83	9.84	9.84
		6345	79	106T	12.20	12.24	12.21
	6	6505	111	106T	-0.86	-0.94	-0.71
	7	6665	143	106T	12.91	12.82	12.85
		6825	175	106T	-1.17	-1.15	-1.11
	8	6985	207	106T	-0.51	-1.21	-1.29

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 62 of 71

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	5	6025	15	242T	9.89	9.97	9.96
		6185	47	242T	9.85	9.84	9.83
		6345	79	242T	12.20	12.20	12.20
	6	6505	111	242T	2.97	2.95	2.94
	7	6665	143	242T	12.85	12.84	12.84
		6825	175	242T	2.41	2.39	2.40
	8	6985	207	242T	2.32	2.30	2.29
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
	5	6025	15	484T	9.95	9.95	
		6185	47	484T	9.83	9.80	
		6345	79	484T	12.18	12.17	
	6	6505	111	484T	5.86	5.80	
	7	6665	143	484T	12.84	12.82	
		6825	175	484T	5.40	5.37	
	8	6985	207	484T	5.12	5.12	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67(L)	N/A	N/A
	5	6025	15	996T	11.42		
		6185	47	996T	11.25		
		6345	79	996T	13.95		
	6	6505	111	996T	12.36		
	7	6665	143	996T	14.44		
		6825	175	996T	11.56		
	8	6985	207	996T	11.31		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67(L)	N/A	N/A
	5	6025	15	996Tx2	11.37		
		6185	47	996Tx2	11.30		
		6345	79	996Tx2	13.94		
	6	6505	111	996Tx2	12.49		
	7	6665	143	996Tx2	14.42		
		6825	175	996Tx2	11.53		
	8	6985	207	996Tx2	11.42		

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 63 of 71

Table I-8
Maximum 6 GHz 802.11ax RU Output Power – Ant 5T

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	5	5955	1	26T	9.41	9.48	9.50
		6175	45	26T	9.49	9.33	9.49
		6195	49	26T	9.46	9.44	9.57
		6415	93	26T	9.20	9.29	9.25
	6	6435	97	26T	-5.70	-5.61	-5.64
		6475	105	26T	-5.97	-5.87	-5.80
		6515	113	26T	-5.71	-5.76	-5.72
	7	6535	117	26T	8.13	8.12	8.10
		6695	149	26T	7.93	7.95	8.05
		6875	185	26T	-6.45	-6.47	-6.46
	8	6895	189	26T	-6.76	-6.92	-6.78
		6995	209	26T	-6.68	-6.65	-6.58
		7015	213	26T	-7.11	-7.05	-7.01
		7115	233	26T			
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
20MHz BW	5	5955	1	52T	11.73	11.71	11.69
		6195	49	52T	11.65	11.66	11.68
		6415	93	52T	11.24	11.21	11.23
	6	6435	97	52T	-3.13	-3.30	-3.25
		6475	105	52T	-3.48	-3.49	-3.48
		6515	113	52T	-3.37	-3.31	-3.36
	7	6535	117	52T	10.54	10.56	10.56
		6695	149	52T	10.49	10.51	10.48
		6875	185	52T	-2.89	-3.01	-2.95
	8	6895	189	52T	-3.50	-3.21	-3.19
		6995	209	52T	-3.06	-3.01	-2.97
		7015	213	52T	-3.33	-3.53	-3.50
		7115	233	52T			

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	5	5955	1	106T	11.73	11.73	
		6175	45	106T	11.65	11.65	
		6195	49	106T	11.68	11.68	
		6415	93	106T	11.22	11.21	
	6	6435	97	106T	0.36	0.41	
		6475	105	106T	0.10	0.18	
		6515	113	106T	0.29	0.27	
	7	6535	117	106T	10.78	10.76	
		6695	149	106T	10.88	10.87	
		6875	185	106T	-0.25	-0.24	
	8	6895	189	106T	-0.54	-0.53	
		6995	209	106T	-0.24	-0.26	
		7015	213	106T	-0.25	-0.36	
		7115	233	106T			
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	N/A	N/A
	5	5955	1	242T	12.05		
		6175	45	242T	12.09		
		6195	49	242T	12.01		
		6415	93	242T	11.95		
	6	6435	97	242T	3.75		
		6475	105	242T	3.74		
		6515	113	242T	3.66		
	7	6535	117	242T	11.93		
		6695	149	242T	11.66		
		6875	185	242T	3.96		
	8	6895	189	242T	3.88		
		6995	209	242T	3.94		
		7015	213	242T	3.98		
		7115	233	242T			

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 65 of 71

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	8	17
	5	5965	3	26T	9.63	9.60	9.73
		6165	43	26T	9.63	9.64	9.63
		6205	51	26T	9.63	9.63	9.60
		6405	91	26T	9.62	9.64	9.61
	6	6445	99	26T	-6.07	-6.10	-6.20
		6485	107	26T	-6.14	-6.03	-6.00
		6525	115	26T	-6.04	-6.10	-6.09
	7	6565	123	26T	8.52	8.47	8.59
		6685	147	26T	8.70	8.72	8.71
		6845	179	26T	8.74	8.72	8.70
	8	6885	187	26T	-6.06	-6.03	-6.04
		6965	203	26T	-6.07	-6.01	-6.05
		7005	211	26T	-5.75	-5.77	-5.85
		7085	227	26T	-5.83	-5.90	-5.80

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	40	44
	5	5965	3	52T	12.34	12.30	12.30
		6165	43	52T	12.30	12.29	12.27
		6205	51	52T	12.31	12.27	12.30
		6405	91	52T	12.12	12.12	12.13
	6	6445	99	52T	-2.90	-3.10	-3.05
		6485	107	52T	-2.93	-3.16	-3.06
		6525	115	52T	-2.94	-3.04	-3.16
	7	6565	123	52T	11.62	11.64	11.63
		6685	147	52T	11.62	11.70	11.72
		6725	155	52T	11.73	11.73	11.64
		6845	179	52T	11.69	11.65	11.64
	8	6885	187	52T	-3.03	-3.06	-3.02
		6965	203	52T	-2.97	-3.04	-3.05
		7005	211	52T	-3.19	-3.15	-3.11
		7085	227	52T	-3.14	-3.15	-3.16

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 66 of 71

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	56
	5	5965	3	106T	12.36	12.31	12.30
		6165	43	106T	12.30	12.28	12.29
		6205	51	106T	12.27	12.29	12.30
		6405	91	106T	12.03	12.10	12.13
	6	6445	99	106T	0.01	0.05	0.06
		6485	107	106T	-0.05	-0.03	0.07
		6525	115	106T	0.08	0.04	0.02
	7	6565	123	106T	11.77	11.76	11.82
		6685	147	106T	11.85	11.89	11.94
		6725	155	106T	11.85	11.97	11.89
		6845	179	106T	11.95	11.94	11.93
	8	6885	187	106T	-0.14	-0.01	0.04
		6965	203	106T	-0.11	-0.15	-0.30
		7005	211	106T	-0.04	-0.17	-0.06
		7085	227	106T	-0.08	0.01	-0.12
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	N/A
	5	5965	3	242T	12.35	12.34	
		6165	43	242T	12.34	12.32	
		6205	51	242T	12.31	12.30	
		6405	91	242T	11.97	11.98	
	6	6445	99	242T	4.61	4.62	
		6485	107	242T	4.62	4.62	
		6525	115	242T	4.16	4.17	
	7	6565	123	242T	11.85	11.84	
		6685	147	242T	11.86	11.81	
		6725	155	242T	11.84	11.83	
		6845	179	242T	11.82	11.85	
	8	6885	187	242T	3.74	3.72	
		6965	203	242T	3.75	3.75	
		7005	211	242T	3.73	3.73	
		7085	227	242T	3.76	3.71	

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 67 of 71

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
	5	5965	3	484T	12.04		
		6165	43	484T	12.05		
		6205	51	484T	12.09		
		6405	91	484T	11.95		
	6	6445	99	484T	6.57		
		6485	107	484T	6.44		
		6525	115	484T	6.24		
	7	6565	123	484T	11.74		
		6685	147	484T	11.69		
		6725	155	484T	11.68		
		6845	179	484T	11.80		
	8	6885	187	484T	6.50		
		6965	203	484T	6.47		
		7005	211	484T	6.45		
		7085	227	484T	6.60		
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	5	5985	7	26T	9.27	9.25	9.26
		6145	39	26T	9.21	9.21	9.22
		6225	55	26T	9.20	9.18	9.19
		6385	87	26T	9.01	9.02	9.03
	6	6465	103	26T	-6.05	-6.25	-6.30
	7	6545	119	26T	-5.93	-5.92	-6.03
		6705	151	26T	7.91	7.87	7.87
		6865	183	26T	-6.03	-5.95	-6.01
	8	6945	199	26T	-6.30	-6.26	-6.35
		7025	215	26T	-6.15	-6.16	-6.20
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	5	5985	7	52T	12.04	12.00	12.01
		6145	39	52T	11.95	11.93	11.94
		6225	55	52T	11.90	11.89	11.88
		6385	87	52T	11.51	11.47	11.54
	6	6465	103	52T	-3.37	-3.31	-3.27
	7	6545	119	52T	-2.76	-2.68	-2.75
		6705	151	52T	10.85	10.83	10.82
		6865	183	52T	-2.72	-2.79	-2.82
	8	6945	199	52T	-3.21	-3.30	-3.25
		7025	215	52T	-3.12	-3.10	-3.25

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 68 of 71

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	5	5985	7	106T	12.03	12.01	12.00
		6145	39	106T	11.94	11.94	11.94
		6225	55	106T	11.87	11.88	11.90
		6385	87	106T	11.56	11.56	11.58
	6	6465	103	106T	-0.17	-0.01	-0.05
	7	6545	119	106T	0.29	0.18	0.29
		6705	151	106T	11.08	11.08	11.05
		6865	183	106T	0.04	0.02	-0.03
	8	6945	199	106T	-0.30	-0.27	-0.25
		7025	215	106T	-0.04	-0.07	0.01
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	5	5985	7	242T	11.89	12.00	12.01
		6145	39	242T	11.95	11.81	11.94
		6225	55	242T	11.89	11.89	11.90
		6385	87	242T	11.48	11.51	11.49
	6	6465	103	242T	3.92	3.90	3.91
	7	6545	119	242T	3.60	3.59	3.60
		6705	151	242T	11.05	11.04	11.03
		6865	183	242T	3.32	3.30	3.31
	8	6945	199	242T	3.31	3.31	3.31
		7025	215	242T	3.11	3.10	3.12
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
	5	5985	7	484T	11.88	12.02	
		6145	39	484T	11.82	11.86	
		6225	55	484T	11.91	11.91	
		6385	87	484T	11.48	11.47	
	6	6465	103	484T	7.01	7.01	
	7	6545	119	484T	6.46	6.49	
		6705	151	484T	11.06	11.04	
		6865	183	484T	6.22	6.23	
	8	6945	199	484T	6.16	6.18	
		7025	215	484T	6.19	6.19	

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 69 of 71

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	5	5985	7	996T	12.13		
		6145	39	996T	12.30		
		6225	55	996T	12.33		
		6385	87	996T	12.17		
	6	6465	103	996T	9.03		
	7	6545	119	996T	9.15		
		6705	151	996T	11.90		
		6865	183	996T	9.14		
	8	6945	199	996T	9.38		
		7025	215	996T	9.00		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	5	6025	15	26T	8.90	8.91	8.90
		6185	47	26T	8.87	8.86	8.88
		6345	79	26T	8.89	8.82	8.85
	6	6505	111	26T	-6.29	-6.10	-5.93
	7	6665	143	26T	7.85	7.87	7.87
		6825	175	26T	-5.77	-5.85	-5.70
	8	6985	207	26T	-6.30	-6.23	-6.32
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	5	6025	15	52T	11.46	11.41	11.41
		6185	47	52T	11.52	11.48	11.47
		6345	79	52T	11.25	11.29	11.27
	6	6505	111	52T	-3.46	-3.60	-3.42
	7	6665	143	52T	10.50	10.55	10.53
		6825	175	52T	-3.23	-3.16	-3.10
	8	6985	207	52T	-3.81	-3.87	-3.73
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	5	6025	15	106T	11.45	11.41	11.42
		6185	47	106T	11.50	11.48	11.49
		6345	79	106T	11.23	11.25	11.24
	6	6505	111	106T	0.08	0.05	-0.02
	7	6665	143	106T	10.78	10.74	10.71
		6825	175	106T	0.24	0.18	0.10
	8	6985	207	106T	-0.43	-0.41	-0.55

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 70 of 71

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	5	6025	15	242T	11.45	11.42	11.37
		6185	47	242T	11.51	11.52	11.47
		6345	79	242T	11.24	11.29	11.27
	6	6505	111	242T	3.53	3.53	3.52
	7	6665	143	242T	10.70	10.73	10.70
		6825	175	242T	3.14	3.14	3.15
	8	6985	207	242T	3.27	3.25	3.26
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
	5	6025	15	484T	11.43	11.41	
		6185	47	484T	11.48	11.47	
		6345	79	484T	11.28	11.29	
	6	6505	111	484T	6.50	6.49	
	7	6665	143	484T	10.71	10.73	
		6825	175	484T	5.87	5.90	
	8	6985	207	484T	6.05	6.03	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67(L)	N/A	N/A
	5	6025	15	996Tx2	10.86		
		6185	47	996Tx2	10.87		
		6345	79	996Tx2	10.93		
	6	6505	111	996Tx2	10.95		
	7	6665	143	996Tx2	10.58		
		6825	175	996Tx2	10.63		
	8	6985	207	996Tx2	10.79		

FCC ID BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 71 of 71