


## Appendix C. Radiated Emission Co-location Report

## 1. Results of Radiated Emissions for Co-located


|               |            |                |                              |
|---------------|------------|----------------|------------------------------|
| Temperature   | 22°C       | Humidity       | 58%                          |
| Test Engineer | Eason Chen | Configurations | 2.4G + 5G Band 1 + 5G Band 4 |

Horizontal



|   | Freq    | Level  | Limit  | Over   | Read  | Cable | Antenna | Preamp | A/Pos | T/Pos | Remark  | Pol/Phase  |
|---|---------|--------|--------|--------|-------|-------|---------|--------|-------|-------|---------|------------|
|   | MHz     | dBuV/m | dBuV/m | dB     | dBuV  | dB    | dB/m    | dB     | cm    | deg   |         |            |
| 1 | 1738.52 | 35.43  | 54.00  | -18.57 | 37.23 | 4.25  | 25.81   | 31.86  | 178   | 132   | Average | HORIZONTAL |
| 2 | 1738.86 | 46.25  | 74.00  | -27.75 | 48.05 | 4.25  | 25.81   | 31.86  | 178   | 132   | Peak    | HORIZONTAL |

## Vertical



|   | Freq    | Level  | Limit  | Over   | Read  | CableAntenna | Preamp | A/Pos | T/Pos | Remark | Pol/Phase |
|---|---------|--------|--------|--------|-------|--------------|--------|-------|-------|--------|-----------|
|   | MHz     | dBuV/m | dBuV/m | dB     | dBuV  | dB           | dB/m   | dB    | cm    | deg    |           |
| 1 | 1743.49 | 49.90  | 74.00  | -24.10 | 51.70 | 4.26         | 25.82  | 31.88 | 153   | 246    | Peak      |
| 2 | 1755.51 | 36.56  | 54.00  | -17.44 | 38.38 | 4.29         | 25.84  | 31.95 | 153   | 246    | Average   |