

深圳市一加一无线通讯技术有限公司

Shenzhen OnePlusOne Wireless Communication Technology Co.,Ltd

承認書

SPECIFICATION FOR APPROVAL

Manufacturer: Heifeng Zhizao(Shenzhen)Technology Co.,Ltd

Model: Q3

Description: WIFI ANT

料 號 :

Part Number

日 期 : 2022 年 7 月 22 日

Date Year Month Day

UNLESS OTHER SPECIFIED TOLERANCES ON:

X=±1 X.X=±0.1 X.XX=±0.01

ANGLES=±

HOLE DIA=±

SCALE:

UNIT: mm

DRAWN BY: 刘鑫浩

CHECKED BY: 章生兵

DESIGNED BY: 谭德明

APPROVED BY: 杨东升

TITLE: G4326A-FBT-A Specification



一加一无线通讯技术有限公司

OnePlusOne Wireless Communication Technology Co.,Ltd

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF
OnePlusOne Wireless Communication TECHNOLOGY CO.,LTD. AND
SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE
MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT
PERMISSION.

DOCUMENT
NO.

PAGE REV.
P0

1.Frequency

Frequency Band	MHz
2.4G	2400-2500

2. Experimental equipment

- measuring instrument: microwave dark room, Agilent network analyzer, spectrum analyzer, Agilent CMW500 comprehensive tester.

- standard antenna.

- microwave dark room description:

This is the microwave anechoic room set up by our company in Shenzhen, which belongs to a set of far-field measurement system. The size of the anechoic room is 5.0 m x3.0 m x3.0 m, and the size of the Quiet zone is 15 cm x15 cm x15 cm.




图 1. 微波暗室内仪器设置 r.

UNLESS OTHER SPECIFIED TOLERANCES ON:

X=±1 X.X=±0.1 X.XX=±0.01

ANGLES=± HOLE DIA=±

SCALE:

UNIT: mm

DRAWN BY: 刘鑫浩

CHECKED BY: 章生兵

DESIGNED BY: 谭德明

APPROVED BY: 杨东升

TITLE: G4326A-FBT-A Specification



一加一无线通讯技术有限公司

OnePlusOne Wireless Communication Technology Co.,Ltd

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF OnePlusOne Wireless Communication TECHNOLOGY CO.,LTD. AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION.

DOCUMENT
NO.

PAGE REV.
P0

3.Test Data

Passive Test For WIFI					
Freq (MHz)	Effi (dB)	Gain (dBi)	Gain (dBd)	Max (dB)	Min (dB)
2400	-2.41	1.81	-0.34	1.81	-15.5
2410	-2.39	1.63	-0.52	1.63	-15.41
2420	-2.42	1.41	-0.74	1.41	-14.49
2430	-2.23	1.41	-0.74	1.41	-13.41
2440	-1.88	1.55	-0.6	1.55	-12.62
2450	-1.64	1.89	-0.26	1.89	-12.41
2460	-1.62	2.21	0.06	2.21	-12.73
2470	-1.52	2.56	0.41	2.56	-13.18
2480	-1.42	2.78	0.63	2.78	-13.67
2490	-1.31	2.82	0.67	2.82	-14.16
2500	-1.43	2.47	0.32	2.47	-13.89

UNLESS OTHER SPECIFIED TOLERANCES ON:

X=±1 X.X=±0.1 X.XX=±0.01

ANGLES=± HOLE DIA=±



一加一无线通讯技术有限公司

OnePlusOne Wireless Communication Technology Co.,Ltd

SCALE:

UNIT: mm

DRAWN BY: 刘鑫浩

CHECKED BY: 章生兵

DESIGNED BY: 谭德明

APPROVED BY: 杨东升



THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF OnePlusOne Wireless Communication TECHNOLOGY CO.,LTD. AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION.

TITLE: G4326A-FBT-A Specification

DOCUMENT
NO.

PAGE REV.
P0

Passive:



UNLESS OTHER SPECIFIED TOLERANCES ON:

X=±1 X.X=±0.1 X.XX=±0.01

ANGLES=± HOLE DIA=±

SCALE:

UNIT: mm

DRAWN BY: 刘鑫浩

CHECKED BY: 章生兵

DESIGNED BY: 谭德明

APPROVED BY: 杨东升

TITLE: G4326A-FBT-A Specification



一加一无线通讯技术有限公司

OnePlusOne Wireless Communication Technology Co.,Ltd


THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF OnePlusOne Wireless Communication TECHNOLOGY CO.,LTD. AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION.

DOCUMENT
NO.


PAGE REV.
P0

3D:


2400.000MHz




2400.000MHz H



2400.000MHz E1



2400.000MHz E2



UNLESS OTHER SPECIFIED TOLERANCES ON:

X=±1 X.X=±0.1 X.XX=±0.01

ANGLES=±

HOLE DIA=±



一加一无线通讯技术有限公司

OnePlusOne Wireless Communication Technology Co.,Ltd

SCALE:

UNIT: mm

DRAWN BY: 刘鑫浩

CHECKED BY: 章生兵

DESIGNED BY: 谭德明

APPROVED BY: 杨东升


THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF OnePlusOne Wireless Communication TECHNOLOGY CO.,LTD. AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION.

TITLE: G4326A-FBT-A Specification


DOCUMENT
NO.

PAGE REV.
P0


2410.000MHz




2410.000MHz H



2410.000MHz E1



2410.000MHz E2



UNLESS OTHER SPECIFIED TOLERANCES ON:

X=±1 X.X=±0.1 X.XX=±0.01

ANGLES=± HOLE DIA=±

SCALE:

UNIT: mm

DRAWN BY: 刘鑫浩

CHECKED BY: 章生兵

DESIGNED BY: 谭德明

APPROVED BY: 杨东升

TITLE: G4326A-FBT-A Specification



一加一无线通讯技术有限公司


OnePlusOne Wireless Communication Technology Co.,Ltd

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF OnePlusOne Wireless Communication TECHNOLOGY CO.,LTD. AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION.

DOCUMENT
NO.

PAGE REV.
P0

4.size



UNLESS OTHER SPECIFIED TOLERANCES ON:
X=±1 X.X=±0.1 X.XX=±0.01
ANGLES=± HOLE DIA=±



一加一无线通讯技术有限公司
OnePlusOne Wireless Communication Technology Co.,Ltd

SCALE: UNIT: mm
DRAWN BY: 刘鑫浩 CHECKED BY: 章生兵
DESIGNED BY: 谭德明 APPROVED BY: 杨东升

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF
OnePlusOne Wireless Communication TECHNOLOGY CO.,LTD. AND
SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE
MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT
PERMISSION.

TITLE: G4326A-FBT-A Specification	DOCUMENT NO.	PAGE REV.
		P0