

EXHIBIT A- RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →

30M-1G

BT-Horizontal-DH5-TX

Test result

Project Number: Certification

Test Time: 2020-10-22_18.38.33

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	47.698	26.20	-23.77	40.0	-13.80	Peak	247.90	100	Horizontal	Pass
2	98.853	23.20	-26.62	43.5	-20.30	Peak	236.30	100	Horizontal	Pass
3	183.707	22.78	-27.74	43.5	-20.72	Peak	298.30	200	Horizontal	Pass
4	241.407	26.10	-24.77	46.0	-19.90	Peak	111.60	100	Horizontal	Pass
5	435.359	31.69	-19.65	46.0	-14.31	Peak	156.30	200	Horizontal	Pass
6	798.540	22.59	-11.56	46.0	-23.41	Peak	293.20	400	Horizontal	Pass
6*	798.540	15.95	-11.56	46.0	-30.05	QP	293.20	400	Horizontal	Pass

BT-Vertical-DH5-TX

Test result

Project Number: Certification

Test Time: 2020-10-22_18.32.32

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	38.485	24.04	-26.43	40.0	-15.96	Peak	0.00	200	Vertical	Pass
2	90.367	23.76	-27.93	43.5	-19.74	Peak	38.10	200	Vertical	Pass
3	152.674	22.53	-28.08	43.5	-20.97	Peak	150.00	100	Vertical	Pass
4	240.680	26.07	-24.58	46.0	-19.93	Peak	308.30	200	Vertical	Pass
5	430.267	31.63	-19.75	46.0	-14.37	Peak	0.00	200	Vertical	Pass
6	732.965	20.32	-14.02	46.0	-25.68	Peak	81.40	100	Vertical	Pass
6*	732.965	13.56	-14.02	46.0	-32.44	QP	81.40	100	Vertical	Pass

1-18G

BT-Low channel-Horizontal-DH5-TX

Test result

Project Number: Certification

Test Time: 2020-10-22_16.15.46

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1306.712	48.89	-4.61	74.0	-25.11	Peak	244.10	100	Horizontal	Pass
1**	1306.712	38.64	-4.61	54.0	-15.36	AV	244.10	100	Horizontal	Pass
2	1895.638	50.49	-3.56	74.0	-23.51	Peak	208.00	100	Horizontal	Pass
2**	1895.638	39.65	-3.56	54.0	-14.35	AV	208.00	100	Horizontal	Pass
3	2420.322	58.16	4.58	74.0	-15.84	Peak	201.10	100	Horizontal	Pass
3**	2420.322	48.18	4.58	54.0	-5.82	AV	201.10	100	Horizontal	Pass
4	2997.750	56.14	2.30	74.0	-17.86	Peak	191.50	100	Horizontal	Pass
4**	2997.750	45.20	2.30	54.0	-8.80	AV	191.50	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2020-10-22_16.07.41

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7893.527	35.70	4.96	74.0	-38.30	Peak	44.70	100	Horizontal	Pass
1**	7893.527	24.02	4.96	54.0	-29.98	AV	44.70	100	Horizontal	Pass
2	9353.412	39.00	9.83	74.0	-35.00	Peak	331.50	100	Horizontal	Pass
2**	9353.412	28.93	9.83	54.0	-25.07	AV	331.50	100	Horizontal	Pass
3	10832.542	41.81	10.90	74.0	-32.19	Peak	121.80	100	Horizontal	Pass
3**	10832.542	30.55	10.90	54.0	-23.45	AV	121.80	100	Horizontal	Pass
4	13095.226	44.02	12.56	74.0	-29.98	Peak	177.10	100	Horizontal	Pass
4**	13095.226	33.65	12.56	54.0	-20.35	AV	177.10	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2020-10-22_16.12.55

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1238.470	48.88	-4.54	74.0	-25.12	Peak	43.50	100	Vertical	Pass
1**	1238.470	37.79	-4.54	54.0	-16.21	AV	43.50	100	Vertical	Pass
2	1774.403	49.77	-4.35	74.0	-24.23	Peak	74.60	100	Vertical	Pass
2**	1774.403	39.11	-4.35	54.0	-14.89	AV	74.60	100	Vertical	Pass
3	2256.843	54.90	0.21	74.0	-19.10	Peak	152.00	100	Vertical	Pass
3**	2256.843	44.52	0.21	54.0	-9.48	AV	152.00	100	Vertical	Pass
4	2422.572	57.62	4.49	74.0	-16.38	Peak	223.60	100	Vertical	Pass
4**	2422.572	47.82	4.49	54.0	-6.18	AV	223.60	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-22_16.10.03

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7973.257	35.20	5.16	74.0	-38.80	Peak	200.40	100	Vertical	Pass
1**	7973.257	24.66	5.16	54.0	-29.34	AV	200.40	100	Vertical	Pass
2	9328.668	40.27	9.52	74.0	-33.73	Peak	277.30	100	Vertical	Pass
2**	9328.668	28.61	9.52	54.0	-25.39	AV	277.30	100	Vertical	Pass
3	11071.732	42.02	10.80	74.0	-31.98	Peak	41.50	100	Vertical	Pass
3**	11071.732	31.16	10.80	54.0	-22.84	AV	41.50	100	Vertical	Pass
4	13122.719	43.49	12.42	74.0	-30.51	Peak	84.50	100	Vertical	Pass
4**	13122.719	33.02	12.42	54.0	-20.98	AV	84.50	100	Vertical	Pass

BT-Middle channel-Horizontal-DH5-TX

Test result

Project Number: Certification

Test Time: 2020-10-22_15.58.08

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1306.462	48.93	-4.62	74.0	-25.07	Peak	253.10	100	Horizontal	Pass
1**	1306.462	38.34	-4.62	54.0	-15.66	AV	253.10	100	Horizontal	Pass
2	1843.395	49.35	-3.44	74.0	-24.65	Peak	178.40	100	Horizontal	Pass
2**	1843.395	40.34	-3.44	54.0	-13.66	AV	178.40	100	Horizontal	Pass
3	2421.072	58.18	4.55	74.0	-15.82	Peak	274.60	100	Horizontal	Pass
3**	2421.072	48.18	4.55	54.0	-5.82	AV	274.60	100	Horizontal	Pass
4	2913.761	54.89	2.07	74.0	-19.11	Peak	184.60	100	Horizontal	Pass
4**	2913.761	44.82	2.07	54.0	-9.18	AV	184.60	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2020-10-22_16.04.48

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7753.312	35.07	4.85	74.0	-38.93	Peak	335.10	100	Horizontal	Pass
1**	7753.312	24.99	4.85	54.0	-29.01	AV	335.10	100	Horizontal	Pass
2	9378.155	39.20	9.89	74.0	-34.80	Peak	282.70	100	Horizontal	Pass
2**	9378.155	28.93	9.89	54.0	-25.07	AV	282.70	100	Horizontal	Pass
3	10431.142	40.58	10.71	74.0	-33.42	Peak	6.20	100	Horizontal	Pass
3**	10431.142	30.18	10.71	54.0	-23.82	AV	6.20	100	Horizontal	Pass
4	13089.728	44.81	12.43	74.0	-29.19	Peak	137.20	100	Horizontal	Pass
4**	13089.728	33.37	12.43	54.0	-20.63	AV	137.20	100	Horizontal	Pass

BT-Middle channel-Vertical-DH5-TX

Test result

Project Number: Certification

Test Time: 2020-10-22_16.01.05

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1182.977	48.79	-4.27	74.0	-25.21	Peak	124.30	100	Vertical	Pass
1**	1182.977	38.56	-4.27	54.0	-15.44	AV	124.30	100	Vertical	Pass
2	1732.658	48.34	-4.61	74.0	-25.66	Peak	115.10	100	Vertical	Pass
2**	1732.658	38.63	-4.61	54.0	-15.37	AV	115.10	100	Vertical	Pass
3	2419.823	57.83	4.60	74.0	-16.17	Peak	11.60	100	Vertical	Pass
3**	2419.823	48.00	4.60	54.0	-6.00	AV	11.60	100	Vertical	Pass
4	2953.506	54.45	1.99	74.0	-19.55	Peak	205.30	100	Vertical	Pass
4**	2953.506	44.71	1.99	54.0	-9.29	AV	205.30	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-22_16.02.54

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

R emission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7852.287	35.25	4.71	74.0	-38.75	Peak	216.70	100	Vertical	Pass
1**	7852.287	24.53	4.71	54.0	-29.47	AV	216.70	100	Vertical	Pass
2	8850.287	37.93	7.55	74.0	-36.07	Peak	287.60	100	Vertical	Pass
2**	8850.287	27.58	7.55	54.0	-26.42	AV	287.60	100	Vertical	Pass
3	10090.227	40.54	9.72	74.0	-33.46	Peak	263.10	100	Vertical	Pass
3**	10090.227	29.04	9.72	54.0	-24.96	AV	263.10	100	Vertical	Pass
4	11621.595	43.22	11.24	74.0	-30.78	Peak	0.00	100	Vertical	Pass
4**	11621.595	32.33	11.24	54.0	-21.67	AV	0.00	100	Vertical	Pass

BT-High channel-Horizontal-DH5-TX

Test result

Project Number: Certification

Test Time: 2020-10-22_17.50.01

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1399.200	48.62	-4.92	74.0	-25.38	Peak	251.50	100	Horizontal	Pass
1**	1399.200	38.09	-4.92	54.0	-15.91	AV	251.50	100	Horizontal	Pass
2	1843.395	50.33	-3.44	74.0	-23.67	Peak	8.10	100	Horizontal	Pass
2**	1843.395	40.21	-3.44	54.0	-13.79	AV	8.10	100	Horizontal	Pass
3	2419.573	57.44	4.61	74.0	-16.56	Peak	142.30	100	Horizontal	Pass
3**	2419.573	48.13	4.61	54.0	-5.87	AV	142.30	100	Horizontal	Pass
4	2996.750	57.08	2.36	74.0	-16.92	Peak	26.90	100	Horizontal	Pass
4**	2996.750	45.39	2.36	54.0	-8.61	AV	26.90	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2020-10-22_16.37.44

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7951.262	35.26	4.70	74.0	-38.74	Peak	292.80	100	Horizontal	Pass
1**	7951.262	24.72	4.70	54.0	-29.28	AV	292.80	100	Horizontal	Pass
2	8869.533	37.13	7.14	74.0	-36.87	Peak	255.80	100	Horizontal	Pass
2**	8869.533	27.10	7.14	54.0	-26.90	AV	255.80	100	Horizontal	Pass
3	10285.429	40.99	11.02	74.0	-33.01	Peak	353.60	100	Horizontal	Pass
3**	10285.429	30.26	11.02	54.0	-23.74	AV	353.60	100	Horizontal	Pass
4	11618.845	42.53	11.29	74.0	-31.47	Peak	112.40	100	Horizontal	Pass
4**	11618.845	32.47	11.29	54.0	-21.53	AV	112.40	100	Horizontal	Pass

BT-High channel-Vertical-DH5-TX

Test result

Project Number: Certification

Test Time: 2020-10-22_17.47.10

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1182.977	48.50	-4.27	74.0	-25.50	Peak	353.90	100	Vertical	Pass
1**	1182.977	38.57	-4.27	54.0	-15.43	AV	353.90	100	Vertical	Pass
2	1473.691	48.11	-4.86	74.0	-25.89	Peak	325.50	100	Vertical	Pass
2**	1473.691	37.83	-4.86	54.0	-16.17	AV	325.50	100	Vertical	Pass
3	2005.124	52.11	-2.12	74.0	-21.89	Peak	247.10	100	Vertical	Pass
3**	2005.124	41.19	-2.12	54.0	-12.81	AV	247.10	100	Vertical	Pass
4	2417.573	57.66	4.69	74.0	-16.34	Peak	234.80	100	Vertical	Pass
4**	2417.573	48.20	4.69	54.0	-5.80	AV	234.80	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-22_16.39.38

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7857.786	36.04	4.74	74.0	-37.96	Peak	248.90	100	Vertical	Pass
1**	7857.786	24.88	4.74	54.0	-29.12	AV	248.90	100	Vertical	Pass
2	9394.651	39.23	9.94	74.0	-34.77	Peak	203.90	100	Vertical	Pass
2**	9394.651	29.19	9.94	54.0	-24.81	AV	203.90	100	Vertical	Pass
3	10854.536	41.53	11.20	74.0	-32.47	Peak	178.90	100	Vertical	Pass
3**	10854.536	30.67	11.20	54.0	-23.33	AV	178.90	100	Vertical	Pass
4	12427.143	42.19	10.26	74.0	-31.81	Peak	231.10	100	Vertical	Pass
4**	12427.143	31.54	10.26	54.0	-22.46	AV	231.10	100	Vertical	Pass

BT-Bandedge -Low channel- Horizontal-DH5 –TX

Test result

Project Number: Certification

Test Time: 2020-10-22_17.27.51

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2400.000	34.28	-4.18	74.0	-39.72	Peak	345.79	100	H	Pass
1**	2400.000	29.29	-4.18	54.0	-24.71	AV	345.79	100	H	Pass
2	2483.500	34.88	-3.87	74.0	-39.12	Peak	353.67	100	H	Pass
2**	2483.500	30.09	-3.87	54.0	-23.91	AV	353.67	100	H	Pass

BT-Bandedge -Low channel- Vertical-DH5 -TX

Test result

Project Number: Certification

Test Time: 2020-10-22_17.21.32

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2400.000	32.80	-4.18	74.0	-41.20	Peak	100.62	100	V	Pass
1**	2400.000	27.42	-4.18	54.0	-26.58	AV	100.62	100	V	Pass
2	2483.500	33.18	-3.87	74.0	-40.82	Peak	135.41	100	V	Pass
2**	2483.500	28.43	-3.87	54.0	-25.57	AV	135.41	100	V	Pass

BT-Bandedge -High channel- Horizontal-DH5-TX


Test result

Project Number: Certification

Test Time: 2020-10-22_17.35.29

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	

REmission Test case_FCC_Part 15C_FCC 15.247(Z4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2400.000	31.56	-4.18	74.0	-42.44	Peak	340.40	100	H	Pass
1**	2400.000	25.68	-4.18	54.0	-28.32	AV	340.40	100	H	Pass
2	2483.500	34.10	-3.87	74.0	-39.90	Peak	288.56	100	H	Pass
2**	2483.500	28.28	-3.87	54.0	-25.72	AV	288.56	100	H	Pass

BT-Bandedge -High channel- Vertical-DH5-TX

Test result

Project Number: Certification

Test Time: 2020-10-22_17.43.45

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2400.000	32.84	-4.18	74.0	-41.16	Peak	338.30	100	V	Pass
1**	2400.000	26.20	-4.18	54.0	-27.80	AV	338.30	100	V	Pass
2	2483.500	34.15	-3.87	74.0	-39.85	Peak	270.64	100	V	Pass
2**	2483.500	29.67	-3.87	54.0	-24.33	AV	270.64	100	V	Pass

30M-1G

BT-Hopping-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-10-22_18.19.45

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: XCJ

Test Standard: FCC

Work Addition: normal

Load: full load

Remark: DR-RSE01-E20090001-01#01

Name:

Project Template:

Manufacture:


Model Name:

Templ.(oC):

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	38.485	23.48	-26.43	40.0	-16.52	Peak	127.20	100	Horizontal	Pass
2	65.626	7.01	-26.18	40.0	-32.99	Peak	83.40	302	Horizontal	Pass
2*	65.626	3.34	-26.18	40.0	-36.66	QP	83.40	302	Horizontal	Pass
3	116.066	22.55	-27.19	43.5	-20.95	Peak	360.00	200	Horizontal	Pass
4	178.373	23.09	-28.29	43.5	-20.41	Peak	236.80	200	Horizontal	Pass
5	434.389	32.66	-19.52	46.0	-13.34	Peak	234.90	100	Horizontal	Pass
6	798.048	38.52	-11.45	46.0	-7.48	Peak	89.50	200	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2020-10-22_18.25.58

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: XCJ

Test Standard: FCC

Work Addition: normal

Load: full load

Remark: DR-RSE01-E20090001-01#01

Name:

Project Template:


Manufacture:

Model Name:

Templ.(oC):

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	47.456	26.47	-23.88	40.0	-13.53	Peak	314.70	200	Vertical	Pass
2	67.791	6.12	-26.90	40.0	-33.88	Peak	360.00	400	Vertical	Pass
2*	67.791	2.60	-26.90	40.0	-37.40	QP	360.00	400	Vertical	Pass
3	97.641	23.61	-26.71	43.5	-19.89	Peak	259.30	200	Vertical	Pass
4	240.437	25.77	-24.51	46.0	-20.23	Peak	360.00	200	Vertical	Pass
5	436.813	31.24	-19.85	46.0	-14.76	Peak	360.00	200	Vertical	Pass
6	798.775	39.05	-11.77	46.0	-6.95	Peak	360.00	200	Vertical	Pass

1-18G

BT-Hopping -Horizontal-DH5-TX

Test result

Project Number: Certification

Test Time: 2020-10-22_18.01.32

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1266.717	48.52	-4.53	74.0	-25.48	Peak	174.20	100	Horizontal	Pass
1**	1266.717	37.99	-4.53	54.0	-16.01	AV	174.20	100	Horizontal	Pass
2	1801.150	49.58	-4.40	74.0	-24.42	Peak	224.00	100	Horizontal	Pass
2**	1801.150	39.01	-4.40	54.0	-14.99	AV	224.00	100	Horizontal	Pass
3	2422.072	58.43	4.51	74.0	-15.57	Peak	357.60	100	Horizontal	Pass
3**	2422.072	47.96	4.51	54.0	-6.04	AV	357.60	100	Horizontal	Pass
4	2870.766	55.42	2.30	74.0	-18.58	Peak	192.80	100	Horizontal	Pass
4**	2870.766	45.29	2.30	54.0	-8.71	AV	192.80	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2020-10-22_17.51.42

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7758.810	35.15	4.85	74.0	-38.85	Peak	11.10	100	Horizontal	Pass
1**	7758.810	25.02	4.85	54.0	-28.98	AV	11.10	100	Horizontal	Pass
2	8825.544	38.65	7.17	74.0	-35.35	Peak	251.80	100	Horizontal	Pass
2**	8825.544	26.91	7.17	54.0	-27.09	AV	251.80	100	Horizontal	Pass
3	10351.412	40.76	10.49	74.0	-33.24	Peak	190.00	100	Horizontal	Pass
3**	10351.412	30.05	10.49	54.0	-23.95	AV	190.00	100	Horizontal	Pass
4	11613.347	41.97	11.38	74.0	-32.03	Peak	16.80	100	Horizontal	Pass
4**	11613.347	31.97	11.38	54.0	-22.03	AV	16.80	100	Horizontal	Pass

BT-Hopping -Vertical-DH5-TX

Test result

Project Number: Certification

Test Time: 2020-10-22_17.58.02

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1182.977	48.77	-4.27	74.0	-25.23	Peak	201.10	100	Vertical	Pass
1**	1182.977	38.58	-4.27	54.0	-15.42	AV	201.10	100	Vertical	Pass
2	1729.659	49.02	-4.78	74.0	-24.98	Peak	138.60	100	Vertical	Pass
2**	1729.659	38.97	-4.78	54.0	-15.03	AV	138.60	100	Vertical	Pass
3	2419.573	57.77	4.61	74.0	-16.23	Peak	76.80	100	Vertical	Pass
3**	2419.573	48.51	4.61	54.0	-5.49	AV	76.80	100	Vertical	Pass
4	2925.759	54.91	2.15	74.0	-19.09	Peak	307.80	100	Vertical	Pass
4**	2925.759	43.97	2.15	54.0	-10.03	AV	307.80	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-22_17.53.58

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7973.257	35.38	5.16	74.0	-38.62	Peak	310.30	100	Vertical	Pass
1**	7973.257	24.84	5.16	54.0	-29.16	AV	310.30	100	Vertical	Pass
2	9290.177	39.49	9.01	74.0	-34.51	Peak	221.10	100	Vertical	Pass
2**	9290.177	28.71	9.01	54.0	-25.29	AV	221.10	100	Vertical	Pass
3	10840.790	41.35	11.06	74.0	-32.65	Peak	186.80	100	Vertical	Pass
3**	10840.790	31.07	11.06	54.0	-22.93	AV	186.80	100	Vertical	Pass
4	12512.372	42.52	10.70	74.0	-31.48	Peak	159.30	100	Vertical	Pass
4**	12512.372	31.86	10.70	54.0	-22.14	AV	159.30	100	Vertical	Pass

BT-Bandedge-Hopping- Horizontal-DH5 –TX

Test result

Project Number: Certification

Test Time: 2020-10-22_18.06.59

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2400.000	36.27	-4.18	74.0	-37.73	Peak	172.00	100	H	Pass
1**	2400.000	30.54	-4.18	54.0	-23.46	AV	172.00	100	H	Pass
2	2483.500	37.31	-3.87	74.0	-36.69	Peak	67.71	100	H	Pass
2**	2483.500	30.98	-3.87	54.0	-23.02	AV	67.71	100	H	Pass

BT-Bandedge-Hopping-Vertical-DH5 -TX

Test result

Project Number: Certification

Test Time: 2020-10-22_18.05.17

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Addition:

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2400.000	36.15	-4.18	74.0	-37.85	Peak	283.06	100	V	Pass
1**	2400.000	30.28	-4.18	54.0	-23.72	AV	283.06	100	V	Pass
2	2483.500	35.49	-3.87	74.0	-38.51	Peak	327.45	100	V	Pass
2**	2483.500	30.40	-3.87	54.0	-23.60	AV	327.45	100	V	Pass

30M-1G

BT 3M-Horizontal-DH5-TX

Test result

Project Number: Certification

Test Time: 2020-10-22_18.49.41

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: XCJ

Test Standard: FCC

Work Addition: normal

Load: full load

Remark: DR-RSE01-E20090001-01#01

Name:

Project Template:

Manufacture:


Model Name:

Templ.(oC):

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	49.880	25.45	-24.19	40.0	-14.55	Peak	0.00	200	Horizontal	Pass
2	103.702	23.94	-26.87	43.5	-19.56	Peak	68.30	100	Horizontal	Pass
3	240.680	26.69	-24.58	46.0	-19.31	Peak	230.90	100	Horizontal	Pass
4	330.382	28.78	-21.56	46.0	-17.22	Peak	360.00	200	Horizontal	Pass
5	431.722	31.46	-19.29	46.0	-14.54	Peak	210.40	100	Horizontal	Pass
6	713.927	20.10	-13.89	46.0	-25.90	Peak	0.00	130	Horizontal	Pass
6*	713.927	13.07	-13.89	46.0	-32.93	QP	0.00	130	Horizontal	Pass

BT 3M -Vertical-DH5-TX

Test result

Project Number: Certification

Test Time: 2020-10-22_19.05.44

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	47.698	25.33	-23.77	40.0	-14.67	Peak	328.60	100	Vertical	Pass
2	86.003	22.53	-27.99	40.0	-17.47	Peak	269.40	200	Vertical	Pass
3	155.341	22.84	-27.55	43.5	-20.66	Peak	142.20	100	Vertical	Pass
4	238.498	26.01	-24.84	46.0	-19.99	Peak	213.80	200	Vertical	Pass
5	431.722	31.81	-19.29	46.0	-14.19	Peak	360.00	200	Vertical	Pass
6	795.914	22.02	-12.29	46.0	-23.98	Peak	194.90	152	Vertical	Pass
6*	795.914	15.74	-12.29	46.0	-30.26	QP	194.90	152	Vertical	Pass

1-18G

BT 3M -Low channel-Horizontal-DH5-TX

Test result

Project Number: Certification

Test Time: 2020-10-22_20.07.30

EUT Name: N.A

Manufacture: N.A

Model Name: N.A

Templ.(oC): 20.1

Hum: 54

Test Engineer: XCJ


Test Standard: FCC

Work Additon: normal

Load: full load

Remark: DR-RSE01-E20090001-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1222.222	48.89	-4.40	74.0	-25.11	Peak	245.80	100	Horizontal	Pass
1**	1222.222	38.09	-4.40	54.0	-15.91	AV	245.80	100	Horizontal	Pass
2	1648.669	48.46	-4.67	74.0	-25.54	Peak	217.70	100	Horizontal	Pass
2**	1648.669	38.41	-4.67	54.0	-15.59	AV	217.70	100	Horizontal	Pass
3	2420.322	57.62	4.58	74.0	-16.38	Peak	301.70	100	Horizontal	Pass
3**	2420.322	48.26	4.58	54.0	-5.74	AV	301.70	100	Horizontal	Pass
4	2992.751	55.48	3.07	74.0	-18.52	Peak	0.00	100	Horizontal	Pass
4**	2992.751	46.38	3.07	54.0	-7.62	AV	0.00	100	Horizontal	Pass
5	4646.794	57.12	0.91	74.0	-16.88	Peak	129.90	100	Horizontal	Pass
5**	4646.794	46.08	0.91	54.0	-7.92	AV	129.90	100	Horizontal	Pass
6	5770.654	59.18	2.16	74.0	-14.82	Peak	24.40	100	Horizontal	Pass
6**	5770.654	47.85	2.16	54.0	-6.15	AV	24.40	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2020-10-22_20.09.35

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

REmission Test case_FCC_Part 15C_FCC 15.247.7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7742.314	34.76	4.80	74.0	-39.24	Peak	37.00	100	Horizontal	Pass
1**	7742.314	24.83	4.80	54.0	-29.17	AV	37.00	100	Horizontal	Pass
2	8869.533	38.21	7.14	74.0	-35.79	Peak	219.40	100	Horizontal	Pass
2**	8869.533	27.06	7.14	54.0	-26.94	AV	219.40	100	Horizontal	Pass
3	10208.448	40.52	10.54	74.0	-33.48	Peak	146.20	100	Horizontal	Pass
3**	10208.448	30.35	10.54	54.0	-23.65	AV	146.20	100	Horizontal	Pass
4	11632.592	42.27	11.07	74.0	-31.73	Peak	164.80	100	Horizontal	Pass
4**	11632.592	32.36	11.07	54.0	-21.64	AV	164.80	100	Horizontal	Pass
5	13782.554	45.36	13.51	74.0	-28.64	Peak	31.10	100	Horizontal	Pass
5**	13782.554	35.09	13.51	54.0	-18.91	AV	31.10	100	Horizontal	Pass
6	16501.625	53.41	20.75	74.0	-20.59	Peak	216.40	100	Horizontal	Pass
6**	16501.625	43.33	20.75	54.0	-10.67	AV	216.40	100	Horizontal	Pass

BT 3M -Low channel-Vertical-DH5-TX

Test result

Project Number: Certification

Test Time: 2020-10-22_20.04.36

EUT Name: N.A

Manufacture: N.A

Model Name: N.A

Templ.(oC): 20.1

Hum: 54

Test Engineer: XCJ


Test Standard: FCC

Work Additon: normal

Load: full load

Remark: DR-RSE01-E20090001-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1189.226	48.56	-3.84	74.0	-25.44	Peak	338.20	100	Vertical	Pass
1**	1189.226	38.41	-3.84	54.0	-15.59	AV	338.20	100	Vertical	Pass
2	1308.711	49.34	-4.58	74.0	-24.66	Peak	331.80	100	Vertical	Pass
2**	1308.711	38.29	-4.58	54.0	-15.71	AV	331.80	100	Vertical	Pass
3	2134.358	53.18	-1.21	74.0	-20.82	Peak	99.80	100	Vertical	Pass
3**	2134.358	43.25	-1.21	54.0	-10.75	AV	99.80	100	Vertical	Pass
4	2417.073	57.99	4.71	74.0	-16.01	Peak	118.10	100	Vertical	Pass
4**	2417.073	47.66	4.71	54.0	-6.34	AV	118.10	100	Vertical	Pass
5	2873.016	55.58	2.15	74.0	-18.42	Peak	40.70	100	Vertical	Pass
5**	2873.016	45.68	2.15	54.0	-8.32	AV	40.70	100	Vertical	Pass
6	4056.368	55.45	-0.08	74.0	-18.55	Peak	255.10	100	Vertical	Pass
6**	4056.368	44.83	-0.08	54.0	-9.17	AV	255.10	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-22_20.11.21

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7750.562	35.31	4.86	74.0	-38.69	Peak	341.30	100	Vertical	Pass
1**	7750.562	24.85	4.86	54.0	-29.15	AV	341.30	100	Vertical	Pass
2	8850.287	36.96	7.55	74.0	-37.04	Peak	242.70	100	Vertical	Pass
2**	8850.287	27.65	7.55	54.0	-26.35	AV	242.70	100	Vertical	Pass
3	10310.172	40.96	11.02	74.0	-33.04	Peak	347.70	100	Vertical	Pass
3**	10310.172	30.21	11.02	54.0	-23.79	AV	347.70	100	Vertical	Pass
4	11632.592	42.83	11.07	74.0	-31.17	Peak	2.50	100	Vertical	Pass
4**	11632.592	32.45	11.07	54.0	-21.55	AV	2.50	100	Vertical	Pass
5	14566.108	48.75	16.96	74.0	-25.25	Peak	203.40	100	Vertical	Pass
5**	14566.108	38.39	16.96	54.0	-15.61	AV	203.40	100	Vertical	Pass
6	16509.873	53.48	20.42	74.0	-20.52	Peak	45.00	100	Vertical	Pass
6**	16509.873	43.07	20.42	54.0	-10.93	AV	45.00	100	Vertical	Pass

BT 3M -Middle channel-Horizontal-DH5-TX

Test result

Project Number: Certification

Test Time: 2020-10-22_20.21.06

EUT Name: N.A

Manufacture: N.A

Model Name: N.A

Templ.(oC): 20.1

Hum: 54


Test Engineer: XCJ

Test Standard: FCC

Work Additon: normal

Load: full load

Remark: DR-RSE01-E20090001-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1176.728	48.47	-4.28	74.0	-25.53	Peak	339.30	100	Horizontal	Pass
1**	1176.728	37.89	-4.28	54.0	-16.11	AV	339.30	100	Horizontal	Pass
2	1678.915	48.40	-4.72	74.0	-25.60	Peak	19.50	100	Horizontal	Pass
2**	1678.915	38.41	-4.72	54.0	-15.59	AV	19.50	100	Horizontal	Pass
3	2424.572	58.72	4.41	74.0	-15.28	Peak	306.70	100	Horizontal	Pass
3**	2424.572	47.84	4.41	54.0	-6.16	AV	306.70	100	Horizontal	Pass
4	2994.501	55.21	2.76	74.0	-18.79	Peak	312.60	100	Horizontal	Pass
4**	2994.501	46.03	2.76	54.0	-7.97	AV	312.60	100	Horizontal	Pass
5	4355.831	55.79	0.18	74.0	-18.21	Peak	105.30	100	Horizontal	Pass
5**	4355.831	45.51	0.18	54.0	-8.49	AV	105.30	100	Horizontal	Pass
6	6064.117	59.58	2.65	74.0	-14.42	Peak	2.80	100	Horizontal	Pass
6**	6064.117	49.14	2.65	54.0	-4.86	AV	2.80	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2020-10-22_20.23.16

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

R Emission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7739.565	35.32	4.78	74.0	-38.68	Peak	10.40	100	Horizontal	Pass
1**	7739.565	24.72	4.78	54.0	-29.28	AV	10.40	100	Horizontal	Pass
2	8855.786	37.88	7.44	74.0	-36.12	Peak	347.40	100	Horizontal	Pass
2**	8855.786	27.38	7.44	54.0	-26.62	AV	347.40	100	Horizontal	Pass
3	10805.049	41.78	10.36	74.0	-32.22	Peak	338.60	100	Horizontal	Pass
3**	10805.049	30.77	10.36	54.0	-23.23	AV	338.60	100	Horizontal	Pass
4	13111.722	44.21	12.54	74.0	-29.79	Peak	242.40	100	Horizontal	Pass
4**	13111.722	33.15	12.54	54.0	-20.85	AV	242.40	100	Horizontal	Pass
5	14541.365	49.46	16.95	74.0	-24.54	Peak	236.00	100	Horizontal	Pass
5**	14541.365	39.16	16.95	54.0	-14.84	AV	236.00	100	Horizontal	Pass
6	16518.120	53.33	20.08	74.0	-20.67	Peak	256.80	100	Horizontal	Pass
6**	16518.120	42.54	20.08	54.0	-11.46	AV	256.80	100	Horizontal	Pass

BT 3M -Middle channel-Vertical-DH5-TX

Test result

Project Number: Certification

Test Time: 2020-10-22_20.17.13

EUT Name: N.A

Manufacture: N.A

Model Name: N.A

Templ.(oC): 20.1

Hum: 54


Test Engineer: XCJ

Test Standard: FCC

Work Additon: normal

Load: full load

Remark: DR-RSE01-E20090001-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1224.472	49.09	-4.34	74.0	-24.91	Peak	21.50	100	Vertical	Pass
1**	1224.472	38.56	-4.34	54.0	-15.44	AV	21.50	100	Vertical	Pass
2	1472.441	48.51	-4.90	74.0	-25.49	Peak	61.70	100	Vertical	Pass
2**	1472.441	38.59	-4.90	54.0	-15.41	AV	61.70	100	Vertical	Pass
3	1798.650	50.20	-4.33	74.0	-23.80	Peak	353.90	100	Vertical	Pass
3**	1798.650	38.81	-4.33	54.0	-15.19	AV	353.90	100	Vertical	Pass
4	2418.823	58.10	4.64	74.0	-15.90	Peak	164.50	100	Vertical	Pass
4**	2418.823	48.46	4.64	54.0	-5.54	AV	164.50	100	Vertical	Pass
5	2994.751	55.41	2.71	74.0	-18.59	Peak	341.50	100	Vertical	Pass
5**	2994.751	45.58	2.71	54.0	-8.42	AV	341.50	100	Vertical	Pass
6	5270.216	57.99	1.52	74.0	-16.01	Peak	272.90	100	Vertical	Pass
6**	5270.216	47.61	1.52	54.0	-6.39	AV	272.90	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-22_20.14.17

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7981.505	36.44	5.34	74.0	-37.56	Peak	6.10	100	Vertical	Pass
1**	7981.505	24.90	5.34	54.0	-29.10	AV	6.10	100	Vertical	Pass
2	9402.899	39.55	9.89	74.0	-34.45	Peak	155.90	100	Vertical	Pass
2**	9402.899	29.31	9.89	54.0	-24.69	AV	155.90	100	Vertical	Pass
3	11613.347	42.36	11.38	74.0	-31.64	Peak	296.60	100	Vertical	Pass
3**	11613.347	32.02	11.38	54.0	-21.98	AV	296.60	100	Vertical	Pass
4	13125.469	44.10	12.38	74.0	-29.90	Peak	9.30	100	Vertical	Pass
4**	13125.469	33.34	12.38	54.0	-20.66	AV	9.30	100	Vertical	Pass
5	14519.370	49.43	17.03	74.0	-24.57	Peak	245.90	100	Vertical	Pass
5**	14519.370	39.27	17.03	54.0	-14.73	AV	245.90	100	Vertical	Pass
6	16496.126	54.22	20.74	74.0	-19.78	Peak	275.10	100	Vertical	Pass
6**	16496.126	43.19	20.74	54.0	-10.81	AV	275.10	100	Vertical	Pass

BT 3M -High channel-Horizontal-DH5-TX

Test result

Project Number: Certification

Test Time: 2020-10-22_20.47.00

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

R:Emission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1339.458	48.98	-4.54	74.0	-25.02	Peak	35.00	100	Horizontal	Pass
1**	1339.458	38.02	-4.54	54.0	-15.98	AV	35.00	100	Horizontal	Pass
2	1677.415	49.30	-4.69	74.0	-24.70	Peak	209.00	100	Horizontal	Pass
2**	1677.415	38.27	-4.69	54.0	-15.73	AV	209.00	100	Horizontal	Pass
3	2421.822	57.65	4.52	74.0	-16.35	Peak	152.70	100	Horizontal	Pass
3**	2421.822	48.00	4.52	54.0	-6.00	AV	152.70	100	Horizontal	Pass
4	2873.516	56.03	2.15	74.0	-17.97	Peak	64.90	100	Horizontal	Pass
4**	2873.516	45.37	2.15	54.0	-8.63	AV	64.90	100	Horizontal	Pass
5	4163.355	55.33	-0.04	74.0	-18.67	Peak	0.00	100	Horizontal	Pass
5**	4163.355	44.94	-0.04	54.0	-9.06	AV	0.00	100	Horizontal	Pass
6	5203.725	58.42	1.65	74.0	-15.58	Peak	30.00	100	Horizontal	Pass
6**	5203.725	47.84	1.65	54.0	-6.16	AV	30.00	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2020-10-22_20.41.07

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7934.766	34.96	4.77	74.0	-39.04	Peak	241.90	100	Horizontal	Pass
1**	7934.766	24.71	4.77	54.0	-29.29	AV	241.90	100	Horizontal	Pass
2	8858.535	37.97	7.38	74.0	-36.03	Peak	290.30	100	Horizontal	Pass
2**	8858.535	27.39	7.38	54.0	-26.61	AV	290.30	100	Horizontal	Pass
3	11198.200	43.01	10.71	74.0	-30.99	Peak	15.80	100	Horizontal	Pass
3**	11198.200	31.16	10.71	54.0	-22.84	AV	15.80	100	Horizontal	Pass
4	13177.706	44.21	12.25	74.0	-29.79	Peak	50.90	100	Horizontal	Pass
4**	13177.706	33.59	12.25	54.0	-20.41	AV	50.90	100	Horizontal	Pass
5	14552.362	49.29	16.92	74.0	-24.71	Peak	224.10	100	Horizontal	Pass
5**	14552.362	38.64	16.92	54.0	-15.36	AV	224.10	100	Horizontal	Pass
6	16496.126	53.57	20.74	74.0	-20.43	Peak	6.90	100	Horizontal	Pass
6**	16496.126	43.23	20.74	54.0	-10.77	AV	6.90	100	Horizontal	Pass

BT 3M -High channel-Vertical-DH5-TX

Test result

Project Number: Certification

Test Time: 2020-10-22_20:37:02

EUT Name: N.A

Manufacture: N.A

Model Name: N.A

Templ.(oC): 20.1

Hum: 54


Test Engineer: XCJ

Test Standard: FCC

Work Additon: normal

Load: full load

Remark: DR-RSE01-E20090001-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1279.215	49.07	-4.69	74.0	-24.93	Peak	270.60	100	Vertical	Pass
1**	1279.215	37.43	-4.69	54.0	-16.57	AV	270.60	100	Vertical	Pass
2	1607.174	48.61	-5.22	74.0	-25.39	Peak	254.80	100	Vertical	Pass
2**	1607.174	37.53	-5.22	54.0	-16.47	AV	254.80	100	Vertical	Pass
3	2421.072	58.05	4.55	74.0	-15.95	Peak	360.00	100	Vertical	Pass
3**	2421.072	48.26	4.55	54.0	-5.74	AV	360.00	100	Vertical	Pass
4	2989.251	55.19	3.03	74.0	-18.81	Peak	236.20	100	Vertical	Pass
4**	2989.251	45.87	3.03	54.0	-8.13	AV	236.20	100	Vertical	Pass
5	3654.418	54.94	-0.83	74.0	-19.06	Peak	244.70	100	Vertical	Pass
5**	3654.418	43.84	-0.83	54.0	-10.16	AV	244.70	100	Vertical	Pass
6	5036.245	57.84	1.70	74.0	-16.16	Peak	171.10	100	Vertical	Pass
6**	5036.245	46.80	1.70	54.0	-7.20	AV	171.10	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-22_20.39.13

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8014.496	35.23	5.58	74.0	-38.77	Peak	331.40	100	Vertical	Pass
1**	8014.496	24.61	5.58	54.0	-29.39	AV	331.40	100	Vertical	Pass
2	9350.662	39.13	9.82	74.0	-34.87	Peak	125.90	100	Vertical	Pass
2**	9350.662	29.08	9.82	54.0	-24.92	AV	125.90	100	Vertical	Pass
3	10417.396	42.67	10.77	74.0	-31.33	Peak	97.50	100	Vertical	Pass
3**	10417.396	30.44	10.77	54.0	-23.56	AV	97.50	100	Vertical	Pass
4	11627.093	42.72	11.16	74.0	-31.28	Peak	122.90	100	Vertical	Pass
4**	11627.093	32.38	11.16	54.0	-21.62	AV	122.90	100	Vertical	Pass
5	14516.621	48.97	17.04	74.0	-25.03	Peak	0.40	100	Vertical	Pass
5**	14516.621	39.18	17.04	54.0	-14.82	AV	0.40	100	Vertical	Pass
6	16490.627	53.54	20.63	74.0	-20.46	Peak	113.30	100	Vertical	Pass
6**	16490.627	43.44	20.63	54.0	-10.56	AV	113.30	100	Vertical	Pass

BT 3M -Bandedge -Low channel- Horizontal-DH5 –TX

Test result

Project Number: Certification

Test Time: 2020-10-22_19.59.13

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2400.000	35.55	-4.18	74.0	-38.45	Peak	348.29	100	H	Pass
1**	2400.000	29.81	-4.18	54.0	-24.19	AV	348.29	100	H	Pass
2	2483.500	35.25	-3.87	74.0	-38.75	Peak	355.30	100	H	Pass
2**	2483.500	30.28	-3.87	54.0	-23.72	AV	355.30	100	H	Pass

BT 3M -Bandedge -Low channel- Vertical-DH5 -TX

Test result

Project Number: Certification

Test Time: 2020-10-22_19.57.33

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2400.000	36.64	-4.18	74.0	-37.36	Peak	3.09	100	V	Pass
1**	2400.000	30.26	-4.18	54.0	-23.74	AV	3.09	100	V	Pass
2	2483.500	35.03	-3.87	74.0	-38.97	Peak	18.52	100	V	Pass
2**	2483.500	29.27	-3.87	54.0	-24.73	AV	18.52	100	V	Pass

Test result

Project Number: Certification

Test Time: 2020-10-22_20.30.37

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2400.000	35.62	-4.18	74.0	-38.38	Peak	12.10	100	H	Pass
1**	2400.000	29.75	-4.18	54.0	-24.25	AV	12.10	100	H	Pass
2	2483.500	36.18	-3.87	74.0	-37.82	Peak	13.07	100	H	Pass
2**	2483.500	28.71	-3.87	54.0	-25.29	AV	13.07	100	H	Pass

BT 3M -Bandedge -High channel- Vertical-DH5-TX

Test result

Project Number: Certification

Test Time: 2020-10-22_20.34.08

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

R Emission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2400.000	35.33	-4.18	74.0	-38.67	Peak	34.23	100	V	Pass
1**	2400.000	29.76	-4.18	54.0	-24.24	AV	34.23	100	V	Pass
2	2483.500	34.73	-3.87	74.0	-39.27	Peak	26.16	100	V	Pass
2**	2483.500	29.35	-3.87	54.0	-24.65	AV	26.16	100	V	Pass

30M-1G

BT 3M-Hopping-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-10-22_18.55.46

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: XCJ

Test Standard: FCC

Work Addition: normal

Load: full load

Remark: DR-RSE01-E20090001-01#01

Name:

Project Template:

Manufacture:


Model Name:

Templ.(oC):

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	34.121	23.83	-27.53	40.0	-16.17	Peak	241.60	200	Horizontal	Pass
2	63.699	24.07	-25.81	40.0	-15.93	Peak	360.00	200	Horizontal	Pass
3	120.430	22.66	-27.25	43.5	-20.84	Peak	20.70	200	Horizontal	Pass
4	205.526	24.91	-26.27	43.5	-18.59	Peak	360.00	200	Horizontal	Pass
5	332.079	28.56	-22.14	46.0	-17.44	Peak	360.00	200	Horizontal	Pass
6	798.525	22.57	-11.67	46.0	-23.43	Peak	360.00	151	Horizontal	Pass
6*	798.525	15.83	-11.67	46.0	-30.17	QP	360.00	151	Horizontal	Pass

BT 3M-Hopping -Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-10-22_18.59.36

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	48.425	26.12	-23.76	40.0	-13.88	Peak	360.00	100	Vertical	Pass
2	65.396	23.84	-26.18	40.0	-16.16	Peak	98.90	100	Vertical	Pass
3	120.672	23.28	-27.33	43.5	-20.22	Peak	206.30	100	Vertical	Pass
4	218.133	24.52	-26.43	46.0	-21.48	Peak	87.20	100	Vertical	Pass
5	432.207	30.98	-19.22	46.0	-15.02	Peak	241.20	100	Vertical	Pass
6	798.628	22.21	-11.77	46.0	-23.79	Peak	107.50	152	Vertical	Pass
6*	798.628	15.69	-11.77	46.0	-30.31	QP	107.50	152	Vertical	Pass

1-18G

BT 3M-Hopping -Horizontal-DH5-TX

Test result

Project Number: Certification

Test Time: 2020-10-22_19.19.44

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1110.986	48.68	-3.84	74.0	-25.32	Peak	49.90	100	Horizontal	Pass
1**	1110.986	37.62	-3.84	54.0	-16.38	AV	49.90	100	Horizontal	Pass
2	1473.941	48.39	-4.90	74.0	-25.61	Peak	306.10	100	Horizontal	Pass
2**	1473.941	38.16	-4.90	54.0	-15.84	AV	306.10	100	Horizontal	Pass
3	1838.895	50.41	-3.64	74.0	-23.59	Peak	287.10	100	Horizontal	Pass
3**	1838.895	39.33	-3.64	54.0	-14.67	AV	287.10	100	Horizontal	Pass
4	2421.572	57.92	4.53	74.0	-16.08	Peak	158.60	100	Horizontal	Pass
4**	2421.572	48.04	4.53	54.0	-5.96	AV	158.60	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2020-10-22_19.21.52

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7926.518	35.10	4.82	74.0	-38.90	Peak	85.40	100	Horizontal	Pass
1**	7926.518	24.47	4.82	54.0	-29.53	AV	85.40	100	Horizontal	Pass
2	8839.290	37.11	7.39	74.0	-36.89	Peak	159.80	100	Horizontal	Pass
2**	8839.290	26.92	7.39	54.0	-27.08	AV	159.80	100	Horizontal	Pass
3	10329.418	41.11	10.76	74.0	-32.89	Peak	70.10	100	Horizontal	Pass
3**	10329.418	30.02	10.76	54.0	-23.98	AV	70.10	100	Horizontal	Pass
4	12484.879	42.83	10.60	74.0	-31.17	Peak	67.40	100	Horizontal	Pass
4**	12484.879	31.61	10.60	54.0	-22.39	AV	67.40	100	Horizontal	Pass

BT 3M-Hopping -Vertical-DH5-TX

Test result

Project Number: Certification

Test Time: 2020-10-22_19.27.35

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1101.987	48.72	-4.20	74.0	-25.28	Peak	189.00	100	Vertical	Pass
1**	1101.987	38.36	-4.20	54.0	-15.64	AV	189.00	100	Vertical	Pass
2	1842.145	49.82	-3.45	74.0	-24.18	Peak	320.40	100	Vertical	Pass
2**	1842.145	40.12	-3.45	54.0	-13.88	AV	320.40	100	Vertical	Pass
3	2418.073	58.14	4.67	74.0	-15.86	Peak	157.60	100	Vertical	Pass
3**	2418.073	48.07	4.67	54.0	-5.93	AV	157.60	100	Vertical	Pass
4	2987.502	55.85	2.93	74.0	-18.15	Peak	0.00	100	Vertical	Pass
4**	2987.502	44.52	2.93	54.0	-9.48	AV	0.00	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-22_19.24.28

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7747.813	35.19	4.84	74.0	-38.81	Peak	0.00	100	Vertical	Pass
1**	7747.813	24.94	4.84	54.0	-29.06	AV	0.00	100	Vertical	Pass
2	8858.535	38.62	7.38	74.0	-35.38	Peak	326.40	100	Vertical	Pass
2**	8858.535	27.19	7.38	54.0	-26.81	AV	326.40	100	Vertical	Pass
3	11162.459	42.20	10.80	74.0	-31.80	Peak	347.70	100	Vertical	Pass
3**	11162.459	31.79	10.80	54.0	-22.21	AV	347.70	100	Vertical	Pass
4	13515.871	44.34	13.74	74.0	-29.66	Peak	152.00	100	Vertical	Pass
4**	13515.871	33.10	13.74	54.0	-20.90	AV	152.00	100	Vertical	Pass

BT 3M-Bandedge-Hopping- Horizontal-DH5 –TX

Test result

Project Number: Certification

Test Time: 2020-10-22_20.00.37

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2400.000	36.62	-4.18	74.0	-37.38	Peak	167.37	100	H	Pass
1**	2400.000	30.03	-4.18	54.0	-23.97	AV	167.37	100	H	Pass
2	2483.500	36.86	-3.87	74.0	-37.14	Peak	91.55	100	H	Pass
2**	2483.500	30.85	-3.87	54.0	-23.15	AV	91.55	100	H	Pass

BT 3M-Bandedge-Hopping-Vertical-DH5 -TX

Test result

Project Number: Certification

Test Time: 2020-10-22_20.01.36

EUT Name: N.A

Manufacture: N.A

Model Name: N.A

Templ.(oC): 20.1

Hum: 54

Test Engineer: XCJ


Test Standard: FCC

Work Additon: normal

Load: full load

Remark: DR-RSE01-E20090001-01#01

R Emission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2400.000	36.77	-4.18	74.0	-37.23	Peak	257.89	100	V	Pass
1**	2400.000	31.09	-4.18	54.0	-22.91	AV	257.89	100	V	Pass
2	2483.500	36.47	-3.87	74.0	-37.53	Peak	199.69	100	V	Pass
2**	2483.500	30.28	-3.87	54.0	-23.72	AV	199.69	100	V	Pass