


Report No.: SEWA2302000016RG01

Rev.: 01

Page: 125 of 180

802.11n40_Channel 09



Final	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3269	57.29	29.59	-46.23	40.65	74.00	33.35	174	152	Horizontal
2	3270	53.36	29.59	-46.24	36.71	54.00	17.29	142	279	Horizontal
3	4098	51.97	30.95	-45.77	37.15	74.00	36.85	158	55	Horizontal
4	4099.5	43.98	30.95	-45.76	29.17	54.00	24.83	192	250	Horizontal
5	4904	60.70	32.61	-45.53	47.78	74.00	26.22	125	159	Horizontal
6	4904.5	52.91	32.61	-45.53	39.99	54.00	14.01	145	2	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/Ferms-and-Conditions.aspx.and, for electronic bocuments at <a href="http://www.sps.com/en/Ferms-and-Conditions/Ferms-and-Con

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Plkt Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 126 of 180

802.11n40_Channel 09



Final	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3269.5	54.01	29.59	-46.24	37.37	74.00	36.63	165	41	Vertical
2	3270	47.91	29.59	-46.24	31.26	54.00	22.74	148	122	Vertical
3	3973.5	52.12	30.74	-46.10	36.75	74.00	37.25	251	195	Vertical
4	3977	43.49	30.75	-46.10	28.14	54.00	25.86	293	251	Vertical
5	4904	53.74	32.61	-45.53	40.82	74.00	33.18	154	125	Vertical
6	4904.5	46.58	32.61	-45.53	33.66	54.00	20.34	177	169	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/Ferms-and-Conditions.aspx.and, for electronic bocuments at <a href="http://www.sps.com/en/Ferms-and-Conditions/Ferms-and-Con

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Plkt Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 127 of 180

802.11ax20_Channel 01



Final	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3216	57.13	29.66	-45.85	40.94	74.00	33.06	184	249	Horizontal
2	3216.5	54.26	29.66	-45.85	38.07	54.00	15.93	175	184	Horizontal
3	4021	55.24	30.83	-45.98	40.09	74.00	33.91	142	109	Horizontal
4	4025	47.36	30.84	-45.97	32.23	54.00	21.77	166	236	Horizontal
5	4824.5	52.42	32.39	-45.54	39.27	54.00	14.73	291	216	Horizontal
6	4825	61.70	32.39	-45.54	48.55	74.00	25.45	185	82	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/Ferms-and-Conditions.aspx.and, for electronic bocuments at <a href="http://www.sps.com/en/Ferms-and-Conditions/Ferms-and-Con

South of No. 6 Plant No. 1, Parasheng Road, Starbou Industrial Park, Starbou Avea, Chine Liangsui Plat Free Trade Zone 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉端: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 128 of 180

802.11ax20_Channel 01



Final	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3216	55.10	29.66	-45.85	38.91	74.00	35.09	174	126	Vertical
2	3216.5	50.83	29.66	-45.85	34.64	54.00	19.36	152	235	Vertical
3	4018	53.25	30.83	-45.99	38.09	74.00	35.91	165	148	Vertical
4	4025	44.41	30.84	-45.97	29.28	54.00	24.72	128	216	Vertical
5	4824	53.85	32.39	-45.54	40.70	74.00	33.30	194	139	Vertical
6	4824.5	45.06	32.39	-45.54	31.91	54.00	22.09	153	168	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/Ferms-and-Conditions.aspx.and, for electronic bocuments at <a href="http://www.sps.com/en/Ferms-and-Conditions/Ferms-and-Con

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Plkt Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 129 of 180

802.11ax20_Channel 06



Final	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3249.5	61.46	29.62	-46.09	44.99	74.00	29.01	184	249	Horizontal
2	3250	57.47	29.62	-46.10	40.99	54.00	13.01	156	277	Horizontal
3	4069.5	54.57	30.90	-45.85	39.63	74.00	34.37	291	55	Horizontal
4	4070	47.14	30.91	-45.84	32.20	54.00	21.80	174	216	Horizontal
5	4872.5	63.68	32.52	-45.53	50.67	74.00	23.33	152	23	Horizontal
6	4874.5	56.68	32.53	-45.53	43.68	54.00	10.32	153	81	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/Ferms-and-Conditions.aspx.and, for electronic bocuments at <a href="http://www.sps.com/en/Ferms-and-Conditions/Ferms-and-Con

South of No. 6 Plant No. 1, Parasheng Road, Starbou Industrial Park, Starbou Avea, Chine Liangsui Plat Free Trade Zone 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉端: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 130 of 180

802.11ax20_Channel 06



Final	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3249.5	55.68	29.62	-46.09	39.21	74.00	34.79	275	166	Vertical
2	3250	51.62	29.62	-46.10	35.14	54.00	18.86	186	193	Vertical
3	4023.5	52.17	30.84	-45.97	37.03	74.00	36.97	251	0	Vertical
4	4057.5	43.65	30.89	-45.88	28.66	54.00	25.34	135	256	Vertical
5	4874.5	58.20	32.53	-45.53	45.20	74.00	28.80	219	166	Vertical
6	4874.5	50.50	32.53	-45.53	37.50	54.00	16.50	144	215	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/ferms-and-Conditions.aspx.and, for electronic format documents subject to ferms and Conditions (Ferms-and-Conditions). The Company and the Intervention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document I advised that information contained hereon reflects the Company's Indirings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Plkt Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 131 of 180

802.11ax40_Channel 03



Final	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3229.5	54.83	29.64	-45.95	38.53	74.00	35.47	154	334	Horizontal
2	3230	51.17	29.64	-45.95	34.86	54.00	19.14	175	162	Horizontal
3	4025	53.02	30.84	-45.97	37.89	74.00	36.11	168	233	Horizontal
4	4047	43.73	30.87	-45.91	28.69	54.00	25.31	259	58	Horizontal
5	4844	54.85	32.44	-45.54	41.76	74.00	32.24	122	250	Horizontal
6	4844.5	48.24	32.44	-45.54	35.15	54.00	18.85	216	85	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/Ferms-and-Conditions.aspx.and, for electronic bocuments at <a href="http://www.sps.com/en/Ferms-and-Conditions/Ferms-and-Con

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Plkt Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 132 of 180

802.11ax40_Channel 03



Fina	l Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4844.0000	49.14	32.44	-45.54	36.05	74.00	37.95	240	53	Vertical
2	4844.0000	41.05	32.44	-45.54	27.96	54.00	26.04	199	250	Vertical
3	7266.0000	39.33	36.56	-43.64	32.26	54.00	21.74	175	0	Vertical
4	7266.0000	47.75	36.56	-43.64	40.68	74.00	33.32	236	53	Vertical
5	9688.0000	42.66	38.34	-39.47	41.54	74.00	32.46	251	164	Vertical
6	9688.0000	34.54	38.34	-39.47	33.42	54.00	20.58	140	332	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/ferms-and-Conditions.aspx.and, for electronic format documents subject to ferms and Conditions (Ferms-and-Conditions). The Company and the Intervention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document I advised that information contained hereon reflects the Company's Indirings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Plkt Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 133 of 180

802.11ax40_Channel 09



Final	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3269	56.02	29.59	-46.23	39.38	74.00	34.62	214	25	Horizontal
2	3270	51.80	29.59	-46.24	35.15	54.00	18.85	148	279	Horizontal
3	4081	51.02	30.92	-45.81	36.13	74.00	37.87	169	58	Horizontal
4	4084.5	42.93	30.93	-45.80	28.05	54.00	25.95	183	224	Horizontal
5	4903.5	54.69	32.61	-45.53	41.77	74.00	32.23	216	84	Horizontal
6	4904.5	50.59	32.61	-45.53	37.67	54.00	16.33	144	84	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/Ferms-and-Conditions.aspx.and, for electronic bocuments at <a href="http://www.sps.com/en/Ferms-and-Conditions/Ferms-and-Con

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Plkt Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 134 of 180

802.11ax40_Channel 09



Fina	l Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4874.0000	50.47	32.53	-45.53	37.46	74.00	36.54	247	0	Vertical
2	4874.0000	41.47	32.53	-45.53	28.46	54.00	25.54	291	28	Vertical
3	7311.0000	38.99	36.54	-43.71	31.82	54.00	22.18	158	245	Vertical
4	7311.0000	46.05	36.54	-43.71	38.88	74.00	35.12	142	276	Vertical
5	9748.0000	41.60	38.28	-39.46	40.42	74.00	33.58	156	7	Vertical
6	9748.0000	33.34	38.28	-39.46	32.16	54.00	21.84	133	231	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/ferms-and-Conditions.aspx.and, for electronic format documents subject to ferms and Conditions (Ferms-and-Conditions). The Company and the Intervention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document I advised that information contained hereon reflects the Company's Indirings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Plkt Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 135 of 180

802.11n20_Channel 01



Final	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3216	55.89	29.66	-45.85	39.70	74.00	34.30	181	84	Horizontal
2	3216.5	52.85	29.66	-45.85	36.66	54.00	17.34	235	279	Horizontal
3	4012.5	54.56	30.82	-46.01	39.37	74.00	34.63	192	55	Horizontal
4	4019.5	47.36	30.83	-45.99	32.20	54.00	21.80	175	84	Horizontal
5	4824.5	51.39	32.39	-45.54	38.24	54.00	15.76	148	113	Horizontal
6	4826	57.50	32.39	-45.54	44.36	74.00	29.64	133	250	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/Ferms-and-Conditions.aspx.and, for electronic bocuments at <a href="http://www.sps.com/en/Ferms-and-Conditions/Ferms-and-Con

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Plkt Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 136 of 180

802.11n20_Channel 01



Fina	l Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4824.5	44.51	32.39	-45.54	31.36	54.00	22.64	269	222	Vertical
2	4825.5	52.68	32.39	-45.54	39.53	74.00	34.47	145	251	Vertical
3	7236.0000	39.10	36.58	-43.54	32.14	54.00	21.86	251	0	Vertical
4	7236.0000	46.80	36.58	-43.54	39.84	74.00	34.16	126	277	Vertical
5	9648.0000	43.20	38.39	-39.56	42.03	74.00	31.97	175	222	Vertical
6	9648.0000	34.99	38.39	-39.56	33.82	54.00	20.18	135	306	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/ferms-and-Conditions.aspx.and, for electronic format documents subject to ferms and Conditions (Ferms-and-Conditions). The Company and the Intervention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document I advised that information contained hereon reflects the Company's Indirings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Plkt Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 137 of 180

802.11n20_Channel 06



Final	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3249	56.78	29.62	-46.09	40.31	74.00	33.69	231	56	Horizontal
2	3250	53.44	29.62	-46.10	36.96	54.00	17.04	142	306	Horizontal
3	4065.5	53.99	30.90	-45.86	39.03	74.00	34.97	185	56	Horizontal
4	4066	45.56	30.90	-45.86	30.60	54.00	23.40	196	218	Horizontal
5	4874	60.55	32.53	-45.53	47.54	74.00	26.46	251	83	Horizontal
6	4874.5	55.59	32.53	-45.53	42.59	54.00	11.41	175	111	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/Ferms-and-Conditions.aspx.and, for electronic bocuments at <a href="http://www.sps.com/en/Ferms-and-Conditions/Ferms-and-Con

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Plkt Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 138 of 180

802.11n20_Channel 06



Final	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3249.5	52.93	29.62	-46.09	36.46	74.00	37.54	124	24	Vertical
2	3250	47.88	29.62	-46. <mark>1</mark> 0	31.40	54.00	22.60	235	164	Vertical
3	4874	45.13	32.53	-45.53	32.12	54.00	21.88	199	249	Vertical
4	4875	52.16	32.53	-45.53	39.16	74.00	34.84	187	1	Vertical
5	9337	37.90	38.44	-40.08	36.27	54.00	17.73	149	52	Vertical
6	9418	46.67	38.49	-39.90	45.25	74.00	28.75	186	221	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/Ferms-and-Conditions.aspx.and, for electronic bocuments at <a href="http://www.sps.com/en/Ferms-and-Conditions/Ferms-and-Con

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Plkt Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 139 of 180

802.11n20_Channel 11



Final	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3283	56.93	29.58	-46.34	40.17	74.00	33.83	247	193	Horizontal
2	3283	52.34	29.58	-46.34	35.58	54.00	18.42	122	109	Horizontal
3	4098	51.36	30.95	-45.77	36.54	74.00	37.46	256	54	Horizontal
4	4105	43.84	30.96	-45.76	29.04	54.00	24.96	134	80	Horizontal
5	4924	58.67	32.67	-45.56	45.78	74.00	28.22	182	277	Horizontal
6	4924.5	51.48	32.67	-45.56	38.59	54.00	15.41	106	109	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/Ferms-and-Conditions.aspx.and, for electronic bocuments at <a href="http://www.sps.com/en/Ferms-and-Conditions/Ferms-and-Con

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Plkt Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 140 of 180

802.11n20_Channel 11



Fina	l Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4921	52.23	32.66	-45.55	39.34	74.00	34.66	244	357	Vertical
2	4924.0000	42.51	32.67	-45.56	29.62	54.00	24.38	125	307	Vertical
3	7386.0000	39.19	36.50	-43.46	32.23	54.00	21.77	142	28	Vertical
4	7386.0000	48.08	36.50	-43.46	41.12	74.00	32.88	136	28	Vertical
5	9848.0000	34.79	38.28	-39.41	33.67	54.00	20.33	251	139	Vertical
6	9848.0000	43.99	38.28	-39.41	42.87	74.00	31.13	145	168	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading($dB\mu V$) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit($dB\mu V/m$) – Level($dB\mu V/m$)

2) All channels have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents. Subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-en-Document.sgx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) serve fastined for 30 days only.

South of No. 6 Plent, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chira (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的4号厂房南部 鄉編: 215000

t (86-512) 62992980 t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 141 of 180

Restricted bands around fundamental frequency

802.11b_Channel 01



Fina	l Data List									
NO.	Frequency [MHz]	Reading [dBµ√]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2384.9667	54.08	27.43	-23.57	57.94	74.00	16.06	184	326	Horizontal
2	2385.2267	45.39	27.43	-23.57	49.25	54.00	4.75	184	326	Horizontal
3	2388.91	54.32	27.43	-23.57	58.18	74.00	15.82	184	326	Horizontal
4	2389.3	44.89	27.43	-23.57	48.75	54.00	5.25	184	326	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printeoverleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx and, for electronic format documents
subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and/Conditions/Terms-en-Document.aspx
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document i
advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of
Client's instructions, if any. The Company's society is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduceexcept in full, without prior written approval of the Company. Any unauthorized alteration, forgery or fasification of the contents or
appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the
results shown in this test report refer only to the sample(s) tested and such sample(s) are testined for 30 days only.




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 142 of 180

802.11b_Channel 01



Fina	l Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2383.58	50.28	27.43	-23.57	54.14	74.00	19.86	215	23	Vertical
2	2385.2267	40.51	27.43	-23.57	44.37	54.00	9.63	215	23	Vertical
3	2389.1267	50.02	27.43	-23.57	53.88	74.00	20.12	215	23	Vertical
4	2389.2133	40.63	27.43	-23.57	44.49	54.00	9.51	215	23	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/Ferms-and-Conditions.aspx.and, for electronic bocuments at <a href="http://www.sps.com/en/Ferms-and-Conditions/Ferms-and-Con

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Plkt Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 143 of 180

802.11b_Channel 11



Fina	l Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.695	43.81	27.72	-23.54	47.98	54.00	6.02	129	324	Horizontal
2	2483.7925	52.74	27.72	-23.54	56.91	74.00	17.09	129	324	Horizontal
3	2484.52	53.73	27.72	-23.54	57.90	74.00	16.10	129	324	Horizontal
4	2484.745	43.43	27.72	-23.54	47.61	54.00	6.39	129	324	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.spx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.spx Attention is a drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's society is the state of the first and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or fasification of the contents or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are referred and such sample(s) are referred for 30 days only.

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Pikt Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 144 of 180

802.11b_Channel 11



Fina	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.6575	39.52	27.72	-23.54	43.69	54.00	10.31	147	11	Vertical
2	2483.695	50.90	27.72	-23.54	55.07	74.00	18.93	147	11	Vertical
3	2484.16	48.92	27.72	-23.54	53.09	74.00	20.91	147	11	Vertical
4	2484.265	39.13	27.72	-23.54	43.30	54.00	10.70	147	11	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/Ferms-and-Conditions.aspx.and, for electronic bocuments at <a href="http://www.sps.com/en/Ferms-and-Conditions/Ferms-and-Con

South of No. 6 Plant No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Liangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 鄉端: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 145 of 180

802.11g_Channel 01



Fina	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2386.96	65.20	27.43	-23.57	69.06	74.00	4.94	155	317	Horizontal
2	2388.1733	45.00	27.43	-23.57	48.86	54.00	5.14	155	317	Horizontal
3	2389.3433	46.34	27.43	-23.57	50.20	54.00	3.80	155	317	Horizontal
4	2389.43	64.28	27.43	-23.57	68.14	74.00	5.86	155	317	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/ferms-and-Conditions.aspx.and, for electronic format documents subject to ferms and Conditions (Ferms-and-Conditions). The Company and the Intervention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document I advised that information contained hereon reflects the Company's Indirings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Area, Chire (Jangsu) Pilot Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 鄉議: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 146 of 180

802.11g_Channel 01



Fina	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2386.9167	60.54	27.43	-23.57	64.40	74.00	9.60	126	22	Vertical
2	2388	40.87	27.43	-23.57	44.73	54.00	9.27	126	22	Vertical
3	2389.43	60.10	27.43	-23.57	63.96	74.00	10.04	126	22	Vertical
4	2389.9933	42.03	27.43	-23.57	45.89	54.00	8.11	126	22	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/ferms-and-Conditions.aspx.and, for electronic format documents subject to ferms and Conditions (Ferms-and-Conditions). The Company and the Intervention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document I advised that information contained hereon reflects the Company's Indirings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Pikt Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 147 of 180

802.11g_Channel 11



Fina	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.6725	46.27	27.72	-23.54	50.44	54.00	3.56	147	324	Horizontal
2	2484.01	62.49	27.72	-23.54	66.66	74.00	7.34	147	324	Horizontal
3	2484.3625	45.21	27.72	-23.54	49.38	54.00	4.62	147	324	Horizontal
4	2484.37	61.05	27.72	-23.54	65.22	74.00	8.78	147	324	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/Ferms-and-Conditions.aspx.and, for electronic bocuments at <a href="http://www.sps.com/en/Ferms-and-Conditions/Ferms-and-Con

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Pikt Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 148 of 180

802.11g_Channel 11



Fina	l Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.5375	42.17	27.72	-23.54	46.34	54.00	7.66	255	23	Vertical
2	2483.62	56.40	27.72	-23.54	60.57	74.00	13.43	255	23	Vertical
3	2484.7075	53.52	27.72	-23.54	57.69	74.00	16.31	255	23	Vertical
4	2484.9625	41.04	27.72	-23.54	45.22	54.00	8.78	255	23	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/ferms-and-Conditions.aspx.and, for electronic format documents subject to ferms and Conditions (Ferms-and-Conditions). The Company and the Intervention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document I advised that information contained hereon reflects the Company's Indirings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 149 of 180

802.11n40_Channel 03



Fina	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2388.0867	63.08	27.43	-23.57	66.94	74.00	7.06	178	306	Horizontal
2	2389.6467	47.13	27.43	-23.57	50.99	54.00	3.01	178	306	Horizontal
3	2484.58	33.68	27.72	-23.54	37.85	54.00	16.15	178	306	Horizontal
4	2485.78	44.88	27.72	-23.54	49.06	74.00	24.94	178	306	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/ferms-and-Conditions.aspx.and, for electronic format documents subject to ferms and Conditions (Ferms-and-Conditions). The Company and the Intervention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document I advised that information contained hereon reflects the Company's Indirings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Area, Chire (Jangsu) Pilot Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 鄉議: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 150 of 180

802.11n40_Channel 03



Fina	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2387.7833	58.39	27.43	-23.57	62.25	74.00	11.75	236	112	Vertical
2	2389.3867	42.52	27.43	-23.57	46.38	54.00	7.62	236	112	Vertical
3	2484.7	42.31	27.72	-23.54	46.48	74.00	27.52	236	112	Vertical
4	2485.24	30.48	27.72	-23.54	34.66	54.00	19.34	236	112	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.appx and, for electronic bocuments at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's Indings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authenticity of testing inspection reports certificate a lease contact us at telephone (66-755)8307 1443.

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Pikt Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 151 of 180

802.11n40_Channel 09



Fina	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2388.3033	46.50	27.43	-23.57	50.36	74.00	23.64	148	329	Horizontal
2	2389.1267	35.58	27.43	-23.57	39.44	54.00	14.56	148	329	Horizontal
3	2484.1	46.30	27.72	-23.54	50.47	54.00	3.53	148	329	Horizontal
4	2485.42	62.79	27.72	-23.54	66.97	74.00	7.03	148	329	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/ferms-and-Conditions.aspx.and, for electronic format documents subject to ferms and Conditions (Ferms-and-Conditions). The Company and the Intervention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document I advised that information contained hereon reflects the Company's Indirings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant No. 1, Parasheng Road, Starbou Industrial Park, Starbou Avea, Chine Liangsui Plat Free Trade Zone 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉端: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 152 of 180

802.11n40_Channel 09



Fina	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2384.7067	44.28	27.43	-23.57	48.14	74.00	25.86	291	142	Vertical
2	2388	32.14	27.43	-23.57	36.00	54.00	18.00	291	142	Vertical
3	2483.62	41.88	27.72	-23.54	46.05	54.00	7.95	291	142	Vertical
4	2484.58	58.69	27.72	-23.54	62.86	74.00	11.14	291	142	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.appx and, for electronic bocuments at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's Indings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authenticity of testing inspection reports certificate a lease contact us at telephone (66-755)8307 1443.




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 153 of 180

802.11ax20_Channel 01



Fina	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2387.4367	45.27	27.43	-23.57	49.13	54.00	4.87	180	306	Horizontal
2	2387.8267	59.19	27.43	-23.57	63.05	74.00	10.95	180	306	Horizontal
3	2388.78	63.11	27.43	-23.57	66.97	74.00	7.03	180	306	Horizontal
4	2388.9533	46.78	27.43	-23.57	50.64	54.00	3.36	180	306	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/Ferms-and-Conditions.aspx.and, for electronic bocuments at <a href="http://www.sps.com/en/Ferms-and-Conditions/Ferms-and-Con

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Area, Chire (Jangsu) Pilot Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 鄉議: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 154 of 180

802.11ax20_Channel 01



Fina	l Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2388.13	60.74	27.43	-23.57	64.60	74.00	9.40	168	14	Vertical
2	2388.78	41.20	27.43	-23.57	45.06	54.00	8.94	168	14	Vertical
3	2389.5167	60.47	27.43	-23.57	64.33	74.00	9.67	168	14	Vertical
4	2389.6033	42.34	27.43	-23.57	46.20	54.00	7.80	168	14	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/Ferms-and-Conditions.aspx.and, for electronic bocuments at <a href="http://www.sps.com/en/Ferms-and-Conditions/Ferms-and-Con




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 155 of 180

802.11ax20_Channel 11



Fina	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.8975	45.48	27.72	-23.54	49.65	54.00	4.35	174	308	Horizontal
2	2484.355	62.63	27.72	-23.54	66.80	74.00	7.20	174	308	Horizontal
3	2484.5125	45.81	27.72	-23.54	49.98	54.00	4.02	174	308	Horizontal
4	2485.2625	61.79	27.72	-23.54	65.97	74.00	8.03	174	308	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.appx and, for electronic Documents at <a href="http://www.sps.com/en/Terms-and-Conditions/Terms-and-Condit

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Pikt Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 156 of 180

802.11ax20_Channel 11



Fina	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.77	41.13	27.72	-23.54	45.30	54.00	8.70	195	245	Vertical
2	2484.115	57.25	27.72	-23.54	61.42	74.00	12.58	195	245	Vertical
3	2484.1525	40.54	27.72	-23.54	44.71	54.00	9.29	195	245	Vertical
4	2484.61	59.00	27.72	-23.54	63.17	74.00	10.83	195	245	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/Ferms-and-Conditions.aspx.and, for electronic bocuments at <a href="http://www.sps.com/en/Ferms-and-Conditions/Ferms-and-Con

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Pikt Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 157 of 180

802.11ax40_Channel 03



Fina	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2389.2567	63.03	27.43	-23.57	66.89	74.00	7.11	236	307	Horizontal
2	2389.3	46.42	27.43	-23.57	50.28	54.00	3.72	236	307	Horizontal
3	2484.7	34.36	27.72	-23.54	38.53	54.00	15.47	236	307	Horizontal
4	2485.24	45.58	27.72	-23.54	49.76	74.00	24.24	236	307	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/Ferms-and-Conditions.aspx.and, for electronic bocuments at <a href="http://www.sps.com/en/Ferms-and-Conditions/Ferms-and-Con

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Pikt Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 158 of 180

802.11ax40_Channel 03



Fina	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2389.5167	57.92	27.43	-23.57	61.78	74.00	12.22	259	12	Vertical
2	2389.6467	41.29	27.43	-23.57	45.15	54.00	8.85	259	12	Vertical
3	2484.76	31.02	27.72	-23.54	35.20	54.00	18.80	259	12	Vertical
4	2486.8	43.92	27.73	-23.54	48.10	74.00	25.90	259	12	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.appx and, for electronic bocuments at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's Indings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authenticity of testing inspection reports certificate a lease contact us at telephone (66-755)8307 1443.

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Pikt Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 159 of 180

802.11ax40_Channel 09



Fina	l Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2384.0567	48.36	27.43	-23.57	52.22	74.00	21.78	152	328	Horizontal
2	2387.9133	36.37	27.43	-23.57	40.23	54.00	13.77	152	328	Horizontal
3	2484.04	45.06	27.72	-23.54	49.23	54.00	4.77	152	328	Horizontal
4	2484.52	60.60	27.72	-23.54	64.77	74.00	9.23	152	328	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/Ferms-and-Conditions.aspx.and, for electronic bocuments at <a href="http://www.sps.com/en/Ferms-and-Conditions/Ferms-and-Con




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 160 of 180

802.11ax40_Channel 09



Fina	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2385.2267	44.87	27.43	-23.57	48.73	74.00	25.27	195	355	Vertical
2	2387.74	32.87	27.43	-23.57	36.73	54.00	17.27	195	355	Vertical
3	2484.46	40.24	27.72	-23.54	44.41	54.00	9.59	195	355	Vertical
4	2488.36	57.32	27.73	-23.54	61.51	74.00	12.49	195	355	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.appx and, for electronic bocuments at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's Indings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authenticity of testing inspection reports certificate a lease contact us at telephone (66-755)8307 1443.

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Pikt Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 161 of 180

802.11n20_Channel 01



Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	2388.78	61.50	27.43	-23.57	65.36	74.00	8.64	259	317	Horizontal	
2	2388.8233	45.51	27.43	-23.57	49.37	54.00	4.63	259	317	Horizontal	
3	2389.7767	46.38	27.43	-23.57	50.24	54.00	3.76	259	317	Horizontal	
4	2389.82	62.69	27.43	-23.57	66.55	74.00	7.45	259	317	Horizontal	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/Ferms-and-Conditions.aspx.and, for electronic bocuments at <a href="http://www.sps.com/en/Ferms-and-Conditions/Ferms-and-Con

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Pikt Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 162 of 180

802.11n20_Channel 01



Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	2388.39	56.22	27.43	-23.57	60.08	74.00	13.92	248	21	Vertical	
2	2389.3	40.93	27.43	-23.57	44.79	54.00	9.21	248	21	Vertical	
3	2389.3	58.77	27.43	-23.57	62.63	74.00	11.37	248	21	Vertical	
4	2389.8633	41.62	27.43	-23.57	45.48	54.00	8.52	248	21	Vertical	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/ferms-and-Conditions.aspx.and, for electronic format documents subject to ferms and Conditions (Ferms-and-Conditions). The Company and the Intervention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document I advised that information contained hereon reflects the Company's Indirings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Pikt Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 163 of 180

802.11n20_Channel 11



Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	2483.8075	45.80	27.72	-23.54	49.97	54.00	4.03	185	97	Horizontal	
2	2484.1675	61.02	27.72	-23.54	65.19	74.00	8.81	185	97	Horizontal	
3	2484.58	46.18	27.72	-23.54	50.35	54.00	3.65	185	97	Horizontal	
4	2484.7	58.43	27.72	-23.54	62.60	74.00	11.4	185	97	Horizontal	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/Ferms-and-Conditions.aspx.and, for electronic bocuments at <a href="http://www.sps.com/en/Ferms-and-Conditions/Ferms-and-Con

South of No. 6 Plant No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Liangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 鄉端: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 164 of 180

802.11n20_Channel 11



Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	2483.7775	41.50	27.72	-23.54	45.67	54.00	8.33	155	66	Vertical	
2	2483.995	57.91	27.72	-23.54	62.08	74.00	11.92	155	66	Vertical	
3	2484.295	40.86	27.72	-23.54	45.03	54.00	8.97	155	66	Vertical	
4	2484.3325	56.99	27.72	-23.54	61.16	74.00	12.84	155	66	Vertical	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/ferms-and-Conditions.aspx.and, for electronic format documents subject to ferms and Conditions (Ferms-and-Conditions). The Company and the Intervention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document I advised that information contained hereon reflects the Company's Indirings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Plkt Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海世路1号的6号厂房南部 鄉籍: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 165 of 180

802.11ax20_Channel 01 26RU_Left



Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2371.2733	56.30	27.43	-23.57	60.15	74.00	13.85	186	325	Horizontal		
2	2385.5733	45.34	27.43	-23.57	49.20	54.00	4.80	186	325	Horizontal		
3	2386.6133	65.81	27.43	-23.57	69.67	74.00	4.33	186	325	Horizontal		
4	2386.96	46.52	27.43	-23.57	50.38	54.00	3.62	186	325	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and/Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sore responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, ropey or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) less testined for 30 days only.

South of No. 6 Plant No. 1, Parasheng Road, Starbou Industrial Park, Starbou Avea, Chine Liangsui Plat Free Trade Zone 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉端: 215000