



Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.49	0.26	4.75	9.30
CH116	5580	4.32	0.26	4.58	9.30
CH140	5700	4.49	0.26	4.75	9.30




Date: 26.NOV.2018 16:59:16

CH116



Date: 26.NOV.2018 17:00:12

CH140



Date: 26.NOV.2018 17:01:11


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.84	9.30
CH116	5580	7.58	9.30
CH140	5700	7.79	9.30

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	0.16	0.68	0.84	9.30
CH110	5550	0.32	0.68	1.00	9.30
CH134	5670	0.02	0.68	0.70	9.30

CH102




Date: 28.NOV.2018 15:07:56

CH110



Date: 28.NOV.2018 15:09:09

CH134




Date: 28.NOV.2018 15:10:15

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.57	0.68	0.11	9.30
CH110	5550	-0.46	0.68	0.22	9.30
CH134	5670	-0.41	0.68	0.27	9.30

CH102




Date: 28.NOV.2018 14:56:49

CH110



Date: 28.NOV.2018 14:57:50

CH134



Date: 28.NOV.2018 14:59:15


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.50	9.30
CH110	5550	3.64	9.30
CH134	5670	3.50	9.30

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-3.28	1.39	-1.89	9.30
CH122	5610	-3.61	1.39	-2.22	9.30

CH106



Date: 26.NOV.2018 19:31:05

CH122




Date: 26.NOV.2018 19:32:21

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-3.45	1.39	-2.06	9.30
CH122	5610	-4.06	1.39	-2.67	9.30

CH106



Date: 26.NOV.2018 19:21:07

CH122




Date: 26.NOV.2018 19:22:46

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	1.04	9.30
CH122	5610	0.57	9.30

Test Mode: UNII-2C/TX AC160 Mode_ CH114_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH114	5570	-6.82	1.00	-5.82	9.19



Date: 26.NOV.2018 19:54:22

Test Mode: UNII-2C/TX AC160 Mode_CH114_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH114	5570	-5.98	1.00	-4.98	9.19




Date: 26.NOV.2018 19:53:51

Test Mode: UNII-2C/TX AC160 Mode_ CH114_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH114	5570	-2.38	9.19


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.72	0.26	1.98	28.30
CH157	5785	1.80	0.26	2.06	28.30
CH165	5825	1.40	0.26	1.66	28.30




Date: 26.NOV.2018 18:07:08

TX CH157



Date: 26.NOV.2018 18:08:13

TX CH165




Date: 26.NOV.2018 18:09:21

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-0.17	0.26	0.09	28.30
CH157	5785	-0.23	0.26	0.03	28.30
CH165	5825	-0.67	0.26	-0.41	28.30

TX CH149




Date: 26.NOV.2018 17:02:22

TX CH157



Date: 26.NOV.2018 17:03:20

TX CH165



Date: 26.NOV.2018 17:04:19


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.15	28.30
CH157	5785	4.17	28.30
CH165	5825	3.76	28.30

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.57	0.68	-1.89	28.30
CH159	5795	-2.45	0.68	-1.77	28.30

TX CH151



Date: 28.NOV.2018 15:11:28

TX CH159




Date: 28.NOV.2018 15:12:32

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-3.04	0.68	-2.36	28.30
CH159	5795	-3.20	0.68	-2.52	28.30

TX CH151



Date: 28.NOV.2018 15:00:27

TX CH159



Date: 28.NOV.2018 15:01:33


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	0.89	28.30
CH159	5795	0.88	28.30

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-6.06	1.39	-4.67	28.30


TX CH155



Date: 26.NOV.2018 19:33:41

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-5.94	1.39	-4.55	28.30



Date: 26.NOV.2018 19:24:26

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-1.60	28.30

APPENDIX H - FREQUENCY STABILITY

Test Mode:	UNII-1
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
138	5179.9948
120	5179.9956
102	5179.9948
Max. Deviation (MHz)	0.0052
Max. Deviation (ppm)	1.0039

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5179.9948
10	5179.9952
20	5179.9952
30	5179.9952
40	5179.9920
Max. Deviation (MHz)	0.0080
Max. Deviation (ppm)	1.5444

Test Mode:	UNII-2A
------------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
138	5259.9956
120	5259.9956
102	5259.9952
Max. Deviation (MHz)	0.0048
Max. Deviation (ppm)	0.9125

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
0	5259.9956
10	5259.9952
20	5259.9952
30	5259.9952
40	5259.9956
Max. Deviation (MHz)	0.0048
Max. Deviation (ppm)	0.9125

Test Mode:	UNII-2C
------------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
138	5499.9952
120	5499.9956
102	5499.9956
Max. Deviation (MHz)	0.0048
Max. Deviation (ppm)	0.8727

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
0	5499.9960
10	5499.9960
20	5499.9960
30	5499.9960
40	5499.9960
Max. Deviation (MHz)	0.0040
Max. Deviation (ppm)	0.7273

Test Mode:	UNII-3
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
138	5744.9948
120	5744.9944
102	5744.9948
Max. Deviation (MHz)	0.0056
Max. Deviation (ppm)	0.9748

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9952
10	5744.9944
20	5744.9944
30	5744.9944
40	5744.9948
Max. Deviation (MHz)	0.0056
Max. Deviation (ppm)	0.9748

End of Test Report