

Appendix: 2.4G

Contents

Contents 2

Duty Cycle 3

Maximum Peak Conducted Output Power 6

-6dB Bandwidth 9

Occupied Channel Bandwidth 12

Maximum Power Spectral Density Level 15


Band Edge 18


Conducted RF Spurious Emission 21

Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Duty Cycle Correction Factor (dB)
NVNT	2.4G TX	2413	Ant1	24.40	6.85
NVNT	2.4G TX	2442	Ant1	24.39	6.85
NVNT	2.4G TX	2470	Ant1	24.17	6.85

Note:Duty Cycle Correction Factor (dB)=-10*Ig(Duty Cycle);







Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	2.4G TX	2413	Ant1	-7.05	30	Pass
NVNT	2.4G TX	2442	Ant1	-8.25	30	Pass
NVNT	2.4G TX	2470	Ant1	-8.80	30	Pass

Note:


①The Conducted Power (dBm) has been added Duty Cycle Correction Factor (dB);






-6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	2.4G TX	2413	Ant1	0.678	0.5	Pass
NVNT	2.4G TX	2442	Ant1	0.696	0.5	Pass
NVNT	2.4G TX	2470	Ant1	0.713	0.5	Pass






Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	2.4G TX	2413	Ant1	1.165
NVNT	2.4G TX	2442	Ant1	1.186
NVNT	2.4G TX	2470	Ant1	1.203







Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	2.4G TX	2413	Ant1	-21.55	8	Pass
NVNT	2.4G TX	2442	Ant1	-22.75	8	Pass
NVNT	2.4G TX	2470	Ant1	-23.42	8	Pass

Note:


①The Conducted Power (dBm) has been added Duty Cycle Correction Factor (dB);







Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	2.4G TX	2413	Ant1	-36.04	-20	Pass
NVNT	2.4G TX	2470	Ant1	-34.41	-20	Pass






Date: 29.OCT.2024 18:23:49




Date: 29.OCT.2024 18:23:56


Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	2.4G TX	2413	Ant1	-35.24	-20	Pass
NVNT	2.4G TX	2442	Ant1	-38.48	-20	Pass
NVNT	2.4G TX	2470	Ant1	-30.44	-20	Pass







Date: 29.OCT.2024 18:08:42



Date: 29.OCT.2024 18:09:11



Date: 29.OCT.2024 18:25:05



Date: 29.OCT.2024 18:25:34

END OF REPORT