




LTE Band 7_5MHz_CH21100 Spectrum Plot




LTE Band 7_20MHz_CH21100 Spectrum Plot




LTE Band 40(2305-2315MHz)_5MHz_CH38750 Spectrum Plot




LTE Band 40(2305-2315MHz)_10MHz_CH38750 Spectrum Plot




LTE Band 40(2350-2355MHz)_5MHz_CH39175 Spectrum Plot




LTE Band 66_1.4MHz_CH132322 Spectrum Plot



LTE Band 66_5MHz_CH132322 Spectrum Plot



LTE Band 66_20MHz_CH132322 Spectrum Plot




APPENDIX D - RADIATED SPURIOUS EMISSIONS (9KHZ TO 30MHZ)

Test Mode : TX Mode


Test Mode : TX Mode

Ant 0°



No. Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	0.0100	24.75	21.28	46.03	127.60	-81.57	AVG	
2	0.0384	20.80	20.01	40.81	115.92	-75.11	AVG	
3 *	0.1291	19.72	20.16	39.88	105.39	-65.51	AVG	

Ant 0°




No. Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	0.1787	28.82	20.09	48.91	102.56	-53.65	AVG	
2	0.5680	20.98	20.04	41.02	72.52	-31.50	QP	
3 *	6.7470	20.34	20.32	40.66	69.54	-28.88	QP	

Test Mode : TX Mode


Test Mode : TX Mode

Ant 90°



No. Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	0.0100	23.23	21.28	44.51	127.60	-83.09	AVG	
2	0.0386	20.03	20.01	40.04	115.87	-75.83	AVG	
3 *	0.1287	18.43	20.16	38.59	105.42	-66.83	AVG	

Ant 90°




No. Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	0.1685	30.53	20.11	50.64	103.07	-52.43	AVG	
2 *	0.6873	20.04	20.04	40.08	70.86	-30.78	QP	
3	7.5827	18.32	20.38	38.70	69.54	-30.84	QP	

APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1GHZ)

Test Mode : WCDMA Band IV_TX CH1413


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	46.0050	-65.23	-0.34	-65.57	-13.00	-52.57	peak	
2	68.3150	-65.34	-2.12	-67.46	-13.00	-54.46	peak	
3	78.0150	-62.67	-4.29	-66.96	-13.00	-53.96	peak	
4	136.2150	-65.02	-0.98	-66.00	-13.00	-53.00	peak	
5	204.6000	-68.18	-3.22	-71.40	-13.00	-58.40	peak	
6 *	931.1300	-75.70	11.86	-63.84	-13.00	-50.84	peak	

Test Mode : WCDMA Band IV_TX CH1413


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	78.0150	-67.32	-4.29	-71.61	-13.00	-58.61	peak	
2	94.5050	-66.04	-5.62	-71.66	-13.00	-58.66	peak	
3	102.7500	-68.72	-4.36	-73.08	-13.00	-60.08	peak	
4	132.3350	-68.22	-1.31	-69.53	-13.00	-56.53	peak	
5	199.2650	-67.63	-3.09	-70.72	-13.00	-57.72	peak	
6 *	974.2950	-76.54	12.16	-64.38	-13.00	-51.38	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	45.0350	-65.62	-0.36	-65.98	-13.00	-52.98	peak	
2 *	49.4000	-63.62	-0.23	-63.85	-13.00	-50.85	peak	
3	69.2850	-66.21	-2.30	-68.51	-13.00	-55.51	peak	
4	137.1850	-65.35	-0.91	-66.26	-13.00	-53.26	peak	
5	197.8100	-67.16	-3.01	-70.17	-13.00	-57.17	peak	
6	880.2050	-76.68	11.26	-65.42	-13.00	-52.42	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	69.2850	-72.65	-2.30	-74.95	-13.00	-61.95	peak	
2	78.0150	-69.26	-4.29	-73.55	-13.00	-60.55	peak	
3	140.5800	-70.46	-0.63	-71.09	-13.00	-58.09	peak	
4	199.7500	-66.05	-3.12	-69.17	-13.00	-56.17	peak	
5	794.8450	-76.95	10.75	-66.20	-13.00	-53.20	peak	
6 *	922.8850	-76.10	11.77	-64.33	-13.00	-51.33	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	48.9150	-67.35	-0.25	-67.60	-13.00	-54.60	peak	
2	68.8000	-65.60	-2.21	-67.81	-13.00	-54.81	peak	
3	78.5000	-62.39	-4.40	-66.79	-13.00	-53.79	peak	
4	131.8500	-65.49	-1.35	-66.84	-13.00	-53.84	peak	
5	202.1750	-68.06	-3.17	-71.23	-13.00	-58.23	peak	
6 *	931.6150	-76.63	11.86	-64.77	-13.00	-51.77	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	77.5300	-69.99	-4.17	-74.16	-13.00	-61.16	peak	
2	135.7300	-69.32	-1.03	-70.35	-13.00	-57.35	peak	
3	144.4600	-71.75	-0.36	-72.11	-13.00	-59.11	peak	
4	201.2050	-67.64	-3.16	-70.80	-13.00	-57.80	peak	
5	743.9200	-76.67	10.38	-66.29	-13.00	-53.29	peak	
6 *	975.7500	-76.44	12.17	-64.27	-13.00	-51.27	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	46.0050	-65.35	-0.34	-65.69	-13.00	-52.69	peak	
2	68.3150	-65.70	-2.12	-67.82	-13.00	-54.82	peak	
3	77.0450	-62.08	-4.06	-66.14	-13.00	-53.14	peak	
4	137.1850	-65.50	-0.91	-66.41	-13.00	-53.41	peak	
5	204.1150	-67.37	-3.21	-70.58	-13.00	-57.58	peak	
6 *	944.2250	-75.92	12.02	-63.90	-13.00	-50.90	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	72.1950	-71.51	-2.93	-74.44	-13.00	-61.44	peak	
2	107.6000	-72.78	-3.70	-76.48	-13.00	-63.48	peak	
3	147.8550	-71.58	-0.13	-71.71	-13.00	-58.71	peak	
4	200.2350	-67.54	-3.14	-70.68	-13.00	-57.68	peak	
5	738.5850	-76.49	10.21	-66.28	-13.00	-53.28	peak	
6 *	971.8700	-76.04	12.15	-63.89	-13.00	-50.89	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	46.4900	-65.24	-0.31	-65.55	-25.00	-40.55	peak	
2	56.1900	-67.38	-0.50	-67.88	-25.00	-42.88	peak	
3	77.0450	-62.81	-4.06	-66.87	-25.00	-41.87	peak	
4	137.1850	-64.62	-0.91	-65.53	-25.00	-40.53	peak	
5	200.2350	-67.16	-3.14	-70.32	-25.00	-45.32	peak	
6 *	947.6200	-76.17	12.05	-64.12	-25.00	-39.12	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	78.0150	-69.90	-4.29	-74.19	-25.00	-49.19	peak	
2	102.2650	-71.10	-4.42	-75.52	-25.00	-50.52	peak	
3	138.1550	-68.86	-0.83	-69.69	-25.00	-44.69	peak	
4	200.2350	-68.54	-3.14	-71.68	-25.00	-46.68	peak	
5	379.6850	-76.49	2.47	-74.02	-25.00	-49.02	peak	
6 *	939.8600	-76.20	11.97	-64.23	-25.00	-39.23	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	45.0350	-66.58	-0.36	-66.94	-25.00	-41.94	peak	
2	67.8300	-66.00	-2.03	-68.03	-25.00	-43.03	peak	
3	136.2150	-66.65	-0.98	-66.63	-25.00	-41.63	peak	
4	198.7800	-66.22	-3.06	-69.28	-25.00	-44.28	peak	
5	730.3400	-75.64	9.95	-65.69	-25.00	-40.69	peak	
6 *	952.4700	-77.11	12.09	-65.02	-25.00	-40.02	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	77.5300	-70.37	-4.17	-74.54	-25.00	-49.54	peak	
2	103.2350	-72.08	-4.29	-76.37	-25.00	-51.37	peak	
3	136.7000	-69.74	-0.94	-70.68	-25.00	-45.68	peak	
4	167.7400	-74.97	-0.18	-75.15	-25.00	-50.15	peak	
5	202.1750	-67.25	-3.17	-70.42	-25.00	-45.42	peak	
6 *	900.0900	-75.43	11.50	-63.93	-25.00	-38.93	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	48.4300	-65.96	-0.27	-66.23	-40.00	-26.23	peak	
2	69.2850	-65.51	-2.30	-67.81	-40.00	-27.81	peak	
3	138.6400	-67.16	-0.78	-67.94	-40.00	-27.94	peak	
4	200.2350	-66.70	-3.14	-69.84	-40.00	-29.84	peak	
5	867.1100	-75.75	11.09	-64.66	-40.00	-24.66	peak	
6 *	928.7050	-76.29	11.83	-64.46	-40.00	-24.46	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	52.7950	-75.57	-0.32	-75.89	-40.00	-35.89	peak	
2	77.5300	-69.32	-4.17	-73.49	-40.00	-33.49	peak	
3	136.2150	-70.04	-0.98	-71.02	-40.00	-31.02	peak	
4	200.7200	-66.22	-3.15	-69.37	-40.00	-29.37	peak	
5	775.9000	-76.23	10.68	-65.55	-40.00	-25.55	peak	
6 *	988.3600	-76.74	12.21	-64.53	-40.00	-24.53	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_10MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	46.4900	-65.47	-0.31	-65.78	-40.00	-25.78	peak	
2	56.1900	-66.39	-0.50	-66.89	-40.00	-26.89	peak	
3	78.0150	-62.15	-4.29	-66.44	-40.00	-26.44	peak	
4	134.7600	-65.22	-1.11	-66.33	-40.00	-26.33	peak	
5	202.6600	-67.18	-3.18	-70.36	-40.00	-30.36	peak	
6 *	972.3550	-75.76	12.15	-63.61	-40.00	-23.61	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_10MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	78.0150	-69.69	-4.29	-73.98	-40.00	-33.98	peak	
2	138.6400	-71.27	-0.78	-72.05	-40.00	-32.05	peak	
3	146.8850	-71.61	-0.19	-71.80	-40.00	-31.80	peak	
4	200.2350	-68.82	-3.14	-71.96	-40.00	-31.96	peak	
5	765.2600	-76.12	10.63	-65.49	-40.00	-25.49	peak	
6 *	951.5000	-76.24	12.08	-64.16	-40.00	-24.16	peak	

Test Mode : LTE Band 40(2350-2355MHz)_TX
CH39175_5MHz


Vertical



No. Mx	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
MHz	dBm	dB	dBm	dBm	dB			
1 *	46.4900	-63.77	-0.31	-64.08	-40.00	-24.08	peak	
2	73.1650	-64.26	-3.15	-67.41	-40.00	-27.41	peak	
3	102.7500	-63.52	-4.36	-67.88	-40.00	-27.88	peak	
4	131.8500	-63.20	-1.36	-64.55	-40.00	-24.55	peak	
5	175.9850	-71.39	-0.92	-72.31	-40.00	-32.31	peak	
6	979.1450	-76.77	12.18	-64.59	-40.00	-24.59	peak	

Test Mode : LTE Band 40(2350-2355MHz)_TX
CH39175_5MHz


Horizontal



No. Mx	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
MHz	dBm	dB	dBm	dBm	dB			
1	76.0750	-70.96	-3.82	-74.78	-40.00	-34.78	peak	
2	130.8800	-63.95	-1.43	-65.38	-40.00	-25.38	peak	
3	180.8350	-71.34	-1.46	-72.80	-40.00	-32.80	peak	
4	201.6900	-66.17	-3.16	-69.33	-40.00	-29.33	peak	
5	732.2800	-76.90	10.01	-66.89	-40.00	-26.89	peak	
6 *	935.5800	-77.05	11.91	-65.14	-40.00	-25.14	peak	

Test Mode : LTE Band 66_TX CH132322_1.4MHz


Vertical



No. Mx	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
MHz	dBm	dB	dBm	dBm	dB			
1	46.4900	-66.49	-0.31	-66.80	-13.00	-53.80	peak	
2	70.2650	-65.89	-2.49	-68.38	-13.00	-55.38	peak	
3	137.6700	-66.68	-0.87	-67.55	-13.00	-54.55	peak	
4	200.7200	-66.42	-3.15	-69.57	-13.00	-56.57	peak	
5	768.1400	-76.19	10.64	-65.55	-13.00	-52.55	peak	
6 *	821.5200	-75.48	10.81	-64.67	-13.00	-51.67	peak	

Test Mode : LTE Band 66_TX CH132322_1.4MHz

Horizontal




No. Mx	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
MHz	dBm	dB	dBm	dBm	dB			
1	78.0150	-68.95	-4.29	-73.24	-13.00	-60.24	peak	
2	137.1850	-70.86	-0.91	-71.77	-13.00	-58.77	peak	
3	199.7500	-66.85	-3.12	-69.97	-13.00	-56.97	peak	
4	625.5800	-75.46	7.96	-67.50	-13.00	-54.50	peak	
5	723.0650	-76.73	9.73	-67.00	-13.00	-54.00	peak	
6 *	877.7800	-75.72	11.23	-64.49	-13.00	-51.49	peak	

Test Mode : LTE Band 66_TX CH132322_5MHz


Test Mode : LTE Band 66_TX CH132322_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	49.4000	-62.75	-0.23	-62.98	-13.00	-49.98	peak	
2	66.3750	-66.27	-1.77	-68.04	-13.00	-55.04	peak	
3	78.5000	-62.49	-4.40	-66.89	-13.00	-53.89	peak	
4	137.6700	-65.74	-0.87	-66.61	-13.00	-53.61	peak	
5	202.6800	-67.08	-3.18	-70.26	-13.00	-57.26	peak	
6	922.8850	-76.51	11.77	-64.74	-13.00	-51.74	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	73.6500	-71.81	-3.26	-75.07	-13.00	-62.07	peak	
2	77.5300	-69.94	-4.17	-74.11	-13.00	-61.11	peak	
3	138.6400	-70.07	-0.78	-70.85	-13.00	-57.85	peak	
4	144.9450	-70.56	-0.33	-70.89	-13.00	-57.89	peak	
5	200.7200	-68.84	-3.15	-71.99	-13.00	-58.99	peak	
6 *	964.1100	-75.99	12.12	-63.87	-13.00	-50.87	peak	

Test Mode : LTE Band 66_TX CH132322_20MHz


Test Mode : LTE Band 66_TX CH132322_20MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	48.9150	-66.63	-0.25	-66.88	-13.00	-53.88	peak	
2	67.8300	-65.83	-2.03	-67.86	-13.00	-54.86	peak	
3	78.0150	-62.17	-4.29	-66.46	-13.00	-53.46	peak	
4	133.3050	-65.83	-1.23	-67.06	-13.00	-54.06	peak	
5	201.2050	-67.68	-3.16	-70.84	-13.00	-57.84	peak	
6 *	979.1450	-76.56	12.18	-64.38	-13.00	-51.38	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	65.8900	-74.17	-1.68	-75.85	-13.00	-62.85	peak	
2	78.9850	-70.34	-4.52	-74.86	-13.00	-61.86	peak	
3	101.7800	-71.74	-4.49	-76.23	-13.00	-63.23	peak	
4	136.7000	-69.40	-0.94	-70.34	-13.00	-57.34	peak	
5	200.7200	-67.99	-3.15	-71.14	-13.00	-58.14	peak	
6 *	763.8050	-75.45	10.63	-64.82	-13.00	-51.82	peak	

APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1GHZ)

Test Mode : WCDMA Band IV_TX CH1413


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	1503.000	-65.51	14.86	-50.65	-13.00	-37.65	peak	

Test Mode : WCDMA Band IV_TX CH1413


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	1551.000	-65.53	14.99	-50.54	-13.00	-37.54	peak	

Test Mode : WCDMA Band IV_TX CH1413


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	9652.500	-67.61	18.86	-48.75	-13.00	-35.75	peak	

Test Mode : WCDMA Band IV_TX CH1413


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	8640.000	-68.76	18.71	-50.05	-13.00	-37.05	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	1541.000	-65.16	14.97	-50.19	-13.00	-37.19	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	1519.000	-64.68	14.91	-49.77	-13.00	-36.77	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	3485.000	-60.29	9.15	-51.14	-13.00	-38.14	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	1519.000	-64.68	14.91	-49.77	-13.00	-36.77	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	2519.000	-64.49	17.04	-47.45	-13.00	-34.45	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	1299.000	-64.08	14.39	-49.69	-13.00	-36.69	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	7665.000	-68.56	18.53	-50.03	-13.00	-37.03	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	7245.000	-68.87	17.96	-50.91	-13.00	-37.91	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Test Mode : LTE Band 4_TX CH20175_20MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	1522.000	-64.46	14.92	-49.54	-13.00	-36.54	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	1511.000	-64.18	14.89	-49.29	-13.00	-36.29	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Test Mode : LTE Band 4_TX CH20175_20MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	8595.000	-68.38	18.69	-49.69	-13.00	-36.69	peak	


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	8872.500	-68.56	18.81	-49.75	-13.00	-36.75	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	1904.000	-64.01	16.00	-48.01	-25.00	-23.01	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	2407.000	-64.83	16.86	-47.97	-25.00	-22.97	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	7447.500	-69.52	18.37	-51.15	-25.00	-26.15	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	10185.00	-67.29	18.66	-48.63	-25.00	-23.63	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Test Mode : LTE Band 7_TX CH21100_5MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
1	*	19527.87	-55.94	-1.08	-57.02	-25.00	-32.02	peak	

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
1	*	21072.32	-57.05	0.67	-56.38	-40.00	-16.38	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz


Test Mode : LTE Band 7_TX CH21100_20MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	1993.000	-64.33	16.25	-48.08	-25.00	-23.08	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	2012.000	-63.91	16.29	-47.62	-25.00	-22.62	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz


Test Mode : LTE Band 7_TX CH21100_20MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	9780.000	-67.98	18.92	-49.06	-25.00	-24.06	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	8295.000	-69.50	18.65	-50.85	-25.00	-25.85	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz


Test Mode : LTE Band 7_TX CH21100_20MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	19447.12	-55.67	-1.12	-56.79	-25.00	-31.79	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	20889.15	-56.37	0.44	-55.93	-25.00	-30.93	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX CH38750_5MHz


Test Mode : LTE Band 40(2305-2315MHz)_TX CH38750_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	2016.000	-64.89	16.68	-48.21	-40.00	-8.21	peak	


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	1955.000	-65.44	16.51	-48.93	-40.00	-8.93	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	9225.000	-68.03	18.83	-49.20	-40.00	-9.20	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	9705.000	-68.25	18.88	-49.37	-40.00	-9.37	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	20541.50	-57.25	-0.09	-57.34	-40.00	-17.34	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	21072.32	-57.05	0.67	-56.38	-40.00	-16.38	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_10MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	2207.000	-65.27	16.96	-48.31	-40.00	-8.31	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_10MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	2022.000	-65.88	16.70	-49.18	-40.00	-9.18	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_10MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	8040.000	-69.50	18.66	-50.84	-40.00	-10.84	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_10MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	8917.500	-68.11	18.83	-49.28	-40.00	-9.28	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_10MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	20541.50	-57.25	-0.09	-57.34	-40.00	-17.34	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_10MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	23011.60	-59.97	2.99	-56.98	-40.00	-16.98	peak	

Test Mode : LTE Band 40(2350-2355MHz)_TX
CH39175_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	2000.000	-64.35	16.66	-47.69	-40.00	-7.69	peak	

Test Mode : LTE Band 40(2350-2355MHz)_TX
CH39175_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	2120.000	-65.07	16.83	-48.24	-40.00	-8.24	peak	

Test Mode : LTE Band 40(2350-2355MHz)_TX
CH39175_5MHz


Vertical



No. Mx	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	9645.000	-66.85	19.26	-47.59	-40.00	-7.59	peak	

Test Mode : LTE Band 40(2350-2355MHz)_TX
CH39175_5MHz


Horizontal



No. Mx	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	9525.000	-66.66	19.21	-47.45	-40.00	-7.45	peak	

Test Mode : LTE Band 40(2350-2355MHz)_TX
CH39175_5MHz


Vertical



No. Mx	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	20401.25	-56.47	-0.26	-56.73	-40.00	-16.73	peak	

Test Mode : LTE Band 40(2350-2355MHz)_TX
CH39175_5MHz


Horizontal



No. Mx	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	20562.32	-57.29	-0.06	-57.35	-40.00	-17.35	peak	

Test Mode : LTE Band 66_TX CH132322_1.4MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	1657.000	-65.01	15.30	-49.71	-13.00	-36.71	peak	

Test Mode : LTE Band 66_TX CH132322_1.4MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	2589.000	-64.18	17.21	-46.97	-13.00	-33.97	peak	

Test Mode : LTE Band 66_TX CH132322_1.4MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	8887.500	-69.02	18.81	-50.21	-13.00	-37.21	peak	

Test Mode : LTE Band 66_TX CH132322_1.4MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	9270.000	-67.28	18.83	-48.45	-13.00	-35.45	peak	

Test Mode : LTE Band 66_TX CH132322_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	1654.000	-65.28	15.30	-49.98	-13.00	-36.98	peak	

Test Mode : LTE Band 66_TX CH132322_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	2769.000	-64.49	17.62	-46.87	-13.00	-33.87	peak	

Test Mode : LTE Band 66_TX CH132322_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	8437.500	-68.59	18.65	-49.94	-13.00	-36.94	peak	

Test Mode : LTE Band 66_TX CH132322_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	8910.000	-68.80	18.82	-49.98	-13.00	-36.98	peak	

Test Mode : LTE Band 66_TX CH132322_20MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	1559.000	-65.04	15.02	-50.02	-13.00	-37.02	peak	

Test Mode : LTE Band 66_TX CH132322_20MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	1503.000	-64.79	14.86	-49.93	-13.00	-36.93	peak	

Test Mode : LTE Band 66_TX CH132322_20MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	9405.000	-67.13	18.80	-48.33	-13.00	-35.33	peak	

Test Mode : LTE Band 66_TX CH132322_20MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	7687.500	-69.15	18.54	-50.61	-13.00	-37.61	peak	

APPENDIX G - BAND EDGE

