


Final Result 1

Frequency (MHz)	MaxPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
37.530000	27.5	100.0	V	350.0	16.2	12.50	40.00	
125.610000	31.2	245.0	H	230.0	13.5	12.30	43.50	
249.450000	35.3	114.0	H	262.0	18.0	10.70	46.00	
405.570000	34.5	100.0	V	30.0	23.2	11.50	46.00	
612.000000	36.6	100.0	V	22.0	27.2	9.40	46.00	
999.750000	45.9	100.0	V	127.0	30.0	8.10	54.00	

Final Result 2

Frequency (MHz)	QuasiPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
37.530000	23.5	100.0	V	350.0	16.2	16.50	40.00	
125.610000	23.2	245.0	H	230.0	13.5	20.30	43.50	
249.450000	20.6	114.0	H	262.0	18.0	25.40	46.00	
405.570000	24.5	100.0	V	30.0	23.2	21.50	46.00	
612.000000	32.5	100.0	V	22.0	27.2	13.50	46.00	
999.750000	34.7	100.0	V	127.0	30.0	19.30	54.00	

FCC Class B Radiated Scan 3m PK QP Wireless



Restricted
Final Result 1-PK+

Preview Result 1V-PK+
Final Result 2-QPK

Preview Result 1H-PK+


Final Result 1

Frequency (MHz)	MaxPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
37.530000	26.3	100.0	V	0.0	16.2	13.70	40.00	
125.610000	32.3	199.0	H	246.0	13.5	11.20	43.50	
249.420000	34.8	100.0	H	244.0	18.0	11.20	46.00	
405.240000	35.3	120.0	V	50.0	23.2	10.70	46.00	
612.000000	35.9	100.0	V	85.0	27.2	10.10	46.00	
960.870000	44.6	100.0	V	210.0	30.9	9.40	54.00	

Final Result 2

Frequency (MHz)	QuasiPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
37.530000	22.0	100.0	V	0.0	16.2	18.00	40.00	
125.610000	24.0	199.0	H	246.0	13.5	19.50	43.50	
249.420000	20.1	100.0	H	244.0	18.0	25.90	46.00	
405.240000	24.8	120.0	V	50.0	23.2	21.20	46.00	
612.000000	31.4	100.0	V	85.0	27.2	14.60	46.00	
960.870000	38.5	100.0	V	210.0	30.9	15.50	54.00	

FCC Class B Radiated Scan 3m PK QP Wireless



--- Restricted
◆ Final Result 1-PK+

--- Preview Result 1V-PK+
◆ Final Result 2-QPK

--- Preview Result 1H-PK+


Final Result 1

Frequency (MHz)	MaxPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
125.610000	31.8	291.0	H	261.0	13.5	11.70	43.50	
249.390000	34.2	142.0	H	258.0	18.0	11.80	46.00	
405.900000	36.8	100.0	V	163.0	23.2	9.20	46.00	
612.000000	36.6	100.0	V	9.0	27.2	9.40	46.00	
967.260000	44.4	100.0	V	218.0	30.9	9.60	54.00	
999.240000	43.3	100.0	V	135.0	30.0	10.70	54.00	

Final Result 2

Frequency (MHz)	QuasiPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
125.610000	23.2	291.0	H	261.0	13.5	20.30	43.50	
249.390000	19.8	142.0	H	258.0	18.0	26.20	46.00	
405.900000	24.2	100.0	V	163.0	23.2	21.80	46.00	
612.000000	32.1	100.0	V	9.0	27.2	13.90	46.00	
967.260000	37.9	100.0	V	218.0	30.9	16.10	54.00	
999.240000	34.5	100.0	V	135.0	30.0	19.50	54.00	

FCC Class B Radiated Scan 3m PK QP Wireless



--- Restricted
◆ Final Result 1-PK+

--- Preview Result 1V-PK+
◆ Final Result 2-QPK

--- Preview Result 1H-PK+


Final Result 1

Frequency (MHz)	MaxPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
125.640000	30.5	237.0	H	233.0	13.5	13.00	43.50	
249.900000	36.7	100.0	H	253.0	18.0	9.30	46.00	
404.520000	35.3	161.0	V	16.0	23.2	10.70	46.00	
405.930000	36.6	100.0	V	50.0	23.2	9.40	46.00	
612.000000	36.9	100.0	V	16.0	27.2	9.10	46.00	
963.060000	45.9	100.0	V	119.0	30.9	8.10	54.00	

Final Result 2

Frequency (MHz)	QuasiPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
125.640000	22.8	237.0	H	233.0	13.5	20.70	43.50	
249.900000	21.0	100.0	H	253.0	18.0	25.00	46.00	
404.520000	24.1	161.0	V	16.0	23.2	21.90	46.00	
405.930000	24.3	100.0	V	50.0	23.2	21.70	46.00	
612.000000	32.4	100.0	V	16.0	27.2	13.60	46.00	
963.060000	38.6	100.0	V	119.0	30.9	15.40	54.00	

FCC Class B Radiated Scan 3m PK QP Wireless



--- Restricted
◆ Final Result 1-PK+

--- Preview Result 1V-PK+
◆ Final Result 2-QPK

--- Preview Result 1H-PK+


Final Result 1

Frequency (MHz)	MaxPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
127.950000	30.3	263.0	H	252.0	13.5	13.20	43.50	
249.900000	36.5	119.0	H	232.0	18.0	9.50	46.00	
405.930000	37.1	100.0	V	22.0	23.2	8.90	46.00	
612.000000	36.7	100.0	V	23.0	27.2	9.30	46.00	
965.160000	47.1	100.0	V	120.0	30.9	6.90	54.00	
996.570000	43.3	100.0	V	141.0	30.1	10.70	54.00	

Final Result 2

Frequency (MHz)	QuasiPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
127.950000	21.5	263.0	H	252.0	13.5	22.00	43.50	
249.900000	20.4	119.0	H	232.0	18.0	25.60	46.00	
405.930000	24.7	100.0	V	22.0	23.2	21.30	46.00	
612.000000	32.4	100.0	V	23.0	27.2	13.60	46.00	
965.160000	38.5	100.0	V	120.0	30.9	15.50	54.00	
996.570000	34.1	100.0	V	141.0	30.1	19.90	54.00	

FCC Class B Radiated Scan 3m PK QP Wireless



Restricted
Final Result 1-PK+

Preview Result 1V-PK+
Final Result 2-QPK

Preview Result 1H-PK+


Final Result 1

Frequency (MHz)	MaxPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
37.530000	26.6	125.0	V	339.0	16.2	13.40	40.00	
125.760000	30.8	192.0	H	238.0	13.5	12.70	43.50	
249.300000	36.5	125.0	H	252.0	18.0	9.50	46.00	
405.900000	37.3	114.0	V	64.0	23.2	8.70	46.00	
611.970000	35.7	100.0	V	1.0	27.2	10.30	46.00	
961.620000	44.9	100.0	V	119.0	30.9	9.10	54.00	

Final Result 2

Frequency (MHz)	QuasiPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
37.530000	23.1	125.0	V	339.0	16.2	16.90	40.00	
125.760000	22.2	192.0	H	238.0	13.5	21.30	43.50	
249.300000	21.0	125.0	H	252.0	18.0	25.00	46.00	
405.900000	24.4	114.0	V	64.0	23.2	21.60	46.00	
611.970000	30.9	100.0	V	1.0	27.2	15.10	46.00	
961.620000	39.2	100.0	V	119.0	30.9	14.80	54.00	

FCC Class B Radiated Scan 3m PK QP Wireless



Restricted
Final Result 1-PK+

Preview Result 1V-PK+
Final Result 2-QPK

Preview Result 1H-PK+


Final Result 1

Frequency (MHz)	MaxPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
37.530000	27.5	100.0	V	84.0	16.2	12.50	40.00	
74.550000	26.4	113.0	V	1.0	11.8	13.60	40.00	
124.980000	31.2	182.0	H	254.0	13.5	12.30	43.50	
405.900000	36.4	100.0	V	359.0	23.2	9.60	46.00	
612.000000	36.7	100.0	V	16.0	27.2	9.30	46.00	
999.720000	47.2	100.0	V	128.0	30.0	6.80	54.00	

Final Result 2

Frequency (MHz)	QuasiPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
37.530000	23.3	100.0	V	84.0	16.2	16.70	40.00	
74.550000	23.5	113.0	V	1.0	11.8	16.50	40.00	
124.980000	22.3	182.0	H	254.0	13.5	21.20	43.50	
405.900000	23.8	100.0	V	359.0	23.2	22.20	46.00	
612.000000	32.6	100.0	V	16.0	27.2	13.40	46.00	
999.720000	34.7	100.0	V	128.0	30.0	19.30	54.00	

FCC Class B Radiated Scan 3m PK QP Wireless



--- Restricted
◆ Final Result 1-PK+

--- Preview Result 1V-PK+
◆ Final Result 2-QPK

--- Preview Result 1H-PK+


Final Result 1

Frequency (MHz)	MaxPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
37.530000	27.4	100.0	V	355.0	16.2	12.60	40.00	
74.550000	27.5	113.0	V	9.0	11.8	12.50	40.00	
125.610000	31.8	260.0	H	238.0	13.5	11.70	43.50	
404.910000	34.7	125.0	V	37.0	23.2	11.30	46.00	
612.000000	36.6	100.0	V	9.0	27.2	9.40	46.00	
961.080000	44.8	100.0	V	134.0	30.9	9.20	54.00	

Final Result 2

Frequency (MHz)	QuasiPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
37.530000	23.3	100.0	V	355.0	16.2	16.70	40.00	
74.550000	24.5	113.0	V	9.0	11.8	15.50	40.00	
125.610000	22.9	260.0	H	238.0	13.5	20.60	43.50	
404.910000	24.4	125.0	V	37.0	23.2	21.60	46.00	
612.000000	32.1	100.0	V	9.0	27.2	13.90	46.00	
961.080000	38.4	100.0	V	134.0	30.9	15.60	54.00	

FCC Class B Radiated Scan 3m PK QP Wireless



--- Restricted
◆ Final Result 1-PK+

--- Preview Result 1V-PK+
◆ Final Result 2-QPK

--- Preview Result 1H-PK+


Final Result 1

Frequency (MHz)	MaxPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
36.150000	24.9	124.0	V	148.0	17.0	43.30	68.20	
125.610000	32.2	274.0	H	253.0	13.5	11.30	43.50	
249.360000	36.5	129.0	H	254.0	18.0	9.50	46.00	
280.320000	32.5	131.0	H	106.0	18.5	13.50	46.00	
612.000000	36.2	100.0	V	9.0	27.2	9.80	46.00	
999.750000	46.3	100.0	V	212.0	30.0	7.70	54.00	

Final Result 2

Frequency (MHz)	QuasiPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
36.150000	20.1	124.0	V	148.0	17.0	48.10	68.20	
125.610000	24.1	274.0	H	253.0	13.5	19.40	43.50	
249.360000	21.1	129.0	H	254.0	18.0	24.90	46.00	
280.320000	17.8	131.0	H	106.0	18.5	28.20	46.00	
612.000000	32.1	100.0	V	9.0	27.2	13.90	46.00	
999.750000	34.1	100.0	V	212.0	30.0	19.90	54.00	

FCC Class B Radiated Scan 3m PK QP Wireless



Restricted
Final Result 1-PK+

Preview Result 1V-PK+
Final Result 2-QPK

Preview Result 1H-PK+


Final Result 1

Frequency (MHz)	MaxPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
37.530000	27.7	100.0	V	72.0	16.2	12.30	40.00	
74.550000	27.0	113.0	V	0.0	11.8	13.00	40.00	
123.030000	31.6	303.0	H	254.0	13.4	11.90	43.50	
405.900000	38.1	131.0	V	51.0	23.2	7.90	46.00	
612.000000	36.8	100.0	V	24.0	27.2	9.20	46.00	
961.080000	46.0	100.0	V	123.0	30.9	8.00	54.00	

Final Result 2

Frequency (MHz)	QuasiPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
37.530000	23.6	100.0	V	72.0	16.2	16.40	40.00	
74.550000	23.9	113.0	V	0.0	11.8	16.10	40.00	
123.030000	23.0	303.0	H	254.0	13.4	20.50	43.50	
405.900000	24.5	131.0	V	51.0	23.2	21.50	46.00	
612.000000	32.6	100.0	V	24.0	27.2	13.40	46.00	
961.080000	39.7	100.0	V	123.0	30.9	14.30	54.00	

FCC Class B Radiated Scan 3m PK QP Wireless



--- Restricted
◆ Final Result 1-PK+

--- Preview Result 1V-PK+
◆ Final Result 2-QPK

--- Preview Result 1H-PK+


Final Result 1

Frequency (MHz)	MaxPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
37.530000	27.5	100.0	V	65.0	16.2	12.50	40.00	
125.430000	31.8	161.0	H	242.0	13.5	11.70	43.50	
249.870000	38.9	120.0	H	246.0	18.0	7.10	46.00	
612.000000	36.6	100.0	V	22.0	27.2	9.40	46.00	
960.870000	44.9	100.0	V	135.0	30.9	9.10	54.00	
999.750000	46.4	100.0	V	86.0	30.0	7.60	54.00	

Final Result 2

Frequency (MHz)	QuasiPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
37.530000	23.8	100.0	V	65.0	16.2	16.20	40.00	
125.430000	22.7	161.0	H	242.0	13.5	20.80	43.50	
249.870000	22.0	120.0	H	246.0	18.0	24.00	46.00	
612.000000	32.7	100.0	V	22.0	27.2	13.30	46.00	
960.870000	38.3	100.0	V	135.0	30.9	15.70	54.00	
999.750000	34.5	100.0	V	86.0	30.0	19.50	54.00	

FCC Class B Radiated Scan 3m PK QP Wireless



--- Restricted
◆ Final Result 1-PK+

--- Preview Result 1V-PK+
◆ Final Result 2-QPK

--- Preview Result 1H-PK+


Final Result 1

Frequency (MHz)	MaxPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
37.530000	26.2	100.0	V	0.0	16.2	13.80	40.00	
123.120000	29.4	292.0	H	254.0	13.4	14.10	43.50	
125.400000	31.2	273.0	H	247.0	13.5	12.30	43.50	
249.090000	39.2	119.0	H	260.0	18.0	6.80	46.00	
405.270000	30.4	142.0	V	16.0	23.2	15.60	46.00	
611.970000	35.3	113.0	V	354.0	27.2	10.70	46.00	
996.120000	45.5	118.0	V	182.0	30.1	8.50	54.00	

Final Result 2

Frequency (MHz)	QuasiPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
37.530000	22.0	100.0	V	0.0	16.2	18.00	40.00	
123.120000	22.0	292.0	H	254.0	13.4	21.50	43.50	
125.400000	23.2	273.0	H	247.0	13.5	20.30	43.50	
249.090000	22.2	119.0	H	260.0	18.0	23.80	46.00	
405.270000	22.7	142.0	V	16.0	23.2	23.30	46.00	
611.970000	30.2	113.0	V	354.0	27.2	15.80	46.00	
996.120000	32.8	118.0	V	182.0	30.1	21.20	54.00	

FCC Class B Radiated Scan 3m PK QP Wireless



--- Restricted
◆ Final Result 1-PK+

--- Preview Result 1V-PK+
◆ Final Result 2-QPK

--- Preview Result 1H-PK+

Final Result 1

Frequency (MHz)	MaxPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
37.530000	26.8	100.0	V	31.0	16.2	13.20	40.00	
74.550000	28.4	131.0	V	15.0	11.8	11.60	40.00	
125.430000	30.3	114.0	V	191.0	13.5	13.20	43.50	
249.480000	34.4	125.0	H	253.0	18.0	11.60	46.00	
611.970000	35.7	100.0	V	23.0	27.2	10.30	46.00	
970.980000	42.0	100.0	V	78.0	30.8	12.00	54.00	
996.120000	48.0	100.0	V	79.0	30.1	6.00	54.00	

Final Result 2

Frequency (MHz)	QuasiPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
37.530000	22.6	100.0	V	31.0	16.2	17.40	40.00	
74.550000	25.7	131.0	V	15.0	11.8	14.30	40.00	
125.430000	22.0	114.0	V	191.0	13.5	21.50	43.50	
249.480000	19.8	125.0	H	253.0	18.0	26.20	46.00	
611.970000	31.6	100.0	V	23.0	27.2	14.40	46.00	
970.980000	35.4	100.0	V	78.0	30.8	18.60	54.00	
996.120000	34.7	100.0	V	79.0	30.1	19.30	54.00	



ELECTRO MAGNETIC TEST, INC.

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

6dB Bandwidth and Occupied Bandwidth Test

Company:	Skydio, Inc.		Test Date:	6/11/2022		
EUT Name:	SkydioLink Dual Band Module		Test Engineer:	Andreas Davidsson		
Model:	SMODBV1		Test Result:	PASS		
Operating Mode:	TX Mode					
Mode	Antenna	Frequency (MHz)	6/26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	6/26 dB Bandwidth Limit (MHz)	Conclusion
802.11ac20	1	2412	17.54	17.674	≥ 0.5	PASS
	2	2412	17.50	17.668	≥ 0.5	PASS
	1	2437	17.50	17.661	≥ 0.5	PASS
	2	2437	17.50	17.665	≥ 0.5	PASS
	1	2462	17.56	17.687	≥ 0.5	PASS
	2	2462	17.51	17.701	≥ 0.5	PASS
802.11g20	1	2412	16.35	16.602	≥ 0.5	PASS
	2	2412	16.38	16.584	≥ 0.5	PASS
	1	2437	16.37	16.561	≥ 0.5	PASS
	2	2437	16.34	16.554	≥ 0.5	PASS
	1	2462	16.35	16.608	≥ 0.5	PASS
	2	2462	16.33	16.627	≥ 0.5	PASS
802.11n20	1	2412	17.57	17.663	≥ 0.5	PASS
	2	2412	17.55	17.671	≥ 0.5	PASS
	1	2437	17.53	17.631	≥ 0.5	PASS
	2	2437	17.56	17.661	≥ 0.5	PASS
	1	2462	17.52	17.671	≥ 0.5	PASS
	2	2462	17.57	17.693	≥ 0.5	PASS
802.11n40	1	2422	36.36	36.226	≥ 0.5	PASS
	2	2422	36.21	36.195	≥ 0.5	PASS
	1	2462	36.27	36.25	≥ 0.5	PASS
	2	2462	36.24	36.261	≥ 0.5	PASS
802.11ac40	1	2422	36.25	36.224	≥ 0.5	PASS
	2	2422	36.25	36.226	≥ 0.5	PASS
	1	2462	36.20	36.278	≥ 0.5	PASS
	2	2462	36.33	36.286	≥ 0.5	PASS
802.11n10	1	2412	8.73	8.7863	≥ 0.5	PASS
	2	2412	8.70	8.792	≥ 0.5	PASS
	1	2437	8.69	8.784	≥ 0.5	PASS



ELECTRO MAGNETIC TEST, INC.

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

	2	2437	8.72	8.7875	≥ 0.5	PASS
	1	2462	8.73	8.7928	≥ 0.5	PASS
	2	2462	8.70	8.798	≥ 0.5	PASS
802.11g10	1	2412	8.16	8.2192	≥ 0.5	PASS
	2	2412	8.17	8.2279	≥ 0.5	PASS
	1	2437	8.17	8.2226	≥ 0.5	PASS
	2	2437	8.17	8.228	≥ 0.5	PASS
	1	2462	8.16	8.2413	≥ 0.5	PASS
	2	2462	8.16	8.2433	≥ 0.5	PASS
802.11n5	1	2412	4.38	4.4317	≥ 0.5	PASS
	2	2412	4.40	4.4237	≥ 0.5	PASS
	1	2437	4.38	4.4313	≥ 0.5	PASS
	2	2437	4.41	4.4302	≥ 0.5	PASS
	1	2462	4.35	4.4355	≥ 0.5	PASS
	2	2462	4.41	4.4327	≥ 0.5	PASS
802.11g5	1	2412	4.10	4.1653	≥ 0.5	PASS
	2	2412	4.10	4.157	≥ 0.5	PASS
	1	2437	4.10	4.1631	≥ 0.5	PASS
	2	2437	4.11	4.1588	≥ 0.5	PASS
	1	2462	4.09	4.1502	≥ 0.5	PASS
	2	2462	4.08	4.164	≥ 0.5	PASS
802.11a5	1	5170	9.55	5.1962	≥ 0.5	PASS
	2	5170	8.51	5.0594	≥ 0.5	PASS
	1	5200	8.61	4.9667	≥ 0.5	PASS
	2	5200	8.75	4.8277	≥ 0.5	PASS
	1	5240	8.74	4.7431	≥ 0.5	PASS
	2	5240	8.98	4.7764	≥ 0.5	PASS
802.11n5	1	5170	9.07	5.0683	≥ 0.5	PASS
	2	5170	9.00	4.9848	≥ 0.5	PASS
	1	5200	8.63	4.7888	≥ 0.5	PASS
	2	5200	9.03	4.8687	≥ 0.5	PASS
	1	5240	8.96	4.6934	≥ 0.5	PASS
	2	5240	8.49	4.7062	≥ 0.5	PASS
--- 802.11a10	1	5170	18.02	10.278	≥ 0.5	PASS
	2	5170	18.36	10.084	≥ 0.5	PASS
	1	5200	17.39	9.8387	≥ 0.5	PASS
	2	5200	17.54	9.9754	≥ 0.5	PASS-



ELECTRO MAGNETIC TEST, INC.

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

	1	5240	16.44	9.5043	≥ 0.5	PASS
	2	5240	16.99	9.4722	≥ 0.5	PASS
802.11n10	1	5170	17.91	10.251	≥ 0.5	PASS
	2	5170	16.73	10.321	≥ 0.5	PASS
	1	5200	17.83	9.7348	≥ 0.5	PASS
	2	5200	17.38	9.5877	≥ 0.5	PASS
	1	5240	16.46	9.5008	≥ 0.5	PASS
	2	5240	17.31	9.4429	≥ 0.5	PASS
802.11a20	1	5180	34.11	19.91	≥ 0.5	PASS
	2	5180	35.47	20.205	≥ 0.5	PASS
	1	5220	34.37	18.799	≥ 0.5	PASS
	2	5220	33.44	18.833	≥ 0.5	PASS
	1	5240	32.06	18.429	≥ 0.5	PASS
	2	5240	32.78	18.424	≥ 0.5	PASS
802.11n20	1	5180	33.67	19.793	≥ 0.5	PASS
	2	5180	35.50	19.817	≥ 0.5	PASS
	1	5220	33.05	18.793	≥ 0.5	PASS
	2	5220	34.87	18.79	≥ 0.5	PASS
	1	5240	33.66	18.393	≥ 0.5	PASS
	2	5240	33.38	18.484	≥ 0.5	PASS
802.11ac20	1	5180	36.19	20.024	≥ 0.5	PASS
	2	5180	36.07	19.895	≥ 0.5	PASS
	1	5220	33.10	18.958	≥ 0.5	PASS
	2	5220	33.58	18.818	≥ 0.5	PASS
	1	5240	32.72	18.286	≥ 0.5	PASS
	2	5240	32.97	18.361	≥ 0.5	PASS
802.11n40	1	5190	79.52	38.226	≥ 0.5	PASS
	2	5190	80.20	38.223	≥ 0.5	PASS
	1	5230	64.51	36.742	≥ 0.5	PASS
	2	5230	71.25	36.66	≥ 0.5	PASS
802.11ac40	1	5190	73.88	38.235	≥ 0.5	PASS
	2	5190	76.10	38.849	≥ 0.5	PASS
	1	5230	70.23	36.665	≥ 0.5	PASS
	2	5230	70.14	36.739	≥ 0.5	PASS
802.11a5	1	5730	3.85	4.1452	≥ 0.5	PASS
	2	5730	3.87	4.1292	≥ 0.5	PASS
	1	5795	3.88	4.1641	≥ 0.5	PASS



ELECTRO MAGNETIC TEST, INC.

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000



	2	5795	3.93	4.1495	≥ 0.5	PASS
	1	5825	3.83	4.1852	≥ 0.5	PASS
	2	5825	3.88	4.1837	≥ 0.5	PASS
802.11n5	1	5730	3.88	4.136	≥ 0.5	PASS
	2	5730	3.86	4.1296	≥ 0.5	PASS
	1	5795	3.91	4.1561	≥ 0.5	PASS
	2	5795	3.92	4.1634	≥ 0.5	PASS
	1	5825	3.84	4.1708	≥ 0.5	PASS
	2	5825	3.91	4.1955	≥ 0.5	PASS
802.11a10	1	5730	7.58	8.2465	≥ 0.5	PASS
	2	5730	7.56	8.2446	≥ 0.5	PASS
	1	5795	7.65	8.3193	≥ 0.5	PASS
	2	5795	7.69	8.3359	≥ 0.5	PASS
	1	5825	7.85	8.3565	≥ 0.5	PASS
	2	5825	7.66	8.3475	≥ 0.5	PASS
802.11n10	1	5730	7.59	8.2828	≥ 0.5	PASS
	2	5730	7.73	8.272	≥ 0.5	PASS
	1	5795	7.82	8.3455	≥ 0.5	PASS
	2	5795	7.68	8.346	≥ 0.5	PASS
	1	5825	7.59	8.3506	≥ 0.5	PASS
	2	5825	7.53	8.3814	≥ 0.5	PASS
802.11a20	1	5745	15.93	16.518	≥ 0.5	PASS
	2	5745	15.83	16.542	≥ 0.5	PASS
	1	5785	15.85	16.652	≥ 0.5	PASS
	2	5785	15.68	16.673	≥ 0.5	PASS
	1	5825	15.62	16.776	≥ 0.5	PASS
	2	5825	15.57	16.722	≥ 0.5	PASS
802.11n20	1	5745	15.27	16.547	≥ 0.5	PASS
	2	5745	15.69	16.559	≥ 0.5	PASS
	1	5785	15.51	16.66	≥ 0.5	PASS
	2	5785	15.80	16.62	≥ 0.5	PASS
	1	5825	15.63	16.762	≥ 0.5	PASS
	2	5825	15.67	16.784	≥ 0.5	PASS
802.11ac20	1	5745	15.69	16.539	≥ 0.5	PASS
	2	5745	15.68	16.558	≥ 0.5	PASS
	1	5785	15.50	16.625	≥ 0.5	PASS
	2	5785	15.57	16.663	≥ 0.5	PASS



	1	5825	15.71	16.761	≥ 0.5	PASS
	2	5825	15.69	16.733	≥ 0.5	PASS
802.11n40	1	5755	35.77	36.152	≥ 0.5	PASS
	2	5755	35.86	36.156	≥ 0.5	PASS
	1	5795	35.75	36.32	≥ 0.5	PASS
	2	5795	35.81	36.287	≥ 0.5	PASS
802.11ac40	1	5755	35.48	36.133	≥ 0.5	PASS
	2	5755	36.09	36.169	≥ 0.5	PASS
	1	5795	35.95	36.301	≥ 0.5	PASS
	2	5795	35.85	36.312	≥ 0.5	PASS
Test Equipment: Please refer to section 5.2						


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**802.11n 40MHz 2422MHz****802.11n 40MHz 5190MHz**

**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**802.11ac 40MHz 5755MHz**



ELECTRO MAGNETIC TEST, INC.

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

Maximum Peak Output Power Test Data

Company:		Skydio, Inc.		Test Date		6/11/2022	
EUT Name		SkydioLink Dual Band Module		Test Engineer		Andreas Davidsson	
Model:		SMODBV1		Test Result		PASS	
Operating Mode		TX Mode					
		Test Equipment: Please refer to section 5.2					
Mode	Antenna	Frequency (MHz)	Raw Power (dBm)	Peak Output Power (dBm)	Limit (dBm)	Conclusion	
802.11ac20	1	2412	19.54	29.48	≤ 30	PASS	
	2	2412	19.6				
	1	2437	19.26	29.16	≤ 30	PASS	
	2	2437	19.23				
	1	2462	19.31	29.23	≤ 30	PASS	
	2	2462	19.32				
802.11g20	1	2412	19.82	29.71	≤ 30	PASS	
	2	2412	19.77				
	1	2437	19.43	29.35	≤ 30	PASS	
	2	2437	19.45				
	1	2462	19.96	29.88	≤ 30	PASS	
	2	2462	19.97				
802.11n20	1	2412	19.59	29.51	≤ 30	PASS	
	2	2412	19.6				
	1	2437	19.26	29.16	≤ 30	PASS	
	2	2437	19.24				
	1	2462	18.85	28.76	≤ 30	PASS	
	2	2462	18.85				
802.11n40	1	2422	19.88	29.79	≤ 30	PASS	
	2	2422	19.87				
	1	2462	19.93	29.82	≤ 30	PASS	
	2	2462	19.88				
802.11ac40	1	2422	19.83	29.73	≤ 30	PASS	
	2	2422	19.81				
	1	2462	19.87	29.79	≤ 30	PASS	
	2	2462	19.88				



ELECTRO MAGNETIC TEST, INC.

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

802.11n10	1	2412	19.89	29.79	≤ 30	PASS
	2	2412	19.87			
	1	2437	19.36	29.28	≤ 30	PASS
	2	2437	19.38			
	1	2462	18.78	28.71	≤ 30	PASS
	2	2462	18.81			
802.11g10	1	2412	19.89	29.82	≤ 30	PASS
	2	2412	19.92			
	1	2437	19.37	29.27	≤ 30	PASS
	2	2437	19.35			
	1	2462	18.82	28.78	≤ 30	PASS
	2	2462	18.92			
802.11n5	1	2412	19.82	29.73	≤ 30	PASS
	2	2412	19.82			
	1	2437	19.25	29.16	≤ 30	PASS
	2	2437	19.25			
	1	2462	18.67	28.56	≤ 30	PASS
	2	2462	18.63			
802.11g5	1	2412	19.86	29.78	≤ 30	PASS
	2	2412	19.88			
	1	2437	19.27	29.18	≤ 30	PASS
	2	2437	19.26			
	1	2462	18.65	28.56	≤ 30	PASS
	2	2462	18.64			
802.11a5	1	5170	14.12	23.55	≤ 23.98	PASS
	2	5170	13.55			
	1	5200	14.14	23.82	≤ 23.98	PASS
	2	5200	14.07			
	1	5240	13.52	23.24	≤ 23.98	PASS
	2	5240	13.53			
802.11n5	1	5170	13.59	23.30	≤ 23.98	PASS
	2	5170	13.58			
	1	5200	14.13	23.79	≤ 23.98	PASS
	2	5200	14.02			
	1	5240	13.55	23.24	≤ 23.98	PASS
	2	5240	13.50			
802.11a10	1	5170	13.10	22.81	≤ 23.98	PASS



ELECTRO MAGNETIC TEST, INC.

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

	2	5170	13.09	23.42	≤ 23.98	PASS
	1	5200	13.71			
	2	5200	13.71			
	1	5240	13.71	23.44	≤ 23.98	PASS
	2	5240	13.74			
802.11n10	1	5170	13.72	23.44	≤ 23.98	PASS
	2	5170	13.74			
	1	5200	14.22	23.66	≤ 23.98	PASS
	2	5200	13.66			
	1	5240	13.65	23.42	≤ 23.98	PASS
	2	5240	13.77			
802.11a20	1	5180	13.06	22.77	≤ 23.98	PASS
	2	5180	13.06			
	1	5220	13.42	23.11	≤ 23.98	PASS
	2	5220	13.38			
	1	5240	13.42	23.14	≤ 23.98	PASS
	2	5240	13.43			
802.11n20	1	5180	13.01	22.73	≤ 23.98	PASS
	2	5180	13.02			
	1	5220	13.46	23.18	≤ 23.98	PASS
	2	5220	13.48			
	1	5240	13.46	23.18	≤ 23.98	PASS
	2	5240	13.47			
802.11ac20	1	5180	13.07	22.76	≤ 23.98	PASS
	2	5180	13.03			
	1	5220	13.46	23.15	≤ 23.98	PASS
	2	5220	13.41			
	1	5240	13.49	23.20	≤ 30	PASS
	2	5240	13.49			
802.11n40	1	5190	13.93	23.64	≤ 30	PASS
	2	5190	13.93			
	1	5230	13.92	23.64	≤ 30	PASS
	2	5230	13.94			
802.11ac40	1	5190	13.92	23.61	≤ 30	PASS
	2	5190	13.88			
	1	5230	13.88	29.04	≤ 30	PASS
	2	5230	13.86			



ELECTRO MAGNETIC TEST, INC.

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000



802.11a5	1	5730	18.34	29.16	≤ 30	PASS
	2	5730	18.35			
	1	5795	17.61	28.44	≤ 30	PASS
	2	5795	17.64			
	1	5825	18.22	29.05	≤ 30	PASS
	2	5825	18.23			
802.11n5	1	5730	18.41	29.23	≤ 30	PASS
	2	5730	18.43			
	1	5795	17.65	28.44	≤ 30	PASS
	2	5795	17.61			
	1	5825	18.24	29.56	≤ 30	PASS
	2	5825	18.23			
802.11a10	1	5730	18.86	29.67	≤ 30	PASS
	2	5730	18.85			
	1	5795	18.09	28.90	≤ 30	PASS
	2	5795	18.09			
	1	5825	18.73	29.48	≤ 30	PASS
	2	5825	18.76			
802.11n10	1	5730	18.80	29.65	≤ 30	PASS
	2	5730	18.88			
	1	5795	18.03	28.86	≤ 30	PASS
	2	5795	18.07			
	1	5825	18.65	29.53	≤ 30	PASS
	2	5825	18.69			
802.11a20	1	5745	18.87	29.70	≤ 30	PASS
	2	5745	18.90			
	1	5785	18.31	29.13	≤ 30	PASS
	2	5785	18.32			
	1	5825	18.69	29.49	≤ 30	PASS
	2	5825	18.75			
802.11n20	1	5745	18.93	29.75	≤ 30	PASS
	2	5745	18.94			
	1	5785	18.35	29.13	≤ 30	PASS
	2	5785	18.29			
	1	5825	18.72	29.39	≤ 30	PASS
	2	5825	18.63			
802.11ac20	1	5745	18.88	29.71	≤ 30	PASS



	2	5745	18.91			
	1	5785	18.27	29.09	≤ 30	PASS
	2	5785	18.29			
	1	5825	18.58	29.07	≤ 30	PASS
	2	5825	18.58			
802.11n40	1	5755	18.78	29.62	≤ 30	PASS
	2	5755	18.84			
	1	5795	18.25	29.07	≤ 30	PASS
	2	5795	18.27			
802.11ac40	1	5755	18.83	29.69	≤ 30	PASS
	2	5755	18.92			
	1	5795	18.29	29.09	≤ 30	PASS
	2	5795	18.26			
Test Equipment: Please refer to 5.2						


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**802.11g 20MHz 2462MHz****802.11ac 40MHz 5230MHz**

**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**802.11n 20MHz 5745MHz**



ELECTRO MAGNETIC TEST, INC.

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

Maximum Power Spectral Density Test Data

Company:		Skydio, Inc.		Test Date		6/11/2022
EUT Name		SkydioLink Dual Band Module		Test Engineer		Andreas Davidsson
Model:		SMODBV1		Test Result		PASS
Operating Mode		TX Mode				
Mode	Antenna	Frequency (MHz)	Raw Peak (dBm)	Maximum PSD (dBm)	Limit (dBm)	Conclusion
802.11ac20	1	2412	4.333	7.18	≤ 8	Pass
	2	2412	4.01			
	1	2437	4.457	7.29	≤ 8	Pass
	2	2437	4.085			
	1	2462	3.838	6.72	≤ 8	Pass
	2	2462	3.568			
802.11g20	1	2412	4.223	7.05	≤ 8	Pass
	2	2412	3.856			
	1	2437	4.235	7.04	≤ 8	Pass
	2	2437	3.804			
	1	2462	3.74	6.37	≤ 8	Pass
	2	2462	2.945			
802.11n20	1	2412	3.972	7.14	≤ 8	Pass
	2	2412	4.277			
	1	2437	4.431	7.39	≤ 8	Pass
	2	2437	4.325			
	1	2462	2.948	6.35	≤ 8	Pass
	2	2462	3.706			
802.11n40	1	2422	2.233	5.17	≤ 8	Pass
	2	2422	2.088			
	1	2462	2.276	5.22	≤ 8	Pass
	2	2462	2.134			
802.11ac40	1	2422	2.221	5.22	≤ 8	Pass
	2	2422	2.196			
	1	2462	1.713	5.04	≤ 8	Pass
	2	2462	2.333			
802.11n10	1	2412	4.306	7.17	≤ 8	Pass
	2	2412	4.005			



ELECTRO MAGNETIC TEST, INC.

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000



	1	2437	3.747	6.86	≤ 8	Pass
	2	2437	3.958			
	1	2462	3.427	6.53	≤ 8	Pass
	2	2462	3.605			
802.11g10	1	2412	4.309	7.31	≤ 8	Pass
	2	2412	4.287			
	1	2437	3.735	6.87	≤ 8	Pass
	2	2437	3.987			
	1	2462	3.339	6.34	≤ 8	Pass
	2	2462	3.329			
802.11n5	1	2412	4.889	7.91	≤ 8	Pass
	2	2412	4.913			
	1	2437	4.683	7.46	≤ 8	Pass
	2	2437	4.203			
	1	2462	4.357	7.14	≤ 8	Pass
	2	2462	3.888			
802.11g5	1	2412	4.756	7.96	≤ 8	Pass
	2	2412	5.139			
	1	2437	4.348	7.50	≤ 8	Pass
	2	2437	4.624			
	1	2462	4.37	7.32	≤ 8	Pass
	2	2462	4.254			
802.11a5	1	5170	0.59728	3.73	≤ 30	Pass
	2	5170	0.84444			
	1	5200	0.75669	3.93	≤ 30	Pass
	2	5200	1.0766			
	1	5240	1.1954	3.61	≤ 30	Pass
	2	5240	-0.08486			
802.11n5	1	5170	0.11411	3.63	≤ 30	Pass
	2	5170	1.0654			
	1	5200	-0.76008	3.58	≤ 30	Pass
	2	5200	1.5912			
	1	5240	-0.13919	3.29	≤ 30	Pass
	2	5240	0.65952			
802.11a10	1	5170	0.61873	3.46	≤ 30	Pass
	2	5170	0.26883			
	1	5200	0.89539	4.30	≤ 30	Pass



	2	5200	1.6593			
	1	5240	0.17623	3.09	≤ 30	Pass
	2	5240	-0.027706			
802.11n10	1	5170	-0.1797	3.67	≤ 30	Pass
	2	5170	1.3626			
	1	5200	1.0484	4.05	≤ 30	Pass
	2	5200	1.03			
	1	5240	0.56453	3.60	≤ 30	Pass
	2	5240	0.61269			
	802.11a20	1	5180	0.38477	3.27	≤ 30
2		5180	0.13346			
1		5220	-0.22947	3.05	≤ 30	Pass
2		5220	0.29345			
1		5240	0.26925	3.69	≤ 30	Pass
2		5240	1.0467			
802.11n20	1	5180	1.0719	3.73	≤ 30	Pass
	2	5180	0.34146			
	1	5220	-0.12744	2.70	≤ 30	Pass
	2	5220	-0.51132			
	1	5240	0.051609	3.30	≤ 30	Pass
	2	5240	0.51418			
Test Equipment: Please refer to 5.2						


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**802.11g 5MHz 2412MHz****802.11ac 40MHz 5230MHz**

**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**802.11a 5MHz 5825MHz**



ELECTRO MAGNETIC TEST, INC.

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

Band Edge In The Restricted Bands

Company:	Skydio, Inc.		Test Date	6/20/2022
EUT Name	SkydioLink Dual Band Module		Test Engineer	Andreas Davidsson
Model:	SMODBV1		Test Result	PASS
Operating Mode	TX Mode			
Mode	Antenna	Frequency	Conclusion	
802.11ac20	1	2412	Pass	
	2	2412	Pass	
	1	2462	Pass	
	2	2462	Pass	
802.11g20	1	2412	Pass	
	2	2412	Pass	
	1	2462	Pass	
	2	2462	Pass	
802.11n20	1	2412	Pass	
	2	2412	Pass	
	1	2462	Pass	
	2	2462	Pass	
802.11n40	1	2422	Pass	
	2	2422	Pass	
	1	2462	Pass	
	2	2462	Pass	
802.11ac40	1	2422	Pass	
	2	2422	Pass	
	1	2462	Pass	
	2	2462	Pass	
802.11n10	1	2412	Pass	
	2	2412	Pass	
	1	2462	Pass	
	2	2462	Pass	
802.11g10	1	2412	Pass	
	2	2412	Pass	
	1	2462	Pass	
	2	2462	Pass	
802.11n5	1	2412	Pass	
	2	2412	Pass	
	1	2462	Pass	


ELECTRO MAGNETIC TEST, INC.

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

	2	2462	Pass
802.11g5	1	2412	Pass
	2	2412	Pass
	1	2462	Pass
	2	2462	Pass
802.11a5	1	5170	Pass
	2	5170	Pass
	1	5240	Pass
	2	5240	Pass
802.11n5	1	5170	Pass
	2	5170	Pass
	1	5240	Pass
	2	5240	Pass
802.11a10	1	5170	Pass
	2	5170	Pass
	1	5240	Pass
	2	5240	Pass
802.11n10	1	5170	Pass
	2	5170	Pass
	1	5240	Pass
	2	5240	Pass
802.11a20	1	5180	Pass
	2	5180	Pass
	1	5240	Pass
	2	5240	Pass
802.11n20	1	5180	Pass
	2	5180	Pass
	1	5240	Pass
	2	5240	Pass
802.11ac20	1	5180	Pass
	2	5180	Pass
	1	5240	Pass
	2	5240	Pass
802.11n40	1	5190	Pass
	2	5190	Pass
	1	5230	Pass
	2	5230	Pass


ELECTRO MAGNETIC TEST, INC.

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

802.11ac40	1	5190	Pass
	2	5190	Pass
	1	5230	Pass
	2	5230	Pass
802.11a5	1	5730	Pass
	2	5730	Pass
	1	5825	Pass
	2	5825	Pass
802.11n5	1	5730	Pass
	2	5730	Pass
	1	5825	Pass
	2	5825	Pass
802.11a10	1	5730	Pass
	2	5730	Pass
	1	5825	Pass
	2	5825	Pass
802.11n10	1	5730	Pass
	2	5730	Pass
	1	5825	Pass
	2	5825	Pass
802.11a20	1	5745	Pass
	2	5745	Pass
	1	5825	Pass
	2	5825	Pass
802.11n20	1	5745	Pass
	2	5745	Pass
	1	5825	Pass
	2	5825	Pass
802.11ac20	1	5745	Pass
	2	5745	Pass
	1	5825	Pass
	2	5825	Pass
802.11n40	1	5755	Pass
	2	5755	Pass
	1	5795	Pass
	2	5795	Pass
802.11ac40	1	5755	Pass


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

	2	5755	Pass
	1	5795	Pass
	2	5795	Pass
Test Equipment: Please refer to 5.2			


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000



Antenna 1

Antenna 2

802.11ac 20MHz 2412MHz Band Edge



Antenna 1

Antenna 2

802.11ac 20MHz 2462MHz Band Edge


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**802.11n 40MHz 2422MHz Band Edge****802.11n 40MHz 2462MHz Band Edge**


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000



Antenna 1

Antenna 2

802.11g 5MHz 2412MHz Band Edge


Antenna 1

Antenna 2

802.11g 5MHz 2462MHz Band Edge


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000



Antenna 1

Antenna 2

802.11a 5MHz 5170MHz Band Edge


Antenna 1

Antenna 2

802.11a 5MHz 5240MHz Band Edge


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000



Antenna 1

Antenna 2

802.11n 10MHz 5170MHz Band Edge



Antenna 1

Antenna 2

802.11n 10MHz 5240MHz Band Edge


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**802.11ac 40MHz 5190MHz Band Edge****802.11ac 40MHz 5230MHz Band Edge**


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000



Antenna 1

Antenna 2

802.11a 5MHz 5730MHz Band Edge


Antenna 1

Antenna 2

802.11a 5MHz 5825MHz Band Edge


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000



Antenna 1

Antenna 2

802.11n 10MHz 5730MHz Band Edge


Antenna 1

Antenna 2

802.11n 10MHz 5825MHz Band Edge

**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**802.11ac 40MHz 5755MHz Band Edge****802.11ac 40MHz 5795MHz Band Edge**



ELECTRO MAGNETIC TEST, INC.

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

APPENDIX B

TEST SETUP DIAGRAMS



ELECTRO MAGNETIC TEST, INC.

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000




FIGURE 1 – TABLETOP CONDUCTED EMISSIONS TEST SETUP – SITE “D”




FIGURE 1a – FLOORSTANDING CONDUCTED EMISSIONS TEST SETUP – SITE “D”



ELECTRO MAGNETIC TEST, INC.

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000




FIGURE 2 - PLOT MAP AND LAYOUT OF TEST SITE "A"




FIGURE 3 - LAYOUT OF 5 METER SEMI-ANECCHOIC CHAMBER



ELECTRO MAGNETIC TEST, INC.

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

APPENDIX C

MODIFICATIONS TO THE EUT



ELECTRO MAGNETIC TEST, INC.

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

MODIFICATIONS TO THE EUT

No modifications were made to the EUT by Electro Magnetic Test, Inc. personnel during the testing.



ELECTRO MAGNETIC TEST, INC.

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

APPENDIX D

ADDITIONAL MODELS COVERED UNDER THIS REPORT



ELECTRO MAGNETIC TEST, INC.

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

ADDITIONAL MODELS COVERED UNDER THIS REPORT

There are no additional models to be covered under this report.



ELECTRO MAGNETIC TEST, INC.

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

End of Report

This page is intentionally left blank
and marks the last page of this report