

Report No.: SEWM2312000501RG02

Rev.: 01

Page: 1 of 125

### **TEST REPORT**

Application No.: SEWM2312000501RG

Applicant: Lenovo (Shanghai) Electronics Technology Co., Ltd.

Address of Applicant: Section 304-305, Building No. 4, # 222, Meiyue Road, China (Shanghai) Pilot

Free Trade Zone

Manufacturer: Lenovo PC HK Limited

Address of Manufacturer: 23/F, Lincoln House, Taikoo Place 979 King's Road, Quarry Bay, Hong Kong,

China

**EUT Description:** Portable Tablet Computer

Model No.: TB330FUP
Trade Mark: Lenovo

FCC ID: O57TB330FUP

**Standards:** FCC 47 CFR Part 2, Subpart J

FCC 47 CFR Part 15, Subpart C

**Date of Receipt:** 2023/12/06


**Date of Test:** 2023/12/20 to 2024/01/05

**Date of Issue:** 2024/01/05

Test Result : PASS \*

\* In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:



Well Wei Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/lenras-and-Conditions.aspx.and">http://www.sgs.com/en/lenras-and-Conditions.aspx.and</a>, conditions for Electronic Documents at <a href="http://www.sgs.com/en/lenras-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/lenras-and-Conditions/Terms-e-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路(号的6号厂房南部 邮编:215000

6000 t (86–512) 62992980 6000 t (86–512) 62992980



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 2 of 125

### 1 Version

Revision Record						
Version Chapter Date Modifier Remark						
01		2024/01/05		Original		

Prepared By	(Tizzy Song) / Test Engineer
Checked By	(Stone Gu) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are refunded for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Tisde Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6月厂房南部 鄉第: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 3 of 125

### 2 Test Summary

Test Item	FCC Rule No.	Test Method	Test Result	Result	Test Lab*
Antenna Requirement	15.203/15.247(b)		Clause 4.1	PASS	
AC Power Line Conducted Emission	15.207	ANSI C63.10-2020 Section 6.2	Clause 4.2	PASS	Α
Duty cycle		ANSI C63.10-2020 Section 11.6	Clause 4.3	For Report Purpose	В
Conducted Output Power	15.247 (b)(3)	ANSI C63.10-2020 Section11.9.1.2	Clause 4.4	PASS	В
DTS (6 dB) Bandwidth & 99% Occupied Bandwidth	15.247 (a)(2)	ANSI C63.10-2020 Section 11.8 Option 2 / 6.9.3	Clause 4.5	PASS	В
Power Spectral Density	15.247 (e)	ANSI C63.10-2020 Section 11.10.2	Clause 4.6	PASS	В
Band-edge for RF Conducted Emissions	15.247(d)	ANSI C63.10-2020 Section 11.11	Clause 4.7	PASS	В
RF Conducted Spurious Emissions	15.247(d)	ANSI C63.10-2020 Section 11.11	Clause 4.8	PASS	В
Radiated Spurious Emissions	15.205/15.209	ANSI C63.10-2020 Section 11.12	Clause 4.9	PASS	Α
Restricted bands around fundamental frequency (Radiated Emission)	15.205/15.209	ANSI C63.10-2020 Section 11.12	Clause 4.10	PASS	Α

#### Remark:

Lab A SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Lab B SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch.

#### Remark:

According to the declaration letter from client.

Only SKU1 was fully tested, RSE were tested on worst mode for SKU2 and SKU5.



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer worleral, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a> tkention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of illent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content on preaarance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the ssults shown in this test report refer only to the sample(s) setzed and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02

Rev.: 01 Page: 4 of 125

### **Contents**

1	Versio	n	2
2	Test S	Summary	3
3	Gener	al Information	5
	3.1	Details of Client	5
	3.2	Test Location	5
	3.3	Test Facility	6
	3.4	General Description of EUT	7
	3.5	Test Environment	9
	3.6	Description of Support Units	9
4	Test re	esults and Measurement Data	10
	4.1	Antenna Requirement	10
	4.2	AC Power Line Conducted Emissions	11
	4.3	Duty Cycle	25
	4.4	Conducted Output Power	26
	4.5	DTS (6 dB) Bandwidth & 99% Occupied Bandwidth	27
	4.6	Power Spectral Density	28
	4.7	Band-edge for RF Conducted Emissions	29
	4.8	RF Conducted Spurious Emissions	30
	4.9	Radiated Spurious Emissions	31
	4.10	Restricted bands around fundamental frequency	34
5	Measu	urement Uncertainty (95% confidence levels, k=2)	36
6	Equipr	ment List	37
7	Photog	graphs - Setup Photos	40



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-en-Ocoditions/Terms-en-Ocoument.asx">http://www.sgs.com/en/Terms-en-Ocoditions/Terms-en-Ocoument.asx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Tisde Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6月厂房南部 鄉第: 215000



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 5 of 125

### 3 General Information

### 3.1 Details of Client

Applicant:	Lenovo (Shanghai) Electronics Technology Co., Ltd.
Address of Applicant:	Section 304-305, Building No. 4, # 222, Meiyue Road, China (Shanghai) Pilot Free Trade Zone
Manufacturer:	Lenovo PC HK Limited
Address of Manufacturer:	23/F, Lincoln House, Taikoo Place 979 King's Road, Quarry Bay, Hong Kong, China

### 3.2 Test Location

Lab A:	
Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone
Post code:	215000
Test engineer:	Tizzy Song
Lab B:	
Company:	SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch
Address:	No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China.
Post code:	518057
Test engineer:	Calvin Weng



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.asx.attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.



Report No.: SEWM2312000501RG02

Rev.: 01

6 of 125 Page:

### 3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### Lab A:

#### A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

#### • Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

#### • FCC -Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327

#### Lab B:

#### A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

#### VCCI (Member No. 1937)

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen EMC laboratory have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

#### • FCC -Designation Number: CN1336

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1336. Test Firm Registration Number: 787754.

#### Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.apx.and">http://www.sgs.com/en/Terms-and-Conditions.apx.and</a>, for electronic format document subject to Terms and Conditions Terms-e-Document.ags at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.ags Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content appearance of this document is unlawful and offenders may be prosecuted to the fullest sector of the law. Unless otherwise stated it results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only.



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 7 of 125

### 3.4 General Description of EUT

EUT Description:	Portable Tablet Computer					
Model No.:	TB330FUP					
Trade Mark:	Lenovo	Lenovo				
Hardware Version:	TB330FUP					
Software Version:	TB330FUP_RF01_23112	1				
Power Supply:	Lithium Battery (3.91V)					
SN:	RF Conducted	HA1V52V6				
OIV.	RSE & AC power line	HA1X3Q7J				
Operation Frequency:	2400MHz~2483.5MHz fc = 2402 MHz + N * 2 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number" with the range from 0 to 39.					
Bluetooth version:	Bluetooth V5.1					
Modulation Type:	GFSK					
Number of Channel:	40					
Rates Type*:	⊠Provided by client					
rates type .	1M PHY 2M PHY					
Antenna Type:	PIFA Antenna					
	-1.93dBi					
Antenna Gain:	Note: The antenna gain are derived from the gain information report provided by the manufacturer.					
RF Cable:	1.2dB					
Remark:	-					
As above information is provided	and confirmed by the applic	ant. SGS is not liable to the accuracy,				



suitability, reliability or/and integrity of the information.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.and">https://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic Documents subject to Terms and Conditions for Electronic Document as that <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-C

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02

Rev.: 01 Page: 8 of 125

	Operation Frequency of each channel								
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency		
0	2402MHz	10	2422MHz	20	2442MHz	30	2462MHz		
1	2404MHz	11	2424MHz	21	2444MHz	31	2464MHz		
2	2406MHz	12	2426MHz	22	2446MHz	32	2466MHz		
3	2408MHz	13	2428MHz	23	2448MHz	33	2468MHz		
4	2410MHz	14	2430MHz	24	2450MHz	34	2470MHz		
5	2412MHz	15	2432MHz	25	2452MHz	35	2472MHz		
6	2414MHz	16	2434MHz	26	2454MHz	36	2474MHz		
7	2416MHz	17	2436MHz	27	2456MHz	37	2476MHz		
8	2418MHz	18	2438MHz	28	2458MHz	38	2478MHz		
9	2420MHz	19	2440MHz	29	2460MHz	39	2480MHz		

#### Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency						
BLE 1M:							
The Lowest channel(CH0)	2402MHz						
The Middle channel(CH19)	2440MHz						
The Highest channel(CH39)	2480MHz						
BLE 2	PM:						
The Lowest channel(CH1)	2404MHz						
The Middle channel(CH19)	2440MHz						
The Highest channel(CH38)	2478MHz						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-en-Ocoditions/Terms-en-Ocoument.asx">http://www.sgs.com/en/Terms-en-Ocoditions/Terms-en-Ocoument.asx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chine (Jlangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 鄉編: 215000



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 9 of 125

### 3.5 Test Environment

Environment Parameter	96.0~101.0 kPa Selected Values During Tests					
Relative Humidity	40-60 % RH Ambient					
Value	Value Temperature(℃)					
NTNV	22~25 3.91					
Remark:						

NV: Normal Voltage NT: Normal Temperature

### 3.6 Description of Support Units

The EUT has been tested as an independent unit.



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlandsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02

Rev.:

10 of 125 Page:

### **Test results and Measurement Data**

### 4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(b)

15.203 requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is PIFA Antenna and no consideration of replacement. The best case gain of the antenna is -1.93dBi.

\*Note:

The antenna gain are derived from the gain information report provided by the manufacturer. Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.





Report No.: SEWM2312000501RG02

Rev.: 01

Page: 11 of 125

### 4.2 AC Power Line Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.207					
Test Method:	ANSI C63.10-2020 Section 6.2					
Test Frequency Range:	150kHz to 30MHz					
Receiver Setup:	RBW = 9kHz, VBW = 30	kHz				
Limit:	Frequency range(MHz)	Limit (d	BuV)			
	Frequency range(MHZ)	Quasi-peak	Average			
	0.15-0.5	66 to 56*	56 to 46*			
	0.5-5	56	46			
	5-30	60	50			
	* Decreases with the log	arithm of the frequency.				
Test Procedure:	room.  2) The EUT was connect Impedance Stabilizat impedance. The pow connected to a secon plane in the same was multiple socket outlet single LISN provided  3) The tabletop EUT was ground reference plate placed on the horizor  4) The test was performed the EUT shall be 0.4 vertical ground reference plane. The unit under test and be mounted on top of the closest points of and associated equip  5) In order to find the material impedance of the interface of the points of the closest points of the and all of the interface.	ted to AC power source throus ion Network) which provides er cables of all other units of ad LISN 2, which was bonded by as the LISN 1 for the unit be strip was used to connect me the rating of the LISN was not a placed upon a non-metallic ne. And for floor-standing arrantal ground reference plane. The work of the vertical ground reference plane was bonded to the LISN 1 was placed 0.8 m from the vertical ground reference plane. The LISN 1 and the EUT. All coment was at least 0.8 m from aximum emission, the relative ce cables must be changed an conducted measurement.	gh a LISN 1 (Line a 50Ω/50μH + 5Ω linear the EUT were to the ground reference eing measured. A ultiple power cables to a ot exceeded. Table 0.8m above the angement, the EUT was rence plane. The rear of ference plane. The horizontal ground m the boundary of the plane for LISNs is distance was between other units of the EUT in the LISN 2.			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are refunded for 30 days only.


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Tisde Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6月厂房南部 鄉第: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 12 of 125





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention 7.0 chack the substantiative of testing inspection report & certificate, plasse contact us at temphone (66-755) 8307 1443.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www t (86–512) 62992980 sgs.



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 13 of 125


#### Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.

#### SKU1:

### BLE 1M:



Data	Data List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.2130	11.65	34.99	46.64	63.09	16.45	16.33	27.98	53.09	25.11	PASS
2	0.2805	11.62	25.05	36.67	60.80	24.13	13.61	25.23	50.80	25.57	PASS
3	0.4650	11.60	18.21	29.81	56.60	26.79	7.17	18.77	46.60	27.83	PASS
4	0.9330	11.71	11.85	23.56	56.00	32.44	3.60	15.31	46.00	30.69	PASS
5	1.2615	11.73	17.79	29.52	56.00	26.48	4.63	16.36	46.00	29.64	PASS
6	3.0795	11.73	15.03	26.76	56.00	29.24	2.16	13.89	46.00	32.11	PASS

#### Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[ $dB\mu V$ ] Value[ $dB\mu V$ ]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condi


South of No. 6 Plant, No. 1, Runsteng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6月厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980 s



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 14 of 125



Data	List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.2220	11.65	34.05	45.70	62.74	17.04	16.72	28.37	52.74	24.37	PASS
2	0.3165	11.62	27.49	39.11	59.80	20.69	11.12	22.74	49.80	27.06	PASS
3	0.5235	11.61	22.29	33.90	56.00	22.10	12.14	23.75	46.00	22.25	PASS
4	0.6270	11.64	21.46	33.10	56.00	22.90	9.33	20.97	46.00	25.03	PASS
5	1.0860	11.73	14.39	26.12	56.00	29.88	2.97	14.70	46.00	31.30	PASS
6	3.0030	11.73	10.74	22.47	56.00	33.53	-0.09	11.64	46.00	34.36	PASS

#### Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value = Reading[dB $\mu$ V] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[ $dB\mu V$ ] Value[ $dB\mu V$ ]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.and">https://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic format documents subject to Terms and Conditions (Ferms-Document.aspx.and the time of the Imitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 15 of 125

#### BLE 2M:



Data	List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.2220	11.65	35.03	46.68	62.74	16.06	16.74	28.39	52.74	24.35	PASS
2	0.5325	11.61	19.69	31.30	56.00	24.70	9.80	21.41	46.00	24.59	PASS
3	0.6630	11.67	17.66	29.33	56.00	26.67	6.56	18.23	46.00	27.77	PASS
4	1.2570	11.73	17.31	29.04	56.00	26.96	4.41	16.14	46.00	29.86	PASS
5	1.8150	11.73	16.95	28.68	56.00	27.32	3.86	15.59	46.00	30.41	PASS
6	3.0750	11.73	15.02	26.75	56.00	29.25	2.22	13.95	46.00	32.05	PASS

#### Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dBμV] Value[dBμV]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.and">https://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic format documents subject to Terms and Conditions (Ferms-Document.aspx.and the time of the Imitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jengsu) Pilot Free Trade Zone 中国 - 苏州 - 中国 (江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 鄉編: 215000



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 16 of 125



Data	List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.2220	11.65	34.39	46.04	62.74	16.70	17.20	28.85	52.74	23.89	PASS
2	0.3120	11.63	26.58	38.21	59.92	21.71	12.28	23.91	49.92	26.01	PASS
3	0.5280	11.61	22.69	34.30	56.00	21.70	12.34	23.95	46.00	22.05	PASS
4	0.8115	11.70	14.99	26.69	56.00	29.31	5.05	16.75	46.00	29.25	PASS
5	1.4955	11.72	11.66	23.38	56.00	32.62	4.46	16.18	46.00	29.82	PASS
6	2.9625	11.74	10.49	22.23	56.00	33.77	-0.19	11.55	46.00	34.45	PASS

#### Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value = Reading[dB $\mu$ V] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[ $dB\mu V$ ] Value[ $dB\mu V$ ]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.and">https://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic format documents subject to Terms and Conditions (Ferms-Document.aspx.and the time of the Imitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2312000501RG02

Rev.:

Page: 17 of 125

### SKU2: BLE 1M:



Data	List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.2130	11.65	35.41	47.06	63.09	16.03	16.38	28.03	53.09	25.06	PASS
2	0.2715	11.64	24.82	36.46	61.07	24.61	12.07	23.71	51.07	27.36	PASS
3	0.3120	11.63	27.21	38.84	59.92	21.08	11.17	22.80	49.92	27.12	PASS
4	0.6360	11.64	19.86	31.50	56.00	24.50	6.47	18.11	46.00	27.89	PASS
5	1.2390	11.73	16.67	28.40	56.00	27.60	3.17	14.90	46.00	31.10	PASS
6	2.0670	11.73	13.39	25.12	56.00	30.88	4.07	15.80	46.00	30.20	PASS

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[ $dB\mu V$ ] Value[ $dB\mu V$ ]




South of No. 6 Plant, No. 1, Runstieng Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 18 of 125



Data	List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.2175	11.65	33.85	45.50	62.91	17.41	15.86	27.51	52.91	25.40	PASS
2	0.3210	11.62	25.46	37.08	59.68	22.60	10.17	21.79	49.68	27.89	PASS
3	0.6270	11.64	21.67	33.31	56.00	22.69	9.35	20.99	46.00	25.01	PASS
4	1.2255	11.73	13.59	25.32	56.00	30.68	1.88	13.61	46.00	32.39	PASS
5	3.0075	11.74	10.63	22.37	56.00	33.63	-0.07	11.67	46.00	34.33	PASS
6	5.0325	11.81	7.42	19.23	60.00	40.77	-0.46	11.35	50.00	38.65	PASS

#### Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value = Reading[dB $\mu$ V] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[ $dB\mu V$ ] Value[ $dB\mu V$ ]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic Documents subject to Terms and Conditions (Ferms-and-Conditions) Ferms-and-Conditions (Ferms-and-Conditions) Ferms-and-Conditions (Ferms-and-Conditions) Ferms-and-Conditions (Ferms-and-Conditions) Ferms-and-Conditions (Ferms-and-Conditions) Ferms-and-Conditions (Ferms-and-Conditions) Ferms-and-Conditions (Ferms-and-Conditions) Ferms-and-Conditions) Ferms-and-Conditions (Ferms-and-Conditions) Ferms-and-Conditions (F

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 19 of 125

#### BLE 2M:



Data	List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.2130	11.65	35.47	47.12	63.09	15.97	16.50	28.15	53.09	24.94	PASS
2	0.3165	11.62	27.00	38.62	59.80	21.18	9.91	21.53	49.80	28.27	PASS
3	0.4290	11.62	17.72	29.34	57.27	27.93	6.55	18.17	47.27	29.10	PASS
4	0.6450	11.65	18.88	30.53	56.00	25.47	4.98	16.63	46.00	29.37	PASS
5	1.2750	11.73	16.96	28.69	56.00	27.31	4.28	16.01	46.00	29.99	PASS
6	2.0040	11.73	13.41	25.14	56.00	30.86	3.80	15.53	46.00	30.47	PASS

#### Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dBμV] Value[dBμV]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.and">https://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic Documents subject to Terms and Conditions for Electronic Document as that <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-C


South of No. 6 Plant, No. 1, Runsteing Road, Sudhou Industrial Park, Sudhou Ansa, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 w t (86–512) 62992980 sg



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 20 of 125



Data	List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.2130	11.65	35.03	46.68	63.09	16.41	16.61	28.26	53.09	24.83	PASS
2	0.2760	11.62	24.49	36.11	60.94	24.83	12.35	23.97	50.94	26.97	PASS
3	0.3165	11.62	27.19	38.81	59.80	20.99	10.49	22.11	49.80	27.69	PASS
4	0.5100	11.60	20.32	31.92	56.00	24.08	9.51	21.11	46.00	24.89	PASS
5	0.6315	11.64	21.11	32.75	56.00	23.25	8.36	20.00	46.00	26.00	PASS
6	1.1580	11.72	15.18	26.90	56.00	29.10	3.23	14.95	46.00	31.05	PASS

#### Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value = Reading[dB $\mu$ V] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[ $dB\mu V$ ] Value[ $dB\mu V$ ]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.and">https://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 21 of 125

### SKU5:



Data	List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.2175	11.65	35.53	47.18	62.91	15.73	16.14	27.79	52.91	25.12	PASS
2	0.2715	11.64	25.17	36.81	61.07	24.26	12.72	24.36	51.07	26.71	PASS
3	0.3120	11.63	27.85	39.48	59.92	20.44	11.58	23.21	49.92	26.71	PASS
4	0.6225	11.64	21.41	33.05	56.00	22.95	9.13	20.77	46.00	25.23	PASS
5	1.2120	11.73	16.83	28.56	56.00	27.44	3.51	15.24	46.00	30.76	PASS
6	1.8330	11.72	16.08	27.80	56.00	28.20	3.09	14.81	46.00	31.19	PASS

#### Remark

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[ $dB\mu V$ ] Value[ $dB\mu V$ ]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.and">https://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic Documents subject to Terms and Conditions for Electronic Document as that <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-C


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 ww t (86–512) 62992980 sgs



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 22 of 125



Data	List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.2130	11.65	35.68	47.33	63.09	15.76	16.35	28.00	53.09	25.09	PASS
2	0.2805	11.62	24.93	36.55	60.80	24.25	13.96	25.58	50.80	25.22	PASS
3	0.4605	11.60	18.67	30.27	56.68	26.41	7.10	18.70	46.68	27.98	PASS
4	0.6270	11.64	22.21	33.85	56.00	22.15	9.85	21.49	46.00	24.51	PASS
5	1.0680	11.73	14.32	26.05	56.00	29.95	3.53	15.26	46.00	30.74	PASS
6	1.5630	11.73	12.17	23.90	56.00	32.10	3.81	15.54	46.00	30.46	PASS

#### Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value = Reading[dB $\mu$ V] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[ $dB\mu V$ ] Value[ $dB\mu V$ ]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.and">https://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic format documents subject to Terms and Conditions (Ferms-Document.aspx.and the time of the Imitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2312000501RG02

Rev.:

Page: 23 of 125

#### BLE 2M:



Data	List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.2130	11.65	35.72	47.37	63.09	15.72	16.54	28.19	53.09	24.90	PASS
2	0.3165	11.62	27.50	39.12	59.80	20.68	10.17	21.79	49.80	28.01	PASS
3	0.5460	11.62	18.55	30.17	56.00	25.83	6.20	17.82	46.00	28.18	PASS
4	0.6405	11.65	20.14	31.79	56.00	24.21	5.71	17.36	46.00	28.64	PASS
5	1.2615	11.73	17.85	29.58	56.00	26.42	4.48	16.21	46.00	29.79	PASS
6	1.8780	11.74	16.13	27.87	56.00	28.13	3.53	15.27	46.00	30.73	PASS

#### Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dBµV] Value[dBµV]




South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 即编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 24 of 125



Data	List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.2130	11.65	35.89	47.54	63.09	15.55	17.17	28.82	53.09	24.27	PASS
2	0.3075	11.63	25.61	37.24	60.04	22.80	10.95	22.58	50.04	27.46	PASS
3	0.6450	11.65	20.35	32.00	56.00	24.00	5.58	17.23	46.00	28.77	PASS
4	1.1625	11.72	15.07	26.79	56.00	29.21	2.70	14.42	46.00	31.58	PASS
5	1.7565	11.72	12.60	24.32	56.00	31.68	1.24	12.96	46.00	33.04	PASS
6	6.5265	11.87	8.78	20.65	60.00	39.35	0.07	11.94	50.00	38.06	PASS

#### Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value = Reading[dB $\mu$ V] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[ $dB\mu V$ ] Value[ $dB\mu V$ ]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic Documents subject to Terms and Conditions (Ferms-and-Conditions) Ferms-and-Conditions (Ferms-and-Conditions) Ferms-and-Conditions (Ferms-and-Conditions) Ferms-and-Conditions (Ferms-and-Conditions) Ferms-and-Conditions (Ferms-and-Conditions) Ferms-and-Conditions (Ferms-and-Conditions) Ferms-and-Conditions (Ferms-and-Conditions) Ferms-and-Conditions) Ferms-and-Conditions (Ferms-and-Conditions) Ferms-and-Conditions (F

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 w t (86–512) 62992980 sq




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 25 of 125

### 4.3 Duty Cycle





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are refunded for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jangsu) Pikol Free Tisde Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的/号厂房南部 鄉第: 215000 t (86–512) 62992980 w t (86–512) 62992980 sg



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 26 of 125

### 4.4 Conducted Output Power

Test Requirement:	47 CFR Part 15C Section 15.247 (b)(3)
Test Method:	ANSI C63.10-2020 Section 11.9.1.2
Test Setup:	Ground Reference Plane  * Test with power meter (Detector function: Peak)
Test Instruments:	Refer to section 6 for details
Test Mode:	Transmitting with GFSK modulation.
Limit:	30dBm
Test Results:	Pass
The detailed test data see: A	ppendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.asx.attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 27 of 125

### 4.5 DTS (6 dB) Bandwidth & 99% Occupied Bandwidth

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(2)	
Test Method:	ANSI C63.10-2020 Section 11.8 Option 2 / 6.9.3	
Test Setup:	SGS Test system    Vector Signal Generator	
Instruments Used:	Refer to section 6 for details	
Test Mode:	Transmitting with GFSK modulation.	
Limit:	≥ 500 kHz for DTS Bandwidth	
Test Results:	Pass	
The detailed test data see: A	ppendix	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are refunded for 30 days only.

South of No. 6 Part, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 鄉第:215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 28 of 125

### 4.6 Power Spectral Density





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-en-Ocoditions/Terms-en-Ocoument.asx">http://www.sgs.com/en/Terms-en-Ocoditions/Terms-en-Ocoument.asx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 29 of 125

### 4.7 Band-edge for RF Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)		
Test Method:	ANSI C63.10-2020 Section 11.11		
Test Setup:	PC    Spectrum Analyzer   O   O   O   O   O   O   O   O   O		
Instruments Used:	Refer to section 6 for details		
Test Mode:	Transmitting with GFSK modulation.		
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.		
Test Results:	Pass		
The detailed test data see: A	ppendix		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are refunded for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 30 of 125

### 4.8 RF Conducted Spurious Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)		
Test Method:	ANSI C63.10-2020 Section 11.11		
Test Setup:	PC  Spectrum Analyzer  Spectrum Analyzer  Spectrum Analyzer  Spectrum Analyzer  DC Rower  Factor Signal Generator  Spectrum Analyzer  DC Rower  Ground Reference Plane		
Instruments Used:	Refer to section 6 for details		
Test Mode:	Transmitting with GFSK modulation.		
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.		
Test Results:	Pass		
The detailed test data see	e: Appendix		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are refunded for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2312000501RG02


Rev.: 01

Page: 31 of 125

### 4.9 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205				
Test Method:	ANSI C63.10-2020 Section 11.12				
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)				
Test Frequency:	9kHz ~ 25GHz				
Limit:	Frequency   Field Strongth   Remark				Measurement distance (m)
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30
	1.705MHz-30MHz	30	-	-	30
	30MHz-88MHz	100	40.0	Quasi-peak	3
	88MHz-216MHz	150	43.5	Quasi-peak	3
	216MHz-960MHz 200 46.0 Quasi-peak		Quasi-peak	3	
	960MHz-1GHz 500 54.0 Quasi-peak			3	
	Above 1GHz 500 54.0 Average				3
	Remark: 15.35(b),Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.			mit	

Test Setup:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.and">https://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic format documents subject to Terms and Conditions (Ferms-Document.aspx.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.s t (86–512) 62992980 sgs.ch



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 32 of 125




Figure 3. Above 1 GHz

#### Test Procedure:

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation (Distance from antenna to EUT is 1m for measurements >18GHz).
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. Test the EUT in the lowest channel, the middle channel ,the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.
- i. Repeat above procedures until all frequencies measured was complete.
- j. The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported
- k. The disturbance above 18GHz was very low, and the harmonics were the highest point could be found when testing, so only the harmonics had been displayed.
- I. At a measurement distance of 1 meter the limit line was increased by 20\*LOG(3/1) = 9.54 dB.

### **Test Configuration:**

### Measurements below 30MHz

- RBW = 10 kHz
- VBW = 30 kHz
- Detector = Peak & Average & Quasi-peak
- Trace mode = max hold



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsteing Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州丁业园区海胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 33 of 125

-	Page. 33 01 125
	Measurements Below 1000MHz  • RBW = 120 kHz  • VBW = 300 kHz  • Detector = Quasi-peak  • Trace mode = max hold  Peak Measurements Above 1000 MHz  • RBW = 1 MHz  • VBW ≥ 3 MHz  • Detector = Peak  • Sweep time = auto  • Trace mode = max hold  Average Measurements Above 1000MHz  • RBW = 1 MHz  • VBW = 10 Hz, when duty cycle is no less than 98 percent.  • VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its
Exploratory Test Mode:	maximum power control level for the tested mode of operation.  Transmitting with GFSK modulation.  Charge + Transmitting mode.
Final Test Mode:	Transmitting with GFSK modulation.  Pretest the EUT at Charge + Transmitting mode,  For below 1GHz part, through pre-scan all channels, but only the worst case is recorded in the report.
Instruments Used:	Refer to section 6 for details
Test Results:	Pass
The detailed test data	see: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.and">https://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic Documents subject to Terms and Conditions for Electronic Document as that <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-C

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Tisde Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6月厂房南部 鄉第: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02


Rev.: 01

Page: 34 of 125

### 4.10 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205		
Test Method:	ANSI C63.10-2020 Section 11.12		
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)		
Limit:	Frequency Limit (dBuV/m)		Remark
	30MHz-88MHz	40.0	Quasi-peak
	88MHz-216MHz	43.5	Quasi-peak
	216MHz-960MHz	46.0	Quasi-peak
	960MHz-1GHz	54.0	Quasi-peak
	Above 1GHz	54.0	Average Value
	Above IGHZ	74.0	Peak Value

#### Test Setup:






Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz

#### Test Procedure:

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- a. Place a marker at the end of the restricted band closest to the transmit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.appx and, for electronic Documents at Intelligence of the Company of the

South of No. 6 Plant, No. 1, Runsteng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980 s



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 35 of 125

	frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel  h. Test the EUT in the lowest channel, the Highest channel  i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.  j. Repeat above procedures until all frequencies measured was complete.
Test Configuration:	Measurements Below 1000MHz  • RBW = 120 kHz  • VBW = 300 kHz  • Detector = Quasi-peak  • Trace mode = max hold  Peak Measurements Above 1000 MHz  • RBW = 1 MHz  • VBW ≥ 3 MHz  • Detector = Peak  • Sweep time = auto  • Trace mode = max hold  Average Measurements Above 1000MHz  • RBW = 1 MHz  • VBW = 1 MHz  • VBW = 10 Hz, when duty cycle is no less than 98 percent.  • VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.
Exploratory Test Mode:	Transmitting with GFSK modulation. Charge + Transmitting mode.
Final Test Mode:	Transmitting with GFSK modulation.  Pretest the EUT at Charge + Transmitting mode.  Only the worst case is recorded in the report.
Instruments Used:	Refer to section 6 for details
Test Results:	Pass
The detailed test data see	E: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic Documents subject to Terms and Conditions (Ferms-and-Conditions) Ferms-and-Conditions (Ferms-and-Conditions) Ferms-and-Conditions (Ferms-and-Conditions) Ferms-and-Conditions (Ferms-and-Conditions) Ferms-and-Conditions (Ferms-and-Conditions) Ferms-and-Conditions (Ferms-and-Conditions) Ferms-and-Conditions (Ferms-and-Conditions) Ferms-and-Conditions) Ferms-and-Conditions (Ferms-and-Conditions) Ferms-and-Conditions (F

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 36 of 125

### 5 Measurement Uncertainty (95% confidence levels, k=2)

Lab A				
No.	No. Item Measurement Uncertain			
1	Conduction Emission	± 2.90dB (150kHz to 30MHz)		
		± 3.13dB (9k -30MHz)		
2	Radiated Emission	± 4.88dB (30M -1GHz)		
2 K	Radiated Emission	± 4.75dB (1GHz to 18GHz)		
		± 4.77dB (Above 18GHz)		

#### Remark:

The U<sub>lab</sub> (lab Uncertainty) is less than U<sub>cispr/ETSI</sub> (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.

Lab B			
No.	Item	Measurement Uncertainty	
1	Conducted Peak Output Power	± 0.75dB	
2	Minimum 6dB Bandwidth	± 3%	
3	Power Spectrum Density	± 2.84dB	
4	Conducted Band Edges Measurement	± 0.75dB	
5	Conducted Spurious Emissions	± 0.75dB	

#### Remark:

The U<sub>lab</sub> (lab Uncertainty) is less than U<sub>cispr/ETSI</sub> (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.and">https://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic Documents subject to Terms and Conditions for Electronic Document as that <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-C

South of No. 6 Plant, No. 1, Runsteing Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 鄉鄉: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 37 of 125

6 Equipment List

	Lab A								
Conduction Test Equipment									
Test Equipment	Manufacturer Model No. Inventory No. Cal. date (yyyy/mm/dd) (yyy								
Shielding Room	Brilliant-emc	N/A	SUWI-04-03-01	2021/05/08	2024/05/07				
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2023/02/08	2024/02/07				
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-06	2023/02/07	2024/02/06				
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-03	2023/02/08	2024/02/07				
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-04	2023/02/08	2024/02/07				
Measurement Software	Tonscend	JS32-CE V4.0.0.2	SUWI-02-09-05	NCR	NCR				

	Lab A RSE Test System								
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)				
Semi- Anechoic Chamber	Brilliant-emc	N/A	SUWI-04-02-02	2021/11/25	2024/11/24				
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-13	2023/02/07	2024/02/06				
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2023/05/11	2024/05/10				
Signal Analyzer	KEYSIGHT	N9020A	SUWI-01-02-06	2023/11/21	2024/11/20				
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2023/02/08	2024/02/07				
Receiving antenna	SCHWRZBECK MESS-ELEKTRONIK	VULB 9168	SUWI-01-11-04	2023/11/25	2024/11/24				
Receiving antenna	SCHWRZBECK MESS-ELEKTRONIK	BBHA 9120D	SUWI-01-11-05	2023/11/25	2024/11/24				
Receiving antenna	SCHWRZBECK MESS-ELEKTRONIK	BBHA 9170	SUWI-01-11-03	2023/05/12	2024/05/11				
Active Loop Antenna	SCHWRZBECK MESS-ELEKTRONIK	FMZB 1519B	SUWI-01-21-01	2023/05/13	2024/05/12				
Amplifier	Tonscend	TAP9K3G32	SUWI-01-14-06	2023/11/21	2024/11/20				
Amplifier	Tonscend	TAP01018050	SUWI-01-14-04	2023/11/21	2024/11/20				
Amplifier	Tonscend	TAP30M7G30	SUWI-01-14-05	2023/11/21	2024/11/20				
Measurement Software	Tonscend	JS32-RE V4.0.0.0	SUWI-02-09-04	NCR	NCR				



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed verteaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Tisde Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6月厂房南部 鄉第: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 38 of 125

Lab B Minimum 6dB Bandwidth								
Test Equipment Manufacturer Model No. Inventory No. Cal. date (yyyy/mm/dd) (yyyy/mm/d								
DC Power Supply	Chroma	62012P-80-60	SEM011-11	2023/10/19	2024/10/18			
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-19	2023/03/21	2024/03/20			
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A			
Coaxial Cable	SGS	N/A	SEM031-01	2023/07/07	2024/07/06			
Attenuator	Huber+Suhner	6620_SMA-50-1	SEM021-09	2023/03/31	2024/03/30			

Lab B Power Spectrum Density								
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)			
DC Power Supply	Chroma	62012P-80-60	SEM011-11	2023/10/19	2024/10/18			
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-19	2023/03/21	2024/03/20			
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A			
Coaxial Cable	SGS	N/A	SEM031-01	2023/07/07	2024/07/06			
Attenuator	Huber+Suhner	6620_SMA-50-1	SEM021-09	2023/03/31	2024/03/30			

Lab B								
	Conducted	I Band Edges Me	easurement					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Due date			
rest Equipment	Manuacturer	Wiodei No.	inventory No.	(yyyy/mm/dd)	(yyyy/mm/dd)			
DC Power Supply	Chroma	62012P-80-60	SEM011-11	2023/10/19	2024/10/18			
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-19	2023/03/21	2024/03/20			
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A			
Coaxial Cable	SGS	N/A	SEM031-01	2023/07/07	2024/07/06			
Attenuator	Huber+Suhner	6620_SMA-50-1	SEM021-09	2023/03/31	2024/03/30			

Lab B Conducted Spurious Emissions								
Test Equipment Manufacturer Model No. Inventory No. Cal. date (yyyy/mm/dd) (yyyy/mm/dd)								
DC Power Supply	Chroma	62012P-80-60	SEM011-11	2023/10/19	2024/10/18			
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-19	2023/03/21	2024/03/20			
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A			
Coaxial Cable	SGS	N/A	SEM031-01	2023/07/07	2024/07/06			
Attenuator	Huber+Suhner	6620_SMA-50-1	SEM021-09	2023/03/31	2024/03/30			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Cocuments</a> at subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Cocuments. At advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Ansa, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 鄉第: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 39 of 125

Lab B General used equipment									
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)				
Humidity/ Temperature Indicator	deli	8838	SEM002-32	2023/07/28	2024/07/27				
Humidity/ Temperature Indicator	deli	8838	SEM002-33	2023/07/28	2024/07/27				
Barometer	Changchun Meteorological Industry Factory	DYM3	SEM002-01	2023/03/23	2024/03/22				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-en-Ocoditions/Terms-en-Ocoument.asx">http://www.sgs.com/en/Terms-en-Ocoditions/Terms-en-Ocoument.asx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Tisde Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6月厂房南部 鄉第: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 40 of 125

### 7 Photographs - Setup Photos

Refer to Appendix A.1 WLAN Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.asx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 41 of 125

# **Appendix**



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are refunded for 30 days only.

South of No. 6 Part, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 鄉第:215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 42 of 125

### **Duty Cycle** Test Result

					Ant1		
Mode	TX	Frequency	T_on	Period	Duty Cycle	Duty Cycle	Max. DC
Wiode	Type	(MHz)	(ms)	(ms)	(%)	Correction Factor (dB)	Variation (%)
		2402	0.384	0.625	61.44	2.12	0.00
1M	SISO	2440	0.384	0.625	61.44	2.12	0.00
		2480	0.384	0.625	61.44	2.12	0.00
		2404	0.200	0.625	32.00	4.95	0.00
2M	SISO	2440	0.200	0.625	32.00	4.95	0.00
		2478	0.200	0.625	32.00	4.95	0.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-en-Ocoditions/Terms-en-Ocoument.asx">http://www.sgs.com/en/Terms-en-Ocoditions/Terms-en-Ocoument.asx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgs t (86–512) 62992980 sgs.china




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 43 of 125

### **Test Graph**






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.">http://www.sgs.com/en/Terms-and-Conditions.aspx.</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a> and the state of t


South of No. 6 Plans, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Tisde Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980




Report No.: SEWM2312000501RG02

01 Rev.:





#### 2M LCH 2404MHz Ant1 NTNV






South of No. 6 Plant, No. 1, Runstieng Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 即编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02

Rev.: 01





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Ferms-and-Conditions.aspx.and.">http://www.sgs.com/en/Ferms-and-Conditions.aspx.and.</a>, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx.">http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attentions, To check the autheriticity of testing intersection report & certificate, please contact us at telephone (66-755) \$307 1443.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路(号的6号厂房南部 邮编: 215000 t (86–512) 62992980 wv t (86–512) 62992980 sg



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 46 of 125

# Bandwidth OBW

#### **Test Result**

	••					
Mode	TX	Frequency	ANT	99% Occupied E	9% Occupied Bandwidth (MHz)	
iviode	Type	(MHz)	ANI	Result	Limit	Verdict
		2402	1	1.045	1	Pass
1M	SISO	2440	1	1.045	1	Pass
		2480	1	1.045	/	Pass
		2404	1	2.088	1	Pass
2M	SISO	2440	1	2.088	1	Pass
		2478	1	2.087	1	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-en-Ocoditions/Terms-en-Ocoument.asx">http://www.sgs.com/en/Terms-en-Ocoditions/Terms-en-Ocoument.asx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www t (86–512) 62992980 sgs.




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 47 of 125

### **Test Graph**





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (ropery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 鄉線: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02

Rev.:








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condi


South of No. 6 Plant, No. 1, Runstieng Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02

Rev.: 01







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Ferms-and-Conditions.aspx.and.">http://www.sgs.com/en/Ferms-and-Conditions.aspx.and.</a>, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx.">http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attentions, To check the autheriticity of testing intersection report & certificate, please contact us at telephone (66-755) \$307 1443.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Mangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜废1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 50 of 125

### 6dB BW Test Result

Mode	TX	TX Frequency	ANT	6dB Bandv	Verdict	
wode	Type	(MHz)	ANI	Result	Limit	verdict
		2402	1	0.685	>=0.5	Pass
1M	SISO	2440	1	0.683	>=0.5	Pass
		2480	1	0.684	>=0.5	Pass
		2404	1	1.166	>=0.5	Pass
2M	SISO	2440	1	1.168	>=0.5	Pass
		2478	1	1.161	>=0.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.asx.attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 51 of 125

### **Test Graph**





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic Documents a thittp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing interpection report & certificate, please contact us at temphone: (86-755) \$307 1443.


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Mangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜废1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02

Rev.:







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Ferms-and-Conditions.aspx.and.">http://www.sgs.com/en/Ferms-and-Conditions.aspx.and.</a>, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlandsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980




Report No.: SEWM2312000501RG02

Rev.:



#### 2M HCH 2478MHz Ant1 NTNV





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Ferms-and-Conditions.aspx.and.">http://www.sgs.com/en/Ferms-and-Conditions.aspx.and.</a>, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlandsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 54 of 125

### **Maximum Conducted Output Power** Test Result

Mode	TX	Frequency	Maximum Peak Conduc	Verdict	
wode	Type	(MHz)	ANT1	Limit	verdict
		2402	-3.04	<=30	Pass
1M	SISO	2440	-2.14	<=30	Pass
		2480	-2.87	<=30	Pass
		2404	-2.87	<=30	Pass
2M	SISO	2440	-2.07	<=30	Pass
		2478	-2.73	<=30	Pass

### **Maximum Power Spectral Density** Test Result

Mode	TX	Frequency	Maximum PS	D (dBm/3kHz)	Verdict
Mode	Type	(MHz)	ANT1	Limit	verdict
		2402	-17.78	<=8	Pass
1M	SISO	2440	-16.84	<=8	Pass
		2480	-17.64	<=8	Pass
		2404	-20.30	<=8	Pass
2M	SISO	2440	-19.47	<=8	Pass
		2478	-20.17	<=8	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-en-Ocoditions/Terms-en-Ocoument.asx">http://www.sgs.com/en/Terms-en-Ocoditions/Terms-en-Ocoument.asx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 v t (86–512) 62992980 s




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 55 of 125

### **Test Graph**






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.and">https://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Documents.aspx.and</a>, for electronic Documents at <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx">https://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content on appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980




Report No.: SEWM2312000501RG02

01 Rev.:










South of No. 6 Plant, No. 1, Runstieng Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 即编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02

Rev.: 01





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.and">https://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Documents.aspx.and</a>, for electronic Documents at <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx">https://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content on appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsg t (86–512) 62992980 sgs.chinat



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 58 of 125

# **Unwanted Emissions In Non-restricted Frequency Bands Test Result**

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
		2402	1	-3.65
1M	SISO	2440	1	-2.77
		2480	1	-3.49
		2404	1	-3.56
2M	SISO	2440	1	-2.79
		2478	1	-3.44



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a> and, for electronic format document subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-d-Ood/com/en/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-e-Document.aspx</a> attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content. appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated it results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 59 of 125

### **Test Graph**





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Mangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜废1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02

Rev.: 01





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention 7.0 back the substanticity of testing inspection report & certificate, plasse contact us at temphone (66-755) 8307 1443.


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜商(号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02


Rev.: 01

2440.876



#### 2M HCH 2478MHz Ant1 NTNV

Frequency (MHz)





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents as this trib: <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-a

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 62 of 125

### **CSE**

### **Test Result**

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
		2402	1	-2.77	-22.77	Pass
1M	SISO	2440	1	-2.77	-22.77	Pass
		2480	1	-2.77	-22.77	Pass
		2404	1	-2.79	-22.79	Pass
2M	SISO	2440	1	-2.79	-22.79	Pass
	i	2478	1	-2.79	-22.79	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.and">https://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 63 of 125

### **Test Graph**





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 鄉線: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02

Rev.: 01







-80

-90 <del>|</del> 2472.0

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents as this trib: <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-a

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

Frequency (MHz)

t (86–512) 62992980 www.sgsg t (86–512) 62992980 sgs.chinat


2500.0



Report No.: SEWM2312000501RG02

Rev.:

65 of 125






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Ferms-and-Conditions.aspx.and.">http://www.sgs.com/en/Ferms-and-Conditions.aspx.and.</a>, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and

South of No. 6 Plant, No. 1, Runstieng Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2312000501RG02

Rev.: 01





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Ferms-and-Conditions.aspx.and.">http://www.sgs.com/en/Ferms-and-Conditions.aspx.and.</a>, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx.">http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attentions, To check the autheriticity of testing intersection report & certificate, please contact us at telephone (66-755) \$307 1443.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 wv t (86–512) 62992980 sg



Report No.: SEWM2312000501RG02

Rev.:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention 7.0 back the substanticity of testing inspection report & certificate, plasse contact us at temphone (66-755) 8307 1443.

South of No. 6 Plant, No. 1, Runstieng Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 68 of 125

# Radiated Spurious Emissions Radiated emission below 1GHz

Worst case Mode: BLE 1M\_Channel 39 (SKU1):



Data	Data List									
NO.	Frequency [MHz]]	Reading [dBµV]	Factor [dB]	AF [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity		
1	46.975	43.26	-42.36	19.35	20.25	40.00	19.75	Horizontal		
2	49.885	42.03	-42.38	19.21	18.86	40.00	21.14	Horizontal		
3	71.9525	36.18	-42.03	16.73	10.88	40.00	29.12	Horizontal		
4	167.9825	40.11	-40.89	17.58	16.80	43.50	26.70	Horizontal		
5	232.4875	40.02	-40.76	16.92	16.18	46.00	29.82	Horizontal		
6	275.1675	46.00	-40.39	17.71	23.32	46.00	22.68	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-en-Ocoditions/Terms-en-Ocoument.asx">http://www.sgs.com/en/Terms-en-Ocoditions/Terms-en-Ocoument.asx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jangsu) Pikol Free Tisde Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的/号厂房南部 鄉第: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 69 of 125



Data	Data List									
NO.	Frequency [MHz]]	Reading [dBµV]	Factor [dB]	AF [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity		
1	37.5175	47.16	-42.34	19.10	23.92	40.00	16.08	Vertical		
2	50.855	36.48	-42.37	19.17	13.28	40.00	26.72	Vertical		
3	68.8	38.46	-42.10	17.30	13.66	40.00	26.34	Vertical		
4	170.8925	36.23	-40.93	17.32	12.62	43.50	30.88	Vertical		
5	272.7425	36.02	-40.38	17.61	13.25	46.00	32.75	Vertical		
6	369.015	34.71	-39.93	20.43	15.21	46.00	30.79	Vertical		

#### Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Value = Reading( $dB\mu V$ ) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit( $dB\mu V/m$ ) – Value( $dB\mu V/m$ )

2) All channels have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, the decironic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.attention">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.attention is drawn to the limitation of iniability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsteng Road, Sudhou Industrial Park, Sudhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 w t (86–512) 62992980 sg




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 70 of 125

# Test on the worst case(SKU2): BLE 2M\_Channel 38



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity		
1	37.76	40.12	-42.34	19.16	16.94	40.00	23.06	Horizontal		
2	51.34	43.19	-42.36	19.15	19.98	40.00	20.02	Horizontal		
3	55.9475	38.95	-42.30	18.96	15.62	40.00	24.38	Horizontal		
4	100.81	37.58	-41.66	15.57	11.49	43.50	32.01	Horizontal		
5	178.895	36.01	-41.01	16.60	11.60	43.50	31.90	Horizontal		
6	272.015	46.18	-40.37	17.58	23.39	46.00	22.61	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are refunded for 30 days only.


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www t (86–512) 62992980 sgs.4



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 71 of 125



Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF [dB/m]	QP Value [dBμV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity			
1	36.79	43.26	-42.35	18.93	19.84	40.00	20.16	Vertical			
2	50.6125	38.52	-42.37	19.18	15.32	40.00	24.68	Vertical			
3	108.085	38.16	-41.76	16.23	12.63	43.50	30.87	Vertical			
4	119.9675	38.03	-41.76	17.30	13.57	43.50	29.93	Vertical			
5	214.785	38.10	-40.87	16.01	13.24	43.50	30.26	Vertical			
6	381.625	39.81	-39.57	20.79	21.03	46.00	24.97	Vertical			

#### Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Value = Reading( $dB\mu V$ ) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit( $dB\mu V/m$ ) – Value( $dB\mu V/m$ )

2) All channels have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are refunded for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chine (Jlangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 鄉編: 215000 t (86–512) 62992980 t (86–512) 62992980 s




Report No.: SEWM2312000501RG02

Rev.:

72 of 125 Page:

### Test on the worst case(SKU5): BLE 1M\_Channel 39



Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF [dB/m]	QP Value [dBμV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity			
1	37.275	45.02	-42.34	19.05	21.72	40.00	18.28	Horizontal			
2	49.885	42.96	-42.38	19.21	19.79	40.00	20.21	Horizontal			
3	96.93	46.98	-41.67	15.25	20.57	43.50	22.93	Horizontal			
4	119.9675	36.88	-41.76	17.30	12.42	43.50	31.08	Horizontal			
5	232.73	42.95	-40.76	16.94	19.13	46.00	26.87	Horizontal			
6	271.2875	46.87	-40.37	17.55	24.05	46.00	21.95	Horizontal			




South of No. 6 Plant, No. 1, Runstieng Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2312000501RG02

Rev.: 01

Page: 73 of 125



Data	List							
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity
1	36.79	43.21	-42.35	18.93	19.79	40.00	20.21	Vertical
2	50.37	41.13	-42.37	19.19	17.94	40.00	22.06	Vertical
3	61.04	42.95	-42.22	18.62	19.35	40.00	20.65	Vertical
4	71.4675	38.41	-42.04	16.82	13.19	40.00	26.81	Vertical
5	119.9675	38.16	-41.76	17.30	13.70	43.50	29.80	Vertical
6	232.73	36.91	-40.76	16.94	13.09	46.00	32.91	Vertical

#### Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Value = Reading( $dB\mu V$ ) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit( $dB\mu V/m$ ) – Value( $dB\mu V/m$ )

2) All channels have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, concluding a spx and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.attention">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.attention</a> is drawn to the limitation of iniability, indemification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路(号的6号厂房南部 邮编:215000 t (86-512) 62992980 t (86-512) 62992980




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 74 of 125

### Transmitter emission Above 1GHz(SKU1):

### **BLE 1M Channel 00**



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4804.0000	47.70	30.97	-45.54	33.13	74.00	40.87	Horizontal		
2	7206.0000	46.03	35.78	-43.44	38.37	74.00	35.63	Horizontal		
3	9608.0000	42.31	37.46	-39.65	40.11	74.00	33.89	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are refunded for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jangsu) Pilot Free Tisde Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的/号厂房南部 鄉第: 215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 75 of 125

### BLE 1M\_Channel 00



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4804.0000	48.02	30.97	-45.54	33.45	74.00	40.55	Vertical		
2	7206.0000	45.53	35.78	-43.44	37.87	74.00	36.13	Vertical		
3	9608.0000	40.89	37.46	-39.65	38.69	74.00	35.31	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditio

South of No. 6 Part, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Tisde Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的/号厂房南部 鄉錦: 215000 t (86-512) 62992980 t (86-512) 62992980




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 76 of 125

### BLE 1M\_Channel 19



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4880.0000	48.75	31.14	-45.53	34.35	74.00	39.65	Horizontal		
2	7320.0000	44.53	36.10	-43.68	36.94	74.00	37.06	Horizontal		
3	9760.0000	37.81	37.74	-39.46	36.09	74.00	37.91	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sps.com/en/Terms-and-Conditions/Terms-e-Document.aspx.atention">http://www.sps.com/en/Terms-and-Conditions/Terms-e-Document.aspx.atention is cleaven to the limitation of liability, inchemification, the service of the electronic Document aspx.atention is developed to the electronic Document in the electronic Document does not exponent exposition to developed the electronic Document does not exponent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing Imagestion report & cartificate, please contact us at leighborne (86-755) 8307 1443,




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 77 of 125

### BLE 1M\_Channel 19



Data	Data List									
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4880.0000	48.37	31.14	-45.53	33.97	74.00	40.03	Vertical		
2	7320.0000	45.16	36.10	-43.68	37.57	74.00	36.43	Vertical		
3	9760.0000	37.30	37.74	-39.46	35.58	74.00	38.42	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sps.com/en/Terms-and-Conditions/Terms-e-Document.aspx.atention">http://www.sps.com/en/Terms-and-Conditions/Terms-e-Document.aspx.atention is cleaven to the limitation of liability, inchemification, the service of the electronic Document aspx.atention is developed to the electronic Document in the electronic Document does not exponent exposition to developed the electronic Document does not exponent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing Imagestion report & cartificate, please contact us at leighborne (86-755) 8307 1443,




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 78 of 125

### BLE 1M\_Channel 39



Data	Data List									
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4960.0000	48.14	31.31	-45.60	33.86	74.00	40.14	Horizontal		
2	7440.0000	45.96	36.43	-43.30	39.09	74.00	34.91	Horizontal		
3	9920.0000	38.33	38.05	-39.31	37.07	74.00	36.93	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sps.com/en/Terms-and-Conditions/Terms-e-Document.aspx.atention">http://www.sps.com/en/Terms-and-Conditions/Terms-e-Document.aspx.atention is cleaven to the limitation of liability, inchemification, the service of the electronic Document aspx.atention is developed to the electronic Document in the electronic Document does not exponent exposition to developed the electronic Document does not exponent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing Imagestion report & cartificate, please contact us at leighborne (86-755) 8307 1443,




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 79 of 125

### BLE 1M\_Channel 39



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4960.0000	48.98	31.31	-45.60	34.70	74.00	39.30	Vertical		
2	7440.0000	45.04	36.43	-43.30	38.17	74.00	35.83	Vertical		
3	9920.0000	38.15	38.05	-39.31	36.89	74.00	37.11	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jlangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 80 of 125

### **BLE 2M Channel 01**



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4808.0000	47.89	30.98	-45.54	33.33	74.00	40.67	Horizontal		
2	7212.0000	44.49	35.79	-43.46	36.82	74.00	37.18	Horizontal		
3	9616.0000	41.29	37.47	-39.63	39.13	74.00	34.87	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.and">https://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic Documents subject to Terms and Conditions for Electronic Document as that <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-C




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 81 of 125

### BLE 2M\_Channel 19



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4808.0000	47.61	30.98	-45.54	33.05	74.00	40.95	Vertical		
2	7212.0000	44.99	35.79	-43.46	37.32	74.00	36.68	Vertical		
3	9616.0000	40.63	37.47	-39.63	38.47	74.00	35.53	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sps.com/en/Terms-and-Conditions/Terms-e-Document.aspx.atention">http://www.sps.com/en/Terms-and-Conditions/Terms-e-Document.aspx.atention is cleaven to the limitation of liability, inchemification, the service of the electronic Document aspx.atention is developed to the electronic Document in the electronic Document does not exponent exposition to developed the electronic Document does not exponent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing Imagestion report & cartificate, please contact us at leighborne (86-755) 8307 1443,

South of No. 6 Part, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Tisde Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的/号厂房南部 鄉錦: 215000 t (86–512) 62992980 wv t (86–512) 62992980 sg




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 82 of 125

### BLE 2M\_Channel 19



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4880.0000	49.01	31.14	-45.53	34.61	74.00	39.39	Horizontal		
2	7320.0000	44.31	36.10	-43.68	36.72	74.00	37.28	Horizontal		
3	9760.0000	36.90	37.74	-39.46	35.18	74.00	38.82	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditio




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 83 of 125

### BLE 2M\_Channel 38



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4880.0000	48.85	31.14	-45.53	34.45	74.00	39.55	Vertical		
2	7320.0000	44.76	36.10	-43.68	37.17	74.00	36.83	Vertical		
3	9760.0000	37.73	37.74	-39.46	36.01	74.00	37.99	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jangsu) Pilot Free Tisde Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的/号厂房南部 鄉第: 215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 84 of 125

### BLE 2M\_Channel 38



Data	Data List									
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4936.0000	48.53	31.26	-45.57	34.22	74.00	39.78	Horizontal		
2	7404.0000	46.66	36.33	-43.40	39.59	74.00	34.41	Horizontal		
3	9872.0000	38.80	37.96	-39.37	37.38	74.00	36.62	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a>, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is cream to the limitation of liability, demonstrated the company's findings at the time of its Intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing Jinepection report & certificate, please contact us at telephone: (86-75) 8307 1443,




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 85 of 125

### **BLE 2M\_Channel 38**



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4936.0000	48.46	31.26	-45.57	34.15	74.00	39.85	Vertical		
2	7404.0000	45.11	36.33	-43.40	38.04	74.00	35.96	Vertical		
3	9872.0000	39.30	37.96	-39.37	37.88	74.00	36.12	Vertical		

#### Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading( $dB\mu V$ ) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit( $dB\mu V/m$ ) – Level( $dB\mu V/m$ )

- 2) All channels have been tested, but only the worst case data displayed in this report.
- 3) Both peak and average measured complies with the limit line, so test result is "PASS"



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.apx.and">http://www.sgs.com/en/Terms-and-Conditions.apx.and</a>, conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.attention">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.attention</a> is drawn to the limitation of liability, indemification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路(号的6号厂房南部 邮编:215000 t (86-512) 62992980 t (86-512) 62992980




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 86 of 125

### Test on the worst case(SKU2):

### BLE 1M\_Channel 39



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4960.0000	49.30	31.31	-45.60	35.02	74.00	38.98	Horizontal		
2	7440.0000	45.69	36.43	-43.30	38.82	74.00	35.18	Horizontal		
3	9920.0000	39.68	38.05	-39.31	38.42	74.00	35.58	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-en-Ocoditions/Terms-en-Ocoument.asx">http://www.sgs.com/en/Terms-en-Ocoditions/Terms-en-Ocoument.asx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 87 of 125

### BLE 1M\_Channel 39



Data	Data List									
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4960.0000	48.24	31.31	-45.60	33.96	74.00	40.04	Vertical		
2	7440.0000	46.32	36.43	-43.30	39.45	74.00	34.55	Vertical		
3	9920.0000	41.01	38.05	-39.31	39.75	74.00	34.25	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditio




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 88 of 125

### BLE 2M\_Channel 38



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4956.0000	49.47	31.30	-45.59	35.18	74.00	38.82	Horizontal		
2	7434.0000	46.09	36.42	-43.32	39.19	74.00	34.81	Horizontal		
3	9912.0000	41.38	38.03	-39.32	40.09	74.00	33.91	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.and">https://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-

South of No. 6 Part, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 89 of 125

### **BLE 2M\_Channel 38**



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4956.0000	48.63	31.30	-45.59	34.34	74.00	39.66	Vertical		
2	7434.0000	47.68	36.42	-43.32	40.78	74.00	33.22	Vertical		
3	9912.0000	40.23	38.03	-39.32	38.94	74.00	35.06	Vertical		

#### Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading( $dB\mu V$ ) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit( $dB\mu V/m$ ) – Level( $dB\mu V/m$ )

- 2) All channels have been tested, but only the worst case data displayed in this report.
- 3) Both peak and average measured complies with the limit line, so test result is "PASS"



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.and">https://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路(号的6号厂房南部 邮编:215000 t (86-512) 62992980 t (86-512) 62992980




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 90 of 125

### Test on the worst case(SKU5):

### **BLE 1M\_Channel 39**



Data	Data List									
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4960.0000	48.34	31.31	-45.60	34.06	74.00	39.94	Horizontal		
2	7440.0000	45.57	36.43	-43.30	38.70	74.00	35.30	Horizontal		
3	9920.0000	39.59	38.05	-39.31	38.33	74.00	35.67	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.and">https://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic Documents subject to Terms and Conditions for Electronic Document as that <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-C




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 91 of 125

### BLE 1M\_Channel 39



Data	Data List									
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4960.0000	48.53	31.31	-45.60	34.25	74.00	39.75	Vertical		
2	7440.0000	45.50	36.43	-43.30	38.63	74.00	35.37	Vertical		
3	9920.0000	39.94	38.05	-39.31	38.68	74.00	35.32	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jangsu) Pilot Free Tiede Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的/G厂房南部 鄉錦: 215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 92 of 125

### BLE 2M\_Channel 38



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4956.0000	47.74	31.30	-45.59	33.45	74.00	40.55	Horizontal		
2	7434.0000	46.52	36.42	-43.32	39.62	74.00	34.38	Horizontal		
3	9912.0000	38.98	38.03	-39.32	37.69	74.00	36.31	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.and">https://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic Documents subject to Terms and Conditions for Electronic Document as that <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-C




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 93 of 125

### **BLE 2M\_Channel 38**



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4956.0000	49.32	31.30	-45.59	35.03	74.00	38.97	Vertical		
2	7434.0000	45.69	36.42	-43.32	38.79	74.00	35.21	Vertical		
3	9912.0000	39.03	38.03	-39.32	37.74	74.00	36.26	Vertical		

#### Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading( $dB\mu V$ ) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit( $dB\mu V/m$ ) – Level( $dB\mu V/m$ )

- 2) All channels have been tested, but only the worst case data displayed in this report.
- 3) Both peak and average measured complies with the limit line, so test result is "PASS"



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.and">https://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 94 of 125

### Restricted bands around fundamental frequency(SKU1):

### BLE 1M\_Channel 00



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2367.5033	26.30	26.93	-23.57	29.66	54.00	24.34	Horizontal		
2	2382.2367	26.36	26.97	-23.57	29.76	54.00	24.24	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 95 of 125

### BLE 1M\_Channel 00



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2367.4167	26.21	26.93	-23.57	29.57	54.00	24.43	Vertical		
2	2385.4433	26.56	26.98	-23.57	29.97	54.00	24.03	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a>, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is cream to the limitation of liability, demonstrated the company's findings at the time of its Intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing Jinepection report & certificate, please contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgs t (86–512) 62992980 sgs.chin




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 96 of 125

### BLE 1M\_Channel 00



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2369.8	39.09	26.94	-23.57	42.45	74.00	31.55	Horizontal		
2	2380.1567	39.97	26.96	-23.57	43.36	74.00	30.64	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a>, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is cream to the limitation of liability, demonstrated the company's findings at the time of its Intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing Jinepection report & certificate, please contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 97 of 125

### BLE 1M\_Channel 00



Data	Data List									
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2374.6967	39.31	26.95	-23.57	42.69	74.00	31.31	Vertical		
2	2382.3667	39.66	26.97	-23.57	43.06	74.00	30.94	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a>, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is cream to the limitation of liability, demonstrated the company's findings at the time of its Intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing Jinepection report & certificate, please contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 98 of 125

### BLE 1M\_Channel 39



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2486.275	26.46	27.26	-23.54	30.18	54.00	23.82	Horizontal		
2	2491.015	26.30	27.27	-23.54	30.03	54.00	23.97	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a>, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is cream to the limitation of liability, demonstrated the company's findings at the time of its Intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing Jinepection report & certificate, please contact us at telephone: (86-75) 8307 1443,

South of No. 6 Part, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 鄉第:215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 99 of 125

### BLE 1M\_Channel 39



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2487.01	26.58	27.26	-23.54	30.30	54.00	23.70	Vertical		
2	2490.775	26.36	27.27	-23.54	30.09	54.00	23.91	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a>, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is cream to the limitation of liability, demonstrated the company's findings at the time of its Intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing Jinepection report & certificate, please contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 100 of 125

### BLE 1M\_Channel 39



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2486.53	40.16	27.26	-23.54	43.88	74.00	30.12	Horizontal		
2	2491.03	38.85	27.27	-23.54	42.58	74.00	31.42	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a>, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is cream to the limitation of liability, demonstrated the company's findings at the time of its Intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing Jinepection report & certificate, please contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 wv t (86–512) 62992980 sg




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 101 of 125

### BLE 1M\_Channel 39



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	
1	2485.675	38.69	27.26	-23.54	42.41	74.00	31.59	Vertical	
2	2492.47	38.93	27.28	-23.54	42.67	74.00	31.33	Vertical	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a>, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is cream to the limitation of liability, demonstrated the company's findings at the time of its Intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing Jinepection report & certificate, please contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 102 of 125

### **BLE 2M Channel 01**



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2376.2133	26.50	26.95	-23.57	29.88	54.00	24.12	Horizontal		
2	2385.8767	26.50	26.98	-23.57	29.91	54.00	24.09	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.and">https://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 103 of 125

### BLE 2M\_Channel 01



Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2368.5867	26.16	26.93	-23.57	29.52	54.00	24.48	Vertical			
2	2386.18	26.46	26.98	-23.57	29.87	54.00	24.13	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention: To chack the substantiative of testing inspection report & certificate, glasse contact us at telephone (66-755) 8307 1443.

South of No. 6 Part, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsg t (86–512) 62992980 sgs.chinat




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 104 of 125

### BLE 2M\_Channel 01



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2365.7267	39.53	26.92	-23.57	42.88	74.00	31.12	Horizontal		
2	2379.3767	40.00	26.96	-23.57	43.39	74.00	30.61	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a>, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is cream to the limitation of liability, demonstrated the company's findings at the time of its Intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing Jinepection report & certificate, please contact us at telephone: (86-75) 8307 1443,




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 105 of 125

### BLE 2M\_Channel 01



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	
1	2366.8533	39.14	26.93	-23.57	42.49	74.00	31.51	Vertical	
2	2387.61	40.70	26.99	-23.57	44.11	74.00	29.89	Vertical	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a>, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is cream to the limitation of liability, demonstrated the company's findings at the time of its Intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing Jinepection report & certificate, please contact us at telephone: (86-75) 8307 1443,




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 106 of 125

### BLE 2M\_Channel 38



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2485.36	26.46	27.26	-23.54	30.17	54.00	23.83	Horizontal		
2	2489.875	26.45	27.27	-23.54	30.18	54.00	23.82	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Condit

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 鄉編: 215000 t (86–512) 62992980 www t (86–512) 62992980 sgs.4




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 107 of 125

### BLE 2M\_Channel 38



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2484.325	26.51	27.26	-23.54	30.22	54.00	23.78	Vertical		
2	2489.86	26.50	27.27	-23.54	30.23	54.00	23.77	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approved of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attentions: To check the substitutive of testing Impaction report & certificate, glasse contact us at telephone (66-755) 8307 1443.

South of No. 6 Part, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 鄉編: 215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 108 of 125

### BLE 2M\_Channel 38



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2485.435	38.90	27.26	-23.54	42.61	74.00	31.39	Horizontal		
2	2492.2	39.28	27.28	-23.54	43.02	74.00	30.98	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a>, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is cream to the limitation of liability, demonstrated the company's findings at the time of its Intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing Jinepection report & certificate, please contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 wv t (86–512) 62992980 sg




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 109 of 125

### **BLE 2M\_Channel 38**



Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2487.295	39.74	27.26	-23.54	43.46	74.00	30.54	Vertical			
2	2492.065	38.53	27.28	-23.54	42.27	74.00	31.73	Vertical			

#### Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading(dB $\mu$ V) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit( $dB\mu V/m$ ) – Level( $dB\mu V/m$ )

2) Both peak and average measured complies with the limit line, so test result is "PASS"



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.asx.attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chine (Jlangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 鄉編: 215000 t (86–512) 62992980 v t (86–512) 62992980 s

www.sgsgroup.com.cn sgs.china@sgs.com




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 110 of 125

### Test on the worst case(SKU2):

### BLE 1M\_Channel 39



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2486.665	26.57	27.26	-23.54	30.29	54.00	23.71	Horizontal		
2	2488.63	26.64	27.27	-23.54	30.36	54.00	23.64	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are refunded for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 111 of 125

### BLE 1M\_Channel 39



Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2486.755	26.65	27.26	-23.54	30.37	54.00	23.63	Vertical			
2	2490.325	26.49	27.27	-23.54	30.22	54.00	23.78	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing line paction report & certificate, please contact us at telephone: (66-755) \$307 1443.

South of No. 6 Part, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 112 of 125

### **BLE 1M\_Channel 39**



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2485.285	39.51	27.26	-23.54	43.22	74.00	30.78	Horizontal		
2	2489.35	39.13	27.27	-23.54	42.86	74.00	31.14	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condi




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 113 of 125

### **BLE 1M\_Channel 39**



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2485.84	39.19	27.26	-23.54	42.91	74.00	31.09	Vertical		
2	2492.575	38.76	27.28	-23.54	42.50	74.00	31.50	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a>, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is cream to the limitation of liability, demonstrated the company's findings at the time of its Intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing Jinepection report & certificate, please contact us at telephone: (86-75) 8307 1443,

South of No. 6 Part, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 鄉第:215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 114 of 125

### BLE 2M\_Channel 38



Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2485.105	26.54	27.26	-23.54	30.25	54.00	23.75	Horizontal			
2	2490.265	26.53	27.27	-23.54	30.26	54.00	23.74	Horizontal			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.and">https://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic Documents subject to Terms and Conditions for Electronic Document as that <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-C




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 115 of 125

### BLE 2M\_Channel 38



Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2485.63	26.63	27.26	-23.54	30.35	54.00	23.65	Vertical			
2	2488.57	26.61	27.27	-23.54	30.33	54.00	23.67	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Comments.and">http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Conditions/Terms-en/Comments/Ter

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 116 of 125

### **BLE 2M\_Channel 38**



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2486.335	39.24	27.26	-23.54	42.96	74.00	31.04	Horizontal		
2	2490.1	38.90	27.27	-23.54	42.63	74.00	31.37	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a>, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is cream to the limitation of liability, demonstrated the company's findings at the time of its Intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing Jinepection report & certificate, please contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 鄉第: 215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 117 of 125

### **BLE 2M\_Channel 38**



Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2486.515	39.28	27.26	-23.54	43.00	74.00	31.00	Vertical			
2	2491.435	38.79	27.28	-23.54	42.52	74.00	31.48	Vertical			

#### Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading( $dB\mu V$ ) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit( $dB\mu V/m$ ) – Level( $dB\mu V/m$ )

2) Both peak and average measured complies with the limit line, so test result is "PASS"



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.asx.attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsteng Road, Sudhou Industrial Park, Sudhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 wv t (86–512) 62992980 sg

www.sgsgroup.com.cn sgs.china@sgs.com




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 118 of 125

### Test on the worst case(SKU5):

### BLE 1M\_Channel 39



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2485.75	26.58	27.26	-23.54	30.30	54.00	23.70	Horizontal		
2	2490.49	26.46	27.27	-23.54	30.19	54.00	23.81	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.and">https://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic format documents subject to Terms and Conditions (Ferms-Document.aspx.and the time of the Imitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 119 of 125

### BLE 1M\_Channel 39



Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2484.925	26.63	27.26	-23.54	30.34	54.00	23.66	Vertical			
2	2491.195	26.49	27.28	-23.54	30.22	54.00	23.78	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Comments.and">http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Conditions/Terms-en/Comments/Ter

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jlangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 120 of 125

### **BLE 1M\_Channel 39**



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2486.71	39.00	27.26	-23.54	42.72	74.00	31.28	Horizontal		
2	2490.16	38.38	27.27	-23.54	42.11	74.00	31.89	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condi

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 121 of 125

### **BLE 1M\_Channel 39**



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	
1	2484.865	39.43	27.26	-23.54	43.14	74.00	30.86	Vertical	
2	2491.93	38.42	27.28	-23.54	42.15	74.00	31.85	Vertical	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condi

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 122 of 125

### BLE 2M\_Channel 38



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	
1	2485.615	26.75	27.26	-23.54	30.47	54.00	23.53	Horizontal	
2	2489.305	26.48	27.27	-23.54	30.21	54.00	23.79	Horizontal	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditio

South of No. 6 Part, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 123 of 125

### **BLE 2M\_Channel 38**



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	
1	2486.95	26.65	27.26	-23.54	30.37	54.00	23.63	Vertical	
2	2493.58	26.51	27.28	-23.54	30.25	54.00	23.75	Vertical	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a>, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is cream to the limitation of liability, demonstrated the company's findings at the time of its Intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing Jinepection report & certificate, please contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 124 of 125

### **BLE 2M\_Channel 38**



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	
1	2486.47	38.70	27.26	-23.54	42.42	74.00	31.58	Horizontal	
2	2491.3	39.40	27.28	-23.54	43.13	74.00	30.87	Horizontal	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a>, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is cream to the limitation of liability, demonstrated the company's findings at the time of its Intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing Jinepection report & certificate, please contact us at telephone: (86-75) 8307 1443,




Report No.: SEWM2312000501RG02

Rev.: 01

Page: 125 of 125

### **BLE 2M\_Channel 38**



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	2486.74	38.90	27.26	-23.54	42.62	74.00	31.38	Vertical
2	2490.34	38.72	27.27	-23.54	42.45	74.00	31.55	Vertical

### Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading( $dB\mu V$ ) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit( $dB\mu V/m$ ) – Level( $dB\mu V/m$ )

2) Both peak and average measured complies with the limit line, so test result is "PASS"

---End of Report---



South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路(号的6号厂房南部 邮编:215000 t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com