



802.11b

Middle Channel (Horizontal) Peak



Middle Channel (Vertical) Peak




802.11b

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2358.11	40.78	35.60	5.18	54.00	-13.22	100	248 Average	Horizontal	
2 *	2437.00	104.73	99.28	5.45	54.00	50.73	100	248 Average	Horizontal	
3	2485.98	39.35	33.83	5.52	54.00	-14.65	100	248 Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2355.33	38.98	33.82	5.16	54.00	-15.02	339	212 Average	Vertical	
2 *	2437.00	100.88	95.35	5.45	54.00	46.88	339	212 Average	Vertical	
3	2497.34	38.86	33.33	5.53	54.00	-15.14	339	212 Average	Vertical	

802.11b

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2384.29	53.61	48.37	5.24	74.00	-20.39	100	242	Peak	Horizontal	
2 *	2462.00	107.40	101.89	5.51	74.00	33.40	100	242	Peak	Horizontal	
3	2484.38	54.54	49.02	5.52	74.00	-19.46	100	242	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2381.48	53.42	48.20	5.22	74.00	-20.58	355	209	Peak	Vertical	
2 *	2462.00	103.02	97.51	5.51	74.00	29.02	355	209	Peak	Vertical	
3	2488.49	53.83	48.30	5.53	74.00	-20.17	355	209	Peak	Vertical	

802.11b

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2381.06	40.53	35.31	5.22	54.00	-13.47	100	242	Average	Horizontal		
2 *	2462.00	103.95	98.44	5.51	54.00	49.95	100	242	Average	Horizontal		
3	2483.55	41.05	35.53	5.52	54.00	-12.95	100	242	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2383.26	39.91	34.68	5.23	54.00	-14.09	355	209	Average	Vertical		
2 *	2462.00	99.67	94.16	5.51	54.00	45.67	355	209	Average	Vertical		
3	2484.84	39.50	33.98	5.52	54.00	-14.50	355	209	Average	Vertical		

802.11g

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.53	63.57	58.32	5.25	74.00	-10.43		100		250 Peak	Horizontal	
2 *	2412.00	106.07	101.54	5.53	74.00	32.07		100		250 Peak	Horizontal	
3	2486.62	54.52	49.00	5.52	74.00	-19.48		100		250 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.55	58.81	53.56	5.25	74.00	-15.19		345		218 Peak	Vertical	
2 *	2412.00	104.64	99.51	5.13	74.00	30.64		345		218 Peak	Vertical	
3	2486.71	52.78	47.25	5.53	74.00	-21.22		345		218 Peak	Vertical	

802.11g

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.95	44.42	39.17	5.25	54.00	-9.58	100	250	Average	Horizontal		
2 *	2412.00	96.73	91.40	5.33	54.00	42.73	100	250	Average	Horizontal		
3	2485.45	41.75	36.23	5.52	54.00	-12.25	100	250	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.99	41.45	36.20	5.25	54.00	-12.55	345	218	Average	Vertical		
2 *	2412.00	94.89	89.56	5.33	54.00	40.89	345	218	Average	Vertical		
3	2485.75	39.82	34.30	5.52	54.00	-14.18	345	218	Average	Vertical		

802.11g

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2352.67	53.89	48.73	5.16	74.00	-20.11	100	253	Peak	Horizontal		
2 *	2437.00	100.71	103.26	5.45	74.00	34.71	100	253	Peak	Horizontal		
3	2487.65	56.69	51.16	5.53	74.00	-17.31	100	253	Peak	Horizontal		

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2350.68	53.77	48.59	5.18	74.00	-20.23	300	214	Peak	Vertical		
2 *	2437.00	105.35	99.90	5.45	74.00	31.35	300	214	Peak	Vertical		
3	2493.01	52.95	47.43	5.52	74.00	-21.05	300	214	Peak	Vertical		

802.11g

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2362.44	41.63	36.45	5.18	54.00	-12.37	100	253	Average	Horizontal	
2 *	2437.00	98.75	93.30	5.45	54.00	44.75	100	253	Average	Horizontal	
3	2484.38	40.30	34.78	5.52	54.00	-13.70	100	253	Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2350.58	40.40	35.25	5.15	54.00	-13.60	300	214	Average	Vertical	
2 *	2437.00	95.15	89.70	5.45	54.00	41.15	300	214	Average	Vertical	
3	2483.89	39.64	34.12	5.52	54.00	-14.36	300	214	Average	Vertical	

802.11g

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.85	54.68	49.35	5.25	74.00	-19.40	100			242 Peak	Horizontal	
2 *	2462.00	108.29	102.78	5.51	74.00	34.29	100			242 Peak	Horizontal	
3 !	2483.62	72.32	66.80	5.52	74.00	-1.68	100			242 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2381.25	52.00	46.78	5.22	74.00	-22.00	308			295 Peak	Vertical	
2 *	2462.00	105.39	99.88	5.51	74.00	31.39	308			295 Peak	Vertical	
3 !	2483.81	69.74	64.22	5.52	74.00	-4.26	308			295 Peak	Vertical	

802.11g

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2384.98	41.12	35.88	5.24	54.00	-12.88		100		242 Average	Horizontal	
2 *	2462.00	95.03	92.52	5.51	54.00	44.03		100		242 Average	Horizontal	
3 !	2483.66	52.75	47.23	5.52	54.00	-1.25		100		242 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.79	39.00	33.78	5.22	54.00	-15.00		308		295 Average	Vertical	
2 *	2462.00	95.52	90.01	5.51	54.00	41.52		308		295 Average	Vertical	
3 !	2483.51	51.07	45.55	5.52	54.00	-2.93		308		295 Average	Vertical	

802.11n HT20

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.88	62.33	57.08	5.25	74.00	-11.67	100	250 Peak	Horizontal	
2 *	2412.00	105.85	100.52	5.33	74.00	31.85	100	250 Peak	Horizontal	
3	2496.12	54.50	48.97	5.53	74.00	-19.50	100	250 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.23	57.04	51.79	5.25	74.00	-16.96	295	238 Peak	Vertical	
2 *	2412.00	101.14	95.81	5.33	74.00	27.14	295	238 Peak	Vertical	
3	2494.49	52.51	46.99	5.52	74.00	-21.49	295	238 Peak	Vertical	

802.11n HT20

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.95	43.63	38.38	5.25	54.00	-10.37	100	250	Average	Horizontal		
2 *	2412.00	95.41	90.08	5.33	54.00	41.41	100	250	Average	Horizontal		
3	2485.60	41.15	35.63	5.52	54.00	-12.85	100	250	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.95	40.14	34.89	5.25	54.00	-13.86	295	238	Average	Vertical		
2 *	2412.00	91.46	86.13	5.33	54.00	37.46	295	238	Average	Vertical		
3	2485.60	39.44	33.91	5.53	54.00	-14.56	295	238	Average	Vertical		

802.11n HT20

Middle Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2349.29	53.56	48.41	5.15	74.00	-20.44	100	248	Peak	Horizontal		
2 *	2437.00	100.17	102.72	5.45	74.00	34.17	100	248	Peak	Horizontal		
3	2483.89	56.51	50.99	5.52	74.00	-17.49	100	248	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2360.39	52.83	47.65	5.18	74.00	-21.17	300	219	Peak	Vertical		
2 *	2437.00	104.39	98.94	5.45	74.00	30.39	300	219	Peak	Vertical		
3	2486.43	53.72	48.20	5.52	74.00	-20.28	300	219	Peak	Vertical		

802.11n HT20

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2359.89	40.80	35.62	5.18	54.00	-13.20	100	248	Average	Horizontal		
2 *	2437.00	97.42	91.97	5.45	54.00	43.42	100	248	Average	Horizontal		
3	2484.08	40.11	34.59	5.52	54.00	-13.89	100	248	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2359.55	40.36	35.21	5.15	54.00	-13.64	300	219	Average	Vertical		
2 *	2437.00	93.63	88.18	5.45	54.00	39.63	300	219	Average	Vertical		
3	2484.50	39.22	33.70	5.52	54.00	-14.78	300	219	Average	Vertical		

802.11n HT20


High Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2380.39	39.81	34.56	5.25	54.00	-14.19	112	244	Average	Horizontal		
2 *	2462.00	97.43	91.92	5.51	54.00	43.43	112	244	Average	Horizontal		
3 !	2483.55	49.86	44.34	5.52	54.00	-4.14	112	244	Average	Horizontal		




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.91	38.61	33.36	5.25	54.00	-15.39	289	308	Average	Vertical		
2 *	2462.00	95.46	89.95	5.51	54.00	41.46	289	308	Average	Vertical		
3 !	2483.70	50.89	45.37	5.52	54.00	-3.11	289	308	Average	Vertical		

802.11n HT40

Low Channel (Horizontal) Peak



Low Channel (Vertical) Peak




802.11n HT40

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2387.79	47.93	42.68	5.25	54.00	-6.07	183	287	Average	Horizontal		
2 *	2422.00	93.80	88.42	5.38	54.00	39.80	183	287	Average	Horizontal		
3	2484.34	43.39	37.87	5.52	54.00	-10.61	183	287	Average	Horizontal		

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.76	42.29	37.04	5.25	54.00	-11.71	375	216	Average	Vertical		
2 *	2422.00	90.37	84.99	5.38	54.00	36.37	375	216	Average	Vertical		
3	2488.18	39.78	34.25	5.53	54.00	-14.22	375	216	Average	Vertical		

802.11n HT40

Middle Channel (Horizontal) Peak



Middle Channel (Vertical) Peak




802.11n HT40

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.95	42.07	36.82	5.25	54.00	-11.93	100	283 Average	Horizontal	
2 *	2437.00	94.42	88.97	5.45	54.00	40.42	100	283 Average	Horizontal	
3	2483.58	47.89	42.37	5.52	54.00	-6.11	100	283 Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.76	39.50	34.33	5.25	54.00	-14.42	349	298 Average	Vertical	
2 *	2437.00	90.65	85.20	5.45	54.00	36.65	349	298 Average	Vertical	
3	2483.55	45.18	39.66	5.52	54.00	-8.82	349	298 Average	Vertical	

802.11n HT40

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.91	55.57	50.32	5.25	74.00	-18.43	100	245	Peak	Horizontal		
2 *	2452.00	104.01	98.51	5.50	74.00	30.01	100	245	Peak	Horizontal		
3 !	2483.66	70.26	64.74	5.52	74.00	-3.74	100	245	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2354.12	52.04	46.88	5.16	74.00	-21.96	309	297	Peak	Vertical		
2 *	2452.00	100.70	95.20	5.50	74.00	26.70	309	297	Peak	Vertical		
3 !	2483.70	70.20	64.68	5.52	74.00	-3.80	309	297	Peak	Vertical		

802.11n HT40

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.84	41.22	35.97	5.25	54.00	-12.78	100	245	Average	Horizontal		
2 *	2452.00	94.00	88.59	5.50	54.00	40.00	100	245	Average	Horizontal		
3 !	2483.58	52.09	46.57	5.52	54.00	-1.91	100	245	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2363.81	39.43	34.25	5.18	54.00	-14.57	309	297	Average	Vertical		
2 *	2452.00	91.13	85.63	5.50	54.00	37.13	309	297	Average	Vertical		
3 !	2483.51	51.92	46.40	5.52	54.00	-2.08	309	297	Average	Vertical		


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

802.11b

High Channel(Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.03	61.50	41.95	19.55	119.13	-57.63	100	188	Peak	Open		
2	0.05	55.57	36.09	19.48	113.37	-57.80	100	176	Peak	Open		
3	0.07	51.50	32.45	19.05	110.26	-58.76	100	185	Peak	Open		
4	0.10	46.79	28.22	18.57	107.80	-61.01	100	185	Peak	Open		
5	0.12	40.01	21.43	18.58	105.86	-65.85	100	177	Peak	Open		
6	0.14	35.87	17.24	18.63	104.77	-68.90	100	172	Peak	Open		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.45	55.13	36.06	19.07	94.57	-39.44	100	155	Peak	Open		
2	4.42	38.64	19.29	19.35	69.50	-30.86	100	325	Peak	Open		
3	9.97	34.11	13.12	20.99	69.50	-35.39	100	78	Peak	Open		
4	15.05	34.90	13.29	21.61	69.50	-34.60	100	10	Peak	Open		
5	21.19	35.69	13.45	22.24	69.50	-33.81	100	103	Peak	Open		
6	27.70	37.47	15.04	22.43	69.50	-32.03	100	332	Peak	Open		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11b

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	38.97	28.24	37.03	-8.79	40.00	-11.76	100	331 Peak	Horizontal	
2	104.83	33.52	40.29	-6.77	43.50	-9.98	200	257 Peak	Horizontal	
3	328.76	42.54	47.95	-5.41	46.00	-3.46	200	325 Peak	Horizontal	
4	453.89	31.06	33.79	-2.73	46.00	-14.94	200	90 Peak	Horizontal	
5	714.82	32.63	30.43	2.20	46.00	-13.37	100	121 Peak	Horizontal	
6	845.77	36.75	32.52	4.23	46.00	-9.25	100	125 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	63.95	32.69	40.93	-8.24	40.00	-7.31	100	10 Peak	Vertical	
2	117.30	29.94	40.21	-10.27	43.50	-13.56	100	77 Peak	Vertical	
3	263.77	33.23	40.59	-7.36	46.00	-12.77	100	207 Peak	Vertical	
4	395.69	30.04	33.93	-3.89	46.00	-15.96	100	147 Peak	Vertical	
5	606.18	30.17	29.78	0.39	46.00	-15.83	100	64 Peak	Vertical	
6	845.77	37.20	32.97	4.23	46.00	-8.80	400	170 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m		dBuV/m	dB	cm	deg			
1	4824.00	47.68	38.74	8.94	54.00	-6.32	300	233	Average	Horizontal	
2	4824.00	51.55	42.61	8.94	74.00	-22.45	300	233	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m		dBuV/m	dB	cm	deg			
1	4824.00	46.83	37.89	8.94	54.00	-7.17	400	222	Average	Vertical	
2	4824.00	50.91	41.97	8.94	74.00	-23.09	400	222	Peak	Vertical	

802.11b

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Line	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4874.00	44.39	35.39	9.00	54.00	-9.61	252	263 Average	Horizontal	
2	4874.00	49.41	40.51	9.00	74.00	-24.49	252	263 Peak	Horizontal	
3	7311.00	46.18	36.43	9.75	54.00	-7.82	332	204 Average	Horizontal	
4	7311.00	52.68	42.93	9.75	74.00	-21.32	332	204 Peak	Horizontal	

802.11b

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.00	47.25	38.11	9.14	54.00	-6.75	388	234	Average	Horizontal		
2	4924.00	51.12	41.98	9.14	74.00	-22.88	388	234	Peak	Horizontal		
3	7386.00	46.68	37.03	9.65	54.00	-7.32	100	214	Average	Horizontal		
4	7386.00	53.34	43.69	9.65	74.00	-20.66	100	214	Peak	Horizontal		

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.00	47.91	38.77	9.14	54.00	-6.09	352	222	Average	Vertical		
2	4924.00	52.19	43.05	9.14	74.00	-21.81	352	222	Peak	Vertical		
3	7386.00	48.89	39.24	9.65	54.00	-5.11	393	285	Average	Vertical		
4	7386.00	54.38	44.73	9.65	74.00	-19.62	393	285	Peak	Vertical		


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	35.32	26.38	8.94	54.00	-18.68	321	239	Average	Horizontal		
2	4824.00	48.99	40.05	8.94	74.00	-25.01	321	239	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	31.91	22.97	8.94	54.00	-22.09	100	273	Average	Vertical		
2	4824.00	45.22	36.28	8.94	74.00	-28.78	100	273	Peak	Vertical		

802.11g

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	34.84	25.84	9.00	54.00	-19.16	335	236	Average	Horizontal	
2	4874.00	48.37	39.37	9.00	74.00	-25.63	335	236	Peak	Horizontal	
3	7311.00	37.95	28.20	9.75	54.00	-16.05	100	213	Average	Horizontal	
4	7311.00	53.56	43.81	9.75	74.00	-20.44	100	213	Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	34.48	25.48	9.00	54.00	-19.52	283	249	Average	Vertical	
2	4874.00	49.14	40.14	9.00	74.00	-24.86	283	249	Peak	Vertical	
3	7311.00	42.98	33.23	9.75	54.00	-11.02	293	228	Average	Vertical	
4	7311.00	58.32	48.57	9.75	74.00	-15.68	293	228	Peak	Vertical	


802.11g

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7386.00	39.74	30.09	9.65	54.00	-14.26	100	215	Average	Horizontal	
2	7386.00	55.04	45.39	9.65	74.00	-18.96	100	215	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7386.00	44.40	34.75	9.65	54.00	-9.60	395	76	Average	Vertical	
2	7386.00	59.42	49.77	9.65	74.00	-14.58	395	76	Peak	Vertical	


802.11n HT20

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	33.91	24.97	8.94	54.00	-20.09	319	239	Average	Horizontal	
2	4824.00	47.98	39.04	8.94	74.00	-26.02	319	239	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	32.95	24.01	8.94	54.00	-21.05	358	222	Average	Vertical	
2	4824.00	46.86	37.92	8.94	74.00	-27.14	358	222	Peak	Vertical	


802.11n HT20

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	34.75	25.75	9.00	54.00	-19.25	314	237	Average	Horizontal	
2	4874.00	48.39	39.39	9.00	74.00	-25.61	314	237	Peak	Horizontal	
3	7311.00	36.73	26.98	9.75	54.00	-17.27	100	213	Average	Horizontal	
4	7311.00	53.22	43.47	9.75	74.00	-20.78	100	213	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	33.76	24.76	9.00	54.00	-20.24	200	252	Average	Vertical	
2	4874.00	47.78	38.78	9.00	74.00	-26.22	200	252	Peak	Vertical	
3	7311.00	38.80	29.05	9.75	54.00	-15.20	396	77	Average	Vertical	
4	7311.00	55.19	45.44	9.75	74.00	-18.81	396	77	Peak	Vertical	

	Freq	Level	Read Level	Factor	Limit	Over	Apos	Tpos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	34.16	25.02	9.14	54.00	-19.84	292	252	Average	Vertical	
2	4924.00	47.84	38.70	9.14	74.00	-26.16	292	252	Peak	Vertical	
3	7386.00	42.63	32.98	9.65	54.00	-11.37	395	76	Average	Vertical	
4	7386.00	58.80	49.15	9.65	74.00	-15.20	395	76	Peak	Vertical	


802.11n HT40

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4844.00	41.77	32.76	9.01	54.00	-12.23	200	136	Average	Horizontal	
2	4844.00	53.22	44.21	9.01	74.00	-20.78	200	136	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4844.00	41.65	32.64	9.01	54.00	-12.35	100	119	Average	Vertical	
2	4844.00	52.44	43.43	9.01	74.00	-21.56	100	119	Peak	Vertical	

802.11n HT40

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	41.00	32.00	9.00	54.00	-12.20	200	23	Average	Horizontal	
2	4874.00	51.91	42.91	9.00	74.00	-22.09	200	23	Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	41.24	32.24	9.00	54.00	-12.76	100	114	Average	Vertical	
2	4874.00	51.16	42.16	9.00	74.00	-22.84	100	114	Peak	Vertical	


802.11n HT40

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4904.00	40.90	31.91	8.99	54.00	-13.10	100	17	Average	Horizontal	
2	4904.00	51.11	42.12	8.99	74.00	-22.89	100	17	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4904.00	40.56	31.57	8.99	54.00	-13.44	100	69	Average	Vertical	
2	4904.00	51.54	42.55	8.99	74.00	-22.46	100	69	Peak	Vertical	


Mains Conducted Emission, TX 150kHz ~ 30MHz

Worst Band

(Line)

(Neutral)


TÜVRheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	Factor	Line	Limit			
	MHz	dBuV	dB	dBuV	dB			
1	0.17	20.69	11.06	9.63	55.13	-34.44 Average	line1	
2	0.17	33.07	23.44	9.63	65.13	-32.06 QP	line1	
3	0.49	34.05	24.42	9.63	46.11	-12.06 Average	line1	
4	0.49	38.23	28.68	9.63	56.11	-17.88 QP	line1	
5	0.78	16.76	7.12	9.64	46.00	-29.24 Average	line1	
6	0.78	22.96	13.32	9.64	56.00	-33.04 QP	line1	
7	1.58	12.17	2.51	9.66	46.00	-33.83 Average	line1	
8	1.58	17.28	7.62	9.66	56.00	-38.72 QP	line1	
9	9.16	13.58	3.83	9.75	50.00	-36.42 Average	line1	
10	9.16	18.63	8.88	9.75	60.00	-41.37 QP	line1	
11	21.92	30.73	20.97	9.76	50.00	-19.27 Average	line1	
12	21.92	36.26	26.58	9.76	60.00	-23.74 QP	line1	

TÜVRheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	Factor	Line	Limit			
	MHz	dBuV	dB	dBuV	dB			
1	0.16	24.96	15.33	9.63	55.50	-30.54 Average	neutral	
2	0.16	37.38	27.75	9.63	65.50	-28.12 QP	neutral	
3	0.48	25.58	15.87	9.63	46.40	-20.90 Average	neutral	
4	0.48	37.78	28.15	9.63	56.40	-18.62 QP	neutral	
5	0.80	25.00	15.36	9.64	46.00	-21.00 Average	neutral	
6	0.80	25.58	15.94	9.64	56.00	-30.42 QP	neutral	
7	3.22	18.06	8.38	9.68	46.00	-35.94 Average	neutral	
8	3.22	17.12	7.44	9.68	56.00	-38.88 QP	neutral	
9	9.63	14.82	5.03	9.79	50.00	-35.18 Average	neutral	
10	9.63	19.86	10.07	9.79	60.00	-40.14 QP	neutral	
11	22.92	30.51	20.65	9.86	50.00	-19.49 Average	neutral	
12	22.92	36.55	26.69	9.86	60.00	-23.45 QP	neutral	