

Report No.: SUCR241100043701

Rev.: 01

Page: 1 of 182

# **Appendix E**

# **Conducted RF Output Power Table**

Measurement of RF Conducted Power
1.Conducted Power of GSM
2.Conducted Power of WCDMA
3.Conducted Power of LTE
4.Conducted Power of LTE UL_CA
5.Conducted Power of LTE DL_CA
6.Conducted Power of 5G NR
7 Conducted Power of WIFI
8 Conducted Power of Bluetooth

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

2 of 182 Page:

#### 1. Conducted Power of GSM

#### Ant0:

			State		M 850 3 State5 Sta	ate8				
	Burst Output	Power(dBi	n)			Division Factors	Frame-	Average	Output Po	ower(dBm)
	Channel	128	190	251	Tune up	DIVISION FACIOIS	128	190	251	Tune up
GSM(GMSK)	GSM	32.57	32.63	32.62	33.50	-9.19	23.38	23.44	23.43	24.31
	1 TX Slot	32.58	32.59	32.56	33.50	-9.19	23.39	23.40	23.37	24.31
GPRS	2 TX Slots	30.33	30.36	30.37	31.50	-6.18	24.15	24.18	24.19	25.32
(GMSK)	3 TX Slots	28.89	28.86	28.89	29.50	-4.42	24.47	24.44	24.47	25.08
	4 TX Slots	27.08	27.16	27.14	28.50	-3.17	23.91	23.99	23.97	25.33
	1 TX Slot	32.58	32.60	32.54	33.50	-9.19	23.39	23.41	23.35	24.31
EGPRS	2 TX Slots	30.37	30.36	30.36	31.50	-6.18	24.19	24.18	24.18	25.32
(GMSK)	3 TX Slots	28.86	28.81	28.82	29.50	-4.42	24.44	24.39	24.40	25.08
	4 TX Slots	27.13	27.12	27.15	28.50	-3.17	23.96	23.95	23.98	25.33
	1 TX Slot	27.38	27.36	27.31	28.50	-9.19	18.19	18.17	18.12	19.31
EGPRS	2 TX Slots	25.10	25.08	25.10	26.50	-6.18	18.92	18.90	18.92	20.32
(8PSK)	3 TX Slots	23.14	23.14	23.15	24.50	-4.42	18.72	18.72	18.73	20.08
	4 TX Slots	22.37	22.37	22.35	23.00	-3.17	19.20	19.20	19.18	19.83

#### Ant1:

				(	GSM 850 State0						
	Burst Outp	ut Power(	dBm)			Division Factors	Frame-Average Output Power(dBm)				
Chai	nnel	128	190	251	Tune up	DIVISION FACIOIS	128	190	251	Tune up	
GSM(GMSK)	32.05	31.99	32.01	33.00	<b>-</b> 9.19	22.86	22.80	22.82	23.81		
	1 TX Slot	32.03	32.06	32.02	33.00	-9.19	22.84	22.87	22.83	23.81	
GPRS	2 TX Slots	29.73	29.67	29.76	31.00	-6.18	23.55	23.49	23.58	24.82	
(GMSK)	3 TX Slots	28.17	28.22	28.17	29.00	-4.42	23.75	23.80	23.75	24.58	
	4 TX Slots	26.37	26.53	26.40	28.00	-3.17	23.20	23.36	23.23	24.83	
	1 TX Slot	31.98	32.05	32.00	33.00	-9.19	22.79	22.86	22.81	23.81	
EGPRS	2 TX Slots	29.71	29.69	29.73	31.00	-6.18	23.53	23.51	23.55	24.82	
(GMSK)	3 TX Slots	28.24	28.17	28.22	29.00	-4.42	23.82	23.75	23.80	24.58	
	4 TX Slots	26.38	26.40	26.33	28.00	-3.17	23.21	23.23	23.16	24.83	
	1 TX Slot	27.12	27.14	27.15	28.00	-9.19	17.93	17.95	17.96	18.81	
EGPRS	2 TX Slots	24.37	24.44	24.43	26.00	-6.18	18.19	18.26	18.25	19.82	
(8PSK)	3 TX Slots	22.67	22.63	22.64	24.00	-4.42	18.25	18.21	18.22	19.58	
	4 TX Slots	21.90	21.87	21.87	22.50	-3.17	18.73	18.70	18.70	19.33	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



SUCR241100047301 Report No.:

Rev.: 01

3 of 182 Page:

				-	SSM 850 te3 State8					
	Burst Outp	ut Power(	dBm)			Division Factors	Frame-Average Output Power(dBm)			
Channel 128 190 251 Tune սբ						DIVISION FACIOIS	128	190	251	Tune up
GSM(GMSK)	GSM	31.56	31.48	31.48	32.50	<b>-</b> 9.19	22.37	22.29	22.29	23.31
	1 TX Slot	31.55	31.53	31.48	32.50	-9.19	22.36	22.34	22.29	23.31
GPRS	2 TX Slots	29.21	29.18	29.24	30.50	-6.18	23.03	23.00	23.06	24.32
(GMSK)	3 TX Slots	27.65	27.73	27.67	28.50	-4.42	23.23	23.31	23.25	24.08
	4 TX Slots	25.84	25.99	25.90	27.50	-3.17	22.67	22.82	22.73	24.33
	1 TX Slot	31.50	31.58	31.49	32.50	-9.19	22.31	22.39	22.30	23.31
EGPRS	2 TX Slots	29.25	29.23	29.19	30.50	-6.18	23.07	23.05	23.01	24.32
(GMSK)	3 TX Slots	27.76	27.65	27.71	28.50	-4.42	23.34	23.23	23.29	24.08
	4 TX Slots	25.89	25.93	25.79	27.50	-3.17	22.72	22.76	22.62	24.33
	1 TX Slot	26.59	26.64	26.65	27.50	<b>-</b> 9.19	17.40	17.45	17.46	18.31
EGPRS	2 TX Slots	23.88	23.98	23.92	25.50	-6.18	17.70	17.80	17.74	19.32
(8PSK)	3 TX Slots	22.22	22.11	22.16	23.50	-4.42	17.80	17.69	17.74	19.08
	4 TX Slots	21.40	21.34	21.37	22.00	-3.17	18.23	18.17	18.20	18.83

				(	SSM 850 State5						
	Burst Outpo	ut Power(	dBm)			Division Factors	Frame-Average Output Power(dBm)				
Cha	nnel	128	190	251	Tune up	DIVISION FACIOIS	128	190	251	Tune up	
GSM(GMSK)	GSM	29.51	29.53	29.48	30.50	-9.19	20.32	20.34	20.29	21.31	
	1 TX Slot	29.53	29.57	29.52	30.50	-9.19	20.34	20.38	20.33	21.31	
GPRS	2 TX Slots	27.25	27.22	27.24	28.50	-6.18	21.07	21.04	21.06	22.32	
(GMSK)	3 TX Slots	25.63	25.68	25.65	26.50	-4.42	21.21	21.26	21.23	22.08	
	4 TX Slots	23.89	23.98	23.89	25.50	-3.17	20.72	20.81	20.72	22.33	
	1 TX Slot	29.48	29.60	29.50	30.50	-9.19	20.29	20.41	20.31	21.31	
EGPRS	2 TX Slots	27.18	27.21	27.19	28.50	-6.18	21.00	21.03	21.01	22.32	
(GMSK)	3 TX Slots	25.77	25.71	25.75	26.50	-4.42	21.35	21.29	21.33	22.08	
	4 TX Slots	23.88	23.93	23.85	25.50	-3.17	20.71	20.76	20.68	22.33	
	1 TX Slot	24.62	24.63	24.67	25.50	-9.19	15.43	15.44	15.48	16.31	
EGPRS	2 TX Slots	21.90	21.98	21.90	23.50	-6.18	15.72	15.80	15.72	17.32	
(8PSK)	3 TX Slots	20.20	20.12	20.17	21.50	-4.42	15.78	15.70	15.75	17.08	
	4 TX Slots	19.39	19.38	19.41	20.00	-3.17	16.22	16.21	16.24	16.83	

	GSM 1900 State0 State8													
Burst Output Power(dBm)  Division Factors  Frame-Average Output Power(dBm)														
Channel 512 661 810 Tun					Tune up	Division Factors	512	661	810	Tune up				
GSM(GMSK)	GSM	29.10	29.14	29.06	30.00	-9.19	19.91	19.95	19.87	20.81				
OPPO	1 TX Slot	29.10	29.06	29.10	30.00	-9.19	19.91	19.87	19.91	20.81				
GPRS (GMSK)	2 TX Slots	26.60	26.64	26.66	28.00	-6.18	20.42	20.46	20.48	21.82				
3 TX Slots 24.99 25.05 24.98 26.50 -4.42 20.57 20.63 20.56									22.08					

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 4 of 182

	4 TX Slots	23.13	23.11	23.12	25.00	-3.17	19.96	19.94	19.95	21.83
	1 TX Slot	29.06	29.12	29.08	30.00	-9.19	19.87	19.93	19.89	20.81
EGPRS	2 TX Slots	26.67	26.56	26.64	28.00	-6.18	20.49	20.38	20.46	21.82
(GMSK)	3 TX Slots	24.98	25.00	25.03	26.50	-4.42	20.56	20.58	20.61	22.08
	4 TX Slots	23.14	23.12	23.15	25.00	-3.17	19.97	19.95	19.98	21.83
	1 TX Slot	25.35	25.25	25.30	26.50	-9.19	16.16	16.06	16.11	17.31
EGPRS	2 TX Slots	22.80	22.78	22.78	24.50	-6.18	16.62	16.60	16.60	18.32
(8PSK)	3 TX Slots	20.69	20.73	20.62	22.50	-4.42	16.27	16.31	16.20	18.08
	4 TX Slots	19.37	19.34	19.41	20.50	-3.17	16.20	16.17	16.24	17.33

				G	SM 1900 State5						
	Burst Outpo	ut Power(	dBm)			Division Factors	Frame-Average Output Power(dBm)				
Cha	nnel	512	661	810	Tune up	DIVISION FACIOIS	512	661	810	Tune up	
GSM(GMSK)	GSM	27.10	27.13	27.04	28.00	-9.19	17.91	17.94	17.85	18.81	
	1 TX Slot	27.15	27.07	27.08	28.00	-9.19	17.96	17.88	17.89	18.81	
GPRS	2 TX Slots	24.64	24.62	24.64	26.00	-6.18	18.46	18.44	18.46	19.82	
(GMSK)	3 TX Slots	22.97	23.02	23.01	24.50	-4.42	18.55	18.60	18.59	20.08	
	4 TX Slots	21.12	21.12	21.11	23.00	-3.17	17.95	17.95	17.94	19.83	
	1 TX Slot	27.05	27.14	27.12	28.00	-9.19	17.86	17.95	17.93	18.81	
EGPRS	2 TX Slots	24.68	24.54	24.64	26.00	-6.18	18.50	18.36	18.46	19.82	
(GMSK)	3 TX Slots	22.95	23.02	23.06	24.50	-4.42	18.53	18.60	18.64	20.08	
	4 TX Slots	21.15	21.13	21.19	23.00	-3.17	17.98	17.96	18.02	19.83	
	1 TX Slot	23.36	23.25	23.31	24.50	-9.19	14.17	14.06	14.12	15.31	
EGPRS	2 TX Slots	20.82	20.75	20.78	22.50	-6.18	14.64	14.57	14.60	16.32	
(8PSK)	3 TX Slots	18.70	18.76	18.59	20.50	-4.42	14.28	14.34	14.17	16.08	
	4 TX Slots	17.37	17.38	17.44	18.50	-3.17	14.20	14.21	14.27	15.33	

#### Ant4:

	GSM 1900 State0 State5													
	Burst Outp	ut Power(	dBm)			Division Factors	Frame-Average Output Power(dBm)							
Cha	nnel	512	661	810	Tune up	Division Factors	512	661	810	Tune up				
GSM(GMSK)	GSM	29.34	29.33	29.30	30.50	-9.19	20.15	20.14	20.11	21.31				
	1 TX Slot	29.32	29.26	29.30	30.50	-9.19	20.13	20.07	20.11	21.31				
GPRS	2 TX Slots	27.04	27.00	27.01	28.50	-6.18	20.86	20.82	20.83	22.32				
(GMSK)	3 TX Slots	25.64	25.68	25.61	27.00	-4.42	21.22	21.26	21.19	22.58				
	4 TX Slots	23.97	24.06	24.08	25.50	-3.17	20.80	20.89	20.91	22.33				
	1 TX Slot	29.27	29.25	29.35	30.50	-9.19	20.08	20.06	20.16	21.31				
EGPRS	2 TX Slots	27.00	27.04	27.06	28.50	-6.18	20.82	20.86	20.88	22.32				
(GMSK)	3 TX Slots	25.68	25.70	25.70	27.00	-4.42	21.26	21.28	21.28	22.58				
	4 TX Slots	23.99	24.06	23.96	25.50	-3.17	20.82	20.89	20.79	22.33				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980

Member of the SGS Group (SGS SA)



SUCR241100047301 Report No.:

Rev.: 01

Page: 5 of 182

	1 TX Slot	25.89	25.84	25.79	27.00	-9.19	16.70	16.65	16.60	17.81
EGPRS	2 TX Slots	23.14	23.12	23.11	25.00	-6.18	16.96	16.94	16.93	18.82
(8PSK)	3 TX Slots	21.10	21.17	21.11	23.00	-4.42	16.68	16.75	16.69	18.58
	4 TX Slots	19.88	19.88	19.91	21.00	-3.17	16.71	16.71	16.74	17.83

				S	GSM 1900 State3 State8	3					
	Burst Ou	tput Powe	r(dBm)			Division Factors	Frame-Average Output Power(dBm)				
Chanr	nel	512	661	810	Tune up	DIVISION FACIOIS	512	661	810	Tune up	
GSM(GMSK)	(GMSK) GSM 27.85 27.77 27.81 29.00					-9.19	18.66	18.58	18.62	19.81	
	1 TX Slot	27.84	27.70	27.80	29.00	-9.19	18.65	18.51	18.61	19.81	
GPRS	2 TX Slots	25.55	25.46	25.52	27.00	-6.18	19.37	19.28	19.34	20.82	
(GMSK)	3 TX Slots	24.10	24.19	24.11	25.50	-4.42	19.68	19.77	19.69	21.08	
	4 TX Slots	22.41	22.53	22.58	24.00	-3.17	19.24	19.36	19.41	20.83	
	1 TX Slot	27.79	27.76	27.88	29.00	-9.19	18.60	18.57	18.69	19.81	
EGPRS	2 TX Slots	25.53	25.54	25.53	27.00	-6.18	19.35	19.36	19.35	20.82	
(GMSK)	3 TX Slots	24.17	24.17	24.18	25.50	-4.42	19.75	19.75	19.76	21.08	
	4 TX Slots	22.51	22.54	22.45	24.00	-3.17	19.34	19.37	19.28	20.83	
	1 TX Slot	24.33	24.29	24.26	25.50	-9.19	15.14	15.10	15.07	16.31	
EGPRS	2 TX Slots	21.59	21.56	21.62	23.50	-6.18	15.41	15.38	15.44	17.32	
(8PSK)	3 TX Slots	19.58	19.70	19.59	21.50	-4.42	15.16	15.28	15.17	17.08	
	4 TX Slots	18.33	18.33	18.43	19.50	-3.17	15.16	15.16	15.26	16.33	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 6 of 182

#### 2. Conducted Power of WCDMA

#### Ant0:

WCDMA Band V State0 State5 State8												
		Average Conduc	ted Power(dBm)									
	Channel	4132	4182	4233	Tune up							
WCDMA	12.2kbps RMC	23.95	23.96	23.89	25.00							
WCDIVIA	12.2kbps AMR	23.87	23.83	23.86	25.00							
	Subtest 1	23.91	23.91	23.84	25.00							
HEDDA	Subtest 2	23.93	23.90	23.92	25.00							
HSDPA	Subtest 3	23.34	23.44	23.45	24.50							
•	Subtest 4	23.37	23.43	23.37	24.50							
	Subtest 1	23.88	23.93	23.92	25.00							
•	Subtest 2	21.90	21.93	21.86	23.00							
HSUPA	Subtest 3	22.91	22.91	22.94	24.00							
-	Subtest 4	21.91	21.84	21.92	23.00							
-	Subtest 5	22.92	22.88	22.91	24.00							
HSPA+	16QAM	21.83	21.87	21.93	23.00							

#### Ant1:

/ \							
	WCDMA Band II State0						
		Average Condu	cted Power(dBm)				
Channel		9262	9400	9538	Tune up		
WCDMA	12.2kbps RMC	23.35	23.38	23.31	24.50		
WCDIVIA	12.2kbps AMR	23.30	23.27	23.29	24.50		
	Subtest 1	23.33	23.34	23.27	24.50		
HSDPA	Subtest 2	23.31	23.28	23.34	24.50		
порра	Subtest 3	22.81	22.82	22.77	23.50		
	Subtest 4	22.85	22.78	22.81	23.50		
	Subtest 1	23.33	23.35	23.28	24.50		
	Subtest 2	21.31	21.31	21.32	22.50		
HSUPA	Subtest 3	22.31	22.31	22.29	23.50		
	Subtest 4	21.27	21.32	21.29	22.50		
	Subtest 5	23.30	23.32	23.31	23.50		
HSPA+	16QAM	21.30	21.30	21.29	22.50		

WCDMA Band II State3 State8
Average Conducted Power(dBm)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



SUCR241100047301 Report No.:

Rev.: 01

7 of 182 Page:

Channel		9262	9400	9538	Tune up
WCDMA	12.2kbps RMC	22.84	22.85	22.84	24.00
WCDIVIA	12.2kbps AMR	22.83	22.75	22.77	24.00
	Subtest 1	22.84	22.81	22.76	24.00
HSDPA	Subtest 2	22.83	22.82	22.88	24.00
ПОДРА	Subtest 3	22.35	22.30	22.24	23.00
	Subtest 4	22.39	22.28	22.35	23.00
	Subtest 1	22.81	22.81	22.76	24.00
	Subtest 2	20.80	20.84	20.79	22.00
HSUPA	Subtest 3	21.84	21.84	21.82	23.00
	Subtest 4	20.78	20.85	20.80	22.00
	Subtest 5	22.83	22.82	22.84	23.00
HSPA+	16QAM	20.85	20.78	20.81	22.00

WCDMA Band II State5						
		Average Conduc	ted Power(dBm)			
Channel		9262	9400	9538	Tune up	
WCDMA	12.2kbps RMC	18.82	18.90	18.81	20.00	
VVCDIVIA	12.2kbps AMR	18.77	18.80	18.76	20.00	
	Subtest 1	18.88	18.85	18.80	20.00	
HSDPA	Subtest 2	18.81	18.79	18.84	20.00	
порра	Subtest 3	18.33	18.31	18.32	19.00	
	Subtest 4	18.37	18.27	18.34	19.00	
	Subtest 1	18.83	18.85	18.83	20.00	
	Subtest 2	16.83	16.82	16.83	18.00	
HSUPA	Subtest 3	17.79	17.82	17.81	19.00	
	Subtest 4	16.76	16.80	16.76	18.00	
	Subtest 5	18.80	18.79	18.77	19.00	
HSPA+	16QAM	16.82	16.83	16.77	18.00	

WCDMA Band IV State0						
		Average Conduc	ted Power(dBm)			
Channel		1312	1412	1513	Tune up	
MCDMA	12.2kbps RMC	23.67	23.76	23.66	24.50	
WCDMA	12.2kbps AMR	23.71	23.74	23.71	24.50	
	Subtest 1	23.71	23.73	23.74	24.50	
HSDPA	Subtest 2	23.71	23.66	23.71	24.50	
HSDPA	Subtest 3	23.17	23.22	23.22	23.50	
	Subtest 4	23.20	23.20	23.25	23.50	
	Subtest 1	23.73	23.66	23.74	24.50	
HSUPA	Subtest 2	21.75	21.67	21.73	22.50	
	Subtest 3	22.72	22.72	22.71	23.50	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

8 of 182 Page:

	Subtest 4	21.67	21.74	21.71	22.50
	Subtest 5	23.39	23.24	23.34	23.50
HSPA+	16QAM	21.75	21.72	21.68	22.50

WCDMA Band IV State3 State8						
		Average Conduct	ted Power(dBm)			
Channel		1312	1412	1513	Tune up	
WCDMA	12.2kbps RMC	22.27	22.32	22.29	23.00	
WCDIVIA	12.2kbps AMR	22.22	22.25	22.27	23.00	
	Subtest 1	22.24	22.26	22.25	23.00	
LICDDA	Subtest 2	22.22	22.14	22.22	23.00	
HSDPA	Subtest 3	21.72	21.73	21.76	22.00	
	Subtest 4	21.70	21.69	21.78	22.00	
	Subtest 1	22.25	22.15	22.27	23.00	
	Subtest 2	20.28	20.17	20.24	21.00	
HSUPA	Subtest 3	21.23	21.25	21.24	22.00	
	Subtest 4	20.24	20.25	20.22	21.00	
	Subtest 5	21.90	21.74	21.87	22.00	
HSPA+	16QAM	20.23	20.20	20.23	21.00	

	WCDMA Band IV State5						
		Average Conduc	ted Power(dBm)				
Channel		1312	1412	1513	Tune up		
WCDMA	12.2kbps RMC	15.77	15.84	15.77	16.50		
VVCDIVIA	12.2kbps AMR	15.74	15.81	15.71	16.50		
	Subtest 1	15.76	15.81	15.83	16.50		
HCDDA	Subtest 2	15.73	15.70	15.78	16.50		
HSDPA	Subtest 3	15.22	15.26	15.26	15.50		
	Subtest 4	15.22	15.24	15.30	15.50		
	Subtest 1	15.76	15.69	15.83	16.50		
	Subtest 2	13.76	13.74	13.80	14.50		
HSUPA	Subtest 3	14.79	14.76	14.79	15.50		
	Subtest 4	13.69	13.78	13.77	14.50		
	Subtest 5	15.42	15.26	15.36	15.50		
HSPA+	16QAM	13.76	13.80	13.74	14.50		

WCDMA Band V State0						
Average Conducted Power(dBm)						
	Channel		4182	4233	Tune up	
WCDMA	12.2kbps RMC	23.54	23.63	23.57	24.50	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

9 of 182 Page:

	12.2kbps AMR	23.53	23.52	23.55	24.50
	Subtest 1	23.53	23.53	23.55	24.50
HSDPA	Subtest 2	23.54	23.54	23.53	24.50
ПЭДРА	Subtest 3	23.05	23.03	22.96	23.50
	Subtest 4	23.00	23.02	22.99	23.50
	Subtest 1	23.53	23.50	23.53	24.50
	Subtest 2	21.49	21.53	21.52	22.50
HSUPA	Subtest 3	22.54	22.50	22.49	23.50
	Subtest 4	21.48	21.49	21.49	22.50
	Subtest 5	23.22	23.22	23.22	23.50
HSPA+	16QAM	21.51	21.54	21.51	22.50

	WCDMA Band V State3 State8						
		Average Conduc	ted Power(dBm)				
	Channel	4132	4182	4233	Tune up		
MCDMA	12.2kbps RMC	22.55	22.64	22.59	23.50		
WCDMA	12.2kbps AMR	22.53	22.54	22.56	23.50		
	Subtest 1	22.53	22.53	22.57	23.50		
HCDDA	Subtest 2	22.49	22.50	22.53	23.50		
HSDPA	Subtest 3	22.08	22.05	21.94	22.50		
	Subtest 4	21.95	22.04	21.95	22.50		
	Subtest 1	22.54	22.45	22.50	23.50		
	Subtest 2	20.47	20.54	20.55	21.50		
HSUPA	Subtest 3	21.51	21.45	21.45	22.50		
	Subtest 4	20.46	20.48	20.44	21.50		
	Subtest 5	22.18	22.18	22.18	22.50		
HSPA+	16QAM	20.46	20.55	20.47	21.50		

WCDMA Band V State5						
		Average Conduc	ted Power(dBm)			
	Channel	4132	4182	4233	Tune up	
WCDMA	12.2kbps RMC	21.08	21.17	21.07	22.00	
WCDIVIA	12.2kbps AMR	21.05	21.06	21.04	22.00	
	Subtest 1	21.04	21.02	21.12	22.00	
HSDPA	Subtest 2	21.11	21.09	21.05	22.00	
порра	Subtest 3	20.59	20.60	20.50	21.00	
	Subtest 4	20.54	20.52	20.55	21.00	
	Subtest 1	21.09	20.98	21.02	22.00	
	Subtest 2	19.05	19.01	19.01	20.00	
HSUPA	Subtest 3	20.09	19.98	20.03	21.00	
	Subtest 4	19.04	19.05	19.04	20.00	
	Subtest 5	20.74	20.74	20.78	21.00	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

10 of 182 Page:

HSPA+	16QAM	19.06	19.06	19.05	20.00
-------	-------	-------	-------	-------	-------

#### Ant4:

WCDMA Band II State0 State5									
Average Conducted Power(dBm)									
Channel		9262	9400	9538	Tune up				
WCDMA	12.2kbps RMC	24.08	24.16	24.14	25.00				
WCDIVIA	12.2kbps AMR	24.05	24.14	24.11	25.00				
	Subtest 1	24.10	24.13	24.07	25.00				
HSDPA	Subtest 2	24.10	24.06	24.07	25.00				
порра	Subtest 3	23.12	23.06	23.07	24.00				
	Subtest 4	23.15	23.12	23.10	24.00				
	Subtest 1	24.05	24.07	24.13	25.00				
	Subtest 2	22.11	22.12	22.05	23.00				
HSUPA	Subtest 3	23.07	23.10	23.07	24.00				
	Subtest 4	22.13	22.14	22.11	23.00				
	Subtest 5	23.04	23.13	23.12	24.00				
HSPA+	16QAM	22.12	22.07	22.07	23.00				

WCDMA Band II State3 State8									
Average Conducted Power(dBm)									
Channel		9262	9400	9538	Tune up				
WCDMA	12.2kbps RMC	20.50	20.63	20.60	21.50				
	12.2kbps AMR	20.54	20.61	20.58	21.50				
	Subtest 1	20.58	20.63	20.53	21.50				
HCDDA	Subtest 2	20.58	20.59	20.57	21.50				
HSDPA	Subtest 3	19.64	19.56	19.60	20.50				
•	Subtest 4	19.69	19.64	19.59	20.50				
	Subtest 1	20.51	20.55	20.66	21.50				
•	Subtest 2	18.60	18.58	18.52	19.50				
HSUPA	Subtest 3	19.60	19.60	19.53	20.50				
-	Subtest 4	18.66	18.67	18.64	19.50				
	Subtest 5	19.57	19.61	19.58	20.50				
HSPA+	16QAM	18.59	18.53	18.58	19.50				

	WCDMA Band IV State0 State5							
	Average Conducted Power(dBm)							
Channel		1312	1412	1513	Tune up			
WCDMA	12.2kbps RMC	24.25	24.33	24.19	25.00			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

11 of 182 Page:

	12.2kbps AMR	24.21	24.17	24.15	25.00
	Subtest 1	24.19	24.24	24.22	25.00
HSDPA	Subtest 2	24.20	24.15	24.19	25.00
ПОДРА	Subtest 3	23.22	23.21	23.17	24.00
	Subtest 4	23.17	23.19	23.21	24.00
	Subtest 1	24.18	24.15	24.20	25.00
	Subtest 2	22.14	22.18	22.20	23.00
HSUPA	Subtest 3	23.21	23.22	23.21	24.00
	Subtest 4	22.16	22.23	22.22	23.00
	Subtest 5	23.70	23.70	23.70	24.00
HSPA+	16QAM	22.21	22.17	22.15	23.00

	WCDMA Band IV State3 State8  Average Conducted Power(dBm)								
Channel		1312	1412	1513	Tune up				
WCDMA	12.2kbps RMC	20.71	20.77	20.68	21.50				
VVCDIVIA	12.2kbps AMR	20.66	20.67	20.65	21.50				
	Subtest 1	20.66	20.70	20.73	21.50				
HSDPA	Subtest 2	20.73	20.66	20.67	21.50				
порра	Subtest 3	19.67	19.72	19.64	20.50				
	Subtest 4	19.63	19.64	19.69	20.50				
	Subtest 1	20.66	20.65	20.71	21.50				
	Subtest 2	18.65	18.70	18.73	19.50				
HSUPA	Subtest 3	19.67	19.70	19.75	20.50				
	Subtest 4	18.62	18.70	18.73	19.50				
	Subtest 5	20.19	20.15	20.23	20.50				
HSPA+	16QAM	18.74	18.68	18.63	19.50				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

12 of 182 Page:

#### 3. Conducted Power of LTE

#### Ant0:

	LTE Band 5 State0 State3 State5	State8		Conducted Power(dBm)			
	14 11 6	55 :	55 %	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	20407	20525	20643	Tune up
		1	0	23.35	23.35	23.24	24.50
		1	2	23.26	23.33	23.29	24.50
		1	5	23.15	23.24	23.27	24.50
	QPSK	3	0	23.16	23.15	23.26	24.50
		3	2	23.14	23.17	23.31	24.50
		3	3	23.15	23.25	23.20	24.50
		6	0	22.18	22.30	22.27	23.50
		1	0	22.29	22.25	22.30	23.50
		1	2	22.32	22.19	22.29	23.50
	1.4MHz 16QAM	1	5	22.18	22.11	22.08	23.50
1.4MHz		3	0	22.24	22.16	22.14	23.50
		3	2	22.14	22.11	22.11	23.50
		3	3	22.16	22.13	22.09	23.50
		6	0	21.35	21.36	21.32	22.50
		1	0	21.33	21.33	21.41	22.50
		1	2	21.20	21.25	21.23	22.50
		1	5	21.17	21.19	21.21	22.50
	64QAM	3	0	21.17	21.21	21.18	22.50
		3	2	21.21	21.21	21.18	22.50
		3	3	21.12	21.13	21.18	22.50
		6	0	20.24	20.26	20.27	21.50
Daniel dele	Mandadakina	DD sins	DD -#+	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	20415	20525	20635	Tune up
		1	0	23.35	23.27	23.23	24.50
		1	7	23.31	23.35	23.26	24.50
		1	14	23.14	23.23	23.28	24.50
	QPSK	8	0	22.29	22.17	22.23	23.50
		8	4	22.17	22.16	22.27	23.50
3MHz		8	7	22.33	22.28	22.22	23.50
SIVITZ		15	0	22.15	22.25	22.26	23.50
		1	0	22.40	22.21	22.28	23.50
		1	7	22.26	22.21	22.27	23.50
	16QAM	1	14	22.22	22.10	22.10	23.50
		8	0	21.26	21.23	21.19	22.50
		8	4	21.23	21.09	21.13	22.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

13 of 182 Page:

		8	7	21.17	21.20	21.12	22.50
		15	0	21.30	21.35	21.32	22.50
		1	0	21.27	21.39	21.39	22.50
		1	7	21.29	21.21	21.23	22.50
		1	14	21.18	21.17	21.14	22.50
	64QAM	8	0	20.24	20.16	20.20	21.50
		8	4	20.30	20.24	20.26	21.50
		8	7	20.13	20.22	20.20	21.50
		15	0	20.25	20.27	20.21	21.50
5	M 116		DD " ,	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	20425	20525	20625	Tune up
		1	0	23.34	23.36	23.20	24.50
		1	13	23.29	23.32	23.31	24.50
		1	24	23.21	23.23	23.20	24.50
	QPSK	12	0	22.21	22.24	22.17	23.50
		12	6	22.22	22.11	22.24	23.50
		12	13	22.28	22.28	22.25	23.50
		25	0	22.25	22.31	22.30	23.50
		1	0	22.32	22.27	22.29	23.50
		1	13	22.24	22.14	22.20	23.50
		1	24	22.15	22.14	22.16	23.50
5MHz	16QAM	12	0	21.20	21.18	21.17	22.50
		12	6	21.18	21.16	21.24	22.50
		12	13	21.18	21.18	21.20	22.50
		25	0	21.32	21.33	21.35	22.50
		1	0	21.30	21.31	21.42	22.50
		1	13	21.24	21.20	21.29	22.50
		1	24	21.20	21.22	21.23	22.50
	64QAM	12	0	20.31	20.26	20.22	21.50
		12	6	20.28	20.25	20.24	21.50
		12	13	20.13	20.28	20.19	21.50
		25	0	20.25	20.18	20.22	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20450	20525	20600	·
		1	0	23.28	23.30	23.24	24.50
		1	25	23.25	23.26	23.23	24.50
	0.704	1	49	23.19	23.17	23.22	24.50
	QPSK	25	0	22.34	22.35	22.33	23.50
10MHz		25	13	22.18	22.14	22.25	23.50
		25	25	22.33	22.32	22.19	23.50
		50	0	22.24	22.28	22.27	23.50
	16QAM	1	0	22.33	22.25	22.24	23.50
	IUQAW	1	25	22.32	22.13	22.26	23.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

14 of 182 Page:

		1	49	22.20	22.09	22.19	23.50
		ı	49	22.20	22.09	22.19	23.50
		25	0	21.22	21.26	21.20	22.50
		25	13	21.29	21.14	21.25	22.50
		25	25	21.17	21.21	21.23	22.50
		50	0	21.39	21.37	21.39	22.50
		1	0	21.34	21.31	21.39	22.50
		1	25	21.20	21.29	21.30	22.50
		1	49	21.16	21.23	21.15	22.50
	64QAM	25	0	20.29	20.24	20.26	21.50
		25	13	20.28	20.28	20.31	21.50
		25	25	20.14	20.23	20.19	21.50
		50	0	20.20	20.28	20.23	21.50

	LTE Band 12 State0 State3 State			Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tunaun
Bandwidth	Modulation	RB SIZE	RB offset	23017	23095	23173	Tune up
		1	0	23.64	23.61	23.61	25.00
		1	2	23.54	23.59	23.55	25.00
		1	5	23.53	23.53	23.59	25.00
	QPSK	3	0	23.52	23.48	23.52	25.00
		3	2	23.49	23.45	23.54	25.00
		3	3	23.45	23.47	23.54	25.00
		6	0	22.53	22.52	22.62	24.00
		1	0	22.65	22.57	22.52	24.00
		1	2	22.50	22.41	22.51	24.00
		1	5	22.53	22.47	22.50	24.00
1.4MHz	16QAM	3	0	22.50	22.40	22.45	24.00
		3	2	22.43	22.50	22.45	24.00
		3	3	22.47	22.42	22.48	24.00
		6	0	21.61	21.68	21.63	23.00
		1	0	21.63	21.66	21.69	23.00
		1	2	21.50	21.57	21.62	23.00
		1	5	21.52	21.46	21.49	23.00
	64QAM	3	0	21.43	21.53	21.47	23.00
		3	2	21.40	21.46	21.50	23.00
		3	3	21.45	21.51	21.47	23.00
		6	0	20.57	20.49	20.52	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danawiatii	Modulation	TAD SIZE	AD Oliset	23025	23095	23165	Turic up
		1	0	23.70	23.67	23.64	25.00
3MHz	QPSK	1	7	23.71	23.68	23.63	25.00
OWN 12	QI OIL	1	14	23.58	23.57	23.63	25.00
	ed by the Company subject to its Gen	8	0	22.61	22.61	22.65	24.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

15 of 182 Page:

		8	4	22.56	22.56	22.69	24.00
		8	7	22.75	22.74	22.57	24.00
		15	0	22.66	22.70	22.64	24.00
		1	0	22.72	22.66	22.63	24.00
		1	7	22.71	22.53	22.65	24.00
		1	14	22.53	22.59	22.57	24.00
	16QAM	8	0	21.66	21.61	21.58	23.00
		8	4	21.63	21.54	21.57	23.00
		8	7	21.56	21.54	21.53	23.00
		15	0	21.69	21.78	21.80	23.00
		1	0	21.67	21.69	21.78	23.00
		1	7	21.69	21.65	21.62	23.00
		1	14	21.55	21.60	21.58	23.00
	64QAM	8	0	20.71	20.65	20.57	22.00
		8	4	20.73	20.67	20.70	22.00
		8	7	20.53	20.60	20.59	22.00
		15	0	20.61	20.63	20.57	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Bandwidth	Modulation	ND Size	IND Offset	23035	23095	23155	rune up
		1	0	23.68	23.77	23.67	25.00
		1	13	23.68	23.69	23.68	25.00
		1	24	23.52	23.66	23.68	25.00
	QPSK	12	0	22.60	22.58	22.65	24.00
		12	6	22.62	22.53	22.61	24.00
		12	13	22.76	22.75	22.65	24.00
		25	0	22.58	22.63	22.67	24.00
		1	0	22.77	22.59	22.72	24.00
		1	13	22.62	22.60	22.63	24.00
		1	24	22.57	22.53	22.50	24.00
5MHz	16QAM	12	0	21.59	21.56	21.62	23.00
		12	6	21.68	21.57	21.64	23.00
		12	13	21.58	21.56	21.58	23.00
		25	0	21.74	21.77	21.77	23.00
		1	0	21.74	21.67	21.74	23.00
		1	13	21.59	21.64	21.66	23.00
		1	24	21.51	21.61	21.63	23.00
	64QAM	12	0	20.73	20.55	20.66	22.00
		12	6	20.70	20.65	20.70	22.00
		12	13	20.54	20.68	20.66	22.00
		25	0	20.61	20.65	20.66	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
400411	ODOK	4		23060	23095	23130	05.00
10MHz	QPSK	1	0	23.78	23.87	23.71	25.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

16 of 182 Page:

	1	25	23.71	23.70	23.61	25.00
	1	49	23.53	23.63	23.70	25.00
	25	0	22.69	22.76	22.71	24.00
	25	13	22.59	22.58	22.70	24.00
	25	25	22.66	22.71	22.67	24.00
	50	0	22.67	22.69	22.67	24.00
	1	0	22.68	22.57	22.69	24.00
	1	25	22.61	22.52	22.68	24.00
	1	49	22.57	22.52	22.50	24.00
16QAM	25	0	21.66	21.66	21.56	23.00
	25	13	21.66	21.58	21.59	23.00
	25	25	21.54	21.61	21.56	23.00
	50	0	21.71	21.78	21.78	23.00
	1	0	21.71	21.74	21.79	23.00
	1	25	21.64	21.69	21.64	23.00
	1	49	21.53	21.59	21.57	23.00
64QAM	25	0	20.64	20.58	20.58	22.00
	25	13	20.69	20.68	20.75	22.00
	25	25	20.60	20.62	20.57	22.00
	50	0	20.61	20.61	20.63	22.00

	LTE Band 1: State0 State3 State		Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
bandwidth	iviodulation	RD SIZE	IND Oliset	23205	23230	23255	Turie up
		1	0	23.68	23.67	23.68	25.00
		1	13	23.72	23.71	23.62	25.00
		1	24	23.62	23.65	23.67	25.00
	QPSK	12	0	22.67	22.57	22.61	24.00
		12	6	22.56	22.54	22.70	24.00
		12	13	22.69	22.65	22.63	24.00
		25	0	22.59	22.68	22.70	24.00
		1	0	22.69	22.63	22.71	24.00
5MHz		1	13	22.65	22.50	22.67	24.00
		1	24	22.58	22.60	22.51	24.00
	16QAM	12	0	21.65	21.58	21.57	23.00
		12	6	21.63	21.57	21.61	23.00
		12	13	21.59	21.61	21.53	23.00
		25	0	21.70	21.75	21.71	23.00
		1	0	21.72	21.73	21.79	23.00
	64QAM	1	13	21.68	21.60	21.67	23.00
		1	24	21.57	21.62	21.55	23.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

17 of 182 Page:

		12	0	20.72	20.64	20.64	22.00
		12	6	20.66	20.67	20.65	22.00
		12	13	20.51	20.62	20.66	22.00
		25	0	20.63	20.61	20.67	22.00
Donale della	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RD SIZE	RD Ollset	/	23230	/	Tune up
		1	0	1	23.77	1	25.00
		1	25	1	23.70	1	25.00
		1	49	1	23.65	1	25.00
	QPSK	25	0	1	22.60	1	24.00
		25	13	1	22.50	1	24.00
		25	25	1	22.54	1	24.00
		50	0	1	22.66	1	24.00
		1	0	1	22.67	1	24.00
		1	25	1	22.58	1	24.00
		1	49	1	22.59	1	24.00
10MHz	16QAM	25	0	1	21.55	1	23.00
		25	13	1	21.51	1	23.00
		25	25	1	21.54	1	23.00
		50	0	1	21.76	1	23.00
		1	0	1	21.76	1	23.00
		1	25	1	21.65	1	23.00
		1	49	1	21.55	1	23.00
	64QAM	25	0	1	20.56	1	22.00
		25	13	1	20.65		22.00
		25	25	1	20.64	1	22.00
		50	0	1	20.62	1	22.00

	LTE Band 17 State0 State3 State		Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tung un
Danuwium	Modulation	RD SIZE	KB Ollset	23755	23790	23825	Tune up
		1	0	23.69	23.68	23.67	25.00
		1	13	23.66	23.77	23.62	25.00
		1	24	23.53	23.63	23.68	25.00
	QPSK	12	0	22.60	22.69	22.59	24.00
		12	6	22.52	22.59	22.61	24.00
5MHz		12	13	22.77	22.71	22.64	24.00
SIVITZ		25	0	22.66	22.72	22.68	24.00
		1	0	22.76	22.59	22.69	24.00
	16QAM	1	13	22.69	22.57	22.69	24.00
		1	24	22.55	22.52	22.52	24.00
		12	0	21.68	21.66	21.62	23.00
		12	6	21.67	21.59	21.60	23.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

18 of 182 Page:

		12	13	21.62	21.63	21.55	23.00
		25	0	21.77	21.74	21.75	23.00
		1	0	21.71	21.77	21.74	23.00
		1	13	21.69	21.59	21.73	23.00
		1	24	21.59	21.59	21.57	23.00
	64QAM	12	0	20.66	20.57	20.65	22.00
		12	6	20.72	20.62	20.69	22.00
		12	13	20.52	20.66	20.57	22.00
		25	0	20.66	20.68	20.61	22.00
Don duvidéh	Madulation	DD size	RB offset	Channel	Channel	Channel	Tuna un
Bandwidth	Modulation	RB size	RD Ollset	23780	23790	23800	Tune up
		1	0	23.75	23.79	23.64	25.00
		1	25	23.69	23.70	23.59	25.00
		1	49	23.60	23.62	23.60	25.00
	QPSK	25	0	22.79	22.89	22.74	24.00
		25	13	22.59	22.56	22.59	24.00
		25	25	22.76	22.72	22.63	24.00
		50	0	22.59	22.72	22.69	24.00
		1	0	22.70	22.66	22.67	24.00
		1	25	22.67	22.60	22.60	24.00
		1	49	22.58	22.57	22.56	24.00
10MHz	16QAM	25	0	21.57	21.65	21.53	23.00
		25	13	21.67	21.50	21.61	23.00
		25	25	21.53	21.53	21.62	23.00
		50	0	21.74	21.78	21.71	23.00
		1	0	21.75	21.73	21.82	23.00
		1	25	21.66	21.57	21.72	23.00
		1	49	21.55	21.56	21.56	23.00
	64QAM	25	0	20.71	20.57	20.56	22.00
		25	13	20.69	20.69	20.71	22.00
		25	25	20.56	20.70	20.63	22.00
		50	0	20.66	20.64	20.64	22.00

	LTE Band 26 State0 State3 State5	Conducted Power(dBm)					
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
bandwidth	Modulation	TAD SIZE TAD Oliset		26697	26865	27033	rune up
		1	0	22.89	22.97	22.92	24.50
		1	2	22.81	22.89	22.85	24.50
		1	5	22.75	22.81	22.86	24.50
1.4MHz	QPSK	3	0	22.78	22.76	22.85	24.50
		3	2	22.81	22.85	22.82	24.50
		3	3	22.83	22.80	22.91	24.50
		6	0	21.75	21.87	21.85	23.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 19 of 182

		1	0	21.92	21.87	21.91	23.50
	-	1	2	21.88	21.74	21.81	23.50
		1	5	21.75	21.70	21.77	23.50
	16QAM	3	0	21.76	21.70	21.70	23.50
		3	2	21.84	21.76	21.79	23.50
		3	3	21.81	21.78	21.68	23.50
		6	0	20.98	20.91	20.97	22.50
		1	0	20.90	20.93	21.04	22.50
		1	2	20.89	20.79	20.87	22.50
		1	5	20.74	20.80	20.82	22.50
	64QAM	3	0	20.81	20.81	20.81	22.50
		3	2	20.71	20.78	20.84	22.50
		3	3	20.76	20.83	20.79	22.50
		6	0	19.82	19.81	19.82	21.50
B1 144	Mandadaki au	DD -:	DD - (" t	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	26705	26865	27025	Tune up
		1	0	22.99	23.00	22.94	24.50
		1	7	22.98	23.01	22.98	24.50
		1	14	22.87	22.92	22.98	24.50
	QPSK	8	0	21.96	21.89	21.88	23.50
		8	4	21.83	21.89	21.92	23.50
		8	7	22.01	22.05	21.93	23.50
		15	0	21.92	21.98	21.95	23.50
		1	0	22.10	21.89	22.00	23.50
		1	7	21.94	21.88	21.87	23.50
		1	14	21.90	21.81	21.83	23.50
3MHz	16QAM	8	0	20.86	20.93	20.90	22.50
		8	4	20.92	20.86	20.94	22.50
		8	7	20.85	20.93	20.88	22.50
		15	0	21.08	21.03	21.01	22.50
		1	0	21.01	21.04	21.12	22.50
		1	7	20.91	20.91	21.02	22.50
		1	14	20.89	20.91	20.83	22.50
	64QAM	8	0	19.98	19.94	19.94	21.50
		8	4	19.98	19.99	19.97	21.50
		8	7	19.83	19.98	19.86	21.50
		15	0	19.87	19.91	19.90	21.50
Pandid4h	Modulation	DD size	DD offset	Channel	Channel	Channel	Tuna
Bandwidth	Modulation	RB size	RB offset	26715	26865	27015	Tune up
		1	0	23.05	23.08	23.01	24.50
EN411-	ODCK	1	13	22.92	22.96	22.95	24.50
5MHz	QPSK	1	24	22.86	22.85	23.01	24.50
		12	0	21.96	21.96	21.85	23.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratori

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 20 of 182

		12	6	21.92	21.85	21.90	23.50
		12	13	21.95	22.00	21.88	23.50
		25	0	21.87	21.96	21.98	23.50
		1	0	22.05	21.93	22.02	23.50
		1	13	21.99	21.89	21.97	23.50
		1	24	21.92	21.88	21.90	23.50
	16QAM	12	0	20.87	20.89	20.89	22.50
		12	6	20.93	20.88	20.93	22.50
		12	13	20.90	20.93	20.91	22.50
		25	0	21.03	21.08	21.03	22.50
		1	0	21.01	21.02	21.15	22.50
		1	13	20.90	20.88	21.04	22.50
		1	24	20.80	20.88	20.85	22.50
	64QAM	12	0	19.99	19.88	19.94	21.50
		12	6	19.98	19.96	19.95	21.50
		12	13	19.84	19.89	19.88	21.50
		25	0	19.93	19.94	19.94	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Bandwidth	Modulation	IND SIZE	ND onset	26740	26865	26990	rune up
		1	0	23.08	23.02	22.94	24.50
		1	25	22.93	23.02	22.97	24.50
		1	49	22.89	22.95	22.92	24.50
	QPSK	25	0	21.99	21.92	21.90	23.50
		25	13	21.85	21.81	21.93	23.50
		25	25	21.95	21.94	21.89	23.50
		50	0	21.97	21.95	22.02	23.50
		1	0	22.07	21.87	21.94	23.50
		1	25	22.02	21.80	21.97	23.50
		1	49	21.87	21.80	21.81	23.50
10MHz	16QAM	25	0	20.90	20.91	20.85	22.50
		25	13	20.91	20.87	20.83	22.50
		25	25	20.89	20.91	20.87	22.50
		50	0	21.00	21.04	21.08	22.50
		1	0	21.06	21.04	21.11	22.50
		1	25	20.93	20.91	21.03	22.50
		1	49	20.84	20.89	20.87	22.50
	64QAM	25	0	20.04	19.85	19.93	21.50
		25	13	20.03	20.03	19.95	21.50
		25	25	19.82	19.97	19.93	21.50
		50	0	19.90	19.95	19.98	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
45501	0001			26765	26865	26965	•
15MHz	QPSK	1	0	23.03	23.07	22.93	24.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

21 of 182 Page:

	1	38	22.99	22.96	22.90	24.50
	1	74	22.86	22.93	22.94	24.50
	36	0	21.97	21.99	21.85	23.50
	36	18	21.93	21.81	21.80	23.50
	36	39	21.92	21.91	21.83	23.50
	75	0	21.93	21.97	21.89	23.50
	1	0	22.09	21.95	21.92	23.50
	1	38	21.92	21.81	21.89	23.50
	1	74	21.91	21.87	21.87	23.50
16QAM	36	0	20.92	20.96	20.90	22.50
	36	18	20.98	20.88	20.88	22.50
	36	39	20.91	20.86	20.85	22.50
	75	0	21.06	21.06	21.07	22.50
	1	0	21.04	21.02	21.07	22.50
	1	38	21.01	20.88	21.00	22.50
	1	74	20.82	20.87	20.90	22.50
64QAM	36	0	19.95	19.90	19.96	21.50
	36	18	19.96	19.97	19.93	21.50
	36	39	19.89	19.97	19.93	21.50
	75	0	19.89	19.95	19.86	21.50

	LTE Band 71 State0 State3 State5	Conducted Power(dBm)					
Dan desidab	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RD SIZE	RD Ollset	133147	133322	133447	Tune up
		1	0	23.46	23.44	23.36	24.50
		1	13	23.40	23.43	23.38	24.50
		1	24	23.27	23.30	23.41	24.50
	QPSK	12	0	22.36	22.35	22.32	23.50
		12	6	22.30	22.25	22.35	23.50
		12	13	22.45	22.38	22.33	23.50
		25	0	22.29	22.41	22.43	23.50
		1	0	22.41	22.30	22.37	23.50
		1	13	22.32	22.22	22.32	23.50
5MHz		1	24	22.24	22.25	22.20	23.50
	16QAM	12	0	21.30	21.30	21.28	22.50
		12	6	21.38	21.30	21.27	22.50
		12	13	21.31	21.24	21.28	22.50
		25	0	21.47	21.51	21.51	22.50
		1	0	21.38	21.41	21.45	22.50
		1	13	21.29	21.28	21.34	22.50
	64QAM	1	24	21.25	21.24	21.25	22.50
		12	0	20.41	20.28	20.27	21.50
		12	6	20.42	20.32	20.40	21.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 22 of 182

		12	13	20.28	20.30	20.26	21.50
		25	0	20.38	20.29	20.36	21.50
			55 %	Channel	Channel	Channel	-
Bandwidth	Modulation	RB size	RB offset	133172	133322	133422	Tune up
		1	0	23.48	23.42	23.35	24.50
		1	25	23.38	23.44	23.30	24.50
		1	49	23.33	23.30	23.40	24.50
	QPSK	25	0	22.28	22.34	22.33	23.50
		25	13	22.25	22.27	22.32	23.50
		25	25	22.39	22.43	22.28	23.50
		50	0	22.33	22.35	22.35	23.50
		1	0	22.43	22.34	22.43	23.50
		1	25	22.34	22.25	22.37	23.50
		1	49	22.31	22.25	22.21	23.50
10MHz	16QAM	25	0	21.37	21.34	21.30	22.50
		25	13	21.37	21.19	21.34	22.50
		25	25	21.30	21.26	21.26	22.50
		50	0	21.47	21.50	21.45	22.50
		1	0	21.46	21.46	21.54	22.50
		1	25	21.32	21.31	21.38	22.50
		1	49	21.27	21.33	21.32	22.50
	64QAM	25	0	20.43	20.31	20.34	21.50
		25	13	20.33	20.42	20.40	21.50
		25	25	20.23	20.38	20.33	21.50
		50	0	20.38	20.27	20.31	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danuwium	Modulation	ND SIZE	ND oliset	133197	133322	133397	Turie up
		1	0	23.43	23.41	23.30	24.50
		1	38	23.40	23.38	23.34	24.50
		1	74	23.33	23.32	23.31	24.50
	QPSK	36	0	22.39	22.33	22.29	23.50
		36	18	22.24	22.24	22.30	23.50
		36	39	22.46	22.46	22.34	23.50
		75	0	22.26	22.33	22.35	23.50
15MHz		1	0	22.41	22.33	22.37	23.50
13141112		1	38	22.41	22.23	22.34	23.50
		1	74	22.25	22.21	22.25	23.50
	16QAM	36	0	21.33	21.37	21.22	22.50
		36	18	21.38	21.19	21.32	22.50
		36	39	21.32	21.28	21.21	22.50
		75	0	21.40	21.48	21.44	22.50
	64QAM	1	0	21.45	21.45	21.53	22.50
	UTQAW	1	38	21.39	21.37	21.38	22.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratori

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

23 of 182 Page:

		1	74	21.22	21.25	21.29	22.50
		36	0	20.34	20.29	20.29	21.50
		36	18	20.37	20.37	20.40	21.50
		36	39	20.28	20.36	20.27	21.50
		75	0	20.34	20.39	20.33	21.50
Donalissialth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RD SIZE	RD Ollset	133222	133322	133372	Tune up
		1	0	23.47	23.59	23.44	24.50
		1	50	23.32	23.44	23.29	24.50
		1	99	23.31	23.26	23.38	24.50
	QPSK	50	0	22.51	22.57	22.56	23.50
		50	25	22.26	22.26	22.32	23.50
		50	50	22.43	22.36	22.29	23.50
		100	0	22.30	22.57	22.42	23.50
		1	0	22.43	22.28	22.41	23.50
		1	50	22.42	22.25	22.37	23.50
		1	99	22.28	22.26	22.23	23.50
20MHz	16QAM	50	0	21.37	21.36	21.30	22.50
		50	25	21.28	21.25	21.29	22.50
		50	50	21.21	21.29	21.32	22.50
		100	0	21.49	21.41	21.49	22.50
		1	0	21.39	21.47	21.50	22.50
		1	50	21.35	21.32	21.38	22.50
		1	99	21.21	21.26	21.32	22.50
	64QAM	50	0	20.40	20.32	20.36	21.50
		50	25	20.36	20.35	20.35	21.50
		50	50	20.30	20.31	20.27	21.50
		100	0	20.29	20.39	20.37	21.50

#### Ant1:

	LTE B State0 Sta	Sand 2 te3 State8		Conducted Power(dBm)				
Dan de dalle	Madulatian	DD sins	DD -#4	Channel	Channel	Channel	T	
Bandwidth	Modulation	RB size	RB offset	18607	18900	19193	Tune up	
		1	0	22.74	22.68	22.75	24.00	
		1	2	22.76	22.73	22.63	24.00	
		1	5	22.67	22.66	22.68	24.00	
1.4MHz	QPSK	3	0	22.79	22.70	22.74	24.00	
		3	2	22.76	22.74	22.64	24.00	
		3	3	22.67	22.61	22.62	24.00	
		6	0	21.62	21.73	21.74	23.00	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 24 of 182

	1			24.24		04.70	20.00
		1	0	21.64	21.75	21.72	23.00
		1	2	21.81	21.79	21.66	23.00
		11	5	21.77	21.81	21.75	23.00
	16QAM	3	0	21.69	21.67	21.78	23.00
		3	2	21.85	21.75	21.68	23.00
		3	3	21.66	21.75	21.72	23.00
		6	0	20.73	20.72	20.70	22.00
		1	0	20.61	20.71	20.72	22.00
		1	2	20.74	20.73	20.73	22.00
		1	5	20.77	20.64	20.63	22.00
	64QAM	3	0	20.73	20.67	20.71	22.00
		3	2	20.70	20.74	20.66	22.00
		3	3	20.64	20.70	20.67	22.00
		6	0	19.71	19.68	19.68	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tung up
Bandwidth	Modulation	ND SIZE	RB oliset	18615	18900	19185	Tune up
		1	0	22.80	22.64	22.79	24.00
		1	7	22.71	22.71	22.71	24.00
	QPSK	1	14	22.76	22.78	22.67	24.00
		8	0	21.71	21.79	21.83	23.00
		8	4	21.74	21.71	21.69	23.00
		8	7	21.70	21.73	21.80	23.00
		15	0	21.67	21.73	21.79	23.00
		1	0	21.78	21.70	21.74	23.00
		1	7	21.79	21.71	21.80	23.00
		1	14	21.72	21.78	21.74	23.00
3MHz	16QAM	8	0	20.77	20.73	20.72	22.00
		8	4	20.81	20.78	20.79	22.00
		8	7	20.76	20.74	20.76	22.00
		15	0	20.72	20.70	20.81	22.00
		1	0	20.66	20.76	20.70	22.00
		1	7	20.76	20.64	20.71	22.00
		1	14	20.66	20.71	20.68	22.00
	64QAM	8	0	19.76	19.81	19.74	21.00
		8	4	19.70	19.82	19.82	21.00
		8	7	19.79	19.74	19.65	21.00
		15	0	19.73	19.70	19.64	21.00
D 1 - 144	Mandadatia	DD -i -	DD - (" t	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	18625	18900	19175	Tune up
		1	0	22.75	22.74	22.82	24.00
5MHz	QPSK	1	13	22.82	22.77	22.72	24.00
		1	24	22.72	22.72	22.68	24.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 25 of 182

		12	0	21.71	21.76	21.77	23.00
		12	6	21.82	21.73	21.76	23.00
		12	13	21.80	21.75	21.70	23.00
		25	0	21.64	21.76	21.67	23.00
		1	0	21.78	21.76	21.73	23.00
		1	13	21.77	21.72	21.73	23.00
		1	24	21.73	21.74	21.73	23.00
	16QAM	12	0	20.76	20.78	20.68	22.00
		12	6	20.80	20.78	20.71	22.00
		12	13	20.67	20.75	20.83	22.00
		25	0	20.74	20.75	20.75	22.00
		1	0	20.68	20.74	20.65	22.00
		1	13	20.76	20.67	20.79	22.00
		1	24	20.76	20.68	20.77	22.00
	64QAM	12	0	19.76	19.72	19.72	21.00
	-	12	6	19.75	19.82	19.73	21.00
		12	13	19.73	19.72	19.73	21.00
		25	0	19.75	19.67	19.75	21.00
<b>5</b>			DD " 1	Channel	Channel	Channel	-
Bandwidth	Modulation	RB size	RB offset	18650	18900	19150	Tune up
		1	0	22.78	22.64	22.73	24.00
		1	25	22.73	22.74	22.76	24.00
		1	49	22.76	22.77	22.71	24.00
	QPSK	25	0	21.79	21.77	21.74	23.00
		25	13	21.80	21.69	21.76	23.00
		25	25	21.75	21.70	21.81	23.00
		50	0	21.69	21.71	21.79	23.00
		1	0	21.67	21.77	21.79	23.00
		1	25	21.72	21.77	21.80	23.00
		1	49	21.68	21.71	21.67	23.00
10MHz	16QAM	25	0	20.73	20.78	20.72	22.00
		25	13	20.71	20.73	20.80	22.00
		25	25	20.74	20.69	20.80	22.00
		50	0	20.73	20.67	20.78	22.00
		1	0	20.79	20.74	20.72	22.00
		1	25	20.69	20.75	20.73	22.00
		1	49	20.74	20.75	20.66	22.00
	64QAM	25	0	19.76	19.73	19.69	21.00
		25	13	19.73	19.77	19.74	21.00
		25	25	19.75	19.71	19.72	21.00
		50	0	19.75	19.70	19.65	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
-anamati	Modulation	T CD SIZE	TE OHOU	18675	18900	19125	Tullo up

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 26 of 182

		1 4		00.74	00.75	00.74	04.00
		1	0	22.74	22.75	22.74	24.00
		1	38	22.83	22.79	22.71	24.00
	0.001/	1	74	22.71	22.72	22.72	24.00
	QPSK	36	0	21.78	21.76	21.79	23.00
		36	18	21.82	21.70	21.75	23.00
		36	39	21.71	21.72	21.70	23.00
		75	0	21.65	21.75	21.71	23.00
		1	0	21.71	21.66	21.75	23.00
		1	38	21.76	21.77	21.82	23.00
		1	74	21.66	21.74	21.67	23.00
15MHz	16QAM	36	0	20.76	20.69	20.67	22.00
		36	18	20.79	20.73	20.70	22.00
		36	39	20.75	20.78	20.83	22.00
		75	0	20.75	20.75	20.75	22.00
		1	0	20.73	20.75	20.73	22.00
		1	38	20.69	20.67	20.70	22.00
		1	74	20.78	20.77	20.69	22.00
	64QAM	36	0	19.67	19.73	19.70	21.00
		36	18	19.70	19.73	19.81	21.00
		36	39	19.80	19.63	19.70	21.00
		75	0	19.77	19.69	19.70	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Balluwiutii	Wodulation		ND oliset	18700	18900	19100	rune up
		1	0	22.80	22.93	22.71	24.00
		1	50	22.74	22.73	22.69	24.00
		1	99	22.69	22.76	22.67	24.00
	QPSK	50	0	21.84	21.89	21.83	23.00
		50	25	21.77	21.75	21.75	23.00
		50	50	21.75	21.77	21.81	23.00
		100	0	21.71	21.80	21.70	23.00
		1	0	21.71	21.76	21.79	23.00
		1	50	21.83	21.71	21.73	23.00
001411-		1	99	21.65	21.75	21.67	23.00
20MHz	16QAM	50	0	20.78	20.71	20.64	22.00
	TOQAW	_	0.5	20.79	20.00	20.70	22.00
		50	25	20.19	20.68	20.79	
		50 50	50	20.79	20.68	20.79	22.00
		50	50	20.68	20.78	20.74	22.00
		50 100	50 0	20.68 20.80	20.78 20.80	20.74 20.73	22.00 22.00
	a vo vi	50 100 1	50 0 0	20.68 20.80 20.78	20.78 20.80 20.73	20.74 20.73 20.68	22.00 22.00 22.00
	64QAM	50 100 1 1	50 0 0 50	20.68 20.80 20.78 20.79	20.78 20.80 20.73 20.72	20.74 20.73 20.68 20.74	22.00 22.00 22.00 22.00
	64QAM	50 100 1 1 1	50 0 0 50 99	20.68 20.80 20.78 20.79 20.73	20.78 20.80 20.73 20.72 20.78	20.74 20.73 20.68 20.74 20.68	22.00 22.00 22.00 22.00 22.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

27 of 182 Page:

	100	0	19.72	19.69	19.65	21.00
--	-----	---	-------	-------	-------	-------

	LTE B Sta			Conducted Power(dBm)				
			55 % /	Channel	Channel	Channel	-	
Bandwidth	Modulation	RB size	RB offset	18607	18900	19193	Tune up	
		1	0	18.90	18.94	18.87	20.00	
		1	2	18.93	18.88	18.94	20.00	
		1	5	18.93	18.87	18.94	20.00	
	QPSK	3	0	18.93	18.89	18.90	20.00	
		3	2	18.88	18.88	18.89	20.00	
		3	3	18.93	18.88	18.89	20.00	
		6	0	18.91	18.93	18.89	20.00	
		1	0	18.93	18.91	18.90	20.00	
		1	2	18.86	18.89	18.86	20.00	
	<b>1.4MHz</b> 16QAM	1	5	18.91	18.94	18.94	20.00	
1.4MHz		3	0	18.89	18.88	18.88	20.00	
		3	2	18.88	18.90	18.94	20.00	
		3	3	18.87	18.94	18.90	20.00	
		6	0	18.90	18.91	18.90	20.00	
		1	0	18.92	18.89	18.92	20.00	
		1	2	18.91	18.89	18.88	20.00	
		1	5	18.89	18.88	18.90	20.00	
	64QAM	3	0	18.89	18.87	18.93	20.00	
		3	2	18.94	18.88	18.94	20.00	
		3	3	18.88	18.86	18.92	20.00	
		6	0	18.88	18.87	18.92	20.00	
			55 % /	Channel	Channel	Channel	_	
Bandwidth	Modulation	RB size	RB offset	18615	18900	19185	Tune up	
		1	0	18.90	18.93	18.93	20.00	
		1	7	18.90	18.91	18.93	20.00	
		1	14	18.95	18.89	18.89	20.00	
	QPSK	8	0	18.88	18.89	18.92	20.00	
		8	4	18.91	18.89	18.93	20.00	
		8	7	18.88	18.93	18.90	20.00	
3MHz		15	0	18.88	18.86	18.87	20.00	
		1	0	18.91	18.91	18.89	20.00	
		1	7	18.91	18.93	18.88	20.00	
	,,,,,,	1	14	18.92	18.88	18.88	20.00	
	16QAM	8	0	18.89	18.90	18.87	20.00	
		8	4	18.87	18.86	18.92	20.00	
		8	7	18.92	18.89	18.93	20.00	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



SUCR241100047301 Report No.:

Rev.: 01

28 of 182 Page:

		15	0	18.89	18.95	18.92	20.00
		1	0	18.89	18.95	18.90	20.00
		1	7	18.86	18.89	18.89	20.00
		1	14	18.93	18.93	18.94	20.00
	64QAM	8	0	18.91	18.94	18.89	20.00
		8	4	18.88	18.92	18.89	20.00
		8	7	18.94	18.94	18.94	20.00
		15	0	18.86	18.95	18.92	20.00
D 1 1141	Marilada Carr	DD -! -	DD - (" t	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	18625	18900	19175	Tune up
		1	0	18.93	18.93	18.90	20.00
		1	13	18.94	18.90	18.89	20.00
		1	24	18.91	18.92	18.88	20.00
	QPSK	12	0	18.89	18.94	18.87	20.00
		12	6	18.95	18.90	18.93	20.00
		12	13	18.94	18.93	18.93	20.00
		25	0	18.93	18.87	18.86	20.00
		1	0	18.88	18.89	18.91	20.00
		1	13	18.94	18.90	18.90	20.00
		1	24	18.89	18.87	18.94	20.00
5MHz	16QAM	12	0	18.88	18.93	18.87	20.00
		12	6	18.87	18.95	18.92	20.00
		12	13	18.90	18.89	18.87	20.00
		25	0	18.93	18.94	18.91	20.00
		1	0	18.93	18.89	18.92	20.00
		1	13	18.89	18.94	18.87	20.00
		1	24	18.89	18.87	18.87	20.00
	64QAM	12	0	18.87	18.89	18.92	20.00
		12	6	18.89	18.88	18.90	20.00
		12	13	18.92	18.90	18.87	20.00
		25	0	18.89	18.90	18.89	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danuwium	Modulation	IVD SIZE	IVD Ollset	18650	18900	19150	Turie up
		1	0	18.92	18.93	18.92	20.00
		1	25	18.90	18.92	18.89	20.00
		1	49	18.89	18.93	18.90	20.00
	QPSK	25	0	18.95	18.92	18.93	20.00
10MHz		25	13	18.87	18.90	18.89	20.00
IVIVITZ		25	25	18.88	18.92	18.90	20.00
		50	0	18.89	18.94	18.93	20.00
		1	0	18.92	18.95	18.92	20.00
	16QAM	1	25	18.94	18.88	18.95	20.00
		1	49	18.86	18.94	18.94	20.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

01 Rev.:

Page: 29 of 182

		25	0	18.90	18.90	18.88	20.00
		25	13	18.88	18.94	18.87	20.00
		25	25	18.93	18.92	18.94	20.00
		50	0	18.88	18.86	18.88	20.00
		1	0	18.92	18.92	18.91	20.00
		1	25	18.94	18.88	18.92	20.00
		1	49	18.89	18.86	18.89	20.00
	64QAM	25	0	18.94	18.94	18.90	20.00
		25	13	18.86	18.86	18.92	20.00
		25	25	18.89	18.87	18.91	20.00
		50	0	18.89	18.90	18.93	20.00
5	NA - ded - di - c	DD -: -	DD - (( +	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	18675	18900	19125	Tune up
		1	0	18.86	18.88	18.89	20.00
		1	38	18.87	18.89	18.92	20.00
		1	74	18.94	18.93	18.88	20.00
	QPSK	36	0	18.94	18.92	18.89	20.00
		36	18	18.89	18.88	18.88	20.00
		36	39	18.91	18.86	18.88	20.00
		75	0	18.92	18.94	18.95	20.00
		1	0	18.92	18.88	18.91	20.00
		1	38	18.94	18.94	18.90	20.00
		1	74	18.95	18.91	18.94	20.00
15MHz	16QAM	36	0	18.93	18.88	18.92	20.00
		36	18	18.91	18.91	18.93	20.00
		36	39	18.90	18.89	18.91	20.00
		75	0	18.87	18.89	18.88	20.00
		1	0	18.87	18.92	18.90	20.00
		1	38	18.91	18.91	18.88	20.00
		1	74	18.91	18.92	18.93	20.00
	64QAM	36	0	18.88	18.92	18.94	20.00
		36	18	18.91	18.89	18.92	20.00
		36	39	18.94	18.90	18.91	20.00
		75	0	18.88	18.91	18.94	20.00
Dan desi déla	NA - de de 4i - co	DD sies	DD -#+	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	18700	18900	19100	Tune up
		1	0	19.09	19.12	19.02	20.00
		1	50	18.90	18.89	18.93	20.00
		1	99	18.92	18.93	18.94	20.00
20MHz	QPSK	50	0	18.98	19.01	19.01	20.00
		50	25	18.92	18.86	18.95	20.00
		50	50	18.89	18.90	18.92	20.00
		100	0	18.92	18.96	18.92	20.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratori

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 30 of 182

		1	0	18.93	18.93	18.92	20.00
		1	50	18.91	18.92	18.93	20.00
		1	99	18.90	18.88	18.93	20.00
	16QAM	50	0	18.91	18.93	18.89	20.00
		50	25	18.89	18.87	18.92	20.00
		50	50	18.92	18.89	18.87	20.00
		100	0	18.94	18.93	18.91	20.00
		1	0	18.94	18.88	18.90	20.00
		1	50	18.89	18.88	18.94	20.00
		1	99	18.89	18.93	18.93	20.00
	64QAM	50	0	18.88	18.91	18.88	20.00
		50	25	18.94	18.91	18.93	20.00
		50	50	18.93	18.89	18.89	20.00
		100	0	18.90	18.87	18.87	20.00

		and 4 te0		Conducted Power(dBm)				
D 1 . 144.	Mandada Can	DD -: -	DD - (f t	Channel	Channel	Channel	T	
Bandwidth	Modulation	RB size	RB offset	19957	20175	20393	Tune up	
		1	0	22.88	22.73	22.79	24.00	
		1	2	22.88	22.77	22.72	24.00	
		1	5	22.65	22.73	22.74	24.00	
	QPSK	3	0	22.87	22.66	22.74	24.00	
		3	2	22.88	22.80	22.67	24.00	
		3	3	22.64	22.74	22.74	24.00	
		6	0	21.73	21.80	21.74	23.00	
		1	0	21.77	21.82	21.81	23.00	
		1	2	21.89	21.78	21.75	23.00	
	16QAM	1	5	21.78	21.76	21.79	23.00	
1.4MHz		3	0	21.79	21.80	21.85	23.00	
		3	2	21.89	21.82	21.70	23.00	
		3	3	21.79	21.87	21.80	23.00	
		6	0	20.85	20.77	20.86	22.00	
		1	0	20.73	20.87	20.70	22.00	
		1	2	20.69	20.79	20.78	22.00	
		1	5	20.83	20.73	20.72	22.00	
	64QAM	3	0	20.70	20.83	20.71	22.00	
		3	2	20.68	20.71	20.80	22.00	
		3	3	20.67	20.74	20.80	22.00	
		6	0	19.71	19.67	19.75	21.00	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
Danuwiuth	Modulation	ND SIZE	ND Ullset	19965	20175	20385	Turie up	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

31 of 182 Page:

	1	Г	T	1	ı	Г	1
		1	0	22.94	22.84	22.88	24.00
		1	7	22.86	22.89	22.82	24.00
		1	14	22.82	22.84	22.85	24.00
	QPSK	8	0	21.90	21.91	21.86	23.00
		8	4	21.89	21.87	21.83	23.00
		8	7	21.86	21.90	21.90	23.00
		15	0	21.89	21.87	21.85	23.00
		1	0	21.82	21.84	21.82	23.00
		1	7	21.95	21.93	21.86	23.00
		1	14	21.90	21.84	21.81	23.00
3MHz	16QAM	8	0	20.91	20.85	20.87	22.00
		8	4	20.85	20.88	20.86	22.00
		8	7	20.83	20.90	20.93	22.00
		15	0	20.90	20.86	20.88	22.00
		1	0	20.84	20.97	20.87	22.00
		1	7	20.85	20.82	20.87	22.00
		1	14	20.83	20.83	20.92	22.00
	64QAM	8	0	19.93	19.86	19.85	21.00
	org/ wi	8	4	19.88	19.95	19.93	21.00
		8	7	19.91	19.85	19.85	21.00
		15	0	19.90	19.92	19.91	21.00
				Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	19975	20175	20375	Tune up
		1	0	22.86	22.82	22.94	24.00
	QPSK	1	13	22.87	22.91	22.84	24.00
		1	24	22.91	22.83	22.89	24.00
		12	0	21.94	21.90	21.92	23.00
		12	6	22.00	21.83	21.90	23.00
		12	13	21.88	21.91	21.95	23.00
		25	0	21.88	21.97	21.90	23.00
		1	0	21.90	21.88	21.87	23.00
		1	13	21.88	21.87	21.98	23.00
		1	24	21.81	21.85	21.83	23.00
5MHz	16QAM	12	0	20.94	20.91	20.80	22.00
		12	6	20.94	20.93	20.85	22.00
		12	13	20.89	20.84	20.92	22.00
		25	0	20.99	20.85	20.90	22.00
		1	0	20.92	20.91	20.88	22.00
		1	13	20.88	20.84	20.92	22.00
		1	24	20.87	20.88	20.83	22.00
	64QAM	12	0	19.88	19.91	19.86	21.00
	-	12	6	19.89	19.97	19.91	21.00
				10.00		10.01	21.00
		12	13	19.98	19.86	19.81	21.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

32 of 182 Page:

		25	0	19.83	19.91	19.86	21.00
Dan de d'alde	NA - de de 4i - de	DD sies	DD -#+	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	20000	20175	20350	Tune up
		1	0	22.89	22.81	22.91	24.00
		1	25	22.95	22.92	22.82	24.00
		1	49	22.85	22.84	22.89	24.00
	QPSK	25	0	21.93	21.95	21.95	23.00
		25	13	21.97	21.88	21.92	23.00
		25	25	21.95	21.89	21.87	23.00
		50	0	21.82	21.88	21.90	23.00
		1	0	21.94	21.84	21.93	23.00
		1	25	21.99	21.83	21.94	23.00
		1	49	21.86	21.92	21.88	23.00
10MHz	16QAM	25	0	20.97	20.94	20.87	22.00
		25	13	20.87	20.91	20.95	22.00
		25	25	20.88	20.84	20.97	22.00
		50	0	20.89	20.90	20.85	22.00
		1	0	20.85	20.98	20.85	22.00
		1	25	20.92	20.89	20.96	22.00
		1	49	20.90	20.92	20.82	22.00
	64QAM	25	0	19.93	19.92	19.80	21.00
		25	13	19.85	19.86	19.98	21.00
		25	25	19.92	19.85	19.85	21.00
		50	0	19.89	19.86	19.90	21.00
Dan duri déla	Madulation	DD -: -	RB offset	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RB size	RD Ollset	20025	20175	20325	Tune up
		1	0	22.92	22.79	22.92	24.00
		1	38	22.98	22.90	22.89	24.00
		1	74	22.86	22.86	22.89	24.00
	QPSK	36	0	21.87	21.82	21.95	23.00
		36	18	21.90	21.95	21.84	23.00
		36	39	21.87	21.90	21.89	23.00
		75	0	21.82	21.89	21.88	23.00
		1	0	21.88	21.90	21.84	23.00
15MHz		1	38	21.95	21.92	21.86	23.00
		1	74	21.84	21.84	21.88	23.00
	16QAM	36	0	20.90	20.84	20.88	22.00
		36	18	20.90	20.87	20.90	22.00
		36	39	20.87	20.92	20.93	22.00
		75	0	20.90	20.89	20.89	22.00
		1	0	20.89	20.98	20.84	22.00
	64QAM	1	38	20.89	20.80	20.97	22.00
		1	74	20.84	20.83	20.82	22.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sas.com/en/Terms-and-Conditions.aspx">http://www.sas.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

33 of 182 Page:

		36	0	19.86	19.92	19.86	21.00
		36	18	19.90	19.88	19.97	21.00
		36	39	19.92	19.80	19.82	21.00
		75	0	19.83	19.82	19.91	21.00
Daniel del	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RD SIZE	RD Ollset	20050	20175	20300	Tune up
		1	0	22.88	22.95	22.94	24.00
		1	50	22.93	22.93	22.90	24.00
		1	99	22.88	22.81	22.91	24.00
	QPSK	50	0	21.87	21.89	21.91	23.00
		50	25	21.98	21.91	21.87	23.00
		50	50	21.96	21.88	21.90	23.00
		100	0	21.92	21.97	21.83	23.00
		1	0	21.82	21.89	21.92	23.00
		1	50	21.87	21.93	21.93	23.00
	16QAM	1	99	21.81	21.93	21.92	23.00
20MHz		50	0	20.91	20.92	20.84	22.00
		50	25	20.95	20.94	20.96	22.00
		50	50	20.87	20.87	20.94	22.00
		100	0	20.88	20.94	20.86	22.00
		1	0	20.90	20.92	20.84	22.00
		1	50	20.91	20.81	20.96	22.00
		1	99	20.93	20.84	20.85	22.00
	64QAM	50	0	19.91	19.85	19.90	21.00
		50	25	19.87	19.87	19.94	21.00
		50	50	19.92	19.90	19.80	21.00
		100	0	19.90	19.92	19.87	21.00

LTE Band 4 State3 State8				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19957	20175	20393	
	QPSK	1	0	20.37	20.33	20.38	21.50
1.4MHz		1	2	20.29	20.29	20.27	21.50
		1	5	20.32	20.33	20.24	21.50
		3	0	20.29	20.25	20.21	21.50
		3	2	20.24	20.32	20.26	21.50
		3	3	20.37	20.28	20.29	21.50
		6	0	20.31	20.35	20.37	21.50
	16QAM	1	0	20.33	20.29	20.28	21.50
		1	2	20.34	20.26	20.29	21.50
		1	5	20.35	20.33	20.25	21.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sas.com/en/Terms-and-Conditions.aspx">http://www.sas.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 34 of 182

	20.20	20.24	04.50
3 0 20.34 3 2 20.28	20.30	20.34	21.50 21.50
3 2 20.26			21.50
	20.30	20.29	
	20.31	20.28	21.50
	20.28	20.27	21.50
1 2 20.28	20.23	20.34	21.50
1 5 20.31	20.33	20.27	21.50
64QAM 3 0 20.29	20.29	20.21	21.50
3 2 20.26	20.28	20.34	21.50
3 3 20.36	20.21	20.25	21.50
6 0 19.81	19.80	19.73	21.00
Bandwidth Modulation RB size RB offset Channel	Channel	Channel	Tune up
19965	20175	20385	
1 0 20.28	20.29	20.27	21.50
1 7 20.31	20.26	20.28	21.50
1 14 20.21	20.25	20.28	21.50
QPSK 8 0 20.31	20.28	20.28	21.50
8 4 20.28	20.28	20.29	21.50
8 7 20.31	20.25	20.32	21.50
15 0 20.24	20.21	20.26	21.50
1 0 20.31	20.23	20.32	21.50
1 7 20.29	20.23	20.33	21.50
1 14 20.30	20.30	20.29	21.50
<b>3MHz</b> 16QAM 8 0 20.26	20.36	20.33	21.50
8 4 20.33	20.34	20.34	21.50
8 7 20.27	20.20	20.24	21.50
15 0 20.27	20.28	20.32	21.50
1 0 20.33	20.31	20.24	21.50
1 7 20.26	20.27	20.34	21.50
1 14 20.27	20.30	20.34	21.50
64QAM 8 0 19.79	19.72	19.74	21.00
8 4 19.88	19.79	19.86	21.00
8 7 19.82	19.82	19.72	21.00
15 0 19.75	19.80	19.84	21.00
Channel	Channel	Channel	
Bandwidth Modulation RB size RB offset 19975	20175	20375	Tune up
1 0 20.33	20.25	20.24	21.50
1 13 20.26	20.28	20.29	21.50
1 24 20.25	20.32	20.27	21.50
5MHz QPSK 12 0 20.32	20.29	20.25	21.50
12   6   20.28	20.32	20.28	21.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sas.com/en/Terms-and-Conditions.aspx">http://www.sas.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 35 of 182

		25	0	20.29	20.26	20.31	21.50
		1	0	20.24	20.25	20.26	21.50
		1	13	20.26	20.27	20.24	21.50
		1	24	20.26	20.29	20.32	21.50
	16QAM	12	0	20.32	20.24	20.30	21.50
	100,411	12	6	20.27	20.32	20.31	21.50
		12	13	20.28	20.32	20.26	21.50
		25	0	20.24	20.31	20.33	21.50
		1	0	20.30	20.24	20.26	21.50
		1	13	20.28	20.27	20.27	21.50
		1	24	20.32	20.26	20.30	21.50
	64QAM	12	0	19.81	19.80	19.77	21.00
		12	6	19.81	19.77	19.79	21.00
		12	13	19.76	19.80	19.75	21.00
		25	0	19.79	19.76	19.78	21.00
			-	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	20000	20175	20350	Tune up
		1	0	20.31	20.30	20.32	21.50
		1	25	20.27	20.26	20.28	21.50
	QPSK	1	49	20.30	20.24	20.26	21.50
		25	0	20.31	20.30	20.32	21.50
		25	13	20.32	20.28	20.32	21.50
		25	25	20.32	20.25	20.31	21.50
		50	0	20.27	20.27	20.27	21.50
	16QAM	1	0	20.30	20.25	20.25	21.50
		1	25	20.27	20.25	20.25	21.50
		1	49	20.32	20.31	20.28	21.50
10MHz		25	0	20.30	20.28	20.31	21.50
		25	13	20.27	20.28	20.33	21.50
		25	25	20.26	20.29	20.33	21.50
		50	0	20.27	20.32	20.30	21.50
	64QAM	1	0	20.28	20.24	20.29	21.50
		1	25	20.27	20.33	20.31	21.50
		1	49	20.26	20.30	20.30	21.50
		25	0	19.77	19.81	19.81	21.00
		25	13	19.81	19.82	19.75	21.00
		25	25	19.78	19.81	19.75	21.00
		50	0	19.82	19.79	19.77	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
- Dania Widdi	modalation			20025	20175	20325	
		1	0	20.28	20.26	20.25	21.50
15MHz	QPSK	1	38	20.32	20.25	20.30	21.50
		1	74	20.26	20.24	20.28	21.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sas.com/en/Terms-and-Conditions.aspx">http://www.sas.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980

www.sgsgroup.com.cn Member of the SGS Group (SGS SA)



Report No.: SUCR241100047301

Rev.: 01

36 of 182 Page:

		36	0	20.26	20.26	20.27	21.50
		36	18	20.28	20.31	20.27	21.50
		36	39	20.28	20.24	20.31	21.50
		75	0	20.26	20.32	20.28	21.50
		1	0	20.28	20.27	20.24	21.50
		1	38	20.32	20.32	20.30	21.50
		1	74	20.29	20.26	20.29	21.50
	16QAM	36	0	20.29	20.26	20.28	21.50
		36	18	20.29	20.28	20.29	21.50
		36	39	20.26	20.27	20.27	21.50
		75	0	20.25	20.32	20.28	21.50
		1	0	20.29	20.32	20.25	21.50
		1	38	20.33	20.26	20.27	21.50
		1	74	20.25	20.30	20.25	21.50
	64QAM	36	0	19.81	19.78	19.77	21.00
		36	18	19.76	19.79	19.76	21.00
		36	39	19.82	19.79	19.79	21.00
		75	0	19.79	19.81	19.79	21.00
D 1 144	Modulation	RB size	55 %	Channel	Channel	Channel	-
Bandwidth			RB offset	20050	20175	20300	Tune up
		1	0	20.38	20.39	20.35	21.50
	QPSK	1	50	20.28	20.26	20.32	21.50
		1	99	20.31	20.31	20.32	21.50
		50	0	20.31	20.35	20.34	21.50
		50	25	20.25	20.30	20.32	21.50
		50	50	20.30	20.30	20.27	21.50
		100	0	20.26	20.28	20.25	21.50
		1	0	20.31	20.26	20.31	21.50
		1	50	20.27	20.31	20.24	21.50
	16QAM	1	99	20.27	20.32	20.31	21.50
20MHz		50	0	20.32	20.29	20.26	21.50
		50	25	20.26	20.25	20.25	21.50
		50	50	20.26	20.27	20.28	21.50
		100	0	20.29	20.25	20.27	21.50
	64QAM	1	0	20.25	20.30	20.25	21.50
		1	50	20.26	20.25	20.29	21.50
		1	99	20.24	20.32	20.32	21.50
		50	0	19.79	19.74	19.76	21.00
		50	25	19.79	19.79	19.78	21.00
		50	50	19.81	19.81	19.74	21.00
		100	0	19.77	19.77	19.82	21.00

Conducted Power(dBm)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sas.com/en/Terms-and-Conditions.aspx">http://www.sas.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

37 of 182 Page:

	LTE B Sta						
				Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	19957	20175	20393	Tune up
		1	0	15.83	15.76	15.79	17.00
		1	2	15.77	15.77	15.78	17.00
		1	5	15.76	15.79	15.77	17.00
	QPSK	3	0	15.80	15.75	15.76	17.00
		3	2	15.76	15.81	15.75	17.00
		3	3	15.75	15.81	15.79	17.00
		6	0	15.80	15.78	15.81	17.00
		1	0	15.82	15.79	15.82	17.00
		1	2	15.78	15.78	15.76	17.00
		1	5	15.82	15.82	15.76	17.00
1.4MHz	16QAM	3	0	15.75	15.77	15.78	17.00
		3	2	15.76	15.82	15.76	17.00
		3	3	15.81	15.79	15.79	17.00
		6	0	15.80	15.76	15.83	17.00
		1	0	15.77	15.78	15.78	17.00
		1	2	15.82	15.78	15.80	17.00
		1	5	15.75	15.82	15.80	17.00
	64QAM	3	0	15.78	15.75	15.79	17.00
		3	2	15.77	15.77	15.77	17.00
		3	3	15.78	15.79	15.76	17.00
		6	0	15.79	15.78	15.82	17.00
Daniel dela	Ma alcolatiana	DD -i	DD -#4	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	19965	20175	20385	Tune up
		1	0	15.75	15.78	15.82	17.00
		1	7	15.80	15.78	15.78	17.00
		1	14	15.78	15.77	15.82	17.00
	QPSK	8	0	15.79	15.78	15.80	17.00
		8	4	15.79	15.77	15.77	17.00
		8	7	15.83	15.75	15.78	17.00
		15	0	15.82	15.82	15.75	17.00
2001-		1	0	15.83	15.76	15.79	17.00
3MHz		1	7	15.78	15.76	15.76	17.00
		1	14	15.81	15.75	15.76	17.00
	16QAM	8	0	15.77	15.74	15.82	17.00
		8	4	15.80	15.79	15.82	17.00
		8	7	15.81	15.75	15.76	17.00
		15	0	15.76	15.76	15.81	17.00
	C40AN4	1	0	15.75	15.80	15.81	17.00
	64QAM	1	7	15.75	15.79	15.81	17.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 38 of 182

		1	14	15.77	15.82	15.79	17.00
		8	0	15.80	15.80	15.75	17.00
		8	4	15.75	15.76	15.83	17.00
		8	7	15.78	15.83	15.75	17.00
		15	0	15.83	15.80	15.81	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19975	20175	20375	,
		1	0	15.76	15.83	15.78	17.00
		1	13	15.80	15.75	15.77	17.00
		1	24	15.81	15.81	15.79	17.00
	QPSK	12	0	15.81	15.80	15.82	17.00
		12	6	15.81	15.74	15.76	17.00
		12	13	15.74	15.77	15.79	17.00
		25	0	15.82	15.81	15.81	17.00
		1	0	15.82	15.76	15.82	17.00
		1	13	15.77	15.81	15.80	17.00
		1	24	15.74	15.80	15.81	17.00
5MHz	16QAM	12	0	15.80	15.76	15.76	17.00
		12	6	15.82	15.78	15.81	17.00
		12	13	15.76	15.80	15.81	17.00
		25	0	15.81	15.82	15.81	17.00
		1	0	15.75	15.81	15.79	17.00
	64QAM	1	13	15.77	15.75	15.82	17.00
		1	24	15.77	15.79	15.75	17.00
		12	0	15.78	15.77	15.78	17.00
		12	6	15.77	15.82	15.79	17.00
		12	13	15.78	15.79	15.79	17.00
		25	0	15.79	15.77	15.81	17.00
<b>5</b> 1 1 1 1 1 1			55 % .	Channel	Channel	Channel	-
Bandwidth	Modulation	RB size	RB offset	20000	20175	20350	Tune up
		1	0	15.82	15.71	15.73	17.00
		1	25	15.86	15.76	15.75	17.00
		1	49	15.84	15.75	15.83	17.00
	QPSK	25	0	15.79	15.77	15.76	17.00
		25	13	15.79	15.83	15.81	17.00
		25	25	15.76	15.86	15.79	17.00
10MHz		50	0	15.81	15.84	15.75	17.00
		1	0	15.84	15.79	15.81	17.00
		1	25	15.85	15.79	15.73	17.00
	400 414	1	49	15.81	15.82	15.76	17.00
	16QAM	25	0	15.83	15.85	15.78	17.00
		25	13	15.81	15.78	15.82	17.00
		25	25	15.77	15.78	15.76	17.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 39 of 182

		50	0	15.73	15.80	15.75	17.00
		1	0	15.77	15.76	15.80	17.00
		1	25	15.78	15.74	15.80	17.00
		1	49	15.75	15.83	15.85	17.00
	64QAM	25	0	15.73	15.80	15.77	17.00
		25	13	15.73	15.75	15.78	17.00
		25	25	15.81	15.81	15.76	17.00
		50	0	15.75	15.85	15.78	17.00
				Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	20025	20175	20325	Tune up
		1	0	15.85	15.77	15.75	17.00
		1	38	15.86	15.76	15.79	17.00
	QPSK	1	74	15.79	15.80	15.80	17.00
		36	0	15.73	15.73	15.80	17.00
		36	18	15.81	15.85	15.78	17.00
		36	39	15.74	15.85	15.77	17.00
		75	0	15.83	15.84	15.76	17.00
		1	0	15.82	15.82	15.76	17.00
		1	38	15.86	15.78	15.75	17.00
		1	74	15.76	15.79	15.72	17.00
15MHz	16QAM	36	0	15.84	15.84	15.75	17.00
		36	18	15.78	15.78	15.79	17.00
		36	39	15.79	15.78	15.76	17.00
		75	0	15.76	15.78	15.79	17.00
		1	0	15.74	15.73	15.77	17.00
		1	38	15.73	15.79	15.77	17.00
		1	74	15.75	15.81	15.87	17.00
	64QAM	36	0	15.71	15.86	15.74	17.00
		36	18	15.73	15.76	15.82	17.00
		36	39	15.74	15.86	15.79	17.00
		75	0	15.79	15.85	15.76	17.00
Domali di di	Modulation	DD size	DD offset	Channel	Channel	Channel	Tupa
Bandwidth	Modulation	RB size	RB offset	20050	20175	20300	Tune up
		1	0	15.82	15.99	15.82	17.00
		1	50	15.77	15.77	15.78	17.00
	QPSK	1	99	15.75	15.81	15.78	17.00
		50	0	15.88	15.90	15.87	17.00
20MU-		50	25	15.82	15.79	15.74	17.00
20MHz		50	50	15.80	15.79	15.81	17.00
		100	0	15.82	15.85	15.81	17.00
		1	0	15.83	15.82	15.75	17.00
	16QAM	1	50	15.79	15.82	15.75	17.00
		1	99	15.81	15.77	15.81	17.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

40 of 182 Page:

	50	0	15.82	15.74	15.76	17.00
	50	25	15.79	15.81	15.76	17.00
	50	50	15.82	15.83	15.78	17.00
	100	0	15.76	15.77	15.74	17.00
	1	0	15.77	15.78	15.82	17.00
	1	50	15.81	15.80	15.76	17.00
	1	99	15.75	15.75	15.82	17.00
64QAM	50	0	15.77	15.75	15.81	17.00
	50	25	15.77	15.79	15.75	17.00
	50	50	15.83	15.83	15.81	17.00
	100	0	15.76	15.82	15.79	17.00

	LTE B Sta			Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun	
Bandwidth	Modulation	RB size	RB offset	20407	20525	20643	Tune up	
		1	0	22.72	22.65	22.62	24.00	
		1	2	22.70	22.64	22.57	24.00	
		1	5	22.66	22.62	22.60	24.00	
	QPSK	3	0	22.71	22.61	22.70	24.00	
		3	2	22.71	22.61	22.58	24.00	
		3	3	22.55	22.58	22.60	24.00	
		6	0	21.64	21.64	21.76	23.00	
		1	0	21.65	21.73	21.76	23.00	
		1	2	21.81	21.72	21.61	23.00	
	16QAM	1	5	21.70	21.70	21.61	23.00	
1.4MHz		3	0	21.68	21.64	21.73	23.00	
		3	2	21.74	21.71	21.71	23.00	
		3	3	21.63	21.73	21.69	23.00	
		6	0	20.68	20.67	20.76	22.00	
		1	0	20.59	20.77	20.57	22.00	
		1	2	20.67	20.71	20.60	22.00	
		1	5	20.70	20.68	20.63	22.00	
	64QAM	3	0	20.65	20.62	20.63	22.00	
		3	2	20.62	20.68	20.69	22.00	
		3	3	20.60	20.67	20.68	22.00	
		6	0	19.62	19.63	19.69	21.00	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
Danuwidin	Modulation	ND SIZE	KD Ollset	20415	20525	20635	Tune up	
		1	0	22.73	22.71	22.73	24.00	
		1	7	22.78	22.64	22.62	24.00	
3MHz	QPSK	1	14	22.71	22.72	22.67	24.00	
		8	0	21.69	21.70	21.71	23.00	
		8	4	21.77	21.75	21.62	23.00	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

41 of 182 Page:

		8	7	21.68	21.65	21.75	23.00
		15	0	21.64	21.72	21.62	23.00
		1	0	21.62	21.71	21.69	23.00
		1	7	21.69	21.70	21.74	23.00
		1	14	21.59	21.73	21.67	23.00
	16QAM	8	0	20.75	20.71	20.68	22.00
		8	4	20.75	20.71	20.70	22.00
		8	7	20.60	20.73	20.72	22.00
		15	0	20.76	20.62	20.69	22.00
		1	0	20.71	20.72	20.64	22.00
		1	7	20.74	20.60	20.66	22.00
		1	14	20.63	20.65	20.70	22.00
	64QAM	8	0	19.69	19.70	19.63	21.00
		8	4	19.69	19.70	19.77	21.00
		8	7	19.76	19.64	19.67	21.00
		15	0	19.72	19.64	19.62	21.00
<b>.</b>	Marala C	DD :	DD " 1	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	20425	20525	20625	Tune up
		1	0	22.73	22.66	22.71	24.00
		1	13	22.67	22.64	22.65	24.00
		1	24	22.70	22.66	22.72	24.00
	QPSK	12	0	21.65	21.75	21.70	23.00
		12	6	21.68	21.75	21.68	23.00
		12	13	21.66	21.69	21.77	23.00
		25	0	21.71	21.77	21.69	23.00
		1	0	21.66	21.71	21.67	23.00
		1	13	21.68	21.69	21.69	23.00
		1	24	21.59	21.73	21.69	23.00
5MHz	16QAM	12	0	20.74	20.69	20.59	22.00
		12	6	20.72	20.70	20.66	22.00
		12	13	20.60	20.74	20.75	22.00
		25	0	20.79	20.64	20.77	22.00
		1	0	20.66	20.71	20.71	22.00
		1	13	20.67	20.65	20.65	22.00
		1	24	20.68	20.69	20.65	22.00
	64QAM	12	0	19.70	19.66	19.65	21.00
		12	6	19.68	19.71	19.79	21.00
		12	13	19.76	19.58	19.72	21.00
		25	0	19.73	19.73	19.63	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20450	20525	20600	
10MHz	QPSK	1	0	22.70	22.77	22.69	24.00
		1	25	22.74	22.75	22.70	24.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 42 of 182

	1	49	22.60	22.65	22.63	24.00
	25	0	21.75	21.68	21.77	23.00
	25	13	21.76	21.64	21.73	23.00
	25	25	21.74	21.74	21.72	23.00
	50	0	21.60	21.76	21.73	23.00
	1	0	21.67	21.63	21.72	23.00
	1	25	21.73	21.69	21.71	23.00
	1	49	21.70	21.65	21.73	23.00
16QAM	25	0	20.71	20.69	20.66	22.00
	25	13	20.77	20.72	20.72	22.00
	25	25	20.66	20.66	20.77	22.00
	50	0	20.71	20.68	20.70	22.00
	1	0	20.61	20.69	20.71	22.00
	1	25	20.68	20.61	20.71	22.00
	1	49	20.62	20.65	20.70	22.00
64QAM	25	0	19.70	19.70	19.60	21.00
	25	13	19.71	19.78	19.76	21.00
	25	25	19.66	19.64	19.65	21.00
	50	0	19.69	19.64	19.67	21.00

	LTE B State3			Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tung up	
Danawiath	Modulation	RD SIZE	Rb oliset	20407	20525	20643	Tune up	
		1	0	22.09	22.07	22.09	23.50	
		1	2	22.18	22.11	22.14	23.50	
		1	5	22.19	22.05	22.15	23.50	
	QPSK	3	0	22.14	22.08	22.11	23.50	
		3	2	22.05	22.10	22.09	23.50	
		3	3	22.08	22.13	22.18	23.50	
		6	0	21.60	21.68	21.62	23.00	
		1	0	21.60	21.65	21.66	23.00	
		1	2	21.57	21.67	21.64	23.00	
1.4MHz		1	5	21.61	21.63	21.63	23.00	
1.411112	16QAM	3	0	21.68	21.68	21.55	23.00	
		3	2	21.57	21.62	21.67	23.00	
		3	3	21.56	21.59	21.59	23.00	
		6	0	20.59	20.56	20.59	22.00	
		1	0	20.61	20.58	20.69	22.00	
		1	2	20.65	20.63	20.63	22.00	
	64QAM	1	5	20.56	20.60	20.58	22.00	
	04QAW	3	0	20.59	20.56	20.67	22.00	
		3	2	20.54	20.68	20.62	22.00	
		3	3	20.63	20.68	20.57	22.00	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 43 of 182

		6	0	19.66	19.65	19.64	21.00
D	NA - ded - di - o	DD -:	DD - (" t	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	20415	20525	20635	Tune up
		1	0	22.09	22.17	22.12	23.50
		1	7	22.14	22.11	22.18	23.50
		1	14	22.14	22.09	22.16	23.50
	QPSK	8	0	21.61	21.59	21.54	23.00
		8	4	21.65	21.57	21.62	23.00
		8	7	21.60	21.66	21.60	23.00
		15	0	21.64	21.58	21.55	23.00
	3MHz 16QAM	1	0	21.66	21.56	21.66	23.00
		1	7	21.60	21.61	21.60	23.00
		1	14	21.63	21.62	21.61	23.00
3MHz		8	0	20.61	20.62	20.68	22.00
		8	4	20.67	20.61	20.61	22.00
		8	7	20.53	20.61	20.56	22.00
		15	0	20.56	20.59	20.63	22.00
		1	0	20.65	20.58	20.58	22.00
		1	7	20.62	20.64	20.58	22.00
		1	14	20.58	20.59	20.57	22.00
	64QAM	8	0	19.61	19.60	19.58	21.00
		8	4	19.67	19.66	19.64	21.00
		8	7	19.63	19.62	19.65	21.00
		15	0	19.68	19.54	19.64	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tung up
Danuwidin	Modulation	ND Size	Rb oliset	20425	20525	20625	Tune up
		1	0	22.13	22.18	22.12	23.50
		1	13	22.16	22.14	22.11	23.50
		1	24	22.15	22.08	22.18	23.50
	QPSK	12	0	21.59	21.64	21.60	23.00
		12	6	21.61	21.54	21.65	23.00
		12	13	21.57	21.64	21.65	23.00
		25	0	21.59	21.62	21.62	23.00
		1	0	21.66	21.55	21.66	23.00
5MHz		1	13	21.56	21.62	21.65	23.00
		1	24	21.68	21.65	21.58	23.00
160	16QAM	12	0	20.63	20.65	20.61	22.00
		12	6	20.64	20.61	20.64	22.00
		12	13	20.53	20.59	20.59	22.00
		25	0	20.57	20.62	20.57	22.00
		1	0	20.65	20.56	20.61	22.00
	64QAM	1	13	20.61	20.60	20.63	22.00
		1	24	20.55	20.57	20.56	22.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

44 of 182 Page:

		12	0	19.68	19.64	19.54	21.00
		12	6	19.61	19.64	19.67	21.00
		12	13	19.57	19.62	19.58	21.00
		25	0	19.66	19.60	19.65	21.00
Daniel dela	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RD SIZE	RD Ollset	20450	20525	20600	Tune up
		1	0	22.21	22.32	22.20	23.50
		1	25	22.10	22.06	22.12	23.50
		1	49	22.17	22.06	22.14	23.50
	QPSK	25	0	21.66	21.74	21.66	23.00
		25	13	21.58	21.55	21.60	23.00
		25	25	21.60	21.61	21.61	23.00
		50	0	21.62	21.67	21.54	23.00
		1	0	21.61	21.53	21.64	23.00
		1	25	21.57	21.65	21.61	23.00
	16QAM	1	49	21.68	21.58	21.62	23.00
10MHz		25	0	20.60	20.61	20.60	22.00
		25	13	20.67	20.60	20.64	22.00
		25	25	20.55	20.62	20.60	22.00
		50	0	20.58	20.63	20.64	22.00
		1	0	20.68	20.61	20.57	22.00
		1	25	20.58	20.59	20.66	22.00
64		1	49	20.58	20.52	20.60	22.00
	64QAM	25	0	19.68	19.63	19.56	21.00
		25	13	19.66	19.60	19.67	21.00
		25	25	19.61	19.56	19.60	21.00
		50	0	19.67	19.52	19.60	21.00

		Band 5 Ite5		Conducted Power(dBm)				
Domali vi altib	Modulation	DD size	RB offset	Channel	Channel	Channel	Tungun	
Bandwidth	Modulation	RB size	RD Ollset	20407	20525	20643	Tune up	
		1	0	21.13	21.16	21.06	22.50	
		1	2	21.16	21.09	21.15	22.50	
		1	5	21.16	21.15	21.16	22.50	
	QPSK	3	0	21.07	21.05	21.14	22.50	
		3	2	21.16	21.18	21.16	22.50	
1.4MHz		3	3	21.11	21.12	21.17	22.50	
1.411172		6	0	21.13	21.15	21.19	22.50	
		1	0	21.09	21.20	21.13	22.50	
		1	2	21.15	21.14	21.10	22.50	
	16QAM	1	5	21.11	21.14	21.07	22.50	
		3	0	21.11	21.12	21.11	22.50	
		3	2	21.09	21.14	21.15	22.50	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 45 of 182

		3	3	21.19	21.17	21.21	22.50
		6	0	20.60	20.63	20.58	22.00
		1	0	20.62	20.62	20.63	22.00
		1	2	20.64	20.56	20.66	22.00
		1	5	20.68	20.63	20.66	22.00
	64QAM	3	0	20.64	20.60	20.65	22.00
		3	2	20.64	20.58	20.64	22.00
		3	3	20.61	20.64	20.65	22.00
		6	0	19.65	19.61	19.62	21.00
5 1 1 111			55 %	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	20415	20525	20635	Tune up
		1	0	21.08	21.20	21.17	22.50
		1	7	21.11	21.15	21.10	22.50
		1	14	21.10	21.07	21.09	22.50
	QPSK	8	0	21.06	21.17	21.14	22.50
		8	4	21.10	21.19	21.15	22.50
		8	7	21.12	21.14	21.08	22.50
		15	0	21.15	21.14	21.16	22.50
		1	0	21.17	21.17	21.08	22.50
		1	7	21.12	21.19	21.21	22.50
		1	14	21.18	21.10	21.18	22.50
3MHz	16QAM	8	0	20.63	20.67	20.66	22.00
		8	4	20.62	20.65	20.66	22.00
		8	7	20.63	20.65	20.64	22.00
		15	0	20.62	20.65	20.65	22.00
		1	0	20.63	20.66	20.67	22.00
		1	7	20.63	20.60	20.62	22.00
		1	14	20.59	20.59	20.59	22.00
	64QAM	8	0	19.61	19.65	19.66	21.00
		8	4	19.61	19.65	19.64	21.00
		8	7	19.57	19.61	19.67	21.00
		15	0	19.65	19.62	19.68	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danawiatii	Woddialion	IVD SIZE	IVD Olloct	20425	20525	20625	Turie up
		1	0	21.12	21.19	21.15	22.50
		1	13	21.14	21.15	21.11	22.50
		1	24	21.18	21.06	21.13	22.50
	QPSK	12	0	21.10	21.14	21.15	22.50
5MHz		12	6	21.14	21.10	21.14	22.50
		12	13	21.10	21.12	21.08	22.50
		25	0	21.13	21.13	21.12	22.50
	16QAM	1	0	21.15	21.14	21.15	22.50
	IOQAIVI	1	13	21.10	21.19	21.16	22.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

46 of 182 Page:

		1	24	21.18	21.12	21.13	22.50
		12	0	20.59	20.71	20.69	22.00
		12	6	20.63	20.64	20.61	22.00
		12	13	20.58	20.61	20.61	22.00
		25	0	20.59	20.60	20.62	22.00
		1	0	20.62	20.64	20.60	22.00
		1	13	20.65	20.66	20.62	22.00
		1	24	20.62	20.56	20.64	22.00
	64QAM	12	0	19.61	19.65	19.65	21.00
		12	6	19.56	19.61	19.63	21.00
		12	13	19.60	19.60	19.63	21.00
		25	0	19.69	19.66	19.67	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Danuwium	Modulation	ND SIZE	RD Ollset	20450	20525	20600	Tune up
		1	0	21.33	21.35	21.17	22.50
		1	25	21.14	21.17	21.14	22.50
		1	49	21.19	21.10	21.11	22.50
	QPSK	25	0	21.23	21.24	21.24	22.50
		25	13	21.15	21.13	21.21	22.50
		25	25	21.11	21.11	21.10	22.50
		50	0	21.15	21.26	21.20	22.50
		1	0	21.15	21.16	21.08	22.50
		1	25	21.09	21.18	21.17	22.50
		1	49	21.18	21.08	21.19	22.50
10MHz	16QAM	25	0	20.63	20.65	20.65	22.00
		25	13	20.61	20.65	20.59	22.00
		25	25	20.64	20.66	20.59	22.00
		50	0	20.62	20.60	20.64	22.00
		1	0	20.67	20.65	20.63	22.00
		1	25	20.63	20.65	20.59	22.00
		1	49	20.59	20.57	20.60	22.00
	64QAM	25	0	19.55	19.64	19.63	21.00
		25	13	19.55	19.64	19.66	21.00
		25	25	19.59	19.60	19.62	21.00
		50	0	19.68	19.64	19.70	21.00

LTE Band 7 State0					Conducted	Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danuwidin	Modulation	ND SIZE	ND Ollset	20775	21100	21425	rune up
		1	0	23.01	23.04	23.09	23.70
5MHz	QPSK	1	13	23.10	23.11	23.08	23.70
SIVITZ	QFSK	1	24	22.94	23.09	22.98	23.70
		12	0	22.04	22.09	22.12	22.70

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

47 of 182 Page:

		12	6	22.12	22.00	22.04	22.70
		12	13	22.09	21.99	22.09	22.70
		25	0	21.96	22.04	21.96	22.70
		1	0	22.06	21.96	22.01	22.70
		1	13	22.11	22.05	22.11	22.70
		1	24	22.04	22.06	21.95	22.70
	16QAM	12	0	21.12	21.03	21.00	21.70
		12	6	21.02	21.07	21.04	21.70
		12	13	21.05	21.00	21.10	21.70
		25	0	21.06	21.08	21.10	21.70
		1	0	21.07	21.13	21.04	21.70
		1	13	21.05	21.05	21.03	21.70
		1	24	21.00	21.09	21.03	21.70
	64QAM	12	0	19.98	20.06	20.04	20.70
		12	6	20.03	20.05	20.07	20.70
		12	13	20.07	20.04	20.02	20.70
		25	0	20.05	20.07	19.99	20.70
Pandidth	Modulation	DD size	RB offset	Channel	Channel	Channel	Tupa
Bandwidth	Modulation	RB size	RD Ollset	20800	21100	21400	Tune up
		1	0	23.01	22.95	23.01	23.70
		1	25	23.11	23.05	23.06	23.70
		1	49	22.97	23.04	23.04	23.70
	QPSK	25	0	22.04	21.99	22.05	22.70
		25	13	22.11	22.06	22.07	22.70
		25	25	22.10	22.00	22.08	22.70
		50	0	22.05	22.05	22.08	22.70
		1	0	22.00	22.05	21.98	22.70
		1	25	22.04	22.09	22.06	22.70
		1	49	22.05	22.03	21.99	22.70
10MHz	16QAM	25	0	21.08	21.06	21.03	21.70
		25	13	21.00	21.06	21.09	21.70
		25	25	20.95	21.01	21.15	21.70
		50	0	21.10	21.07	21.09	21.70
		1	0	21.04	21.08	21.00	21.70
		1	25	21.06	20.96	21.09	21.70
		1	49	21.09	21.05	21.04	21.70
	64QAM	25	0	20.04	20.00	19.94	20.70
		25	13	20.04	20.12	20.06	20.70
		25	25	20.06	19.96	20.00	20.70
		50	0	20.03	20.03	20.03	20.70
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20825	21100	21375	·
15MHz	QPSK	1	0	23.01	23.02	23.08	23.70

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 48 of 182

		1	38	23.04	23.01	23.06	23.70
		<u>'</u> 1	74	23.02	22.99	23.05	23.70
		36	0	22.09	22.99	22.02	
		36	18	22.09	22.09	21.98	22.70 22.70
		36	39	22.09	21.97	22.02	22.70
		75	0	21.97	22.03	21.96	22.70
		1	0	21.96	21.96	22.08	22.70
		<u>'</u> 1	38	22.07	21.99	22.06	22.70
		1	74	21.95	22.03	22.06	22.70
	16QAM	36	0	21.03	21.01	20.96	21.70
	IOQAW	36	18	21.04	21.08	21.06	21.70
		36	39	20.97	21.08	21.05	21.70
		75	0	21.03	21.03	21.02	21.70
		1 1	0	20.99	21.05	20.94	21.70
		<u> </u>	38		20.95	20.94	21.70
		<u> </u>	74	20.99 21.05	20.95	21.07	21.70
	64001		0	-	+		
	64QAM	36 36	18	20.00 20.06	20.12	20.04	20.70
		36	39	20.00	19.98	20.07	20.70
		75	0	•	+		
		75	U	20.05 Channel	19.96	20.02 Channel	20.70
Bandwidth	Modulation	RB size	RB offset	20850	Channel 21100	21350	Tune up
		1	0	23.03	23.05	23.02	23.70
		<u>·</u> 1	50	23.02	22.99	23.01	23.70
		1	99	22.97	22.93	22.91	23.70
	QPSK	50	0	22.04	22.04	22.13	22.70
		50	25	22.09	22.09	21.97	22.70
		50	50	22.10	22.03	22.09	22.70
		100	0	22.06	22.00	22.03	22.70
		1	0	22.01	21.96	22.04	22.70
		1	50	22.03	22.06	22.05	22.70
		1	99	22.01	22.08	21.99	22.70
20MHz	16QAM	50	0	21.04	21.02	20.99	21.70
		50	25	21.01	21.03	21.02	21.70
		50	50	20.99	21.10	21.05	21.70
		100	0	21.09	21.10	21.03	21.70
		1	0	21.01	21.02	21.06	21.70
		1	50	20.97	21.01	20.99	21.70
		1	99	21.04	21.02	21.03	21.70
	64QAM	50	0	20.04	20.06	19.94	20.70
		50	25	20.02	20.12	20.11	20.70
		30					
		50	50	20.02	20.02	19.98	20.70

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 49 of 182

	LTE B State3				Conducted	Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel 20775	Channel 21100	Channel 21425	Tune up
		1	0	18.02	18.01	17.97	18.70
		<u>.</u> 1	13	17.98	17.98	17.97	18.70
		<u>.</u> 1	24	17.99	18.01	17.94	18.70
	QPSK	12	0	18.02	17.98	18.02	18.70
	α. σ. τ	12	6	18.04	18.01	17.94	18.70
		12	13	17.96	18.04	17.99	18.70
		25	0	18.01	18.03	18.04	18.70
		1	0	18.00	18.03	17.93	18.70
		1	13	17.96	17.99	18.01	18.70
		1	24	17.96	17.96	18.00	18.70
5MHz	16QAM	12	0	17.99	17.98	17.98	18.70
		12	6	18.01	18.00	17.99	18.70
		12	13	18.05	17.98	18.00	18.70
		25	0	17.98	17.94	17.96	18.70
		1	0	18.03	18.00	17.99	18.70
		1	13	18.02	17.96	17.94	18.70
		1	24	18.00	18.00	18.07	18.70
	64QAM	12	0	17.97	17.98	17.98	18.70
		12	6	17.96	18.00	17.98	18.70
		12	13	18.01	18.02	17.94	18.70
		25	0	18.06	18.05	17.98	18.70
		DD :	DD (1 )	Channel	Channel	Channel	-
Bandwidth	Modulation	RB size	RB offset	20800	21100	21400	Tune up
		1	0	17.97	17.97	18.00	18.70
		1	25	18.01	18.00	17.98	18.70
		1	49	17.99	18.04	17.97	18.70
	QPSK	25	0	18.04	17.95	17.98	18.70
		25	13	18.07	18.01	17.93	18.70
		25	25	17.94	18.01	17.98	18.70
		50	0	18.01	18.01	18.02	18.70
10MHz		1	0	18.04	18.00	17.95	18.70
IVIVITZ		1	25	17.96	17.97	17.94	18.70
		1	49	17.98	17.96	18.04	18.70
	16QAM	25	0	17.97	17.99	17.91	18.70
		25	13	18.02	18.02	18.02	18.70
		25	25	18.02	18.05	18.03	18.70
		50	0	17.97	17.91	17.95	18.70
	64QAM	1	0	18.04	17.96	17.96	18.70
	04QAIVI	1	25	18.02	17.98	17.97	18.70

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 50 of 182

		1	49	17.99	17.99	18.05	18.70
		25	0	17.95	17.98	17.97	18.70
		25	13	17.92	18.06	17.98	18.70
		25	25	18.04	18.05	17.91	18.70
		50	0	18.00	18.02	17.98	18.70
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Balluwiutii	Modulation	ND SIZE	IND Oliset	20825	21100	21375	Tulle up
		1	0	18.01	18.04	17.96	18.70
		1	38	17.98	18.07	17.97	18.70
		1	74	18.02	18.03	17.98	18.70
	QPSK	36	0	18.03	17.99	17.98	18.70
		36	18	18.07	18.01	17.96	18.70
		36	39	17.99	18.01	18.04	18.70
		75	0	18.00	17.99	18.02	18.70
		1	0	18.06	18.05	18.00	18.70
		1	38	17.96	17.95	17.98	18.70
		1	74	17.99	17.96	18.00	18.70
15MHz	16QAM	36	0	18.01	17.97	17.97	18.70
		36	18	17.96	18.04	17.96	18.70
		36	39	18.03	18.03	18.04	18.70
		75	0	17.99	17.98	18.00	18.70
		1	0	17.97	17.98	17.95	18.70
		1	38	17.99	18.00	17.93	18.70
		1	74	17.98	18.00	18.01	18.70
	64QAM	36	0	18.01	17.98	17.96	18.70
		36	18	17.96	18.07	17.98	18.70
		36	39	17.95	18.01	17.96	18.70
		75	0	18.04	17.99	17.99	18.70
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Balluwiutii	Modulation	ND SIZE	ND oliset	20850	21100	21350	rune up
		1	0	18.14	18.18	18.12	18.70
		1	50	18.05	18.00	18.04	18.70
		1	99	18.05	17.99	17.94	18.70
	QPSK	50	0	18.12	18.15	18.02	18.70
		50	25	18.03	18.00	17.96	18.70
		50	50	17.94	18.05	17.99	18.70
20MHz		100	0	18.00	18.08	18.05	18.70
		1	0	18.01	18.02	17.94	18.70
		1	50	18.01	17.92	18.00	18.70
	16QAM	1	99	17.91	17.98	18.08	18.70
	IOQAIVI	50	0	17.98	17.94	17.99	18.70
		50	25	17.98	17.96	18.02	18.70
		50	50	18.00	18.02	17.97	18.70

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



SUCR241100047301 Report No.:

Rev.: 01

51 of 182 Page:

	100	0	18.02	17.91	18.03	18.70
	1	0	18.03	17.99	17.96	18.70
	1	50	18.01	17.95	17.99	18.70
	1	99	18.03	17.98	18.02	18.70
64QAM	50	0	17.99	18.00	18.01	18.70
	50	25	17.97	18.02	18.01	18.70
	50	50	18.02	18.02	17.94	18.70
	100	0	18.06	17.99	18.04	18.70

LTE Band 7 State5  Bandwidth Modulation RB size RB of					Conducted	Power(dBm)	
D 1 - 1-141-	NA - ded - ti	DD -: -	DD - 111-14	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	20775	21100	21425	Tune up
		1	0	13.46	13.53	13.51	14.20
		1	13	13.46	13.49	13.49	14.20
		1	24	13.41	13.48	13.49	14.20
	QPSK	12	0	13.55	13.46	13.43	14.20
		12	6	13.48	13.48	13.50	14.20
		12	13	13.52	13.51	13.40	14.20
		25	0	13.48	13.51	13.43	14.20
		1	0	13.46	13.57	13.52	14.20
		1	13	13.44	13.44	13.45	14.20
		1	24	13.48	13.48	13.49	14.20
5MHz	16QAM	12	0	13.47	13.46	13.46	14.20
		12	6	13.47	13.49	13.54	14.20
		12	13	13.46	13.46	13.46	14.20
		25	0	13.54	13.52	13.53	14.20
		1	0	13.51	13.47	13.57	14.20
		1	13	13.52	13.50	13.51	14.20
		1	24	13.46	13.44	13.44	14.20
	64QAM	12	0	13.55	13.52	13.53	14.20
		12	6	13.48	13.52	13.49	14.20
		12	13	13.53	13.55	13.44	14.20
		25	0	13.43	13.49	13.46	14.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danawiatii	Modulation	ND SIZE	IND Oliset	20800	21100	21400	Turie up
		1	0	13.45	13.48	13.48	14.20
		1	25	13.47	13.53	13.52	14.20
		1	49	13.44	13.48	13.51	14.20
10MHz	QPSK	25	0	13.51	13.50	13.43	14.20
IUWIFIZ		25	13	13.43	13.47	13.48	14.20
		25	25	13.52	13.52	13.40	14.20
		50	0	13.51	13.56	13.48	14.20
	16QAM	1	0 ditions of Service printed	13.46	13.52	13.56	14.20

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 52 of 182

		1	25	13.49	13.46	13.51	14.20
		1	49				
			0	13.52	13.44	13.53	14.20
		25 25	13	13.50 13.47	13.47 13.50	13.50 13.48	14.20 14.20
		25	25	13.47	13.43	13.46	14.20
			0				
		50 1	0	13.54 13.48	13.54 13.52	13.47 13.49	14.20 14.20
		1		13.49			
			25		13.48	13.46	14.20
	CAOANA	1	49	13.52	13.44	13.45	14.20
	64QAM	25	0	13.56	13.49	13.53	14.20
		25	13	13.43	13.50	13.51	14.20
		25	25	13.50	13.55	13.48	14.20
		50	0	13.47	13.43	13.50	14.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20825	21100	21375	44.00
		1	0	13.43	13.50	13.47	14.20
		1	38	13.46	13.50	13.50	14.20
		1	74	13.43	13.49	13.45	14.20
	QPSK	36	0	13.56	13.50	13.45	14.20
		36	18	13.51	13.47	13.46	14.20
		36	39	13.56	13.54	13.49	14.20
		75	0	13.48	13.52	13.47	14.20
		1	0	13.45	13.49	13.51	14.20
		1	38	13.44	13.51	13.49	14.20
		1	74	13.54	13.50	13.47	14.20
15MHz	16QAM	36	0	13.50	13.53	13.54	14.20
		36	18	13.52	13.48	13.55	14.20
		36	39	13.46	13.48	13.55	14.20
		75	0	13.56	13.49	13.47	14.20
		1	0	13.53	13.49	13.52	14.20
		1	38	13.54	13.54	13.46	14.20
		1	74	13.50	13.50	13.49	14.20
	64QAM	36	0	13.49	13.51	13.54	14.20
		36	18	13.46	13.52	13.45	14.20
		36	39	13.54	13.53	13.46	14.20
		75	0	13.48	13.44	13.44	14.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danuwium	Modulation	1/10 2126	IVD Ollser	20850	21100	21350	rune up
		1	0	13.55	13.71	13.56	14.20
		1	50	13.50	13.55	13.48	14.20
20MHz	QPSK	1	99	13.48	13.46	13.46	14.20
		50	0	13.55	13.56	13.55	14.20
		50	25	13.49	13.46	13.48	14.20

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 53 of 182

		F0	F0	40.50	40.50	40.40	44.00
		50	50	13.53	13.50	13.40	14.20
		100	0	13.46	13.51	13.47	14.20
	16QAM	1	0	13.49	13.51	13.56	14.20
		1	50	13.44	13.45	13.45	14.20
		1	99	13.48	13.51	13.54	14.20
		50	0	13.45	13.54	13.49	14.20
		50	25	13.52	13.50	13.51	14.20
		50	50	13.52	13.45	13.55	14.20
		100	0	13.48	13.50	13.51	14.20
		1	0	13.54	13.49	13.53	14.20
		1	50	13.49	13.49	13.45	14.20
		1	99	13.45	13.46	13.49	14.20
	64QAM	50	0	13.49	13.46	13.55	14.20
		50	25	13.49	13.49	13.49	14.20
		50	50	13.49	13.47	13.49	14.20
		100	0	13.43	13.46	13.45	14.20

		and 12 State5 State8			Conducted	Power(dBm)	
Donalos i dála	NA - de de 4i - e	DD sins	DD -#4	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	23017	23095	23173	Tune up
		1	0	23.41	23.33	23.43	24.50
		1	2	23.38	23.38	23.40	24.50
		1	5	23.32	23.29	23.35	24.50
	QPSK	3	0	23.42	23.35	23.31	24.50
		3	2	23.51	23.40	23.37	24.50
		3	3	23.34	23.37	23.39	24.50
		6	0	22.28	22.40	22.37	23.50
		1	0	22.35	22.41	22.44	23.50
		1	2	22.50	22.46	22.35	23.50
		1	5	22.34	22.43	22.38	23.50
1.4MHz	16QAM	3	0	22.37	22.39	22.43	23.50
		3	2	22.52	22.42	22.39	23.50
		3	3	22.37	22.49	22.38	23.50
		6	0	21.38	21.45	21.42	22.50
		1	0	21.30	21.43	21.28	22.50
		1	2	21.36	21.43	21.41	22.50
		1	5	21.42	21.34	21.42	22.50
	64QAM	3	0	21.32	21.43	21.42	22.50
		3	2	21.42	21.44	21.41	22.50
		3	3	21.33	21.40	21.34	22.50
		6	0	20.38	20.33	20.36	21.50
Donahuidth	Modulation	DD size	DD offeet	Channel	Channel	Channel	Tuna un
Bandwidth	Modulation	RB size	RB offset	23025	23095	23165	Tune up

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 54 of 182

		1	0	23.45	23.39	23.51	24.50
		1	7	23.53	23.52	23.45	24.50
		1	14	23.42	23.47	23.53	24.50
	QPSK	8	0	22.48	22.49	22.53	23.50
	QFSK	8	4	22.55	22.49	22.48	23.50
		8	7	22.48	22.52	22.47	23.50
		15	0	22.45	22.56	22.47	23.50
		1	0	22.45	22.43	22.49	23.50
		1	7	22.51	22.46	22.54	23.50
		1	14	22.49	22.52	22.44	23.50
3MHz	16QAM	8	0	21.51	21.47	21.47	22.50
SIVITZ	IOQAIVI						
		8 8	7	21.48	21.46	21.55	22.50
				21.44	21.44	21.50	22.50
		15	0	21.55	21.48	21.53	22.50
		1	0	21.41	21.52	21.45	22.50
		1	7	21.50	21.45	21.50	22.50
		1	14	21.48	21.48	21.49	22.50
	64QAM	8	0	20.52	20.50	20.44	21.50
		8	4	20.51	20.47	20.54	21.50
		8	7	20.58	20.51	20.45	21.50
		15	0	20.46	20.43	20.43	21.50
				Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset				Tune up
Bandwidth	Modulation			23035	23095	23155	Tune up
Bandwidth	Modulation	1	0	23035 23.45	23095 23.39	23155 23.56	24.50
Bandwidth	Modulation	1	0 13	23035 23.45 23.49	23095 23.39 23.53	23155 23.56 23.46	24.50 24.50
Bandwidth		1 1 1	0 13 24	23035 23.45 23.49 23.50	23095 23.39 23.53 23.42	23155 23.56 23.46 23.45	24.50 24.50 24.50
Bandwidth	Modulation QPSK	1 1 1 1 12	0 13 24 0	23035 23.45 23.49 23.50 22.43	23095 23.39 23.53 23.42 22.45	23155 23.56 23.46 23.45 22.53	24.50 24.50 24.50 23.50
Bandwidth		1 1 1 1 12 12	0 13 24 0 6	23035 23.45 23.49 23.50 22.43 22.49	23095 23.39 23.53 23.42 22.45 22.54	23155 23.56 23.46 23.45 22.53 22.47	24.50 24.50 24.50 23.50 23.50
Bandwidth		1 1 1 1 12 12 12	0 13 24 0 6	23035 23.45 23.49 23.50 22.43 22.49 22.53	23095 23.39 23.53 23.42 22.45 22.54 22.48	23155 23.56 23.46 23.45 22.53 22.47 22.57	24.50 24.50 24.50 23.50 23.50 23.50
Bandwidth		1 1 1 12 12 12 12 25	0 13 24 0 6 13	23035 23.45 23.49 23.50 22.43 22.49 22.53 22.40	23095 23.39 23.53 23.42 22.45 22.54 22.48 22.53	23155 23.56 23.46 23.45 22.53 22.47 22.57 22.48	24.50 24.50 24.50 23.50 23.50 23.50 23.50
Bandwidth		1 1 1 12 12 12 12 25	0 13 24 0 6 13 0	23035 23.45 23.49 23.50 22.43 22.49 22.53 22.40 22.53	23095 23.39 23.53 23.42 22.45 22.54 22.54 22.53 22.53	23155 23.56 23.46 23.45 22.53 22.47 22.57 22.48 22.54	24.50 24.50 24.50 23.50 23.50 23.50 23.50 23.50
Bandwidth		1 1 1 12 12 12 12 25 1	0 13 24 0 6 13 0	23035 23.45 23.49 23.50 22.43 22.49 22.53 22.40 22.53 22.56	23095 23.39 23.53 23.42 22.45 22.54 22.54 22.53 22.52 22.51	23155 23.56 23.46 23.45 22.53 22.47 22.57 22.48 22.54 22.53	24.50 24.50 24.50 23.50 23.50 23.50 23.50 23.50 23.50
	QPSK	1 1 1 12 12 12 12 25 1 1	0 13 24 0 6 13 0 0	23035 23.45 23.49 23.50 22.43 22.49 22.53 22.40 22.53 22.56 22.44	23095 23.39 23.53 23.42 22.45 22.54 22.48 22.53 22.52 22.51 22.46	23155 23.56 23.46 23.45 22.53 22.47 22.57 22.48 22.54 22.53 22.46	24.50 24.50 24.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50
Bandwidth 5MHz		1 1 1 12 12 12 12 25 1 1 1 1	0 13 24 0 6 13 0 0 13 24	23035 23.45 23.49 23.50 22.43 22.49 22.53 22.40 22.53 22.56 22.44 21.48	23095 23.39 23.53 23.42 22.45 22.54 22.54 22.53 22.52 22.51 22.46 21.46	23155 23.56 23.46 23.45 22.53 22.47 22.57 22.48 22.54 22.53 22.46 21.40	24.50 24.50 24.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50
	QPSK	1 1 1 12 12 12 25 1 1 1 1 1 12	0 13 24 0 6 13 0 0 13 24 0	23035 23.45 23.49 23.50 22.43 22.49 22.53 22.40 22.53 22.56 22.44 21.48 21.45	23095 23.39 23.53 23.42 22.45 22.54 22.53 22.53 22.52 22.51 22.46 21.46 21.47	23155 23.56 23.46 23.45 22.53 22.47 22.57 22.48 22.54 22.53 22.46 21.40 21.53	24.50 24.50 24.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50
	QPSK	1 1 1 12 12 12 25 1 1 1 1 1 12 25	0 13 24 0 6 13 0 0 13 24	23035 23.45 23.49 23.50 22.43 22.49 22.53 22.40 22.53 22.56 22.44 21.48 21.45 21.40	23095 23.39 23.53 23.42 22.45 22.54 22.53 22.52 22.51 22.46 21.46 21.47 21.51	23155 23.56 23.46 23.45 22.53 22.47 22.57 22.48 22.54 22.53 22.46 21.40	24.50 24.50 24.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50
	QPSK	1 1 1 12 12 12 25 1 1 1 1 1 12 12 25 25	0 13 24 0 6 13 0 0 13 24 0 6 13	23035 23.45 23.49 23.50 22.43 22.49 22.53 22.40 22.53 22.56 22.44 21.48 21.45 21.40 21.55	23095 23.39 23.53 23.42 22.45 22.54 22.54 22.53 22.52 22.51 22.46 21.46 21.47 21.51 21.54	23155 23.56 23.46 23.45 22.53 22.47 22.57 22.48 22.54 22.53 22.46 21.40 21.53 21.50	24.50 24.50 24.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50
	QPSK	1 1 1 12 12 12 25 1 1 1 1 1 12 12 25 1 1 1 1	0 13 24 0 6 13 0 0 13 24 0 6 13 0	23035 23.45 23.49 23.50 22.43 22.49 22.53 22.40 22.53 22.56 22.44 21.48 21.45 21.40 21.55 21.44	23095 23.39 23.53 23.42 22.45 22.54 22.53 22.52 22.51 22.46 21.46 21.47 21.51 21.54 21.55	23155 23.56 23.46 23.45 22.53 22.47 22.57 22.48 22.54 22.53 22.46 21.40 21.53 21.50 21.50 21.51	24.50 24.50 24.50 23
	QPSK	1 1 1 12 12 12 25 1 1 1 1 1 12 12 25 25	0 13 24 0 6 13 0 0 13 24 0 6 13	23035 23.45 23.49 23.50 22.43 22.49 22.53 22.40 22.53 22.56 22.44 21.48 21.45 21.40 21.55	23095 23.39 23.53 23.42 22.45 22.54 22.54 22.53 22.52 22.51 22.46 21.46 21.47 21.51 21.54	23155 23.56 23.46 23.45 22.53 22.47 22.57 22.48 22.54 22.53 22.46 21.40 21.53 21.50	24.50 24.50 24.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50
	QPSK 16QAM	1 1 1 12 12 12 25 1 1 1 1 1 12 12 25 1 1 1 1	0 13 24 0 6 13 0 0 13 24 0 6 13 0	23035 23.45 23.49 23.50 22.43 22.49 22.53 22.40 22.53 22.56 22.44 21.48 21.45 21.40 21.55 21.44	23095 23.39 23.53 23.42 22.45 22.54 22.53 22.52 22.51 22.46 21.46 21.47 21.51 21.54 21.55	23155 23.56 23.46 23.45 22.53 22.47 22.57 22.48 22.54 22.53 22.46 21.40 21.53 21.50 21.50 21.51	24.50 24.50 24.50 23
	QPSK	1 1 1 12 12 12 25 1 1 1 1 12 12 12 25 1 1 1 1	0 13 24 0 6 13 0 0 13 24 0 6 13 0	23035 23.45 23.49 23.50 22.43 22.49 22.53 22.56 22.44 21.48 21.45 21.45 21.40 21.55 21.44 21.46	23095 23.39 23.53 23.42 22.45 22.54 22.53 22.52 22.51 22.46 21.46 21.47 21.51 21.54 21.55 21.49	23155 23.56 23.46 23.45 22.53 22.47 22.57 22.48 22.54 22.53 22.46 21.40 21.53 21.50 21.50 21.51 21.48	24.50 24.50 24.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 22.50 22.50 22.50 22.50 22.50
	QPSK 16QAM	1 1 1 12 12 12 12 25 1 1 1 1 12 12 12 25 1 1 1 1	0 13 24 0 6 13 0 0 0 13 24 0 6 13 0 0	23035 23.45 23.49 23.50 22.43 22.49 22.53 22.56 22.44 21.48 21.45 21.40 21.55 21.44 21.46 21.42	23095 23.39 23.53 23.42 22.45 22.54 22.48 22.53 22.52 22.51 22.46 21.46 21.47 21.51 21.54 21.55 21.49 21.46	23155 23.56 23.46 23.45 22.53 22.47 22.57 22.48 22.54 22.53 22.46 21.40 21.53 21.50 21.50 21.51 21.48 21.48	24.50 24.50 24.50 24.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 22.50 22.50 22.50 22.50 22.50 22.50 22.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 55 of 182

		25	0	20.43	20.43	20.47	21.50
Dan desidab	Manalus la timo	DD si-s	DD -#+	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	23060	23095	23130	Tune up
		1	0	23.54	23.70	23.57	24.50
		1	25	23.52	23.49	23.43	24.50
		1	49	23.44	23.46	23.49	24.50
	QPSK	25	0	22.63	22.68	22.65	23.50
		25	13	22.59	22.49	22.42	23.50
		25	25	22.52	22.44	22.57	23.50
		50	0	22.48	22.57	22.53	23.50
		1	0	22.42	22.50	22.53	23.50
	_	1	25	22.56	22.46	22.46	23.50
		1	49	22.46	22.44	22.46	23.50
10MHz	16QAM	25	0	21.58	21.47	21.46	22.50
		25	13	21.47	21.47	21.55	22.50
		25	25	21.42	21.50	21.57	22.50
		50	0	21.54	21.54	21.55	22.50
		1	0	21.42	21.52	21.39	22.50
		1	25	21.50	21.48	21.55	22.50
		1	49	21.49	21.46	21.41	22.50
	64QAM	25	0	20.43	20.48	20.44	21.50
		25	13	20.51	20.50	20.58	21.50
		25	25	20.50	20.47	20.46	21.50
		50	0	20.49	20.44	20.49	21.50

		and 13 State5 State8		Conducted Power(dBm)				
Donado daldo	Modulation	RB size RB of	DD -#4	Channel	Channel	Channel	Tungun	
Bandwidth	Modulation		RB offset	23205	23230	23255	Tune up	
		1	0	23.35	23.22	23.42	24.50	
		1	13	23.45	23.32	23.35	24.50	
		1	24	23.29	23.32	23.40	24.50	
	QPSK	12	0	22.42	22.40	22.47	23.50	
		12	6	22.48	22.40	22.24	23.50	
		12	13	22.39	22.35	22.48	23.50	
		25	0	22.30	22.34	22.42	23.50	
5MHz		1	0	22.31	22.45	22.40	23.50	
		1	13	22.41	22.33	22.35	23.50	
		1	24	22.36	22.28	22.36	23.50	
	16QAM	12	0	21.53	21.41	21.37	22.50	
		12	6	21.40	21.34	21.41	22.50	
		12	13	21.34	21.38	21.51	22.50	
		25	0	21.40	21.48	21.47	22.50	
	64QAM	1	0	21.35	21.35	21.30	22.50	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

56 of 182 Page:

		1	13	21.43	21.31	21.38	22.50
		1	24	21.38	21.38	21.34	22.50
		12	0	20.25	20.35	20.36	21.50
		12	6	20.37	20.33	20.53	21.50
		12	13	20.37	20.32	20.33	21.50
		25	0	20.38	20.28	20.42	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
		. 1.2 0.20		1	23230	1	
		1	0	1	23.54	1	24.50
		1	25	1	23.44	1	24.50
		1	49	1	23.45	1	24.50
	QPSK	25	0	1	22.58	1	23.50
		25	13	1	22.55	1	23.50
		25	25	1	22.52	1	23.50
		50	0	1	22.46	1	23.50
		1	0	1	22.41	1	23.50
		1	25	1	22.45	1	23.50
		1	49	1	22.42	1	23.50
10MHz	16QAM	25	0	1	21.49	1	22.50
		25	13	1	21.44	1	22.50
		25	25	1	21.51	1	22.50
		50	0	1	21.47	1	22.50
		1	0	1	21.52	1	22.50
		1	25	1	21.47	1	22.50
		1	49	1	21.53	/	22.50
	64QAM	25	0	1	20.49	1	21.50
		25	13	1	20.55	1	21.50
		25	25	1	20.45	/	21.50
		50	0	1	20.46	1	21.50

		and 17 State5 State8		Conducted Power(dBm)			
Bandwidth	Modulation	RB size RB offset	DP offeet	Channel	Channel	Channel	Tune up
Danuwidin			23755	23790	23825	Tune up	
		1	0	23.49	23.48	23.49	24.50
	QPSK	1	13	23.46	23.47	23.52	24.50
		1	24	23.40	23.53	23.49	24.50
		12	0	22.50	22.52	22.51	23.50
5MHz		12	6	22.53	22.53	22.52	23.50
		12	13	22.45	22.52	22.57	23.50
		25	0	22.46	22.49	22.44	23.50
	16QAM	1	0	22.44	22.46	22.53	23.50
	IOQAM	1	13	22.57	22.49	22.55	23.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

57 of 182 Page:

		1	24	22.48	22.54	22.49	23.50
		12	0	21.47	21.49	21.46	22.50
		12	6	21.45	21.44	21.46	22.50
		12	13	21.42	21.43	21.51	22.50
		25	0	21.57	21.48	21.53	22.50
		1	0	21.41	21.59	21.49	22.50
		1	13	21.43	21.39	21.50	22.50
		1	24	21.47	21.54	21.45	22.50
	64QAM	12	0	20.41	20.47	20.48	21.50
		12	6	20.49	20.56	20.51	21.50
		12	13	20.52	20.38	20.48	21.50
		25	0	20.51	20.47	20.51	21.50
Dan de d'alth	Mandalatina	DD sins	RB offset	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	23780	23790	23800	Tune up
		1	0	23.52	23.66	23.55	24.50
		1	25	23.48	23.49	23.48	24.50
		1	49	23.50	23.42	23.48	24.50
	QPSK	25	0	22.54	22.57	22.52	23.50
		25	13	22.52	22.42	22.51	23.50
		25	25	22.51	22.49	22.51	23.50
		50	0	22.40	22.53	22.51	23.50
		1	0	22.47	22.45	22.52	23.50
		1	25	22.48	22.43	22.47	23.50
		1	49	22.46	22.43	22.42	23.50
10MHz	16QAM	25	0	21.57	21.47	21.46	22.50
		25	13	21.48	21.51	21.47	22.50
		25	25	21.47	21.54	21.58	22.50
		50	0	21.50	21.44	21.47	22.50
		1	0	21.43	21.48	21.40	22.50
		1	25	21.47	21.46	21.53	22.50
		1	49	21.44	21.54	21.45	22.50
	64QAM	25	0	20.52	20.50	20.49	21.50
		25	13	20.53	20.49	20.53	21.50
		25	25	20.52	20.44	20.42	21.50
		50	0	20.44	20.44	20.52	21.50

LTE Band 26 State0 State3 State5 State8				Conducted Power(dBm)			
Bandwidth Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
	RD SIZE RD OIISEL	ND Ollset	26697	26865	27033	Tulle up	
	QPSK	1	0	23.21	23.09	23.06	24.00
1.4MHz		1	2	23.18	23.17	23.15	24.00
1.4WITZ		1	5	23.11	23.12	23.05	24.00
		3	0	23.25	23.11	23.07	24.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 58 of 182

		3	2	23.23	23.18	23.15	24.00
		3	3	23.10	23.03	23.09	24.00
		6	0	22.01	22.09	22.17	23.00
		1	0	22.08	22.16	22.17	23.00
		1	2	22.22	22.21	22.10	23.00
		1	5	22.14	22.14	22.07	23.00
	16QAM	3	0	22.10	22.10	22.13	23.00
	100,441	3	2	22.26	22.14	22.16	23.00
		3	3	22.11	22.20	22.09	23.00
		6	0	21.18	21.14	21.11	22.00
		1	0	21.12	21.18	21.05	22.00
		1	2	21.06	21.19	21.09	22.00
		1	5	21.18	21.09	21.16	22.00
	64QAM	3	0	21.04	21.09	21.08	22.00
		3	2	21.07	21.08	21.07	22.00
		3	3	21.04	21.12	21.17	22.00
		6	0	20.14	20.07	20.09	21.00
David 1del	Mandadatia	DD -:	DD ~ " t	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	26705	26865	27025	Tune up
		1	0	23.21	23.18	23.24	24.00
		1	7	23.28	23.23	23.23	24.00
	QPSK	1	14	23.11	23.23	23.18	24.00
		8	0	22.21	22.13	22.16	23.00
		8	4	22.25	22.24	22.12	23.00
		8	7	22.26	22.25	22.24	23.00
		15	0	22.15	22.21	22.13	23.00
		1	0	22.18	22.19	22.24	23.00
		1	7	22.24	22.14	22.20	23.00
		1	14	22.22	22.15	22.21	23.00
3MHz	16QAM	8	0	21.27	21.20	21.14	22.00
		8	4	21.19	21.15	21.17	22.00
		8	7	21.12	21.20	21.25	22.00
		15	0	21.23	21.23	21.17	22.00
		1	0	21.23	21.17	21.12	22.00
		1	7	21.19	21.15	21.15	22.00
		1	14	21.16	21.19	21.11	22.00
	64QAM	8	0	20.13	20.20	20.13	21.00
		8	4	20.15	20.21	20.24	21.00
		8	7	20.29	20.18	20.11	21.00
		15	0	20.18	20.18	20.11	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26715	26865	27015	•
5MHz	QPSK	1	0	23.23	23.15	23.20	24.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 59 of 182

		1	13	23.27	23.23	23.21	24.00
		1	24	23.13	23.13	23.22	24.00
		12	0	22.14	22.21	22.24	23.00
		12	6	22.24	22.18	22.14	23.00
		12	13	22.21	22.15	22.24	23.00
		25	0	22.12	22.21	22.19	23.00
		1	0	22.22	22.10	22.16	23.00
		1	13	22.28	22.23	22.16	23.00
		<u>.</u> 1	24	22.17	22.15	22.10	23.00
	16QAM	12	0	21.16	21.12	21.10	22.00
	100,111	12	6	21.19	21.24	21.21	22.00
		12	13	21.16	21.25	21.22	22.00
		25	0	21.26	21.22	21.18	22.00
		1	0	21.13	21.20	21.15	22.00
		1	13	21.20	21.21	21.20	22.00
		1	24	21.12	21.22	21.11	22.00
	64QAM	12	0	20.14	20.26	20.11	21.00
		12	6	20.20	20.29	20.27	21.00
		12	13	20.25	20.18	20.12	21.00
		25	0	20.22	20.21	20.19	21.00
				Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	26740	26865	26990	Tune up
		1	0	23.21	23.21	23.19	24.00
		1	25	23.23	23.13	23.12	24.00
		1	49	22.20	23.21	23.24	24.00
1		•	49	23.20	23.21	25.24	
	QPSK	25	0	23.20	22.21	22.21	23.00
	QPSK		_				
	QPSK	25	0	22.22	22.21	22.21	23.00
	QPSK	25 25	0 13	22.22 22.20	22.21 22.17	22.21 22.21	23.00 23.00
	QPSK	25 25 25	0 13 25	22.22 22.20 22.24	22.21 22.17 22.20	22.21 22.21 22.25	23.00 23.00 23.00
	QPSK	25 25 25 50	0 13 25 0	22.22 22.20 22.24 22.11	22.21 22.17 22.20 22.22	22.21 22.21 22.25 22.21	23.00 23.00 23.00 23.00
	QPSK	25 25 25 50 1	0 13 25 0	22.22 22.20 22.24 22.11 22.19	22.21 22.17 22.20 22.22 22.11	22.21 22.21 22.25 22.21 22.23	23.00 23.00 23.00 23.00 23.00
10MHz	QPSK 16QAM	25 25 25 50 1	0 13 25 0 0 25	22.22 22.20 22.24 22.11 22.19 22.24	22.21 22.17 22.20 22.22 22.11 22.14	22.21 22.21 22.25 22.21 22.23 22.15	23.00 23.00 23.00 23.00 23.00 23.00
10MHz		25 25 25 50 1 1	0 13 25 0 0 25 49	22.22 22.20 22.24 22.11 22.19 22.24 22.19	22.21 22.17 22.20 22.22 22.11 22.14 22.18	22.21 22.25 22.21 22.23 22.15 22.21	23.00 23.00 23.00 23.00 23.00 23.00 23.00
10MHz		25 25 25 50 1 1 1 25	0 13 25 0 0 25 49 0 13	22.22 22.20 22.24 22.11 22.19 22.24 22.19 21.27	22.21 22.17 22.20 22.22 22.11 22.14 22.18 21.24	22.21 22.25 22.21 22.23 22.15 22.21 21.18	23.00 23.00 23.00 23.00 23.00 23.00 23.00 22.00
10MHz		25 25 25 50 1 1 1 25 25	0 13 25 0 0 25 49 0	22.22 22.20 22.24 22.11 22.19 22.24 22.19 21.27 21.19	22.21 22.17 22.20 22.22 22.11 22.14 22.18 21.24 21.14	22.21 22.25 22.25 22.21 22.23 22.15 22.21 21.18 21.22	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 22.00
10MHz		25 25 25 50 1 1 1 25 25 25	0 13 25 0 0 25 49 0 13	22.22 22.20 22.24 22.11 22.19 22.24 22.19 21.27 21.19 21.14	22.21 22.17 22.20 22.22 22.11 22.14 22.18 21.24 21.14 21.23	22.21 22.25 22.25 22.21 22.23 22.15 22.21 21.18 21.22 21.26	23.00 23.00 23.00 23.00 23.00 23.00 23.00 22.00 22.00 22.00
10MHz		25 25 25 50 1 1 1 25 25 25 50 1	0 13 25 0 0 25 49 0 13 25 0	22.22 22.20 22.24 22.11 22.19 22.24 22.19 21.27 21.19 21.14 21.21 21.21 21.23	22.21 22.17 22.20 22.22 22.11 22.14 22.18 21.24 21.14 21.23 21.16 21.18 21.20	22.21 22.25 22.25 22.21 22.23 22.15 22.21 21.18 21.22 21.26 21.19 21.18 21.24	23.00 23.00 23.00 23.00 23.00 23.00 23.00 22.00 22.00 22.00 22.00 22.00 22.00
10MHz		25 25 25 50 1 1 1 25 25 25 50 1	0 13 25 0 0 25 49 0 13 25 0	22.22 22.20 22.24 22.11 22.19 22.24 22.19 21.27 21.19 21.14 21.21 21.12	22.21 22.17 22.20 22.22 22.11 22.14 22.18 21.24 21.24 21.23 21.16 21.18	22.21 22.25 22.25 22.21 22.23 22.15 22.21 21.18 21.22 21.26 21.19 21.18	23.00 23.00 23.00 23.00 23.00 23.00 23.00 22.00 22.00 22.00 22.00 22.00
10MHz		25 25 25 50 1 1 1 25 25 25 50 1	0 13 25 0 0 25 49 0 13 25 0	22.22 22.20 22.24 22.11 22.19 22.24 22.19 21.27 21.19 21.14 21.21 21.21 21.23	22.21 22.17 22.20 22.22 22.11 22.14 22.18 21.24 21.14 21.23 21.16 21.18 21.20	22.21 22.25 22.25 22.21 22.23 22.15 22.21 21.18 21.22 21.26 21.19 21.18 21.24	23.00 23.00 23.00 23.00 23.00 23.00 23.00 22.00 22.00 22.00 22.00 22.00 22.00
10MHz	16QAM	25 25 25 50 1 1 1 25 25 25 50 1 1	0 13 25 0 0 0 25 49 0 13 25 0 0 25 49	22.22 22.20 22.24 22.11 22.19 22.24 22.19 21.27 21.19 21.14 21.21 21.21 21.23 21.14	22.21 22.17 22.20 22.22 22.11 22.14 22.18 21.24 21.14 21.23 21.16 21.18 21.20 21.21	22.21 22.25 22.21 22.23 22.15 22.21 21.18 21.22 21.26 21.19 21.18 21.24 21.12	23.00 23.00 23.00 23.00 23.00 23.00 23.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
10MHz	16QAM	25 25 25 50 1 1 1 25 25 25 50 1 1 1 25	0 13 25 0 0 0 25 49 0 13 25 0 0 0 25 49	22.22 22.20 22.24 22.11 22.19 22.24 22.19 21.27 21.19 21.14 21.21 21.21 21.22 21.23 21.14 20.23	22.21 22.17 22.20 22.22 22.11 22.14 22.18 21.24 21.14 21.23 21.16 21.18 21.20 21.21 20.18	22.21 22.25 22.25 22.21 22.23 22.15 22.21 21.18 21.22 21.26 21.19 21.18 21.24 21.24 21.12	23.00 23.00 23.00 23.00 23.00 23.00 23.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

60 of 182 Page:

Dan decidab	andwidth Modulation	DD sins	DD effect	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	26765	26865	26965	Tune up
		1	0	23.26	23.38	23.28	24.00
		1	38	23.23	23.26	23.23	24.00
		1	74	23.09	23.18	23.14	24.00
	QPSK	36	0	22.26	22.33	22.26	23.00
		36	18	22.25	22.13	22.15	23.00
		36	39	22.20	22.23	22.27	23.00
		75	0	22.14	22.26	22.19	23.00
		1	0	22.15	22.17	22.14	23.00
		1	38	22.21	22.22	22.24	23.00
		1	74	22.11	22.18	22.11	23.00
15MHz	16QAM	36	0	21.22	21.16	21.22	22.00
		36	18	21.27	21.22	21.18	22.00
		36	39	21.09	21.19	21.22	22.00
		75	0	21.30	21.12	21.15	22.00
		1	0	21.19	21.25	21.21	22.00
		1	38	21.18	21.10	21.15	22.00
		1	74	21.17	21.14	21.13	22.00
	64QAM	36	0	20.18	20.14	20.10	21.00
		36	18	20.11	20.23	20.17	21.00
		36	39	20.21	20.21	20.11	21.00
		75	0	20.11	20.23	20.15	21.00

		and 38 ite0		Conducted Power(dBm)				
Donalos i altib	Marali da di ara	DD sins	DD -#+	Channel	Channel	Channel	T	
Bandwidth	Modulation	RB size	RB offset	37775	38000	38225	Tune up	
		1	0	22.97	22.92	23.01	24.00	
		1	13	23.06	22.98	22.92	24.00	
		1	24	22.99	22.91	23.01	24.00	
	QPSK	12	0	22.05	22.00	22.03	23.00	
		12	6	22.03	21.94	21.94	23.00	
		12	13	22.00	21.97	22.00	23.00	
		25	0	21.95	22.01	21.94	23.00	
5MHz		1	0	21.98	21.98	22.04	23.00	
		1	13	21.98	21.99	21.96	23.00	
		1	24	21.97	22.02	21.93	23.00	
	16QAM	12	0	21.07	21.03	20.90	22.00	
		12	6	20.97	20.92	21.07	22.00	
		12	13	20.97	21.01	21.06	22.00	
		25	0	21.05	21.04	21.05	22.00	
	64QAM	1	0	20.94	20.96	20.89	22.00	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 61 of 182

		1	13	20.94	20.92	20.99	22.00
		1	24	20.96	20.93	20.98	22.00
		12	0	19.93	19.95	20.01	21.00
		12	6	19.92	20.03	20.02	21.00
		12	13	20.09	19.91	19.89	21.00
		25	0	19.90	20.00	19.92	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
- Danaman	Modulation	112 0120	TAB GIIGGE	37800	38000	38200	rano ap
		1	0	22.96	22.89	22.98	24.00
		1	25	23.00	22.93	22.99	24.00
		1	49	22.93	22.94	22.98	24.00
	QPSK	25	0	22.02	21.96	22.01	23.00
		25	13	22.10	22.02	21.97	23.00
		25	25	22.06	21.97	22.01	23.00
		50	0	22.00	21.98	21.98	23.00
		1	0	21.95	21.93	22.04	23.00
		1	25	21.99	22.01	22.05	23.00
		1	49	21.92	22.03	21.94	23.00
10MHz	16QAM	25	0	21.03	21.01	20.96	22.00
		25	13	21.05	20.98	21.07	22.00
		25	25	20.88	20.93	21.07	22.00
		50	0	21.05	21.03	20.95	22.00
		1	0	20.96	21.00	20.97	22.00
	64QAM	1	25	20.98	20.91	21.02	22.00
		1	49	21.00	20.99	20.99	22.00
		25	0	19.95	20.00	19.95	21.00
		25	13	20.04	19.98	20.04	21.00
		25	25	20.07	19.91	19.97	21.00
		50	0	20.00	20.03	20.01	21.00
D 1 144	NA - ded - di - o	DD -: -	DD - 111-14	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	37825	38000	38175	Tune up
		1	0	23.05	22.91	23.06	24.00
		1	38	23.04	23.04	23.02	24.00
		1	74	22.96	22.96	22.95	24.00
	QPSK	36	0	21.96	22.00	21.98	23.00
		36	18	22.07	21.97	21.94	23.00
1EMU-		36	39	22.04	22.02	22.04	23.00
15MHz		75	0	21.89	22.05	21.96	23.00
		1	0	22.02	21.89	22.05	23.00
		1	38	22.07	21.94	22.02	23.00
	16QAM	1	74	21.95	22.00	21.94	23.00
		36	0	21.07	21.04	20.91	22.00
		36	18	20.97	20.97	21.07	22.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

62 of 182 Page:

		36	39	20.98	20.93	21.01	22.00
		75	0	21.08	20.92	21.04	22.00
		1	0	21.00	21.00	20.95	22.00
		1	38	20.95	20.91	21.07	22.00
		1	74	20.92	21.02	20.94	22.00
	64QAM	36	0	19.92	20.02	20.01	21.00
		36	18	19.94	20.04	20.00	21.00
		36	39	19.97	19.93	19.89	21.00
		75	0	19.96	19.94	19.89	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Dandwidth	Modulation	RD SIZE	RD Ollset	37850	38000	38150	Tune up
		1	0	23.00	23.06	23.01	24.00
		1	50	23.04	23.02	23.03	24.00
		1	99	22.98	22.94	22.94	24.00
	QPSK	50	0	21.94	21.97	22.05	23.00
		50	25	22.03	21.96	21.97	23.00
		50	50	22.02	21.99	22.05	23.00
		100	0	21.94	21.96	22.02	23.00
		1	0	22.00	21.99	21.94	23.00
		1	50	22.03	21.94	22.05	23.00
		1	99	21.98	21.96	21.91	23.00
20MHz	16QAM	50	0	21.02	20.97	20.93	22.00
		50	25	20.98	20.94	21.08	22.00
		50	50	20.91	21.05	21.00	22.00
		100	0	21.08	20.95	21.00	22.00
		1	0	20.97	21.08	20.91	22.00
		1	50	20.98	20.97	21.04	22.00
		1	99	20.97	21.01	20.95	22.00
	64QAM	50	0	20.00	19.97	19.93	21.00
		50	25	19.93	20.02	20.00	21.00
		50	50	20.02	19.89	20.00	21.00
		100	0	19.99	19.98	19.95	21.00

		and 38 State8		Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun	
Danawiain		ND SIZE	Rb oliset	37775	38000	38225	Tune up	
	QPSK	1	0	19.45	19.43	19.52	20.50	
		1	13	19.54	19.51	19.48	20.50	
		1	24	19.45	19.58	19.54	20.50	
5MHz		12	0	19.52	19.47	19.51	20.50	
		12	6	19.50	19.45	19.49	20.50	
		12	13	19.57	19.50	19.45	20.50	
		25	0	19.52	19.47	19.46	20.50	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980

Member of the SGS Group (SGS SA)



Report No.: SUCR241100047301

Rev.: 01

Page: 63 of 182

20.50 20.50 20.50
20.50
20.50
20.50
20.50
20.50
20.50
20.50
20.50
20.50
20.50
20.50
Tune up
Tune up
20.50
20.50
20.50
20.50
20.50
20.50
20.50
20.50
20.50
20.50
20.50
20.50
20.50
20.50
20.50
20.50
20.50
20.50
20.50
20.50
20.50
Tune up
20.50
20.50
20.50
20.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 64 of 182

		36	18	19.51	19.51	19.48	20.50
		36	39	19.53	19.48	19.48	20.50
		75	0	19.53	19.48	19.45	20.50
		1	0	19.48	19.50	19.46	20.50
		1	38	19.45	19.45	19.46	20.50
		1	74	19.57	19.50	19.50	20.50
	16QAM	36	0	19.46	19.54	19.51	20.50
		36	18	19.54	19.52	19.50	20.50
		36	39	19.46	19.48	19.45	20.50
		75	0	19.47	19.45	19.50	20.50
		1	0	19.47	19.55	19.49	20.50
		1	38	19.50	19.44	19.50	20.50
		1	74	19.55	19.49	19.54	20.50
	64QAM	36	0	19.51	19.56	19.52	20.50
		36	18	19.53	19.56	19.53	20.50
		36	39	19.56	19.45	19.52	20.50
		75	0	19.45	19.47	19.55	20.50
5			DD " 1	Channel	Channel	Channel	-
Bandwidth	Modulation	RB size	RB offset	37850	38000	38150	Tune up
		1	0	19.59	19.65	19.56	20.50
		1	50	19.49	19.47	19.52	20.50
		1	99	19.47	19.58	19.54	20.50
	QPSK	50	0	19.54	19.62	19.56	20.50
		50	25	19.50	19.49	19.50	20.50
		50	50	19.51	19.55	19.53	20.50
		100	0	19.50	19.58	19.50	20.50
		1	0	19.49	19.45	19.50	20.50
		1	50	19.45	19.50	19.51	20.50
		1	99	19.51	19.45	19.53	20.50
20MHz	16QAM	50	0	19.52	19.52	19.48	20.50
		50	25	19.52	19.54	19.48	20.50
		50	50	19.47	19.53	19.43	20.50
		100	0	19.44	19.42	19.47	20.50
		1	0	19.48	19.55	19.51	20.50
		1	50	19.48	19.46	19.48	20.50
		1	99	19.57	19.50	19.53	20.50
	64QAM	50	0	19.49	19.47	19.46	20.50
		50	25	19.52	19.51	19.51	20.50
		50	50	19.48	19.51	19.52	20.50
		100	0	19.45	19.46	19.56	20.50
	1				I .		

LTE Band 38 State5					Conducted	Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 65 of 182

				37775	38000	38225	
		1	0	15.51	15.44	15.44	16.50
		1	13	15.47	15.47	15.46	16.50
		1	24	15.47	15.47	15.46	16.50
	QPSK	12	0	15.49	15.47	15.53	16.50
		12	6	15.45	15.51	15.53	16.50
		12	13	15.51	15.53	15.46	16.50
		25	0	15.52	15.50	15.52	16.50
		1	0	15.47	15.46	15.52	16.50
		1	13	15.49	15.45	15.49	16.50
	16QAM	1	24	15.50	15.52	15.49	16.50
5MHz		12	0	15.50	15.48	15.51	16.50
		12	6	15.46	15.44	15.51	16.50
		12	13	15.48	15.54	15.41	16.50
		25	0	15.47	15.47	15.56	16.50
		1	0	15.49	15.54	15.53	16.50
		1	13	15.52	15.54	15.43	16.50
		1	24	15.46	15.47	15.43	16.50
	64QAM	12	0	15.47	15.45	15.45	16.50
		12	6	15.52	15.47	15.48	16.50
		12	13	15.47	15.51	15.51	16.50
		25	0	15.48	15.50	15.46	16.50
Dan de dida	Madulation	DD oizo	DD offeet	Channel	Channel	Channel	Tunaun
Bandwidth	Modulation	RB size	RB offset	Channel 37800	Channel 38000	Channel 38200	Tune up
Bandwidth	Modulation	RB size	RB offset				Tune up
Bandwidth	Modulation			37800	38000	38200	
Bandwidth	Modulation	1	0	37800 15.44	38000 15.47	38200 15.50	16.50
Bandwidth	Modulation QPSK	1	0 25	37800 15.44 15.51	38000 15.47 15.50	38200 15.50 15.43	16.50 16.50
Bandwidth		1 1 1	0 25 49	37800 15.44 15.51 15.45	38000 15.47 15.50 15.47	38200 15.50 15.43 15.54	16.50 16.50 16.50
Bandwidth		1 1 1 25	0 25 49 0	37800 15.44 15.51 15.45 15.51	38000 15.47 15.50 15.47 15.44	38200 15.50 15.43 15.54 15.53	16.50 16.50 16.50 16.50
Bandwidth		1 1 1 25 25	0 25 49 0	37800 15.44 15.51 15.45 15.51 15.48	38000 15.47 15.50 15.47 15.44 15.48	38200 15.50 15.43 15.54 15.53 15.55	16.50 16.50 16.50 16.50 16.50
Bandwidth		1 1 1 1 25 25 25 25	0 25 49 0 13 25	37800 15.44 15.51 15.45 15.51 15.48 15.49	38000 15.47 15.50 15.47 15.44 15.48 15.51	38200 15.50 15.43 15.54 15.53 15.55 15.49	16.50 16.50 16.50 16.50 16.50
Bandwidth		1 1 1 25 25 25 25 50	0 25 49 0 13 25	37800 15.44 15.51 15.45 15.51 15.48 15.49 15.52	38000 15.47 15.50 15.47 15.44 15.48 15.51	38200 15.50 15.43 15.54 15.53 15.55 15.49 15.48	16.50 16.50 16.50 16.50 16.50 16.50
Bandwidth  10MHz		1 1 1 25 25 25 50	0 25 49 0 13 25 0	37800 15.44 15.51 15.45 15.51 15.48 15.49 15.52 15.47	38000 15.47 15.50 15.47 15.44 15.48 15.51 15.48	38200 15.50 15.43 15.54 15.53 15.55 15.49 15.48 15.49	16.50 16.50 16.50 16.50 16.50 16.50 16.50
		1 1 1 25 25 25 50 1 1 1	0 25 49 0 13 25 0 0	37800 15.44 15.51 15.45 15.51 15.48 15.49 15.52 15.47	38000 15.47 15.50 15.47 15.44 15.48 15.51 15.48 15.44 15.43	38200 15.50 15.43 15.54 15.53 15.55 15.49 15.48 15.49 15.53	16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50
	QPSK	1 1 1 25 25 25 25 50 1 1	0 25 49 0 13 25 0 0 25 49	37800 15.44 15.51 15.45 15.51 15.48 15.49 15.52 15.47 15.45	38000 15.47 15.50 15.47 15.44 15.48 15.51 15.48 15.44 15.43	38200 15.50 15.43 15.54 15.53 15.55 15.49 15.48 15.49 15.53 15.43	16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50
	QPSK	1 1 1 25 25 25 25 50 1 1 1 25	0 25 49 0 13 25 0 0 0 25 49	37800 15.44 15.51 15.45 15.51 15.48 15.49 15.52 15.47 15.45 15.51	38000 15.47 15.50 15.47 15.44 15.48 15.51 15.48 15.44 15.43 15.52	38200 15.50 15.43 15.54 15.53 15.55 15.49 15.48 15.49 15.53 15.53 15.43	16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50
	QPSK	1 1 1 25 25 25 50 1 1 1 25 25	0 25 49 0 13 25 0 0 25 49 0	37800 15.44 15.51 15.45 15.51 15.48 15.49 15.52 15.47 15.45 15.51 15.52 15.52	38000 15.47 15.50 15.47 15.44 15.48 15.51 15.48 15.44 15.43 15.52 15.44 15.42	38200 15.50 15.43 15.54 15.53 15.55 15.49 15.48 15.49 15.53 15.43 15.55 15.44	16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50
	QPSK	1 1 1 25 25 25 25 25 25 25 25 25 25 25	0 25 49 0 13 25 0 0 0 25 49 0	37800 15.44 15.51 15.45 15.51 15.48 15.49 15.52 15.47 15.45 15.51 15.51 15.52 15.52 15.52	38000 15.47 15.50 15.47 15.44 15.48 15.51 15.48 15.44 15.43 15.52 15.44 15.42 15.57	38200 15.50 15.43 15.54 15.53 15.55 15.49 15.48 15.49 15.53 15.43 15.55 15.44	16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50
	QPSK	1 1 1 25 25 25 25 25 25 25 25 50	0 25 49 0 13 25 0 0 25 49 0 13 25	37800 15.44 15.51 15.45 15.51 15.48 15.49 15.52 15.47 15.45 15.51 15.52 15.52 15.52 15.52	38000 15.47 15.50 15.47 15.44 15.48 15.51 15.48 15.44 15.43 15.52 15.44 15.42 15.57	38200 15.50 15.43 15.54 15.53 15.55 15.49 15.48 15.49 15.53 15.43 15.55 15.44 15.55	16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50
	QPSK	1 1 1 25 25 25 50 1 1 1 25 25 25 25 50 1	0 25 49 0 13 25 0 0 25 49 0 13 25 0	37800 15.44 15.51 15.45 15.51 15.48 15.49 15.52 15.47 15.45 15.51 15.52 15.52 15.52 15.52 15.52 15.50	38000 15.47 15.50 15.47 15.44 15.48 15.51 15.48 15.44 15.43 15.52 15.44 15.52 15.44 15.52 15.44 15.52	38200 15.50 15.43 15.54 15.53 15.55 15.49 15.48 15.49 15.53 15.43 15.55 15.44 15.55 15.44 15.55	16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50
	QPSK	1 1 1 25 25 25 50 1 1 1 25 25 25 25 50 1 1 1 1 25 25 50 1 1 1 1 25 25 25 25 25 25 25 25 25 25 25 25 25	0 25 49 0 13 25 0 0 25 49 0 13 25 0	37800 15.44 15.51 15.45 15.51 15.48 15.49 15.52 15.47 15.45 15.51 15.52 15.52 15.52 15.52 15.50 15.50 15.51	38000 15.47 15.50 15.47 15.44 15.48 15.51 15.48 15.54 15.43 15.52 15.44 15.42 15.57 15.48 15.57 15.48	38200 15.50 15.43 15.54 15.53 15.55 15.49 15.48 15.49 15.53 15.43 15.55 15.44 15.55 15.44 15.55	16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50 16.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 66 of 182

		25	25	15.46	15.50	15.52	16.50
		50	0	15.48	15.57	15.49	16.50
				Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	37825	38000	38175	Tune up
		1	0	15.47	15.44	15.42	16.50
		1	38	15.50	15.48	15.46	16.50
		1	74	15.47	15.51	15.49	16.50
	QPSK	36	0	15.50	15.52	15.54	16.50
		36	18	15.48	15.51	15.54	16.50
		36	39	15.49	15.54	15.50	16.50
		75	0	15.53	15.53	15.46	16.50
		1	0	15.47	15.50	15.56	16.50
		1	38	15.42	15.51	15.49	16.50
		1	74	15.43	15.49	15.51	16.50
15MHz	16QAM	36	0	15.56	15.49	15.51	16.50
		36	18	15.46	15.49	15.49	16.50
		36	39	15.46	15.51	15.43	16.50
		75	0	15.47	15.52	15.51	16.50
		1	0	15.49	15.58	15.55	16.50
		1	38	15.51	15.53	15.47	16.50
		1	74	15.47	15.45	15.42	16.50
	64QAM	36	0	15.48	15.50	15.44	16.50
		36	18	15.50	15.47	15.47	16.50
		36	39	15.44	15.47	15.52	16.50
		75	0	15.50	15.54	15.44	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Balluwiutii	Modulation	ND SIZE	IND Ollset	37850	38000	38150	rune up
		1	0	15.69	15.74	15.56	16.50
		1	50	15.52	15.45	15.49	16.50
		1	99	15.44	15.52	15.51	16.50
	QPSK	50	0	15.54	15.59	15.56	16.50
		50	25	15.44	15.47	15.54	16.50
		50	50	15.45	15.46	15.44	16.50
		100	0	15.53	15.56	15.48	16.50
20MHz		1	0	15.42	15.44	15.54	16.50
20171112		1	50	15.41	15.44	15.49	16.50
		1	99	15.47	15.52	15.51	16.50
	16QAM	50	0	15.55	15.50	15.57	16.50
		50	25	15.49	15.47	15.45	16.50
		50	50	15.54	15.53	15.47	16.50
		100	0	15.48	15.54	15.51	16.50
	64QAM	1	0	15.54	15.58	15.56	16.50
	O-QAIVI	1	50	15.52	15.49	15.51	16.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

67 of 182 Page:

1	99	15.44	15.47	15.43	16.50
50	0	15.45	15.42	15.42	16.50
50	25	15.49	15.54	15.53	16.50
50	50	15.51	15.53	15.50	16.50
100	0	15.54	15.51	15.50	16.50

	LTE Ba Stat					Conducted	Power(dBm)		
Dan desidab	Madulatian	DD -:	DD -#4	Channel	Channel	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	39675	40148	40620	41093	41565	Tune up
		1	0	23.87	23.46	22.85	22.45	22.39	24.00
		1	13	23.78	23.48	22.93	22.60	22.52	24.00
		1	24	23.86	23.47	22.95	22.62	22.49	24.00
	QPSK	12	0	22.97	22.53	21.96	21.61	21.50	23.00
		12	6	22.92	22.70	21.95	21.63	21.55	23.00
		12	13	23.00	22.53	22.00	21.57	21.38	23.00
		25	0	22.89	22.66	22.00	21.57	21.58	23.00
		1	0	22.96	22.45	21.84	21.58	21.41	23.00
		1	13	22.88	22.66	21.90	21.62	21.52	23.00
		1	24	22.78	22.50	21.95	21.61	21.49	23.00
5MHz	16QAM	12	0	21.94	21.49	20.98	20.63	20.46	22.00
		12	6	21.89	21.62	21.04	20.58	20.47	22.00
		12	13	21.90	21.49	20.94	20.49	20.48	22.00
		25	0	22.00	21.56	21.03	20.61	20.36	22.00
	64QAM	1	0	21.84	21.53	20.98	20.64	20.58	22.00
		1	13	21.89	21.54	20.90	20.52	20.39	22.00
		1	24	21.89	21.42	20.89	20.64	20.49	22.00
		12	0	20.84	20.50	20.05	19.59	19.53	21.00
		12	6	20.87	20.61	20.04	19.65	19.60	21.00
		12	13	20.94	20.43	19.88	19.59	19.45	21.00
		25	0	20.92	20.46	19.89	19.49	19.49	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tungun
Danuwium	Modulation	ND SIZE	RD Ollset	39700	40160	40620	41080	41540	Tune up
		1	0	23.85	23.51	22.80	22.43	22.33	24.00
		1	25	23.79	23.48	23.04	22.57	22.45	24.00
		1	49	23.85	23.56	23.03	22.60	22.50	24.00
	QPSK	25	0	22.99	22.55	21.95	21.67	21.55	23.00
		25	13	22.96	22.62	21.90	21.55	21.51	23.00
10MHz		25	25	22.98	22.50	21.99	21.58	21.47	23.00
		50	0	22.98	22.61	21.97	21.61	21.59	23.00
		1	0	22.95	22.46	21.85	21.51	21.43	23.00
	16QAM	1	25	22.87	22.57	21.88	21.62	21.50	23.00
	IOQAW	1	49	22.93	22.52	21.92	21.62	21.47	23.00
		25	0	21.87	21.53	20.96	20.61	20.36	22.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 68 of 182

		25	13	21.99	21.70	21.05	20.56	20.51	22.00
	-	25	25	21.99	21.70	21.03	20.60	20.31	22.00
	-	50	0	21.98	21.58	21.03	20.60	20.49	22.00
		1	0	21.95	21.60	21.00	20.70	20.40	22.00
	•	1	25	21.89	21.48	20.79	20.70	20.37	22.00
		1	49	21.87	21.51	20.79	20.59	20.53	22.00
	64QAM	25	0	20.91	20.46	19.98	19.59	19.49	21.00
	04QAW	25	13	20.89	20.60	19.97	19.63	19.56	21.00
	•	25	25	20.90	20.44	19.87	19.58	19.49	21.00
		50	0	20.86	20.44	19.94	19.49	19.54	21.00
		30	0	Channel	Channel	Channel	Channel	Channel	21.00
Bandwidth	Modulation	RB size	RB offset	39725	40173	40620	41068	41515	Tune up
		1	0	23.74	23.54	22.90	22.43	22.36	24.00
		1	38	23.67	23.53	22.90	22.43	22.43	24.00
		1	74	23.73	23.47	22.92	22.55	22.43	24.00
	QPSK	36	0	22.79	22.55	21.95	21.69	21.56	23.00
	Qi SiX	36	18	22.79	22.69	21.93	21.61	21.59	23.00
		36	39	22.80	22.47	22.00	21.59	21.37	23.00
		75	0	22.70	22.57	21.91	21.57	21.52	23.00
		1	0	22.70	22.49	21.95	21.57	21.44	23.00
		1	38	22.75	22.49	21.93	21.62	21.50	23.00
		1	74	22.72	22.46	21.90	21.61	21.46	23.00
15MHz	16QAM	36	0	21.74	21.50	20.96	20.62	20.43	22.00
1011112	100,	36	18	21.58	21.63	21.02	20.55	20.46	22.00
		36	39	21.70	21.45	21.02	20.53	20.43	22.00
		75	0	21.58	21.48	21.00	20.59	20.41	22.00
		1	0	21.64	21.52	21.05	20.71	20.61	22.00
		1	38	21.71	21.47	20.83	20.59	20.44	22.00
		1	74	21.67	21.43	20.88	20.58	20.45	22.00
	64QAM	36	0	20.74	20.50	20.03	19.57	19.54	21.00
		36	18	20.69	20.62	20.02	19.64	19.53	21.00
		36	39	20.77	20.46	19.88	19.54	19.46	21.00
		75	0	20.70	20.49	19.86	19.46	19.48	21.00
		55	DD "	Channel	Channel	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	39750	40185	40620	41055	41490	Tune up
		1	0	23.92	23.50	22.85	22.42	22.36	24.00
		1	50	23.90	23.55	23.00	22.63	22.48	24.00
		1	99	23.72	23.53	23.00	22.50	22.49	24.00
208411	QPSK	50	0	22.80	22.53	22.00	21.62	21.55	23.00
20MHz		50	25	22.77	22.68	21.95	21.58	21.49	23.00
		50	50	22.84	22.52	22.03	21.52	21.37	23.00
		100	0	22.77	22.62	21.98	21.66	21.50	23.00
	16QAM	1	0	22.74	22.51	21.91	21.62	21.34	23.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sas.com/en/Terms-and-Conditions.aspx">http://www.sas.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 69 of 182

	1	50	22.74	22.62	21.96	21.61	21.54	23.00
	<u>'</u>							
	1	99	22.79	22.49	21.90	21.58	21.47	23.00
	50	0	21.81	21.55	20.96	20.65	20.41	22.00
	50	25	21.81	21.67	21.03	20.52	20.47	22.00
	50	50	21.75	21.49	21.02	20.48	20.50	22.00
	100	0	21.79	21.54	21.00	20.57	20.37	22.00
	1	0	21.82	21.60	21.03	20.69	20.50	22.00
	1	50	21.66	21.50	20.87	20.59	20.39	22.00
	1	99	21.66	21.49	20.94	20.58	20.49	22.00
64QAM	50	0	20.70	20.49	20.05	19.50	19.43	21.00
	50	25	20.89	20.60	20.00	19.63	19.60	21.00
	50	50	20.73	20.51	19.85	19.61	19.41	21.00
	100	0	20.72	20.53	19.91	19.50	19.53	21.00

	LTE Ba State3 \$					Conducted I	Power(dBm)		
D 1-144	NA - ded - 45	DD -: -	DD . W t	Channel	Channel	Channel	Channel	Channel	<b>T</b>
Bandwidth	Modulation	RB size	RB offset	39675	40148	40620	41093	41565	Tune up
		1	0	20.12	19.92	19.47	19.17	19.08	20.50
		1	13	20.09	19.86	19.49	19.12	19.07	20.50
		1	24	20.12	19.90	19.47	19.16	19.04	20.50
	QPSK	12	0	20.19	19.94	19.60	19.26	19.10	20.50
		12	6	20.15	19.98	19.57	19.27	19.13	20.50
		12	13	20.13	19.87	19.51	19.17	19.04	20.50
		25	0	20.11	19.90	19.55	19.25	19.09	20.50
		1	0	20.14	19.94	19.55	19.19	19.05	20.50
		1	13	20.12	19.95	19.58	19.21	19.07	20.50
	16QAM	1	24	20.05	19.87	19.52	19.19	19.04	20.50
5MHz		12	0	20.11	19.88	19.47	19.17	19.06	20.50
		12	6	20.15	19.92	19.50	19.20	19.11	20.50
		12	13	20.18	19.93	19.52	19.20	19.11	20.50
		25	0	20.13	19.94	19.51	19.19	19.04	20.50
		1	0	20.08	19.83	19.51	19.20	19.01	20.50
		1	13	20.09	19.92	19.54	19.24	19.06	20.50
		1	24	20.09	19.89	19.53	19.20	19.12	20.50
	64QAM	12	0	20.08	19.93	19.51	19.15	19.10	20.50
		12	6	20.13	19.87	19.52	19.22	19.05	20.50
		12	13	20.07	19.88	19.53	19.15	19.04	20.50
		25	0	20.16	19.94	19.55	19.18	19.13	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
Danuwiuln	wodulation	IND SIZE	IVD OIISEL	39700	40160	40620	41080	41540	rune uρ
		1	0	20.15	19.91	19.47	19.21	19.13	20.50
10MHz	QPSK	1	25	20.11	19.90	19.54	19.09	19.06	20.50
		1	49	20.11	19.87	19.48	19.13	19.05	20.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

70 of 182 Page:

		25	0	20.19	19.93	19.63	19.28	19.10	20.50
		25	13	20.11	20.00	19.53	19.28	19.10	20.50
		25	25	20.11	19.89	19.49	19.14	19.03	20.50
		50	0	20.12	19.91	19.59	19.23	19.06	20.50
		1	0	20.18	19.92	19.56	19.22	19.02	20.50
		1	25	20.10	19.98	19.60	19.21	19.04	20.50
		1	49	20.03	19.90	19.55	19.17	19.07	20.50
	16QAM	25	0	20.13	19.89	19.50	19.14	19.05	20.50
		25	13	20.14	19.95	19.47	19.17	19.14	20.50
		25	25	20.17	19.97	19.53	19.17	19.09	20.50
		50	0	20.10	19.94	19.47	19.19	19.03	20.50
		1	0	20.13	19.83	19.53	19.18	19.03	20.50
		1	25	20.07	19.90	19.58	19.22	19.03	20.50
		1	49	20.11	19.89	19.57	19.16	19.09	20.50
	64QAM	25	0	20.05	19.93	19.48	19.17	19.11	20.50
		25	13	20.16	19.90	19.55	19.24	19.07	20.50
		25	25	20.07	19.85	19.55	19.13	19.05	20.50
		50	0	20.14	19.98	19.57	19.18	19.13	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
Bandwidth	Modulation	IND SIZE	KB onset	39725	40173	40620	41068	41515	rune up
		1	0	20.12	19.88	19.44	19.14	19.11	20.50
		1	38	20.08	19.90	19.47	19.14	19.08	20.50
		1	74	20.13	19.94	19.49	19.18	19.09	20.50
	QPSK	36	0	20.16	19.94	19.61	19.25	19.14	20.50
		36	18	20.18	19.99	19.58	19.25	19.14	20.50
		36	39	20.18	19.88	19.49	19.18	19.04	20.50
		75	0	20.13	19.90	19.60	19.22	19.13	20.50
		1	0	20.18	19.97	19.52	19.17	19.07	20.50
		1	38	20.16	19.91	19.55	19.23	19.05	20.50
		1	74	20.06	19.87	19.50	19.24	19.03	20.50
15MHz	16QAM	36	0	20.08	19.84	19.46	19.22	19.10	20.50
		36	18	20.11	19.94	19.53	19.21	19.08	20.50
		36	39	20.22	19.91	19.54	19.23	19.08	20.50
		75	0	20.16	19.97	19.56	19.21	19.08	20.50
		1	0	20.06	19.84	19.54	19.20	18.99	20.50
		1	38	20.06	19.94	19.57	19.25	19.04	20.50
		1	74	20.06	19.90	19.51	19.23	19.17	20.50
	64QAM	36	0	20.08	19.95	19.48	19.17	19.13	20.50
		36	18	20.10	19.89	19.51	19.26	19.03	20.50
		36	39	20.06	19.92	19.51	19.13	19.03	20.50
		75	0	20.19	19.95	19.55	19.23	19.11	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
,				39750	40185	40620	41055	41490	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sas.com/en/Terms-and-Conditions.aspx">http://www.sas.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

71 of 182 Page:

		1	0	20.30	19.99	19.70	19.30	19.18	20.50
	QPSK	1	50						20.50
		!		20.13	19.90	19.52	19.08	19.11	
		1	99	20.16	19.88	19.49	19.17	19.01	20.50
		50	0	20.22	20.06	19.66	19.33	19.13	20.50
		50	25	20.17	20.03	19.55	19.28	19.09	20.50
		50	50	20.16	19.86	19.51	19.16	19.08	20.50
		100	0	20.10	19.88	19.52	19.26	19.14	20.50
20MHz	16QAM	1	0	20.11	19.96	19.55	19.16	19.05	20.50
		1	50	20.15	19.94	19.58	19.21	19.05	20.50
		1	99	20.09	19.88	19.49	19.23	19.08	20.50
		50	0	20.13	19.92	19.49	19.20	19.06	20.50
		50	25	20.12	19.92	19.47	19.18	19.09	20.50
		50	50	20.21	19.95	19.48	19.24	19.08	20.50
		100	0	20.09	19.91	19.52	19.18	19.02	20.50
	64QAM	1	0	20.13	19.81	19.56	19.24	19.03	20.50
		1	50	20.06	19.91	19.53	19.28	19.07	20.50
		1	99	20.14	19.87	19.55	19.20	19.13	20.50
		50	0	20.12	19.95	19.55	19.17	19.09	20.50
		50	25	20.13	19.85	19.54	19.21	19.02	20.50
		50	50	20.05	19.86	19.50	19.11	19.01	20.50
		100	0	20.13	19.90	19.56	19.20	19.17	20.50

LTE Band 41 State5				Conducted Power(dBm)						
Dan de delle	Modulation RB size	55	RB offset	Channel	Channel	Channel	Channel	Channel	<b>T</b>	
Bandwidth		RB size		39675	40148	40620	41093	41565	Tune up	
	QPSK	1	0	16.16	15.86	15.51	15.13	15.08	16.50	
		1	13	16.20	15.95	15.55	15.15	15.03	16.50	
		1	24	16.20	15.89	15.50	15.21	15.13	16.50	
		12	0	16.22	15.98	15.53	15.23	15.09	16.50	
5MHz		12	6	16.17	15.89	15.57	15.16	15.01	16.50	
		12	13	16.18	15.91	15.53	15.10	15.04	16.50	
		25	0	16.21	15.88	15.54	15.19	15.11	16.50	
	16QAM	1	0	16.18	15.91	15.52	15.13	15.00	16.50	
		1	13	16.23	15.95	15.52	15.14	15.01	16.50	
		1	24	16.23	15.88	15.48	15.15	15.11	16.50	
		12	0	16.22	15.88	15.45	15.13	15.03	16.50	
		12	6	16.13	15.91	15.45	15.13	15.00	16.50	
		12	13	16.27	15.91	15.53	15.19	15.07	16.50	
		25	0	16.21	15.90	15.45	15.10	15.05	16.50	
	64QAM	1	0	16.17	15.97	15.46	15.12	15.08	16.50	
		1	13	16.18	15.92	15.48	15.17	15.04	16.50	
		1	24	16.24	15.91	15.52	15.18	15.10	16.50	
This document is in		12	0	16.24	15.92	15.55	15.18	15.04	16.50	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

72 of 182 Page:

		12	6	16.18	15.93	15.50	15.09	15.09	16.50
		12	13	16.17	15.90	15.57	15.17	15.09	16.50
		25	0	16.19	15.89	15.52	15.18	15.01	16.50
		DD :	DD " 1	Channel	Channel	Channel	Channel	Channel	-
Bandwidth	Modulation	RB size	RB offset	39700	40160	40620	41080	41540	Tune up
		1	0	16.24	15.91	15.51	15.17	15.10	16.50
	QPSK	1	25	16.21	15.94	15.53	15.18	15.07	16.50
		1	49	16.23	15.89	15.53	15.17	15.11	16.50
		25	0	16.19	15.95	15.54	15.18	15.14	16.50
		25	13	16.18	15.85	15.49	15.12	15.04	16.50
		25	25	16.23	15.89	15.54	15.10	15.09	16.50
		50	0	16.16	15.90	15.50	15.22	15.07	16.50
		1	0	16.21	15.91	15.56	15.09	14.97	16.50
		1	25	16.21	15.97	15.52	15.14	15.09	16.50
		1	49	16.20	15.90	15.50	15.12	15.11	16.50
10MHz	16QAM	25	0	16.19	15.88	15.50	15.14	15.06	16.50
		25	13	16.21	15.87	15.48	15.16	15.03	16.50
		25	25	16.24	15.92	15.50	15.20	15.05	16.50
		50	0	16.18	15.91	15.46	15.10	15.09	16.50
	64QAM	1	0	16.20	15.97	15.53	15.13	15.06	16.50
		1	25	16.20	15.85	15.52	15.16	15.02	16.50
		1	49	16.16	15.90	15.52	15.23	15.05	16.50
		25	0	16.29	15.87	15.58	15.23	15.05	16.50
		25	13	16.13	15.93	15.50	15.13	15.07	16.50
		25	25	16.20	15.87	15.56	15.18	15.05	16.50
		50	0	16.23	15.89	15.49	15.15	15.04	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
Danawiatii				39725	40173	40620	41068	41515	
	QPSK	1	0	16.24	15.91	15.49	15.16	15.05	16.50
		1	38	16.26	15.88	15.52	15.13	15.04	16.50
		1	74	16.21	15.92	15.57	15.18	15.09	16.50
		36	0	16.21	15.97	15.53	15.21	15.06	16.50
		36	18	16.15	15.86	15.50	15.16	15.03	16.50
		36	39	16.22	15.92	15.48	15.12	15.05	16.50
		75	0	16.19	15.94	15.53	15.24	15.10	16.50
15MHz	16QAM	1	0	16.25	15.90	15.57	15.13	14.97	16.50
		1	38	16.24	15.95	15.53	15.18	15.09	16.50
		1	74	16.21	15.90	15.51	15.14	15.09	16.50
		36	0	16.23	15.89	15.51	15.19	15.07	16.50
		36	18	16.20	15.89	15.46	15.17	15.03	16.50
		36	39	16.24	15.89	15.52	15.23	15.05	16.50
		75	0	16.15	15.92	15.44	15.13	15.02	16.50
	64QAM	1	0	16.24	15.92	15.51	15.13	15.03	16.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sas.com/en/Terms-and-Conditions.aspx">http://www.sas.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

73 of 182 Page:

		1	38	16.20	15.87	15.50	15.19	15.03	16.50
		1	74	16.22	15.92	15.60	15.20	15.04	16.50
		36	0	16.25	15.90	15.51	15.20	15.12	16.50
		36	18	16.13	15.95	15.50	15.12	15.02	16.50
		36	39	16.16	15.87	15.51	15.17	15.10	16.50
		75	0	16.20	15.86	15.45	15.18	15.04	16.50
				Channel	Channel	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	39750	40185	40620	41055	41490	Tune up
		1	0	16.39	15.97	15.63	15.36	15.15	16.50
		1	50	16.23	15.92	15.50	15.15	15.07	16.50
		1	99	16.23	15.90	15.57	15.20	15.05	16.50
	QPSK	50	0	16.29	15.93	15.70	15.25	15.14	16.50
		50	25	16.20	15.90	15.57	15.12	15.04	16.50
		50	50	16.19	15.86	15.54	15.09	15.08	16.50
		100	0	16.17	15.87	15.51	15.23	15.05	16.50
	-	1	0	16.19	15.90	15.56	15.15	14.97	16.50
		1	50	16.21	15.97	15.47	15.17	15.02	16.50
		1	99	16.22	15.95	15.44	15.14	15.07	16.50
20MHz	16QAM	50	0	16.20	15.85	15.49	15.13	15.08	16.50
		50	25	16.19	15.87	15.48	15.15	15.02	16.50
		50	50	16.26	15.93	15.46	15.19	15.04	16.50
		100	0	16.22	15.87	15.47	15.16	15.08	16.50
		1	0	16.26	15.95	15.50	15.16	15.10	16.50
		1	50	16.23	15.87	15.47	15.16	15.06	16.50
		1	99	16.25	15.94	15.54	15.16	15.02	16.50
	64QAM	50	0	16.24	15.86	15.56	15.22	15.11	16.50
		50	25	16.19	15.99	15.55	15.13	15.05	16.50
		50	50	16.17	15.90	15.58	15.16	15.07	16.50
		100	0	16.17	15.87	15.44	15.19	15.03	16.50

		and 66 ite0		Conducted Power(dBm)				
Bandwidth	NA - ded - 45	RB size	RB offset	Channel	Channel	Channel	Tungun	
	Modulation	ND SIZE	RD Ollset	131979	132322	132665	Tune up	
		1	0	23.35	23.26	23.28	24.50	
	QPSK	1	2	23.41	23.29	23.23	24.50	
		1	5	23.22	23.31	23.23	24.50	
		3	0	23.45	23.28	23.32	24.50	
1.4MHz		3	1	23.39	23.36	23.29	24.50	
1.411172		3	3	23.32	23.32	23.25	24.50	
16QAM		6	0	22.19	22.28	22.30	23.50	
	16QAM	1	0	22.29	22.28	22.40	23.50	
		1	2	22.39	22.34	22.25	23.50	
		1	5	22.28	22.32	22.28	23.50	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

74 of 182 Page:

		3	0	22.34	22.29	22.30	23.50
		3	1	22.38	22.33	22.35	23.50
		3	3	22.30	22.42	22.35	23.50
		6	0	21.40	21.40	21.31	22.50
		1	0	21.32	21.32	21.20	22.50
		1	2	21.33	21.31	21.26	22.50
		1	5	21.36	21.25	21.28	22.50
	64QAM	3	0	21.25	21.31	21.36	22.50
	04QAIVI	3	1	21.23	21.33	21.27	22.50
		3	3	21.28	21.37	21.26	22.50
		6	0	20.32	20.21	20.33	21.50
		0	U				21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
		4	0	131987	132322	132657	24.50
		1	0	23.38	23.40	23.45	24.50
		1	7	23.47	23.46	23.39	24.50
	0.001/	1	14	23.41	23.28	23.37	24.50
	QPSK	8	0	22.34	22.35	22.44	23.50
		8	4	22.42	22.29	22.39	23.50
		8	7	22.46	22.43	22.46	23.50
		15	0	22.33	22.41	22.42	23.50
		1	0	22.39	22.43	22.27	23.50
		1	7	22.47	22.38	22.41	23.50
	100 111	1	14	22.40	22.32	22.26	23.50
3MHz	16QAM	8	0	21.38	21.39	21.29	22.50
		8	4	21.43	21.38	21.47	22.50
		8	7	21.26	21.38	21.38	22.50
		15	0	21.52	21.31	21.40	22.50
		1	0	21.35	21.46	21.30	22.50
		1	7	21.42	21.29	21.42	22.50
		1	14	21.36	21.37	21.28	22.50
	64QAM	8	0	20.40	20.31	20.36	21.50
		8	4	20.36	20.40	20.43	21.50
		8	7	20.38	20.25	20.37	21.50
		15	0	20.31	20.40	20.37	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danawidin	Modulation	IVD SIZE	L/D Olloci	131997	132322	132647	rune up
		1	0	23.42	23.41	23.42	24.50
		1	13	23.42	23.41	23.38	24.50
		1	24	23.37	23.27	23.36	24.50
5MHz	QPSK	12	0	22.37	22.41	22.41	23.50
		12	6	22.37	22.29	22.38	23.50
		12	13	22.46	22.44	22.45	23.50
		25	0	22.30	22.37	22.35	23.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

75 of 182 Page:

		1	0	22.43	22.38	22.34	23.50
		1	13	22.43	22.35	22.46	23.50
		1	24	22.32	22.29	22.32	23.50
	16QAM	12	0	21.43	21.37	21.29	22.50
	IOQAIVI	12	6	21.43	21.38	21.29	22.50
			1	+			+
		12 25	13	21.24 21.41	21.40 21.37	21.44 21.40	22.50 22.50
		1	0	21.41	21.48	21.40	22.50
		1	13	21.36	21.46	21.39	22.50
		1	24	21.36			22.50
	040414				21.40	21.35	-
	64QAM	12	0	20.37	20.34	20.31	21.50
		12	6	20.35	20.41	20.33	21.50
		12	13	20.43	20.26	20.38	21.50
		25	0	20.34	20.42	20.27	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132022	132322	132622	•
		1	0	23.40	23.39	23.43	24.50
		1	25	23.43	23.43	23.45	24.50
		1	49	23.40	23.37	23.28	24.50
	QPSK	25	0	22.32	22.39	22.49	23.50
		25	13	22.41	22.36	22.40	23.50
		25	25	22.45	22.41	22.43	23.50
		50	0	22.31	22.36	22.38	23.50
		1	0	22.37	22.44	22.32	23.50
		1	25	22.44	22.31	22.50	23.50
		1	49	22.36	22.40	22.32	23.50
10MHz	16QAM	25	0	21.47	21.37	21.37	22.50
		25	13	21.43	21.36	21.52	22.50
		25	25	21.35	21.46	21.42	22.50
		50	0	21.49	21.28	21.42	22.50
		1	0	21.33	21.46	21.35	22.50
		1	25	21.41	21.38	21.48	22.50
		1	49	21.34	21.35	21.29	22.50
	64QAM	25	0	20.44	20.39	20.32	21.50
		25	13	20.33	20.47	20.35	21.50
		25	25	20.43	20.31	20.40	21.50
		50	0	20.34	20.39	20.36	21.50
Domali della	Moduletien	DD -:	DD -#4	Channel	Channel	Channel	T.,,,,,
Bandwidth	Modulation	RB size	RB offset	132047	132322	132597	Tune up
		1	0	23.34	23.41	23.34	24.50
455	OBOL	1	38	23.48	23.40	23.39	24.50
15MHz	QPSK	1	74	23.41	23.35	23.37	24.50
		36	0	22.34	22.29	22.42	23.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

76 of 182 Page:

		36	18	22.47	22.38	22.36	23.50
		36	39	22.39	22.34	22.46	23.50
		75	0	22.30	22.39	22.36	23.50
		1	0	22.37	22.37	22.37	23.50
		1	38	22.38	22.32	22.49	23.50
		1	74	22.34	22.40	22.26	23.50
	16QAM	36	0	21.42	21.41	21.29	22.50
		36	18	21.39	21.34	21.49	22.50
		36	39	21.33	21.49	21.35	22.50
		75	0	21.51	21.35	21.45	22.50
		1	0	21.36	21.42	21.33	22.50
		1	38	21.36	21.31	21.43	22.50
		1	74	21.31	21.46	21.32	22.50
	64QAM	36	0	20.43	20.35	20.28	21.50
		36	18	20.34	20.35	20.42	21.50
		36	39	20.45	20.28	20.45	21.50
		75	0	20.34	20.40	20.32	21.50
			DD " ,	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	132072	132322	132572	Tune up
		1	0	23.38	23.33	23.43	24.50
		1	50	23.37	23.40	23.41	24.50
	QPSK	1	99	23.42	23.26	23.28	24.50
		50	0	22.35	22.32	22.43	23.50
		50	25	22.40	22.31	22.30	23.50
		50	50	22.42	22.39	22.49	23.50
		100	0	22.38	22.31	22.36	23.50
		1	0	22.40	22.40	22.35	23.50
		1	50	22.43	22.31	22.42	23.50
		1	99	22.39	22.34	22.31	23.50
20MHz	16QAM	50	0	21.39	21.33	21.32	22.50
		50	25	21.33	21.29	21.52	22.50
		50	50	21.25	21.48	21.37	22.50
		100	0	21.46	21.28	21.34	22.50
		1	0	21.36	21.50	21.25	22.50
		1	50	21.37	21.34	21.37	22.50
		1	99	21.36	21.37	21.34	22.50
	64QAM	50	0	20.44	20.37	20.33	21.50
		50	25	20.34	20.36	20.36	21.50
		50	50	20.36	20.33	20.42	21.50
		100	0	20.43	20.38	20.30	21.50

LTE Band 66 State3 State8				Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

77 of 182 Page:

				131979	132322	132665	
		1	0	21.83	21.80	21.86	23.00
		1	2	21.83	21.78	21.77	23.00
		1	5	21.85	21.74	21.76	23.00
	QPSK	3	0	21.78	21.81	21.79	23.00
		3	1	21.85	21.81	21.83	23.00
		3	3	21.87	21.76	21.79	23.00
		6	0	21.79	21.75	21.77	23.00
		1	0	21.80	21.80	21.83	23.00
		1	2	21.80	21.83	21.79	23.00
		1	5	21.85	21.84	21.77	23.00
1.4MHz	16QAM	3	0	21.82	21.75	21.84	23.00
		3	1	21.80	21.78	21.79	23.00
		3	3	21.77	21.79	21.84	23.00
		6	0	21.28	21.31	21.26	22.50
		1	0	21.29	21.35	21.32	22.50
		1	2	21.35	21.26	21.32	22.50
	64QAM	1	5	21.35	21.33	21.25	22.50
		3	0	21.35	21.29	21.35	22.50
		3	1	21.37	21.32	21.27	22.50
		3	3	21.38	21.35	21.37	22.50
		6	0	20.36	20.27	20.28	21.50
		0	0	20.50	20.21	20.20	21.50
Donali vi déla	Modulation	-	-	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset				Tune up
Bandwidth	Modulation	-	-	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	Channel 131987	Channel 132322	Channel 132657	Tune up
Bandwidth	Modulation	RB size	RB offset	Channel 131987 21.77	Channel 132322 21.82	Channel 132657 21.77	Tune up 23.00
Bandwidth	Modulation QPSK	RB size	RB offset  0  7	Channel 131987 21.77 21.80	Channel 132322 21.82 21.79	Channel 132657 21.77 21.84	23.00 23.00
Bandwidth		RB size  1 1 1	RB offset  0  7  14	Channel 131987 21.77 21.80 21.82	Channel 132322 21.82 21.79 21.77	Channel 132657 21.77 21.84 21.82	23.00 23.00 23.00 23.00
Bandwidth		RB size  1 1 1 8	RB offset  0  7  14  0	Channel 131987 21.77 21.80 21.82 21.78	Channel 132322 21.82 21.79 21.77 21.74	Channel 132657 21.77 21.84 21.82 21.77	23.00 23.00 23.00 23.00 23.00
Bandwidth		RB size  1 1 1 8 8	RB offset  0 7 14 0 4	Channel 131987 21.77 21.80 21.82 21.78 21.82	Channel 132322 21.82 21.79 21.77 21.74 21.80	Channel 132657 21.77 21.84 21.82 21.77 21.87	23.00 23.00 23.00 23.00 23.00 23.00
Bandwidth		RB size  1 1 1 8 8 8	RB offset  0 7 14 0 4 7	Channel 131987 21.77 21.80 21.82 21.78 21.82 21.82 21.81	Channel 132322 21.82 21.79 21.77 21.74 21.80 21.79	Channel 132657 21.77 21.84 21.82 21.77 21.87 21.82	Tune up 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00
Bandwidth		RB size  1 1 1 1 8 8 8 15	RB offset  0 7 14 0 4 7 0	Channel 131987 21.77 21.80 21.82 21.78 21.82 21.81 21.86	Channel 132322 21.82 21.79 21.77 21.74 21.80 21.79 21.76	Channel 132657 21.77 21.84 21.82 21.77 21.87 21.82 21.78	Tune up 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00
Bandwidth 3MHz		RB size  1 1 1 8 8 8 15	RB offset  0 7 14 0 4 7 0 0	Channel 131987 21.77 21.80 21.82 21.78 21.82 21.81 21.86 21.77	Channel 132322 21.82 21.79 21.77 21.74 21.80 21.79 21.76 21.78	Channel 132657 21.77 21.84 21.82 21.77 21.87 21.82 21.78 21.84	Tune up  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00
		RB size  1 1 1 8 8 8 15 1	RB offset  0  7  14  0  4  7  0  7	Channel 131987 21.77 21.80 21.82 21.78 21.82 21.81 21.86 21.77 21.85	Channel 132322 21.82 21.79 21.77 21.74 21.80 21.79 21.76 21.78 21.78	Channel 132657 21.77 21.84 21.82 21.77 21.87 21.82 21.78 21.84 21.80	Tune up  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00
	QPSK	RB size  1 1 1 8 8 8 15 1 1	RB offset  0  7  14  0  4  7  0  7  14  14  15  16  17  17  17  18  18  18  18  18  18  18	Channel 131987 21.77 21.80 21.82 21.78 21.82 21.81 21.86 21.77 21.85 21.84	Channel 132322 21.82 21.79 21.77 21.74 21.80 21.79 21.76 21.78 21.78 21.85	Channel 132657 21.77 21.84 21.82 21.77 21.87 21.82 21.78 21.84 21.80 21.78	Tune up  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00
	QPSK	RB size  1 1 1 8 8 8 15 1 1 1 8	RB offset  0  7  14  0  4  7  0  7  14  0  14  0  14  0  0  0  7  14  0	Channel 131987 21.77 21.80 21.82 21.78 21.82 21.81 21.86 21.77 21.85 21.84 21.85	Channel 132322 21.82 21.79 21.77 21.74 21.80 21.79 21.76 21.78 21.78 21.85 21.79	Channel 132657 21.77 21.84 21.82 21.77 21.87 21.82 21.78 21.84 21.80 21.78 21.83	Tune up  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00
	QPSK	RB size  1 1 1 1 8 8 8 15 1 1 1 8 8	RB offset  0 7 14 0 4 7 0 0 7 14 14 0 4 7 4 7 4 4 7 4 4 4 4	Channel 131987 21.77 21.80 21.82 21.78 21.82 21.81 21.86 21.77 21.85 21.84 21.85 21.87	Channel 132322 21.82 21.79 21.77 21.74 21.80 21.79 21.76 21.78 21.78 21.85 21.79 21.77	Channel 132657 21.77 21.84 21.82 21.77 21.87 21.82 21.78 21.84 21.80 21.78 21.83 21.77	Tune up  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00
	QPSK	RB size  1 1 1 1 8 8 8 15 1 1 1 8 8 8	RB offset  0 7 14 0 4 7 0 0 7 14 0 4 7 7 0 4 7 7	Channel 131987 21.77 21.80 21.82 21.78 21.82 21.81 21.86 21.77 21.85 21.84 21.85 21.87 21.75	Channel 132322 21.82 21.79 21.77 21.74 21.80 21.79 21.76 21.78 21.78 21.85 21.79 21.77 21.82	Channel 132657 21.77 21.84 21.82 21.77 21.87 21.82 21.78 21.84 21.80 21.78 21.83 21.77 21.82	Tune up  23.00
	QPSK	RB size  1 1 1 1 8 8 8 15 1 1 1 8 8 8 15 5 15 1 15 15 15 16 17 17 18 18 18 18 18	RB offset  0 7 14 0 4 7 0 0 7 14 0 4 7 0 4 7 0 0 7	Channel 131987 21.77 21.80 21.82 21.78 21.82 21.81 21.86 21.77 21.85 21.84 21.85 21.87 21.75 21.32	Channel 132322 21.82 21.79 21.77 21.74 21.80 21.79 21.76 21.78 21.78 21.85 21.79 21.77 21.82 21.40	Channel 132657 21.77 21.84 21.82 21.77 21.87 21.88 21.82 21.78 21.84 21.80 21.78 21.83 21.77 21.82 21.29	Tune up  23.00
	QPSK	RB size  1 1 1 8 8 8 15 1 1 8 8 8 15 1 1 1 1 1	RB offset  0 7 14 0 4 7 0 0 7 14 0 0 4 7 0 0 7 14 0 0 7 0 0 0 7 0 0 0 0	Channel 131987 21.77 21.80 21.82 21.78 21.82 21.81 21.86 21.77 21.85 21.84 21.85 21.87 21.75 21.32 21.36	Channel 132322 21.82 21.79 21.77 21.74 21.80 21.79 21.76 21.78 21.85 21.79 21.77 21.82 21.40 21.35	Channel 132657 21.77 21.84 21.82 21.77 21.87 21.82 21.78 21.84 21.80 21.78 21.83 21.77 21.82 21.29 21.35	Tune up  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  22.50  22.50  22.50  22.50
	QPSK 16QAM	RB size  1 1 1 8 8 8 8 15 1 1 8 8 8 15 1 1 1 1	RB offset  0  7  14  0  4  7  0  7  14  0  4  7  0  4  7  0  0  7  14  0  7  0  7	Channel 131987 21.77 21.80 21.82 21.78 21.82 21.81 21.86 21.77 21.85 21.84 21.85 21.87 21.75 21.32 21.36 21.31	Channel 132322 21.82 21.79 21.77 21.74 21.80 21.79 21.76 21.78 21.78 21.85 21.79 21.77 21.82 21.40 21.35 21.32	Channel 132657 21.77 21.84 21.82 21.77 21.87 21.82 21.78 21.84 21.80 21.78 21.83 21.77 21.82 21.29 21.35 21.33	Tune up  23.00  22.50  22.50  22.50  22.50  22.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 78 of 182

		8	7	21.34	21.38	21.33	21.50
		15	0	20.34	20.24	20.30	21.50
			55 %	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	131997	132322	132647	Tune up
		1	0	21.76	21.85	21.81	23.00
		1	13	21.82	21.75	21.84	23.00
		1	24	21.81	21.79	21.76	23.00
	QPSK	12	0	21.84	21.80	21.76	23.00
		12	6	21.84	21.87	21.87	23.00
		12	13	21.82	21.80	21.74	23.00
		25	0	21.82	21.80	21.76	23.00
		1	0	21.77	21.79	21.85	23.00
		1	13	21.76	21.83	21.86	23.00
		1	24	21.82	21.78	21.81	23.00
5MHz	16QAM	12	0	21.81	21.74	21.84	22.50
		12	6	21.81	21.79	21.77	22.50
		12	13	21.74	21.78	21.82	22.50
		25	0	21.27	21.38	21.30	22.50
		1	0	21.37	21.30	21.31	22.50
		1	13	21.31	21.28	21.40	22.50
		1	24	21.36	21.38	21.31	22.50
	64QAM	12	0	21.32	21.25	21.38	21.50
		12	6	21.38	21.29	21.23	21.50
		12	13	21.39	21.30	21.34	21.50
		25	0	20.32	20.32	20.23	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danuwidin	Modulation	ND Size	ND oliset	132022	132322	132622	rune up
		1	0	21.83	21.81	21.78	23.00
		1	25	21.81	21.81	21.81	23.00
		1	49	21.82	21.79	21.79	23.00
	QPSK	25	0	21.78	21.74	21.75	23.00
		25	13	21.83	21.82	21.82	23.00
		25	25	21.82	21.79	21.78	23.00
		50	0	21.81	21.79	21.78	23.00
10MHz		1	0	21.78	21.81	21.78	23.00
IVIVITIZ		1	25	21.84	21.81	21.82	23.00
		1	49	21.83	21.79	21.80	23.00
	16QAM	25	0	21.77	21.75	21.80	22.50
		25	13	21.81	21.82	21.75	22.50
		25	25	21.75	21.87	21.77	22.50
		50	0	21.29	21.38	21.24	22.50
	64OAM	1	0	21.32	21.36	21.33	22.50
	64QAM	1	25	21.33	21.31	21.39	22.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 79 of 182

		1	49	21.35	21.33	21.27	22.50
		25	0	21.38	21.26	21.40	21.50
		25	13	21.37	21.31	21.25	21.50
		25	25	21.39	21.32	21.35	21.50
		50	0	20.33	20.32	20.23	21.50
Domain dela	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Bandwidth	Modulation	ND Size	ND ollset	132047	132322	132597	rune up
		1	0	21.80	21.82	21.86	23.00
		1	38	21.83	21.76	21.84	23.00
		1	74	21.88	21.72	21.77	23.00
	QPSK	36	0	21.81	21.74	21.78	23.00
		36	18	21.86	21.78	21.87	23.00
		36	39	21.80	21.78	21.74	23.00
		75	0	21.82	21.72	21.79	23.00
		1	0	21.82	21.84	21.78	23.00
		1	38	21.78	21.85	21.82	23.00
		1	74	21.81	21.86	21.81	23.00
15MHz	16QAM	36	0	21.79	21.74	21.84	22.50
		36	18	21.82	21.77	21.78	22.50
		36	39	21.79	21.83	21.79	22.50
		75	0	21.24	21.38	21.29	22.50
		1	0	21.34	21.34	21.31	22.50
		1	38	21.32	21.28	21.36	22.50
		1	74	21.28	21.35	21.29	22.50
	64QAM	36	0	21.39	21.30	21.37	21.50
		36	18	21.38	21.31	21.25	21.50
		36	39	21.38	21.37	21.31	21.50
		75	0	20.37	20.26	20.23	21.50
Donalissialth	Modulation	DD size	DD offeet	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RB size	RB offset	132072	132322	132572	Tune up
		1	0	21.89	21.99	21.77	23.00
		1	50	21.79	21.74	21.76	23.00
		1	99	21.86	21.76	21.74	23.00
	QPSK	50	0	21.86	21.96	21.69	23.00
		50	25	21.82	21.81	21.67	23.00
		50	50	21.84	21.80	21.62	23.00
20MHz		100	0	21.84	21.89	21.76	23.00
		1	0	21.81	21.80	21.83	23.00
		1	50	21.80	21.78	21.79	23.00
	16QAM	1	99	21.86	21.83	21.75	23.00
	IOQAIVI	50	0	21.85	21.77	21.83	22.50
		50	25	21.82	21.79	21.82	22.50
		50	50	21.78	21.81	21.80	22.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 80 of 182

		100	0	21.27	21.38	21.28	22.50
		1	0	21.37	21.33	21.30	22.50
		1	50	21.35	21.33	21.38	22.50
		1	99	21.33	21.31	21.26	22.50
	64QAM	50	0	21.35	21.28	21.34	21.50
		50	25	21.38	21.25	21.25	21.50
		50	50	21.33	21.34	21.36	21.50
		100	0	20.32	20.33	20.26	21.50

	LTE Ba				Conducted	Power(dBm)	
D 1 - 1-141-	NA adadation	DD -: -	DD - 111-14	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	131979	132322	132665	Tune up
		1	0	15.64	15.74	15.73	17.00
		1	2	15.69	15.74	15.77	17.00
		1	5	15.74	15.68	15.70	17.00
	QPSK	3	0	15.72	15.72	15.75	17.00
		3	1	15.77	15.62	15.66	17.00
		3	3	15.70	15.69	15.76	17.00
		6	0	15.76	15.78	15.72	17.00
		1	0	15.70	15.70	15.73	17.00
		1	2	15.70	15.76	15.71	17.00
		1	5	15.71	15.68	15.74	17.00
1.4MHz	16QAM	3	0	15.69	15.77	15.75	17.00
		3	1	15.73	15.68	15.70	17.00
		3	3	15.71	15.76	15.66	17.00
		6	0	15.65	15.74	15.80	17.00
		1	0	15.69	15.75	15.72	17.00
	64QAM	1	2	15.71	15.70	15.69	17.00
		1	5	15.70	15.71	15.67	17.00
		3	0	15.66	15.69	15.63	17.00
		3	1	15.76	15.73	15.71	17.00
		3	3	15.67	15.67	15.72	17.00
		6	0	15.76	15.71	15.69	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Balluwiutii	Modulation	ND SIZE	IVD Ollset	131987	132322	132657	Turie up
		1	0	15.68	15.73	15.67	17.00
		1	7	15.67	15.72	15.77	17.00
		1	14	15.72	15.76	15.68	17.00
3MHz	QPSK	8	0	15.72	15.74	15.73	17.00
SIVIFIZ		8	4	15.80	15.64	15.70	17.00
		8	7	15.70	15.68	15.78	17.00
		15	0	15.74	15.73	15.71	17.00
	16QAM	1	0 litions of Service printed	15.67	15.70	15.69	17.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 81 of 182

1 7 15.74 15.77 15.69 17.00	)
4 44 45 70 45 70 45 70 47 70	•
1 14 15.72 15.68 15.73 17.00	)
8 0 15.73 15.77 15.75 17.00	)
8 4 15.69 15.70 15.66 17.00	)
8 7 15.67 15.75 15.72 17.00	)
15 0 15.71 15.70 15.74 17.0	)
1 0 15.69 15.69 15.71 17.0	<del></del>
1 7 15.74 15.75 15.71 17.0	)
1 14 15.64 15.68 15.67 17.0	)
64QAM 8 0 15.68 15.71 15.64 17.00	)
8 4 15.77 15.72 15.63 17.0	)
8 7 15.73 15.69 15.69 17.0	)
15 0 15.72 15.67 15.72 17.0	<u> </u>
Channel Channel _	
Bandwidth Modulation RB size RB offset 131997 132322 132647	dr
1 0 15.66 15.74 15.73 17.0	<del></del>
1 13 15.69 15.72 15.77 17.0	<u> </u>
1 24 15.77 15.70 15.74 17.0	<del></del>
QPSK 12 0 15.73 15.80 15.77 17.00	<del></del>
12 6 15.76 15.68 15.69 17.0	<u> </u>
12 13 15.65 15.73 15.72 17.0	<del></del>
25 0 15.75 15.79 15.76 17.0	<del></del>
1 0 15.69 15.65 15.69 17.0	)
1 13 15.76 15.76 15.68 17.0	
1 24 15.72 15.67 15.73 17.0	<del></del>
<b>5MHz</b> 16QAM 12 0 15.71 15.72 15.72 17.00	<del></del>
12 6 15.70 15.72 15.63 17.0	
12 13 15.67 15.74 15.70 17.0	)
25 0 15.63 15.72 15.75 17.0	<u> </u>
1 0 15.67 15.77 15.73 17.0	<u> </u>
1 13 15.77 15.69 15.75 17.0	)
1 24 15.65 15.71 15.67 17.0	<u> </u>
64QAM 12 0 15.67 15.76 15.66 17.0	<u> </u>
12 6 15.72 15.69 15.72 17.0	<u> </u>
12 13 15.66 15.74 15.74 17.0	<del></del>
25 0 15.71 15.65 15.68 17.00	
Channel Channel -	
BandwidthModulationRB sizeRB offsetStatuteStatuteStatuteStatute132022132322132622	dr
1 0 15.66 15.71 15.68 17.0	5
1 25 15.70 15.74 15.77 17.0	)
<b>10MHz</b> QPSK 1 49 15.75 15.68 15.69 17.00	)
25 0 15.74 15.72 15.76 17.00	)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratori

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980

www.sgsgroup.com.cn Member of the SGS Group (SGS SA)



Report No.: SUCR241100047301

Rev.: 01

Page: 82 of 182

		25	25	15.73	15.69	15.79	17.00
		50	0	15.73	15.75	15.68	17.00
		1	0	15.72	15.68	15.68	17.00
		1	25	15.78	15.73	15.65	17.00
		1	49	15.68	15.69	15.72	17.00
	16QAM	25	0	15.73	15.78	15.77	17.00
	IOQAW	25	13	15.70	15.70	15.63	17.00
		25	25	15.66	15.73	15.73	17.00
		50	0	15.66	15.73	15.71	17.00
		1	0	15.69	15.72	15.80	17.00
		1	25	15.74	15.69	15.70	17.00
		1	49	15.71	15.64	15.72	17.00
	64QAM	25	0	15.71	15.72	15.71	17.00
		25	13	15.74	15.71	15.66	17.00
		25	25	15.71	15.66	15.68	17.00
		50	0	15.71	15.72	15.68	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danuwium	Modulation	ND SIZE	IND Ollset	132047	132322	132597	Turie up
		1	0	15.70	15.69	15.68	17.00
		1	38	15.73	15.70	15.72	17.00
		1	74	15.73	15.74	15.75	17.00
	QPSK	36	0	15.67	15.73	15.74	17.00
		36	18	15.79	15.64	15.70	17.00
		36	39	15.69	15.72	15.76	17.00
		75	0	15.77	15.75	15.71	17.00
		1	0	15.72	15.67	15.72	17.00
		1	38	15.71	15.78	15.70	17.00
		1	74	15.69	15.71	15.78	17.00
15MHz	16QAM	36	0	15.75	15.79	15.72	17.00
		36	18	15.70	15.69	15.70	17.00
		36	39	15.65	15.78	15.66	17.00
		75	0	15.70	15.74	15.76	17.00
		1	0	15.66	15.73	15.72	17.00
		1	38	15.75	15.73	15.77	17.00
		1	74	15.66	15.66	15.65	17.00
	64QAM	36	0	15.68	15.71	15.65	17.00
		36	18	15.76	15.71	15.64	17.00
		36	39	15.71	15.72	15.70	17.00
		75	0	15.74	15.63	15.66	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
		4		132072	132322	132572	
20MHz	QPSK	1	0	15.87	15.88	15.83	17.00
		1	50	15.73	15.75	15.71	17.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 83 of 182

1	1	ı		1		
	1	99	15.72	15.75	15.75	17.00
	50	0	15.76	15.86	15.83	17.00
	50	25	15.74	15.64	15.69	17.00
	50	50	15.69	15.67	15.79	17.00
	100	0	15.79	15.84	15.68	17.00
	1	0	15.69	15.69	15.73	17.00
	1	50	15.78	15.78	15.64	17.00
	1	99	15.67	15.72	15.74	17.00
16QAM	50	0	15.74	15.72	15.73	17.00
	50	25	15.78	15.68	15.68	17.00
	50	50	15.70	15.78	15.68	17.00
	100	0	15.64	15.70	15.80	17.00
	1	0	15.64	15.73	15.80	17.00
	1	50	15.77	15.74	15.76	17.00
	1	99	15.68	15.69	15.69	17.00
64QAM	50	0	15.68	15.73	15.64	17.00
	50	25	15.80	15.73	15.72	17.00
	50	50	15.69	15.69	15.70	17.00
	100	0	15.71	15.72	15.73	17.00

	LTE Ba State0 State3			Conducted Power(dBm)				
Bandwidth	Modulation	DD size	RB offset	Channel	Channel	Channel	Tunaun	
Bandwidth	Modulation	RB size	RB offset	133147	133322	133447	Tune up	
		1	0	23.12	23.20	23.16	24.00	
		1	13	23.27	23.20	23.26	24.00	
		1	24	23.20	23.19	23.14	24.00	
	QPSK	12	0	22.06	22.14	22.17	23.00	
		12	6	22.23	22.17	22.20	23.00	
		12	13	22.25	22.14	22.29	23.00	
		25	0	22.18	22.17	22.18	23.00	
	16QAM	1	0	22.24	22.22	22.17	23.00	
		1	13	22.21	22.17	22.21	23.00	
5MHz		1	24	22.12	22.18	22.03	23.00	
SIVITZ		12	0	21.17	21.19	21.08	22.00	
		12	6	21.22	21.13	21.31	22.00	
		12	13	21.08	21.20	21.23	22.00	
		25	0	21.25	21.13	21.14	22.00	
		1	0	21.22	21.33	21.12	22.00	
		1	13	21.15	21.20	21.20	22.00	
	64QAM	1	24	21.10	21.14	21.12	22.00	
	04QAM	12	0	20.21	20.18	20.15	21.00	
		12	6	20.13	20.22	20.13	21.00	
		12	13	20.15	20.08	20.17	21.00	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 84 of 182

		25	0	20.23	20.20	20.12	21.00
D 1 144	NA - ded - di - o	DD -:	DD - (" t	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	133172	133322	133422	Tune up
		1	0	23.18	23.17	23.26	24.00
		1	25	23.26	23.26	23.16	24.00
		1	49	23.15	23.17	23.19	24.00
	QPSK	25	0	22.12	22.17	22.26	23.00
		25	13	22.16	22.15	22.13	23.00
		25	25	22.26	22.13	22.21	23.00
		50	0	22.11	22.18	22.23	23.00
		1	0	22.21	22.22	22.15	23.00
		1	25	22.25	22.10	22.22	23.00
		1	49	22.13	22.19	22.05	23.00
10MHz	16QAM	25	0	21.15	21.10	21.17	22.00
		25	13	21.19	21.18	21.23	22.00
		25	25	21.05	21.28	21.16	22.00
		50	0	21.27	21.20	21.20	22.00
		1	0	21.12	21.28	21.04	22.00
		1	25	21.17	21.14	21.25	22.00
		1	49	21.15	21.23	21.19	22.00
	64QAM	25	0	20.15	20.11	20.15	21.00
		25	13	20.16	20.25	20.23	21.00
		25	25	20.27	20.08	20.13	21.00
		50	0	20.23	20.13	20.17	21.00
Donalusi déla	Madulation	DD size	DD offeet	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RB size	RB offset	133197	133322	133397	Tune up
		1	0	23.19	23.16	23.24	24.00
		1	38	23.23	23.24	23.23	24.00
		1	74	23.18	23.06	23.10	24.00
	QPSK	36	0	22.15	22.11	22.29	23.00
		36	18	22.22	22.12	22.14	23.00
		36	39	22.21	22.19	22.25	23.00
		75	0	22.09	22.09	22.22	23.00
		1	0	22.15	22.13	22.14	23.00
15MHz		1	38	22.27	22.07	22.26	23.00
		1	74	22.12	22.14	22.09	23.00
	16QAM	36	0	21.26	21.14	21.09	22.00
		36	18	21.20	21.18	21.26	22.00
		36	39	21.10	21.25	21.22	22.00
		75	0	21.31	21.19	21.15	22.00
		1	0	21.17	21.21	21.16	22.00
	64QAM	1	38	21.13	21.14	21.18	22.00
		1	74	21.10	21.18	21.14	22.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

85 of 182 Page:

		36	0	20.15	20.14	20.17	21.00
		36	18	20.10	20.19	20.14	21.00
		36	39	20.23	20.06	20.17	21.00
		75	0	20.14	20.19	20.12	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
bandwidth	Modulation	ND SIZE	RD Ollset	133222	133322	133372	rune up
		1	0	23.22	23.36	23.27	24.00
		1	50	23.20	23.22	23.18	24.00
		1	99	23.14	23.15	23.16	24.00
	QPSK	50	0	22.22	22.27	22.22	23.00
		50	25	22.20	22.20	22.17	23.00
		50	50	22.21	22.13	22.21	23.00
		100	0	22.17	22.30	22.25	23.00
		1	0	22.18	22.24	22.12	23.00
		1	50	22.27	22.11	22.18	23.00
		1	99	22.23	22.17	22.08	23.00
20MHz	16QAM	50	0	21.20	21.15	21.12	22.00
		50	25	21.17	21.06	21.28	22.00
		50	50	21.04	21.27	21.17	22.00
		100	0	21.27	21.19	21.17	22.00
		1	0	21.10	21.28	21.06	22.00
		1	50	21.18	21.10	21.29	22.00
		1	99	21.11	21.25	21.13	22.00
	64QAM	50	0	20.22	20.17	20.07	21.00
		50	25	20.07	20.22	20.18	21.00
		50	50	20.25	20.12	20.13	21.00
		100	0	20.16	20.15	20.16	21.00

### Ant4:

LTE Band 2 State0 State5				Conducted Power(dBm)			
Bandwidth M		RB size	RB offset	Channel	Channel	Channel	Tung up
	Modulation	RD SIZE	KB oliset	18607	18900	19193	Tune up
		1	0	23.45	23.52	23.55	24.50
		1	2	23.52	23.49	23.53	24.50
		1	5	23.46	23.52	23.45	24.50
1.4MHz	QPSK	3	0	23.53	23.49	23.53	24.50
1.411172		3	2	23.47	23.45	23.50	24.50
		3	3	23.48	23.54	23.46	24.50
		6	0	22.32	22.43	22.45	23.50
	16QAM	1	0	22.44	22.41	22.48	23.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 86 of 182

	1	1	1		1	1	
		1	2	22.41	22.36	22.34	23.50
		1	5	22.26	22.38	22.30	23.50
		3	0	22.48	22.46	22.46	23.50
		3	2	22.51	22.44	22.55	23.50
		3	3	22.49	22.51	22.52	23.50
		6	0	21.40	21.60	21.55	22.50
		1	0	21.55	21.47	21.46	22.50
		1	2	21.51	21.40	21.27	22.50
		1	5	21.50	21.32	21.26	22.50
	64QAM	3	0	21.63	21.58	21.65	22.50
		3	2	21.60	21.65	21.62	22.50
		3	3	21.60	21.61	21.57	22.50
		6	0	20.38	20.28	20.29	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danamati		. 12 0,20	511000	18615	18900	19185	
		1	0	23.41	23.37	23.54	24.50
		1	7	23.41	23.44	23.38	24.50
		1	14	23.35	23.43	23.44	24.50
	QPSK	8	0	22.51	22.38	22.53	23.50
		8	4	22.55	22.45	22.32	23.50
		8	7	22.49	22.42	22.48	23.50
		15	0	22.40	22.44	22.52	23.50
		1	0	22.31	22.51	22.55	23.50
		1	7	22.53	22.35	22.41	23.50
		1	14	22.38	22.43	22.37	23.50
3MHz	16QAM	8	0	21.57	21.39	21.36	22.50
		8	4	21.43	21.44	21.47	22.50
		8	7	21.42	21.44	21.51	22.50
		15	0	21.52	21.49	21.56	22.50
		1	0	21.34	21.46	21.40	22.50
		1	7	21.49	21.42	21.56	22.50
		1	14	21.50	21.38	21.41	22.50
	64QAM	8	0	20.42	20.41	20.35	21.50
		8	4	20.46	20.47	20.48	21.50
		8	7	20.40	20.45	20.44	21.50
		15	0	20.41	20.38	20.39	21.50
				Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	18625	18900	19175	Tune up
		1	0	23.43	23.39	23.56	24.50
		1	13	23.43	23.40	23.33	24.50
5MHz	QPSK	1	24	23.37	23.43	23.47	24.50
		12	0	22.47	22.40	22.54	23.50
	l						

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

87 of 182 Page:

		12	6	22.60	22.47	22.32	23.50
		12	13	22.41	22.37	22.46	23.50
		25	0	22.44	22.51	22.53	23.50
		1	0	22.34	22.42	22.49	23.50
		1	13	22.58	22.38	22.44	23.50
		1	24	22.48	22.35	22.41	23.50
	16QAM	12	0	21.49	21.39	21.42	22.50
		12	6	21.45	21.46	21.52	22.50
		12	13	21.37	21.42	21.56	22.50
		25	0	21.45	21.56	21.47	22.50
		1	0	21.37	21.47	21.35	22.50
		1	13	21.42	21.48	21.45	22.50
		1	24	21.41	21.46	21.40	22.50
	64QAM	12	0	20.32	20.45	20.43	21.50
		12	6	20.42	20.45	20.55	21.50
		12	13	20.45	20.42	20.43	21.50
		25	0	20.41	20.34	20.45	21.50
D 1 - 1-141-	NA - ded - di - c	DD -: -	DD - 111 - 1	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	18650	18900	19150	Tune up
		1	0	23.38	23.37	23.56	24.50
		1	25	23.47	23.39	23.34	24.50
		1	49	23.46	23.39	23.38	24.50
	QPSK	25	0	22.44	22.38	22.45	23.50
		25	13	22.55	22.49	22.38	23.50
		25	25	22.45	22.38	22.49	23.50
		50	0	22.50	22.42	22.55	23.50
		1	0	22.38	22.40	22.51	23.50
		1	25	22.49	22.43	22.40	23.50
		1	49	22.46	22.44	22.44	23.50
10MHz	16QAM	25	0	21.56	21.39	21.37	22.50
		25	13	21.40	21.47	21.45	22.50
		25	25	21.36	21.50	21.53	22.50
		50	0	21.49	21.53	21.47	22.50
		1	0	21.40	21.48	21.35	22.50
		1	25	21.49	21.47	21.47	22.50
		1	49	21.40	21.38	21.30	22.50
	64QAM	25	0	20.37	20.46	20.38	21.50
		25	13	20.46	20.51	20.56	21.50
		25	25	20.44	20.41	20.40	21.50
		50	0	20.39	20.41	20.44	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18675	18900	19125	•
15MHz	QPSK	1	0	23.40	23.29	23.47	24.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980

www.sgsgroup.com.cn Member of the SGS Group (SGS SA)



Report No.: SUCR241100047301

Rev.: 01

Page: 88 of 182

		1	38	23.46	23.42	23.41	24.50
		1	74	23.42	23.40	23.47	24.50
		36	0	22.43	22.47	22.54	23.50
		36	18	22.57	22.48	22.38	23.50
		36	39	22.48	22.38	22.50	23.50
		75	0	22.48	22.50	22.42	23.50
		1	0	22.40	22.45	22.47	23.50
		1	38	22.54	22.35	22.40	23.50
		1	74	22.43	22.36	22.37	23.50
	16QAM	36	0	21.55	21.47	21.46	22.50
		36	18	21.48	21.44	21.45	22.50
		36	39	21.34	21.46	21.56	22.50
		75	0	21.47	21.52	21.44	22.50
		1	0	21.35	21.46	21.38	22.50
		1	38	21.49	21.47	21.52	22.50
		1	74	21.41	21.40	21.42	22.50
	64QAM	36	0	20.36	20.44	20.41	21.50
		36	18	20.44	20.44	20.57	21.50
		36	39	20.49	20.39	20.38	21.50
		75	0	20.43	20.37	20.44	21.50
Dan de d'alde	NA - de de tiere	DD si-s	DD -#+	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	18700	18900	19100	Tune up
		1	0	23.51	23.56	23.51	24.50
		1	50	23.45	23.45	23.39	24.50
		1	99	23.37	23.42	23.41	24.50
	QPSK	50	0	22.50	22.52	22.51	23.50
		50	25	22.46	22.46	22.39	23.50
		50	50	22.43	22.43	22.47	23.50
		100	0	22.43	22.55	22.54	23.50
		1	0	22.31	22.43	22.44	23.50
l		1	50	22.46	22.39	22.41	23.50 23.50
20MHz	16QAM	1	50	22.46	22.39	22.41	23.50
20MHz	16QAM	1 1 50 50	50 99	22.46 22.36	22.39 22.44	22.41 22.40	23.50 23.50
20MHz	16QAM	1 1 50 50 50	50 99 0 25 50	22.46 22.36 21.60 21.45 21.36	22.39 22.44 21.49 21.36 21.41	22.41 22.40 21.43 21.45 21.51	23.50 23.50 22.50 22.50 22.50
20MHz	16QAM	1 1 50 50	50 99 0 25	22.46 22.36 21.60 21.45	22.39 22.44 21.49 21.36	22.41 22.40 21.43 21.45	23.50 23.50 22.50 22.50 22.50 22.50
20MHz	16QAM	1 1 50 50 50 50 100	50 99 0 25 50	22.46 22.36 21.60 21.45 21.36 21.54 21.40	22.39 22.44 21.49 21.36 21.41 21.53 21.53	22.41 22.40 21.43 21.45 21.51 21.54 21.38	23.50 23.50 22.50 22.50 22.50 22.50 22.50
20MHz	16QAM	1 1 50 50 50 50 100 1	50 99 0 25 50 0	22.46 22.36 21.60 21.45 21.36 21.54 21.40 21.50	22.39 22.44 21.49 21.36 21.41 21.53 21.53 21.41	22.41 22.40 21.43 21.45 21.51 21.54 21.38 21.57	23.50 23.50 22.50 22.50 22.50 22.50 22.50 22.50
20MHz		1 1 50 50 50 100 1 1 1	50 99 0 25 50 0 0 50	22.46 22.36 21.60 21.45 21.36 21.54 21.50 21.41	22.39 22.44 21.49 21.36 21.41 21.53 21.53 21.41 21.46	22.41 22.40 21.43 21.45 21.51 21.54 21.38 21.57 21.33	23.50 23.50 22.50 22.50 22.50 22.50 22.50 22.50 22.50
20MHz	16QAM 64QAM	1 1 50 50 50 100 1 1 1 1 50	50 99 0 25 50 0 0 50 99	22.46 22.36 21.60 21.45 21.36 21.54 21.40 21.50 21.41 20.38	22.39 22.44 21.49 21.36 21.41 21.53 21.53 21.41 21.46 20.42	22.41 22.40 21.43 21.45 21.51 21.54 21.38 21.57 21.33 20.39	23.50 23.50 22.50 22.50 22.50 22.50 22.50 22.50 22.50 21.50
20MHz		1 1 50 50 50 100 1 1 1 1 50 50	50 99 0 25 50 0 0 50 99 0	22.46 22.36 21.60 21.45 21.36 21.54 21.40 21.50 21.41 20.38 20.48	22.39 22.44 21.49 21.36 21.41 21.53 21.53 21.41 21.46 20.42 20.41	22.41 22.40 21.43 21.45 21.51 21.54 21.38 21.57 21.33 20.39 20.51	23.50 23.50 22.50 22.50 22.50 22.50 22.50 22.50 22.50 21.50 21.50
20MHz		1 1 50 50 50 100 1 1 1 1 50	50 99 0 25 50 0 0 50 99	22.46 22.36 21.60 21.45 21.36 21.54 21.40 21.50 21.41 20.38	22.39 22.44 21.49 21.36 21.41 21.53 21.53 21.41 21.46 20.42	22.41 22.40 21.43 21.45 21.51 21.54 21.38 21.57 21.33 20.39	23.50 23.50 22.50 22.50 22.50 22.50 22.50 22.50 22.50 21.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 89 of 182

	LTE B State3			Conducted Power(dBm)				
- · · · · ·	NA - ded -45 - c	DD -: -	DD - #	Channel	Channel	Channel	T	
Bandwidth	Modulation	RB size	RB offset	18607	18900	19193	Tune up	
		1	0	20.00	20.00	20.02	21.00	
		1	2	20.03	19.94	19.96	21.00	
		1	5	20.03	20.05	20.01	21.00	
	QPSK	3	0	19.98	19.98	19.98	21.00	
		3	2	19.95	20.01	19.99	21.00	
		3	3	19.97	19.94	19.98	21.00	
		6	0	20.05	20.01	19.93	21.00	
		1	0	19.98	19.96	20.02	21.00	
		1	2	20.03	19.96	20.02	21.00	
	<b>1.4MHz</b> 16QAM	1	5	20.01	19.99	20.04	21.00	
1.4MHz		3	0	20.01	20.00	20.03	21.00	
		3	2	20.01	20.02	20.04	21.00	
		3	3	19.99	20.02	19.98	21.00	
		6	0	19.92	19.96	19.97	21.00	
		1	0	20.03	20.02	19.93	21.00	
		1	2	19.95	19.96	19.93	21.00	
		1	5	19.93	20.05	20.01	21.00	
	64QAM	3	0	19.99	19.98	19.92	21.00	
		3	2	19.94	20.00	19.94	21.00	
		3	3	19.99	19.95	19.99	21.00	
		6	0	19.91	19.95	20.02	21.00	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
Bandwidth	Woddiation	ND Size	NB onset	18615	18900	19185	rune up	
		1	0	19.93	19.96	20.00	21.00	
		1	7	20.01	19.98	19.99	21.00	
		1	14	20.02	19.99	20.00	21.00	
	QPSK	8	0	19.96	19.98	19.98	21.00	
		8	4	19.99	20.00	19.96	21.00	
		8	7	20.02	19.94	20.01	21.00	
		15	0	20.05	20.02	19.94	21.00	
3MHz		1	0	20.01	20.00	19.94	21.00	
		1	7	20.03	20.00	20.04	21.00	
		1	14	20.00	19.95	19.98	21.00	
	16QAM	8	0	20.06	19.98	19.98	21.00	
		8	4	20.00	20.04	19.97	21.00	
		8	7	20.00	19.98	19.98	21.00	
		15	0	19.94	20.02	20.00	21.00	
	64QAM	1	0	20.03	20.02	19.97	21.00	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 90 of 182

		1	7	19.99	19.97	19.96	21.00
		1	14	19.93	20.05	20.02	21.00
		8	0	19.96	20.06	19.99	21.00
		8	4	20.02	20.00	19.94	21.00
		8	7	20.06	19.96	19.98	21.00
		15	0	19.96	19.95	20.04	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danawian	Woddiation	118 3120	TED ONSOL	18625	18900	19175	rane ap
		1	0	20.01	20.01	19.98	21.00
		1	13	20.06	19.95	19.99	21.00
		1	24	20.02	20.02	20.03	21.00
	QPSK	12	0	20.00	19.99	20.04	21.00
		12	6	20.01	19.99	19.98	21.00
		12	13	20.03	19.97	19.97	21.00
		25	0	20.04	19.97	19.98	21.00
		1	0	20.02	20.00	19.98	21.00
		1	13	20.05	19.94	20.02	21.00
		1	24	19.96	19.95	20.04	21.00
5MHz	16QAM	12	0	20.04	19.97	20.02	21.00
		12	6	19.99	20.05	20.02	21.00
		12	13	20.01	19.94	20.02	21.00
		25	0	19.92	20.04	20.02	21.00
		1	0	20.00	19.99	19.93	21.00
		1	13	19.99	19.97	19.98	21.00
		1	24	19.98	19.99	20.02	21.00
	64QAM	12	0	19.96	19.99	19.96	21.00
		12	6	19.98	20.05	19.92	21.00
		12	13	20.05	20.03	20.03	21.00
		25	0	19.97	19.98	19.96	21.00
D 1 - 1-141-	Mandadatian	DD -:	DD - 111	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	18650	18900	19150	Tune up
		1	0	19.98	20.01	19.97	21.00
		1	25	20.06	19.94	19.99	21.00
		1	49	20.00	20.02	20.04	21.00
	QPSK	25	0	19.97	19.95	20.04	21.00
		25	13	19.94	20.00	20.02	21.00
405511		25	25	19.99	19.94	19.94	21.00
10MHz		50	0	20.02	19.95	19.99	21.00
		1	0	20.00	20.01	19.99	21.00
		1	25	20.05	20.02	19.99	21.00
	16QAM	1	49	19.99	19.96	20.02	21.00
		25	0	20.02	20.05	20.05	21.00
		25	13	19.97	19.99	20.02	21.00
		1	i	1			1

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980

www.sgsgroup.com.cn Member of the SGS Group (SGS SA)



Report No.: SUCR241100047301

Rev.: 01

91 of 182 Page:

		25	25	20.04	20.02	19.99	21.00
		50	0	19.90	20.01	20.00	21.00
		1	0	19.97	20.06	19.93	21.00
		1	25	20.02	20.02	20.00	21.00
		1	49	19.92	20.00	20.02	21.00
	64QAM	25	0	19.99	20.03	19.94	21.00
		25	13	19.97	20.02	19.98	21.00
		25	25	20.04	19.94	19.99	21.00
		50	0	19.96	19.98	19.96	21.00
D	NA - ded - 4t	DD die	DD - (( +	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	18675	18900	19125	Tune up
		1	0	19.94	20.04	20.00	21.00
		1	38	20.07	19.92	19.99	21.00
		1	74	19.98	20.00	20.04	21.00
	QPSK	36	0	19.95	20.01	19.99	21.00
		36	18	19.98	20.06	19.96	21.00
		36	39	20.04	19.99	20.00	21.00
		75	0	20.04	19.99	19.95	21.00
		1	0	20.05	19.98	19.97	21.00
		1	38	20.01	19.97	20.03	21.00
		1	74	20.00	20.02	20.00	21.00
15MHz	16QAM	36	0	20.08	19.99	20.03	21.00
		36	18	20.03	20.00	20.03	21.00
		36	39	20.02	19.95	19.97	21.00
		75	0	19.91	19.98	20.03	21.00
		1	0	19.97	20.02	19.99	21.00
		1	38	19.97	19.99	19.96	21.00
		1	74	19.98	19.98	20.03	21.00
	64QAM	36	0	20.00	19.98	19.99	21.00
		36	18	19.99	19.99	19.97	21.00
		36	39	20.03	19.96	19.98	21.00
		75	0	20.00	19.92	19.99	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danaman	Modulation	112 0120		18700	18900	19100	•
		1	0	20.16	20.18	20.13	21.00
		1	50	20.06	19.93	19.96	21.00
		1	99	20.06	20.07	20.06	21.00
	QPSK	50	0	20.01	20.05	20.03	21.00
20MHz		50	25	19.95	20.02	20.01	21.00
		50	50	19.98	19.93	19.99	21.00
		100	0	19.97	19.99	19.93	21.00
	16QAM	1	0	19.97	20.00	19.95	21.00
	16QAM	1	50	20.01	20.01	20.02	21.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

92 of 182 Page:

		1	99	20.04	19.95	19.98	21.00
		50	0	20.06	20.04	20.02	21.00
		50	25	19.98	20.01	19.98	21.00
		50	50	20.04	19.97	20.01	21.00
		100	0	19.95	20.04	19.98	21.00
		1	0	20.02	20.01	19.99	21.00
		1	50	20.02	20.02	19.95	21.00
		1	99	19.93	19.99	20.03	21.00
	64QAM	50	0	19.96	20.05	19.94	21.00
		50	25	19.97	20.04	19.97	21.00
		50	50	20.04	20.02	20.00	21.00
		100	0	19.93	19.97	20.01	21.00

		Sand 4 State5		Conducted Power(dBm)				
		55 /	55.66	Channel	Channel	Channel	_	
Bandwidth	Modulation	RB size	RB offset	19957	20175	20393	Tune up	
		1	0	23.27	23.35	23.35	24.50	
		1	2	23.28	23.29	23.29	24.50	
		1	5	23.35	23.38	23.31	24.50	
	QPSK	3	0	23.35	23.31	23.36	24.50	
		3	2	23.38	23.33	23.29	24.50	
		3	3	23.38	23.38	23.36	24.50	
		6	0	22.24	22.16	22.30	23.50	
		1	0	22.24	22.23	22.28	23.50	
		1	2	22.23	22.22	22.15	23.50	
		1	5	22.08	22.23	22.16	23.50	
1.4MHz	16QAM	3	0	22.32	22.33	22.35	23.50	
		3	2	22.30	22.29	22.37	23.50	
		3	3	22.34	22.28	22.28	23.50	
		6	0	21.23	21.49	21.37	22.50	
		1	0	21.47	21.38	21.37	22.50	
		1	2	21.38	21.22	21.16	22.50	
		1	5	21.39	21.16	21.18	22.50	
	64QAM	3	0	21.39	21.44	21.46	22.50	
		3	2	21.43	21.49	21.38	22.50	
		3	3	21.42	21.37	21.47	22.50	
		6	0	20.17	20.17	20.11	21.50	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun	
Bandwidth	Modulation	ND SIZE	ND Ullset	19965	20175	20385	Tune up	
3MHz	QPSK	1	0	23.40	23.33	23.39	24.50	
31411 12	QI SIX	1	7	23.50	23.51	23.40	24.50	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

93 of 182 Page:

		1	14	23.46	23.46	23.44	24.50
		8	0	22.46	22.49	22.56	23.50
		8	4	22.58	22.50	22.38	23.50
		8	7	22.47	22.45	22.57	23.50
		15	0	22.40	22.43	22.45	23.50
		1	0	22.38	22.50	22.52	23.50
		1	7	22.57	22.49	22.46	23.50
		1	14	22.42	22.38	22.47	23.50
	16QAM	8	0	21.62	21.42	21.44	22.50
		8	4	21.50	21.41	21.48	22.50
		8	7	21.40	21.50	21.52	22.50
		15	0	21.47	21.51	21.49	22.50
		1	0	21.39	21.55	21.42	22.50
		1	7	21.54	21.44	21.50	22.50
		1	14	21.45	21.44	21.45	22.50
	64QAM	8	0	20.44	20.43	20.40	21.50
		8	4	20.54	20.44	20.53	21.50
		8	7	20.44	20.48	20.46	21.50
		15	0	20.52	20.49	20.48	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Dandwidth	Wodulation	RD SIZE	RB oliset	19975	20175	20375	Turie up
		1	0	23.38	23.44	23.45	24.50
		1	13	23.42	23.44	23.48	24.50
		1	24	23.37	23.45	23.41	24.50
	QPSK	12	0	22.46	22.40	22.56	23.50
		12	6	22.57	22.50	22.35	23.50
		12	13	22.48	22.46	22.53	23.50
		25	0	22.43	22.47	22.53	23.50
		1	0	22.43	22.49	22.52	23.50
		1	13	22.50	22.47	22.51	23.50
		1	24	22.51	22.46	22.50	23.50
5MHz	16QAM	12	0	21.55	21.49	21.40	22.50
		12	6	21.40	21.41	21.53	22.50
		12	13	21.36	21.45	21.53	22.50
		25	0	21.58	21.49	21.58	22.50
		1	0	21.47	21.49	21.35	22.50
		1	13	21.46	21.49	21.59	22.50
		1	24	21.45	21.44	21.41	22.50
	64QAM	12	0	20.37	20.47	20.43	21.50
		12	6	20.49	20.47	20.52	21.50
		12	13	20.46	20.51	20.40	21.50
		25	0	20.50	20.42	20.43	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 94 of 182

				20000	20175	20350	
		1	0	23.38	23.43	23.42	24.50
		1	25	23.49	23.47	23.42	24.50
		1	49	23.36	23.48	23.52	24.50
	QPSK	25	0	22.55	22.48	22.48	23.50
		25	13	22.55	22.48	22.41	23.50
		25	25	22.53	22.41	22.62	23.50
		50	0	22.43	22.48	22.58	23.50
		1	0	22.40	22.50	22.49	23.50
		1	25	22.54	22.46	22.40	23.50
		1	49	22.40	22.38	22.45	23.50
10MHz	16QAM	25	0	21.55	21.50	21.39	22.50
		25	13	21.40	21.49	21.54	22.50
		25	25	21.46	21.45	21.58	22.50
		50	0	21.56	21.57	21.55	22.50
		1	0	21.46	21.53	21.43	22.50
		1	25	21.51	21.44	21.58	22.50
		1	49	21.44	21.49	21.35	22.50
	64QAM	25	0	20.38	20.42	20.38	21.50
		25	13	20.44	20.50	20.62	21.50
		25	25	20.50	20.47	20.40	21.50
		50	0	20.52	20.41	20.45	21.50
		RB size	55 %	Channel	Channel	Channel	_
Bandwidth	Modulation		RB offset	20025	20175	20325	Tune up
		1	0	23.38	23.36	23.49	24.50
		1	38	23.44	23.49	23.43	24.50
		1	74	23.47	23.50	23.51	24.50
	QPSK	36	0	22.46	22.52	22.56	23.50
		36	18	22.60	22.48	22.37	23.50
		36	39	22.47	22.44	22.58	23.50
		75	0	22.42	22.47	22.53	23.50
		1	0	22.42	22.53	22.51	23.50
		1	38	22.57	22.42	22.44	23.50
15MHz		1	74	22.47	22.44	22.39	23.50
	16QAM	36	0	21.57	21.40	21.47	22.50
		36	18	21.44	21.40	21.56	22.50
		36	39	21.44	21.46	21.50	22.50
		75	0	21.55	21.57	21.53	22.50
		1	0	21.40	21.45	21.41	22.50
	-	1	38	21.52	21.44	21.50	22.50
		<u> </u>	30				
	64QAM	1	74	21.49	21.49	21.46	22.50
	64QAM						22.50 21.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980

Member of the SGS Group (SGS SA)



Report No.: SUCR241100047301

Rev.: 01

95 of 182 Page:

		36	39	20.42	20.51	20.40	21.50
		75	0	20.49	20.49	20.49	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RD SIZE	RD Ollset	20050	20175	20300	Tune up
		1	0	23.49	23.54	23.51	24.50
	QPSK	1	50	23.44	23.51	23.47	24.50
		1	99	23.48	23.44	23.49	24.50
		50	0	22.50	22.55	22.47	23.50
		50	25	22.42	22.43	22.35	23.50
		50	50	22.44	22.46	22.38	23.50
		100	0	22.52	22.53	22.49	23.50
		1	0	22.45	22.47	22.46	23.50
		1	50	22.55	22.39	22.40	23.50
		1	99	22.49	22.48	22.46	23.50
20MHz	16QAM	50	0	21.52	21.46	21.47	22.50
		50	25	21.40	21.50	21.56	22.50
		50	50	21.37	21.45	21.61	22.50
		100	0	21.57	21.53	21.54	22.50
		1	0	21.45	21.55	21.36	22.50
		1	50	21.43	21.49	21.48	22.50
	64QAM	1	99	21.48	21.46	21.46	22.50
		50	0	20.45	20.42	20.41	21.50
		50	25	20.46	20.46	20.55	21.50
		50	50	20.50	20.50	20.46	21.50
		100	0	20.47	20.47	20.42	21.50

	LTE B State3			Conducted Power(dBm)			
Dan desidab	NA advisation	DD sins	DD offeet	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	19957	20175	20393	Tune up
		1	0	20.82	20.83	20.80	22.00
		1	2	20.87	20.81	20.86	22.00
		1	5	20.75	20.79	20.80	22.00
	QPSK	3	0	20.81	20.79	20.83	22.00
		3	2	20.76	20.80	20.81	22.00
1.4MHz		3	3	20.89	20.86	20.82	22.00
1.411172		6	0	20.82	20.86	20.76	22.00
		1	0	20.80	20.84	20.84	22.00
		1	2	20.83	20.84	20.80	22.00
	16QAM	1	5	20.78	20.87	20.84	22.00
		3	0	20.80	20.82	20.83	22.00
	-	3	2	20.77	20.83	20.86	22.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 96 of 182

		3	3	20.79	20.82	20.85	22.00
		6	0	20.74	20.83	20.78	22.00
		1	0	20.86	20.78	20.86	22.00
		1	2	20.77	20.78	20.82	22.00
		1	5	20.89	20.83	20.80	22.00
	64QAM	3	0	20.80	20.75	20.87	22.00
	5 · Q/	3	2	20.76	20.80	20.77	22.00
		3	3	20.74	20.80	20.83	22.00
		6	0	20.29	20.30	20.26	21.50
			-	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	19965	20175	20385	Tune up
		1	0	20.85	20.82	20.75	22.00
		1	7	<b>.</b>		20.75	
		1	14	20.81	20.83 20.80	20.65	22.00 22.00
	QPSK						
	QP3K	8	0 4	20.81	20.81 20.78	20.89	22.00
		8	7	20.76		20.82	22.00
		15	0	20.88	20.84	20.87	22.00
		15	0	20.80	20.78	20.80	22.00
	10000		7	20.87	20.79	20.81	22.00
		1	14	20.76	20.79	20.86	22.00
0.00				20.77	20.82	20.82	22.00
3MHz	16QAM	8	0	20.75	20.83	20.76	22.00
		8	7	20.78	20.85	20.84	22.00
		_		20.79	20.77	20.85	22.00
		15	0	20.77	20.85	20.81	22.00
		1	0	20.84	20.78	20.81	22.00
		1	7	20.85	20.79	20.83	22.00
	040414		14	20.88	20.87	20.78	22.00
	64QAM	8	0	20.28	20.36	20.31	21.50
		8	7	20.28	20.31	20.35	21.50 21.50
		8 15	0	20.26 20.25	20.37	20.26 20.32	21.50
		15	U	Channel	Channel	Channel	21.50
Bandwidth	Modulation	RB size	RB offset	19975	20175	20375	Tune up
		1	0	20.83	20.89	20.73	22.00
		1	13	20.87	20.89	20.73	22.00
	QPSK	1	24			20.63	22.00
		12	0	20.77	20.77	20.79	22.00
5MHz	QF3N	12	6	20.84	20.77	20.84	22.00
		12	13	20.83	20.86	20.88	22.00
		25	0	20.83		20.88	22.00
	16QAM	25 1	0		20.86		
1	IOQAIVI	l I	l 0	20.85	20.82	20.78	22.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

97 of 182 Page:

		1	13	20.70	20.04	20.02	22.00
				20.79	20.84	20.82	22.00
		1	24	20.75	20.82	20.83	22.00
		12	0	20.81	20.78	20.80	22.00
		12	6	20.83	20.83	20.89	22.00
		12	13	20.82	20.74	20.81	22.00
		25	0	20.80	20.90	20.79	22.00
		1	0	20.82	20.76	20.84	22.00
		1	13	20.79	20.74	20.82	22.00
		1	24	20.83	20.87	20.82	22.00
	64QAM	12	0	20.31	20.31	20.35	21.50
		12	6	20.31	20.31	20.30	21.50
		12	13	20.30	20.35	20.34	21.50
		25	0	20.26	20.34	20.35	21.50
Downston i alkin	Modulation	DD size	DD offeet	Channel	Channel	Channel	Tuna un
Bandwidth	Modulation	RB size	RB offset	20000	20175	20350	Tune up
		1	0	20.79	20.82	20.74	22.00
		1	25	20.88	20.82	20.79	22.00
		1	49	20.80	20.76	20.80	22.00
	QPSK	25	0	20.77	20.80	20.89	22.00
		25	13	20.82	20.85	20.83	22.00
		25	25	20.87	20.84	20.80	22.00
		50	0	20.82	20.79	20.76	22.00
		1	0	20.81	20.80	20.83	22.00
		1	25	20.80	20.80	20.84	22.00
		1	49	20.79	20.81	20.84	22.00
10MHz	16QAM	25	0	20.74	20.85	20.82	22.00
		25	13	20.84	20.85	20.86	22.00
		25	25	20.82	20.80	20.86	22.00
		50	0	20.79	20.87	20.83	22.00
		1	0	20.86	20.74	20.87	22.00
		1	25	20.83	20.78	20.81	22.00
		1	49	20.89	20.82	20.77	22.00
	64QAM	25	0	20.27	20.37	20.35	21.50
		25	13	20.30	20.36	20.31	21.50
		25	25	20.29	20.34	20.26	21.50
		50	0	20.28	20.32	20.26	21.50
				Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	20025	20175	20325	Tune up
		1	0	20.88	20.86	20.73	22.00
		1	38	20.82	20.80	20.81	22.00
15MHz	QPSK	1	74	20.81	20.78	20.80	22.00
	<u> </u>	36	0	20.76	20.77	20.83	22.00
		36	18	20.81	20.87	20.83	22.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 98 of 182

	ı	1		1	I		
		36	39	20.82	20.90	20.86	22.00
		75	0	20.83	20.82	20.76	22.00
		1	0	20.85	20.76	20.76	22.00
		1	38	20.79	20.83	20.88	22.00
		1	74	20.80	20.80	20.89	22.00
	16QAM	36	0	20.80	20.82	20.79	22.00
		36	18	20.78	20.81	20.85	22.00
		36	39	20.77	20.74	20.84	22.00
		75	0	20.76	20.88	20.79	22.00
		1	0	20.83	20.80	20.85	22.00
		1	38	20.82	20.73	20.78	22.00
		1	74	20.83	20.86	20.78	22.00
	64QAM	36	0	20.23	20.37	20.27	21.50
		36	18	20.25	20.31	20.32	21.50
		36	39	20.24	20.34	20.33	21.50
		75	0	20.31	20.36	20.34	21.50
Donalusialth	Modulation	RB size	DP offect	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RD SIZE	RB offset	20050	20175	20300	Tune up
		1	0	20.92	20.97	20.94	22.00
		1	50	20.87	20.82	20.85	22.00
		1	99	20.78	20.83	20.75	22.00
	QPSK	50	0	20.88	20.93	20.86	22.00
		50	25	20.76	20.84	20.81	22.00
		50	50	20.82	20.86	20.84	22.00
		100	0	20.80	20.88	20.79	22.00
		1	0	20.83	20.80	20.77	22.00
		1	50	20.76	20.78	20.87	22.00
		1	99	20.74	20.84	20.80	22.00
20MHz	16QAM	50	0	20.76	20.84	20.85	22.00
		50	25	20.81	20.85	20.82	22.00
		50	50	20.78	20.74	20.85	22.00
		100	0	20.81	20.82	20.83	22.00
		1	0	20.87	20.74	20.85	22.00
		1	50	20.79	20.80	20.75	22.00
		1	99	20.89	20.81	20.81	22.00
	64QAM	50	0	20.24	20.34	20.31	21.50
		50	25	20.25	20.31	20.32	21.50
		50	50	20.31	20.34	20.28	21.50
		100	0	20.24	20.30	20.30	21.50
	•	•					

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 99 of 182

	LTE B State0				Conducted	Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel 20775	Channel 21100	Channel 21425	Tune up
		1	0	22.79	22.69	22.79	24.20
	-	<u>.</u> 1	13	22.73	22.77	22.80	24.20
	-	<u>.</u> 1	24	22.78	22.74	22.85	24.20
	QPSK	12	0	21.92	21.78	21.83	23.20
		12	6	21.93	21.85	21.78	23.20
	-	12	13	21.80	21.80	21.95	23.20
	-	25	0	21.76	21.87	21.88	23.20
		1	0	21.74	21.81	21.87	23.20
	-	1	13	21.93	21.76	21.83	23.20
		1	24	21.78	21.73	21.78	23.20
5MHz	16QAM	12	0	20.90	20.83	20.80	22.20
		12	6	20.77	20.83	20.93	22.20
		12	13	20.74	20.90	20.90	22.20
		25	0	20.87	20.89	20.90	22.20
		1	0	20.75	20.91	20.77	22.20
	64QAM	1	13	20.77	20.86	20.86	22.20
		1	24	20.80	20.85	20.76	22.20
		12	0	19.75	19.87	19.72	21.20
		12	6	19.81	19.83	19.93	21.20
		12	13	19.79	19.78	19.77	21.20
	-	25	0	19.78	19.75	19.79	21.20
		DD :	DD (( )	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	20800	21100	21400	Tune up
		1	0	22.80	22.73	22.75	24.20
		1	25	22.75	22.85	22.83	24.20
		1	49	22.75	22.84	22.79	24.20
	QPSK	25	0	21.81	21.78	21.87	23.20
		25	13	21.89	21.86	21.79	23.20
		25	25	21.85	21.80	21.96	23.20
		50	0	21.87	21.83	21.82	23.20
10MHz		1	0	21.75	21.87	21.93	23.20
TUMHZ		1	25	21.89	21.74	21.79	23.20
		1	49	21.77	21.75	21.85	23.20
	16QAM	25	0	20.96	20.87	20.79	22.20
		25	13	20.78	20.83	20.83	22.20
	[	25	25	20.79	20.79	20.95	22.20
		50	0	20.92	20.93	20.84	22.20
	64QAM	1	0	20.72	20.88	20.73	22.20
	04QAW	1	25	20.78	20.82	20.85	22.20

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 100 of 182

		1	49	20.87	20.77	20.73	22.20
		25	0	19.71	19.78	19.76	21.20
		25	13	19.89	19.82	19.85	21.20
		25	25	19.86	19.85	19.81	21.20
		50	0	19.81	19.71	19.87	21.20
Donado della	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Bandwidth	Modulation	KD SIZE	KD Ollset	20825	21100	21375	Tune up
		1	0	22.78	22.71	22.82	24.20
		1	38	22.77	22.86	22.78	24.20
		1	74	22.76	22.82	22.80	24.20
	QPSK	36	0	21.93	21.87	21.83	23.20
		36	18	21.91	21.77	21.73	23.20
		36	39	21.91	21.76	21.97	23.20
		75	0	21.79	21.82	21.80	23.20
		1	0	21.79	21.79	21.85	23.20
		1	38	21.86	21.79	21.80	23.20
		1	74	21.83	21.83	21.81	23.20
15MHz	16QAM	36	0	20.89	20.78	20.73	22.20
		36	18	20.82	20.81	20.92	22.20
		36	39	20.72	20.89	20.92	22.20
		75	0	20.89	20.85	20.94	22.20
		1	0	20.70	20.90	20.67	22.20
		1	38	20.84	20.78	20.92	22.20
		1	74	20.81	20.75	20.76	22.20
	64QAM	36	0	19.76	19.83	19.77	21.20
		36	18	19.83	19.80	19.87	21.20
		36	39	19.84	19.75	19.82	21.20
		75	0	19.78	19.82	19.88	21.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Balluwiutii	Modulation	IVD SIZE	KD oliset	20850	21100	21350	rune up
		1	0	22.93	22.97	22.95	24.20
		1	50	22.86	22.87	22.80	24.20
		1	99	22.74	22.79	22.77	24.20
	QPSK	50	0	21.91	21.94	21.93	23.20
		50	25	21.85	21.77	21.70	23.20
	20MHz	50	50	21.87	21.81	21.86	23.20
20MHz		100	0	21.82	21.94	21.92	23.20
		1	0	21.80	21.84	21.87	23.20
		1	50	21.90	21.86	21.81	23.20
	16QAM	1	99	21.76	21.80	21.81	23.20
	IOQAIVI	50	0	20.94	20.87	20.76	22.20
		50	25	20.76	20.84	20.89	22.20
		50	50	20.71	20.88	20.95	22.20

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

101 of 182 Page:

		100	0	20.88	20.83	20.91	22.20
		1	0	20.79	20.89	20.75	22.20
		1	50	20.83	20.86	20.90	22.20
		1	99	20.83	20.84	20.70	22.20
	64QAM	50	0	19.82	19.87	19.79	21.20
		50	25	19.79	19.86	19.88	21.20
		50	50	19.83	19.77	19.84	21.20
		100	0	19.83	19.83	19.83	21.20

	LTE B State3				Conducte	d Power(dBm)	
Decid 146	Mandadatia.	DD -:	DD - 111 - 1	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	20775	21100	21425	Tune up
		1	0	18.20	18.18	18.19	19.70
		1	13	18.20	18.26	18.16	19.70
		1	24	18.24	18.25	18.23	19.70
	QPSK	12	0	18.19	18.26	18.25	19.70
		12	6	18.27	18.19	18.15	19.70
		12	13	18.20	18.16	18.20	19.70
		25	0	18.19	18.27	18.28	19.70
		1	0	18.27	18.27	18.16	19.70
	-	1	13	18.21	18.29	18.20	19.70
		1	24	18.22	18.22	18.20	19.70
5MHz	16QAM	12	0	18.24	18.17	18.19	19.70
		12	6	18.19	18.15	18.22	19.70
		12	13	18.24	18.25	18.21	19.70
		25	0	18.20	18.18	18.19	19.70
		1	0	18.18	18.25	18.19	19.70
	64QAM	1	13	18.24	18.20	18.16	19.70
		1	24	18.18	18.25	18.18	19.70
		12	0	18.20	18.21	18.28	19.70
		12	6	18.19	18.19	18.22	19.70
		12	13	18.28	18.25	18.23	19.70
		25	0	18.16	18.22	18.21	19.70
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tuna un
bandwidth	Modulation	RD SIZE	RD Ollset	20800	21100	21400	Tune up
		1	0	18.19	18.21	18.19	19.70
		1	25	18.13	18.23	18.22	19.70
		1	49	18.23	18.20	18.17	19.70
10MHz	QPSK	25	0	18.22	18.17	18.25	19.70
IUIVITZ		25	13	18.26	18.17	18.17	19.70
		25	25	18.20	18.15	18.21	19.70
		50	0	18.17	18.24	18.29	19.70
	16QAM	1	0	18.21	18.21	18.19	19.70

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 102 of 182

		1	25	18.21	18.24	18.20	19.70
		1	49	18.19	18.28	18.22	19.70
		25	0	18.20	18.22	18.20	19.70
		25	13	18.24	18.21	18.18	19.70
		25	25	18.22	18.24	18.22	19.70
		50	0	18.20	18.18	18.16	19.70
		1	0	18.19	18.23	18.15	19.70
		1	25	18.17	18.18	18.16	19.70
		1	49	18.26	18.16	18.27	19.70
	64QAM	25	0	18.27	18.19	18.25	19.70
		25	13	18.23	18.24	18.24	19.70
		25	25	18.22	18.23	18.22	19.70
		50	0	18.23	18.25	18.20	19.70
Pandyi-d4b	Modulation	RB size	RB offset	Channel	Channel	Channel	Tupo un
Bandwidth	Modulation	ND SIZE	ND Oliset	20825	21100	21375	Tune up
		1	0	18.21	18.25	18.20	19.70
		1	38	18.13	18.23	18.20	19.70
		1	74	18.19	18.23	18.16	19.70
	QPSK	36	0	18.22	18.25	18.25	19.70
		36	18	18.23	18.22	18.15	19.70
		36	39	18.21	18.18	18.15	19.70
		75	0	18.25	18.23	18.29	19.70
		1	0	18.21	18.25	18.16	19.70
		1	38	18.20	18.26	18.16	19.70
		1	74	18.22	18.26	18.16	19.70
15MHz	16QAM	36	0	18.20	18.18	18.27	19.70
		36	18	18.26	18.22	18.26	19.70
		36	39	18.19	18.25	18.24	19.70
		75	0	18.19	18.17	18.16	19.70
		1	0	18.20	18.25	18.15	19.70
		1	38	18.23	18.26	18.20	19.70
		1	74	18.26	18.22	18.24	19.70
	64QAM	36	0	18.25	18.19	18.24	19.70
		36	18	18.27	18.24	18.26	19.70
		36	39	18.26	18.30	18.18	19.70
		75	0	18.21	18.26	18.21	19.70
	NA - de de co	DD :	DD " 1	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	20850	21100	21350	Tune up
		1	0	18.34	18.42	18.34	19.70
		1	50	18.16	18.22	18.18	19.70
20MHz	QPSK	1	99	18.25	18.27	18.22	19.70
		50	0	18.36	18.41	18.26	19.70
		50	25	18.28	18.21	18.22	19.70

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

103 of 182 Page:

	50	50	18.23	18.13	18.20	19.70
	100	0	18.17	18.33	18.29	19.70
	1	0	18.22	18.24	18.14	19.70
	1	50	18.19	18.25	18.15	19.70
	1	99	18.20	18.24	18.19	19.70
16QAM	50	0	18.22	18.22	18.24	19.70
	50	25	18.26	18.14	18.19	19.70
	50	50	18.23	18.26	18.18	19.70
	100	0	18.20	18.15	18.23	19.70
	1	0	18.19	18.21	18.19	19.70
	1	50	18.16	18.18	18.19	19.70
	1	99	18.27	18.19	18.25	19.70
64QAM	50	0	18.20	18.22	18.21	19.70
	50	25	18.22	18.17	18.25	19.70
	50	50	18.23	18.29	18.21	19.70
	100	0	18.22	18.19	18.23	19.70

	LTE B	and 38 State5		Conducted Power(dBm)				
Donalos i dála	Mandalatina	DD -i	DD -#+	Channel	Channel	Channel	T	
Bandwidth	Modulation	RB size	RB offset	37775	38000	38225	Tune up	
		1	0	23.23	23.28	23.29	24.50	
		1	13	23.31	23.33	23.18	24.50	
		1	24	23.26	23.18	23.27	24.50	
	QPSK	12	0	22.37	22.25	22.32	23.50	
_		12	6	22.32	22.21	22.27	23.50	
		12	13	22.35	22.21	22.31	23.50	
		25	0	22.28	22.32	22.35	23.50	
		1	0	22.22	22.29	22.37	23.50	
		1	13	22.36	22.31	22.23	23.50	
	16QAM	1	24	22.27	22.24	22.26	23.50	
5MHz		12	0	21.34	21.20	21.20	22.50	
		12	6	21.24	21.24	21.32	22.50	
		12	13	21.14	21.27	21.39	22.50	
		25	0	21.30	21.38	21.30	22.50	
		1	0	21.17	21.28	21.23	22.50	
		1	13	21.27	21.22	21.35	22.50	
		1	24	21.30	21.31	21.15	22.50	
	64QAM	12	0	20.17	20.28	20.18	21.50	
		12	6	20.34	20.29	20.31	21.50	
		12	13	20.32	20.29	20.22	21.50	
		25	0	20.22	20.27	20.28	21.50	
Donahuidth	Madulation	DD size	DD offeet	Channel	Channel	Channel	Tungum	
Bandwidth	Modulation	RB size	RB offset	37800	38000	38200	Tune up	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 104 of 182

		1	0	23.24	23.24	23.23	24.50
		1	25	23.28	23.31	23.15	24.50
		1	49	23.27	23.28	23.24	24.50
	QPSK	25	0	22.32	22.29	22.36	23.50
	QFSK	25	13	22.32	22.33	22.19	23.50
		25	25				
		50	0	22.33	22.18	22.37 22.33	23.50
		1	0	22.23 22.22	22.35 22.31	22.36	23.50 23.50
		1	25	22.28	22.20	22.30	23.50
		1	49				
401411	400 414			22.23	22.25	22.20	23.50
10MHz	16QAM	25	0	21.35	21.30	21.27	22.50
		25	13	21.26	21.23	21.37	22.50
		25	25	21.20	21.30	21.34	22.50
		50	0	21.26	21.36	21.38	22.50
		1	0	21.14	21.27	21.16	22.50
		1	25	21.23	21.29	21.39	22.50
	64QAM	1	49	21.32	21.27	21.17	22.50
		25	0	20.16	20.21	20.21	21.50
		25	13	20.26	20.32	20.42	21.50
		25	25	20.33	20.24	20.29	21.50
		50	0	20.34	20.27	20.28	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Bandwidth	Modulation			37825	38000	38175	Tune up
Bandwidth	Modulation	1	0	37825 23.20	38000 23.23	38175 23.31	24.50
Bandwidth	Modulation	1	0 38	37825 23.20 23.28	38000 23.23 23.34	38175 23.31 23.26	24.50 24.50
Bandwidth		1 1 1	0 38 74	37825 23.20 23.28 23.23	38000 23.23 23.34 23.19	38175 23.31 23.26 23.26	24.50 24.50 24.50
Bandwidth	Modulation QPSK	1 1 1 1 36	0 38 74 0	37825 23.20 23.28 23.23 22.26	38000 23.23 23.34 23.19 22.30	38175 23.31 23.26 23.26 22.28	24.50 24.50 24.50 23.50
Bandwidth		1 1 1 1 36 36	0 38 74 0 18	37825 23.20 23.28 23.23 22.26 22.36	38000 23.23 23.34 23.19 22.30 22.22	38175 23.31 23.26 23.26 22.28 22.19	24.50 24.50 24.50 23.50 23.50
Bandwidth		1 1 1 36 36 36	0 38 74 0 18 39	37825 23.20 23.28 23.23 22.26 22.36 22.26	38000 23.23 23.34 23.19 22.30 22.22 22.16	38175 23.31 23.26 23.26 22.28 22.19 22.40	24.50 24.50 24.50 23.50 23.50 23.50
Bandwidth		1 1 1 36 36 36 36 75	0 38 74 0 18 39	37825 23.20 23.28 23.23 22.26 22.36 22.26 22.30	38000 23.23 23.34 23.19 22.30 22.22 22.16 22.28	38175 23.31 23.26 23.26 22.28 22.19 22.40 22.27	24.50 24.50 24.50 23.50 23.50 23.50 23.50
Bandwidth		1 1 1 36 36 36 75	0 38 74 0 18 39 0	37825 23.20 23.28 23.23 22.26 22.36 22.26 22.30 22.20	38000 23.23 23.34 23.19 22.30 22.22 22.16 22.28 22.35	38175 23.31 23.26 23.26 22.28 22.19 22.40 22.27 22.31	24.50 24.50 24.50 23.50 23.50 23.50 23.50 23.50
Bandwidth		1 1 1 36 36 36 36 75 1	0 38 74 0 18 39 0 0	37825 23.20 23.28 23.23 22.26 22.36 22.26 22.30	38000 23.23 23.34 23.19 22.30 22.22 22.16 22.28	38175 23.31 23.26 23.26 22.28 22.19 22.40 22.27	24.50 24.50 24.50 23.50 23.50 23.50 23.50
		1 1 1 36 36 36 75	0 38 74 0 18 39 0	37825 23.20 23.28 23.23 22.26 22.36 22.26 22.30 22.20	38000 23.23 23.34 23.19 22.30 22.22 22.16 22.28 22.35	38175 23.31 23.26 23.26 22.28 22.19 22.40 22.27 22.31	24.50 24.50 24.50 23.50 23.50 23.50 23.50 23.50
Bandwidth  15MHz		1 1 1 36 36 36 75 1 1 1 36	0 38 74 0 18 39 0 0	37825 23.20 23.28 23.23 22.26 22.36 22.26 22.30 22.20 22.41	38000 23.23 23.34 23.19 22.30 22.22 22.16 22.28 22.35 22.26	38175 23.31 23.26 23.26 22.28 22.19 22.40 22.27 22.31 22.19	24.50 24.50 24.50 23.50 23.50 23.50 23.50 23.50 23.50
	QPSK	1 1 1 36 36 36 75 1 1 1 36 36	0 38 74 0 18 39 0 0 0 38 74 0	37825 23.20 23.28 23.23 22.26 22.36 22.26 22.30 22.20 22.41 22.24 21.32 21.31	38000 23.23 23.34 23.19 22.30 22.22 22.16 22.28 22.35 22.26 22.19	38175 23.31 23.26 23.26 22.28 22.19 22.40 22.27 22.31 22.19 22.30	24.50 24.50 24.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50
	QPSK	1 1 1 36 36 36 75 1 1 1 36	0 38 74 0 18 39 0 0 0 38 74	37825 23.20 23.28 23.23 22.26 22.36 22.26 22.30 22.20 22.41 22.24 21.32	38000 23.23 23.34 23.19 22.30 22.22 22.16 22.28 22.35 22.26 22.19 21.24	38175 23.31 23.26 23.26 22.28 22.19 22.40 22.27 22.31 22.19 22.30 21.24	24.50 24.50 24.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50
	QPSK	1 1 1 36 36 36 75 1 1 1 36 36	0 38 74 0 18 39 0 0 0 38 74 0	37825 23.20 23.28 23.23 22.26 22.36 22.26 22.30 22.20 22.41 22.24 21.32 21.31	38000 23.23 23.34 23.19 22.30 22.22 22.16 22.28 22.35 22.26 22.19 21.24 21.31	38175 23.31 23.26 23.26 22.28 22.19 22.40 22.27 22.31 22.19 22.30 21.24 21.27	24.50 24.50 24.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50
	QPSK	1 1 1 36 36 36 36 75 1 1 1 1 36 36 36	0 38 74 0 18 39 0 0 0 38 74 0	37825 23.20 23.28 23.23 22.26 22.36 22.26 22.30 22.20 22.41 22.24 21.32 21.31 21.24	38000 23.23 23.34 23.19 22.30 22.22 22.16 22.28 22.35 22.26 22.19 21.24 21.31 21.30	38175 23.31 23.26 23.26 22.28 22.19 22.40 22.27 22.31 22.19 22.30 21.24 21.27 21.41	24.50 24.50 24.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50
	QPSK	1 1 1 36 36 36 75 1 1 1 1 36 36 36	0 38 74 0 18 39 0 0 0 38 74 0 18 39	37825 23.20 23.28 23.23 22.26 22.36 22.26 22.30 22.20 22.41 22.24 21.32 21.31 21.24 21.30	38000 23.23 23.34 23.19 22.30 22.22 22.16 22.28 22.35 22.26 22.19 21.24 21.31 21.30 21.26	38175 23.31 23.26 23.26 22.28 22.19 22.40 22.27 22.31 22.19 22.30 21.24 21.27 21.41 21.28	24.50 24.50 24.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50
	QPSK 16QAM	1 1 1 36 36 36 36 75 1 1 1 1 36 36 36 75	0 38 74 0 18 39 0 0 38 74 0 18 39 0	37825 23.20 23.28 23.23 22.26 22.36 22.26 22.30 22.20 22.41 22.24 21.32 21.31 21.24 21.30 21.21	38000 23.23 23.34 23.19 22.30 22.22 22.16 22.28 22.35 22.26 22.19 21.24 21.31 21.30 21.26 21.29	38175 23.31 23.26 23.26 22.28 22.19 22.40 22.27 22.31 22.19 22.30 21.24 21.27 21.41 21.28 21.22	24.50 24.50 24.50 23
	QPSK	1 1 1 36 36 36 75 1 1 1 36 36 36 75 1 1 1 1 1 1 36 36 1 1	0 38 74 0 18 39 0 0 38 74 0 18 39 0	37825 23.20 23.28 23.23 22.26 22.36 22.26 22.30 22.20 22.41 22.24 21.32 21.31 21.24 21.30 21.21 21.27	38000 23.23 23.34 23.19 22.30 22.22 22.16 22.28 22.35 22.26 22.19 21.24 21.31 21.30 21.26 21.29 21.25	38175 23.31 23.26 23.26 22.28 22.19 22.40 22.27 22.31 22.19 22.30 21.24 21.27 21.41 21.28 21.22 21.30	24.50 24.50 24.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 22.50 22.50 22.50 22.50 22.50
	QPSK 16QAM	1 1 1 36 36 36 75 1 1 1 36 36 36 36 75 1 1	0 38 74 0 18 39 0 0 0 38 74 0 18 39 0 0 38 74	37825 23.20 23.28 23.23 22.26 22.36 22.26 22.30 22.20 22.41 22.24 21.32 21.31 21.24 21.30 21.21 21.27 21.29	38000 23.23 23.34 23.19 22.30 22.22 22.16 22.28 22.35 22.26 22.19 21.24 21.31 21.30 21.26 21.29 21.25 21.22	38175 23.31 23.26 23.26 23.26 22.28 22.19 22.40 22.27 22.31 22.19 22.30 21.24 21.27 21.41 21.28 21.22 21.30 21.21	24.50 24.50 24.50 24.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 23.50 22.50 22.50 22.50 22.50 22.50 22.50 22.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sas.com/en/Terms-and-Conditions.aspx">http://www.sas.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

105 of 182 Page:

		75	0	20.33	20.21	20.33	21.50	
Donalusi déla	Madulation	DD oi=o	DD offeet	Channel	Channel	Channel	Tungun	
Bandwidth	Modulation	RB size	RB offset	37850	38000	38150	Tune up	
		1	0	23.28	23.44	23.34	24.50	
		1	50	23.19	23.31	23.27	24.50	
		1	99	23.21	23.24	23.23	24.50	
	QPSK	50	0	22.39	22.41	22.38	23.50	
		50	25	22.37	22.23	22.19	23.50	
		50	50	22.32	22.29	22.36	23.50	
		100	0	22.20	22.35	22.29	23.50	
		1	0	22.24	22.30	22.36	23.50	
		1	50	22.38	22.23	22.29	23.50	
		1	99	22.22	22.18	22.27	23.50	
20MHz	16QAM	50	0	21.41	21.24	21.26	22.50	
		50	25	21.21	21.19	21.38	22.50	
		50	50	21.20	21.23	21.35	22.50	
		100	0	21.35	21.38	21.30	22.50	
		1	0	21.19	21.37	21.21	22.50	
		1	50	21.33	21.27	21.38	22.50	
		1	99	21.28	21.22	21.15	22.50	
	64QAM	50	0	20.21	20.27	20.25	21.50	
		50	25	20.27	20.28	20.39	21.50	
		50	50	20.30	20.21	20.30	21.50	
		100	0	20.29	20.24	20.30	21.50	

	LTE Ba State3			Conducted Power(dBm)				
Dan de dalla	Mandulation	DD -i	RB offset	Channel	nnel Channel Cha		T	
Bandwidth	Modulation	RB size	RD ollset	37775	38000	38225	Tune up	
		1	0	20.72	20.71	20.66	22.00	
		1	13	20.75	20.71	20.62	22.00	
		1	24	20.65	20.68	20.73	22.00	
	QPSK	12	0	20.70	20.71	20.69	22.00	
		12	6	20.75	20.69	20.68	22.00	
		12	13	20.71	20.71	20.68	22.00	
		25	0	20.74	20.66	20.76	22.00	
5MHz		1	0	20.64	20.71	20.75	22.00	
		1	13	20.70	20.67	20.66	22.00	
		1	24	20.70	20.66	20.65	22.00	
	16QAM	12	0	20.73	20.69	20.69	22.00	
		12	6	20.63	20.68	20.72	22.00	
		12	13	20.65	20.66	20.68	22.00	
		25	0	20.69	20.69	20.67	22.00	
	64QAM	1	0	20.74	20.74	20.67	22.00	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 106 of 182

		1	13	20.69	20.70	20.77	22.00
		1	24	20.67	20.67	20.70	22.00
		12	0	20.17	20.22	20.25	21.50
		12	6	20.17	20.20	20.25	21.50
		12	13	20.17	20.17	20.15	21.50
		25	0	20.18	20.23	20.22	21.50
Down aloo i alkin	Madulatian	DD sins	DD -#+	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	37800	38000	38200	Tune up
		1	0	20.74	20.76	20.68	22.00
		1	25	20.74	20.70	20.69	22.00
		1	49	20.65	20.67	20.71	22.00
	QPSK	25	0	20.69	20.70	20.71	22.00
		25	13	20.74	20.72	20.75	22.00
		25	25	20.70	20.74	20.73	22.00
		50	0	20.75	20.66	20.75	22.00
		1	0	20.65	20.67	20.74	22.00
		1	25	20.75	20.69	20.71	22.00
		1	49	20.68	20.67	20.67	22.00
10MHz	16QAM	25	0	20.68	20.67	20.67	22.00
		25	13	20.68	20.67	20.71	22.00
		25	25	20.68	20.71	20.68	22.00
		50	0	20.67	20.69	20.64	22.00
		1	0	20.68	20.74	20.70	22.00
		1	25	20.68	20.75	20.76	22.00
		1	49	20.67	20.67	20.68	22.00
	64QAM	25	0	20.22	20.22	20.25	21.50
		25	13	20.21	20.20	20.26	21.50
		25	25	20.14	20.21	20.21	21.50
		50	0	20.20	20.19	20.19	21.50
D 1 144	Mandadatian	DD -: -	DD - "t	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	37825	38000	38175	Tune up
		1	0	20.72	20.73	20.65	22.00
		1	38	20.73	20.63	20.67	22.00
		1	74	20.65	20.71	20.66	22.00
	QPSK	36	0	20.66	20.65	20.70	22.00
		36	18	20.68	20.70	20.67	22.00
4====		36	39	20.74	20.78	20.74	22.00
15MHz		75	0	20.73	20.66	20.74	22.00
		1	0	20.69	20.66	20.77	22.00
		1	38	20.70	20.65	20.70	22.00
	16QAM	1	74	20.72	20.66	20.67	22.00
		36	0	20.66	20.69	20.69	22.00
		36	18	20.68	20.67	20.72	22.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sas.com/en/Terms-and-Conditions.aspx">http://www.sas.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratori

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

107 of 182 Page:

36     39     20.64     20.7       75     0     20.72     20.7       1     0     20.66     20.6	
	5 20.63 22.00
1 0 20.66 20.6	20.00
	9 20.67 22.00
1 38 20.68 20.7	3 20.68 22.00
1 74 20.72 20.6	4 20.69 22.00
64QAM 36 0 20.13 20.2	0 20.28 21.50
36 18 20.17 20.1	8 20.25 21.50
36 39 20.13 20.1	5 20.15 21.50
75 0 20.15 20.2	0 20.20 21.50
Bandwidth Modulation RB size RB offset Channel Channel	nel Channel Tune un
Bandwidth Modulation Rb size Rb oliset 37850 3800	0 38150 Tune up
1 0 20.74 20.8	4 20.75 22.00
1 50 20.73 20.6	7 20.69 22.00
1 99 20.64 20.7	3 20.68 22.00
QPSK 50 0 20.74 20.7	9 20.76 22.00
50 25 20.72 20.7	1 20.71 22.00
50 50 20.70 20.7	2 20.69 22.00
100 0 20.74 20.8	0 20.69 22.00
1 0 20.70 20.6	4 20.74 22.00
1 50 20.75 20.6	7 20.70 22.00
1 99 20.67 20.6	8 20.68 22.00
<b>20MHz</b> 16QAM 50 0 20.70 20.7	2 20.72 22.00
50 25 20.62 20.6	8 20.70 22.00
50 50 20.67 20.6	9 20.71 22.00
100 0 20.72 20.7	5 20.65 22.00
1 0 20.70 20.6	7 20.69 22.00
1 50 20.65 20.7	2 20.76 22.00
1 99 20.66 20.6	6 20.72 22.00
64QAM 50 0 20.19 20.2	6 20.20 21.50
50 25 20.15 20.1	5 20.25 21.50
50 50 20.17 20.2	0 20.15 21.50
100 0 20.22 20.1	9 20.19 21.50

	LTE Band 41 State0 State5				Conducted Power(dBm)					
Bandwidth Modulation	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	T	
	ND SIZE	ND onset	39675	40148	40620	41093	41565	Tune up		
		1	0	23.17	23.31	23.30	23.17	22.63	24.50	
		1	13	23.24	23.26	23.27	23.08	22.59	24.50	
		1	24	23.27	23.27	23.31	23.15	22.69	24.50	
5MHz	QPSK	12	0	22.35	22.29	22.28	22.10	21.75	23.50	
		12	6	22.35	22.27	22.16	22.26	21.85	23.50	
		12	13	22.36	22.26	22.34	22.14	21.73	23.50	
		25	0	22.20	22.24	22.31	22.18	21.67	23.50	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 108 of 182

		1	0	22.17	22.35	22.26	22.08	21.62	23.50
		1	13	22.41	22.31	22.20	22.23	21.81	23.50
		1	24	22.23	22.22	22.21	22.08	21.60	23.50
	16QAM	12	0	21.33	21.27	21.23	21.24	20.83	22.50
		12	6	21.23	21.31	21.38	21.08	20.69	22.50
		12	13	21.21	21.29	21.38	21.09	20.57	22.50
		25	0	21.34	21.32	21.37	21.07	20.62	22.50
		1	0	21.19	21.30	21.21	21.04	20.67	22.50
		1	13	21.33	21.31	21.38	21.03	20.62	22.50
		1	24	21.27	21.25	21.26	21.05	20.57	22.50
	64QAM	12	0	20.20	20.27	20.18	20.08	19.60	21.50
		12	6	20.35	20.30	20.42	20.14	19.65	21.50
		12	13	20.24	20.25	20.26	20.12	19.65	21.50
		25	0	20.31	20.29	20.25	20.02	19.62	21.50
Bandwidth	Madulatian	DD sins	DD -#+	Channel	Channel	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	39700	40160	40620	41080	41540	Tune up
		1	0	23.23	23.24	23.29	23.18	22.66	24.50
		1	25	23.21	23.22	23.21	23.13	22.58	24.50
		1	49	23.28	23.30	23.32	23.17	22.66	24.50
	QPSK	25	0	22.36	22.30	22.38	22.18	21.71	23.50
		25	13	22.42	22.30	22.24	22.30	21.75	23.50
		25	25	22.28	22.20	22.38	22.16	21.65	23.50
		50	0	22.21	22.27	22.26	22.11	21.65	23.50
		1	0	22.23	22.28	22.35	22.11	21.66	23.50
		1	25	22.30	22.22	22.24	22.28	21.74	23.50
		1	49	22.20	22.20	22.28	22.03	21.66	23.50
10MHz	16QAM	25	0	21.33	21.23	21.28	21.17	20.79	22.50
		25	13	21.21	21.21	21.33	21.09	20.61	22.50
		25	25	21.17	21.33	21.35	21.09	20.65	22.50
		50	0	21.33	21.33	21.39	21.05	20.63	22.50
		1	0	21.25	21.34	21.24	21.15	20.64	22.50
		1	25	21.34	21.23	21.35	21.02	20.61	22.50
		1	49	21.33	21.21	21.15	21.06	20.66	22.50
	64QAM	25	0	20.18	20.32	20.17	20.01	19.54	21.50
		25	13	20.27	20.24	20.35	20.13	19.62	21.50
		25	25	20.28	20.22	20.24	20.06	19.61	21.50
		50	0	20.33	20.27	20.27	20.08	19.66	21.50
Panduddle	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tuna
Bandwidth	Modulation	ND SIZE	ND Ollset	39725	40173	40620	41068	41515	Tune up
		1	0	23.26	23.23	23.20	23.15	22.65	24.50
45844-	OBSK	1	38	23.24	23.31	23.22	23.14	22.63	24.50
15MHz	QPSK	1	74	23.23	23.22	23.23	23.09	22.73	24.50
		36	0	22.36	22.25	22.39	22.13	21.69	23.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sas.com/en/Terms-and-Conditions.aspx">http://www.sas.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratori

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



SUCR241100047301 Report No.:

Rev.: 01

Page: 109 of 182

	1			1	1	1			
		36	18	22.43	22.31	22.25	22.26	21.78	23.50
		36	39	22.32	22.25	22.38	22.20	21.64	23.50
		75	0	22.21	22.30	22.34	22.21	21.68	23.50
		1	0	22.19	22.23	22.35	22.12	21.70	23.50
		1	38	22.41	22.19	22.22	22.21	21.84	23.50
		1	74	22.29	22.21	22.30	22.12	21.66	23.50
	16QAM	36	0	21.40	21.25	21.28	21.18	20.83	22.50
		36	18	21.23	21.21	21.33	21.11	20.64	22.50
		36	39	21.16	21.32	21.42	21.11	20.65	22.50
		75	0	21.27	21.36	21.35	21.13	20.62	22.50
		1	0	21.15	21.29	21.19	21.04	20.67	22.50
		1	38	21.23	21.25	21.37	21.15	20.57	22.50
		1	74	21.29	21.30	21.25	21.04	20.66	22.50
	64QAM	36	0	20.16	20.24	20.23	20.09	19.65	21.50
		36	18	20.23	20.28	20.34	20.09	19.70	21.50
		36	39	20.30	20.26	20.26	20.02	19.66	21.50
		75	0	20.28	20.24	20.33	20.10	19.67	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
Danuwidin	Modulation	IVD SIZE	IVD Ollset	39750	40185	40620	41055	41490	rune up
		1	0	23.16	23.26	23.36	23.08	22.69	24.50
	[	1	50	23.25	23.30	23.18	23.06	22.62	24.50
	[	1	99	23.16	23.27	23.26	23.08	22.69	24.50
	QPSK	50	0	22.31	22.26	22.33	22.13	21.78	23.50
	[	50	25	22.31	22.27	22.14	22.23	21.76	23.50
	[	50	50	22.26	22.26	22.32	22.11	21.66	23.50
		100	0	22.22	22.31	22.36	22.12	21.71	23.50
		1	0	22.21	22.27	22.31	22.05	21.66	23.50
		1	50	22.29	22.24	22.31	22.21	21.79	23.50
		1	99	22.28	22.17	22.19	22.05	21.58	23.50
20MHz	16QAM	50	0	21.35	21.28	21.28	21.19	20.80	22.50
		50	25	21.26	21.22	21.32	21.05	20.61	22.50
		50	50	21.22	21.30	21.38	21.03	20.61	22.50
		100	0	21.28	21.38	21.33	21.08	20.63	22.50
		1	0	21.26	21.26	21.14	21.06	20.70	22.50
		1	50	21.27	21.29	21.28	21.05	20.62	22.50
		1	99	21.32	21.30	21.16	21.03	20.58	22.50
	64QAM	50	0	20.27	20.28	20.18	20.00	19.58	21.50
		50	25	20.33	20.24	20.41	20.05	19.65	21.50
		50	50	20.35	20.22	20.20	20.04	19.59	21.50
	[	100	0	20.28	20.17	20.22	20.04	19.66	21.50

	LTE Ban State3 St			Conducted Power(dBm)					
Bandwidth Modulation RB offset				Channel	Channel	Channel	Channel	Channel	Tune up

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 110 of 182

		RB size		39675	40148	40620	41093	41565	
		1	0	20.70	20.73	20.69	20.74	20.24	22.00
		1	13	20.71	20.75	20.70	20.67	20.20	22.00
		1	24	20.66	20.66	20.72	20.69	20.22	22.00
	QPSK	12	0	20.64	20.70	20.69	20.69	20.24	22.00
		12	6	20.67	20.70	20.70	20.62	20.19	22.00
		12	13	20.67	20.73	20.69	20.75	20.20	22.00
		25	0	20.66	20.68	20.78	20.69	20.29	22.00
		1	0	20.71	20.77	20.71	20.67	20.17	22.00
		1	13	20.79	20.77	20.75	20.72	20.23	22.00
		1	24	20.66	20.64	20.63	20.65	20.16	22.00
5MHz	16QAM	12	0	20.66	20.64	20.71	20.70	20.25	22.00
		12	6	20.68	20.70	20.69	20.66	20.18	22.00
		12	13	20.71	20.69	20.64	20.73	20.18	22.00
		25	0	20.64	20.63	20.69	20.71	20.25	22.00
		1	0	20.66	20.68	20.72	20.68	20.21	22.00
		1	13	20.72	20.73	20.70	20.72	20.18	22.00
		1	24	20.66	20.71	20.66	20.75	20.20	22.00
	64QAM	12	0	20.19	20.15	20.25	20.22	19.79	21.50
		12	6	20.19	20.18	20.20	20.14	19.72	21.50
		12	13	20.15	20.22	20.16	20.14	19.65	21.50
		25	0	20.12	20.14	20.19	20.16	19.77	21.50
				01 1	01	01 1	Chamal	Channal	
Randwidth	Modulation	RB	RR offset	Channel	Channel	Channel	Channel	Channel	Tune un
Bandwidth	Modulation	RB size	RB offset	39700	40160	40620	41080	41540	Tune up
Bandwidth	Modulation		RB offset						Tune up 22.00
Bandwidth	Modulation	size		39700	40160	40620	41080	41540	
Bandwidth	Modulation	size 1	0	39700 20.71	40160 20.69	40620 20.74	41080 20.74	41540 20.26	22.00
Bandwidth	Modulation QPSK	size 1 1	0 25	39700 20.71 20.69	40160 20.69 20.78	40620 20.74 20.69	41080 20.74 20.68	41540 20.26 20.20	22.00 22.00
Bandwidth		size 1 1 1	0 25 49	39700 20.71 20.69 20.67	40160 20.69 20.78 20.66	40620 20.74 20.69 20.68	41080 20.74 20.68 20.76	41540 20.26 20.20 20.22	22.00 22.00 22.00
Bandwidth		size 1 1 1 25	0 25 49 0	39700 20.71 20.69 20.67 20.71	40160 20.69 20.78 20.66 20.68	40620 20.74 20.69 20.68 20.70	41080 20.74 20.68 20.76 20.65	41540 20.26 20.20 20.22 20.21	22.00 22.00 22.00 22.00
Bandwidth		size  1 1 1 1 25 25	0 25 49 0 13	39700 20.71 20.69 20.67 20.71 20.68	40160 20.69 20.78 20.66 20.68 20.65	40620 20.74 20.69 20.68 20.70 20.70	41080 20.74 20.68 20.76 20.65 20.62	41540 20.26 20.20 20.22 20.21 20.18	22.00 22.00 22.00 22.00 22.00
Bandwidth		size  1 1 1 25 25 25	0 25 49 0 13 25	39700 20.71 20.69 20.67 20.71 20.68 20.66	40160 20.69 20.78 20.66 20.68 20.65 20.67	40620 20.74 20.69 20.68 20.70 20.70 20.67	41080 20.74 20.68 20.76 20.65 20.62 20.74	41540 20.26 20.20 20.22 20.21 20.18 20.21	22.00 22.00 22.00 22.00 22.00 22.00 22.00
Bandwidth		size  1  1  1  25  25  25  50	0 25 49 0 13 25	39700 20.71 20.69 20.67 20.71 20.68 20.66 20.72	40160 20.69 20.78 20.66 20.68 20.65 20.67 20.70	40620 20.74 20.69 20.68 20.70 20.70 20.67 20.74	41080 20.74 20.68 20.76 20.65 20.62 20.74 20.68	41540 20.26 20.20 20.22 20.21 20.18 20.21 20.25	22.00 22.00 22.00 22.00 22.00 22.00 22.00
Bandwidth  10MHz		1 1 1 25 25 25 50 1	0 25 49 0 13 25 0	39700 20.71 20.69 20.67 20.71 20.68 20.66 20.72 20.78	40160 20.69 20.78 20.66 20.68 20.65 20.67 20.70 20.77	40620 20.74 20.69 20.68 20.70 20.70 20.67 20.74 20.70	41080 20.74 20.68 20.76 20.65 20.62 20.74 20.68 20.69	41540 20.26 20.20 20.22 20.21 20.18 20.21 20.25 20.19	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
		size  1 1 1 25 25 25 50 1	0 25 49 0 13 25 0	39700 20.71 20.69 20.67 20.71 20.68 20.66 20.72 20.78 20.76	40160 20.69 20.78 20.66 20.68 20.65 20.67 20.70 20.77	40620 20.74 20.69 20.68 20.70 20.70 20.67 20.74 20.70 20.74	41080 20.74 20.68 20.76 20.65 20.62 20.74 20.68 20.69 20.70	41540 20.26 20.20 20.22 20.21 20.18 20.21 20.25 20.19 20.26	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
	QPSK	size  1 1 1 25 25 25 50 1 1 1	0 25 49 0 13 25 0 0 25 49	39700 20.71 20.69 20.67 20.71 20.68 20.66 20.72 20.78 20.76 20.69	40160 20.69 20.78 20.66 20.68 20.65 20.67 20.70 20.77 20.77 20.67	40620 20.74 20.69 20.68 20.70 20.70 20.67 20.74 20.70 20.74 20.66	41080 20.74 20.68 20.76 20.65 20.62 20.74 20.68 20.69 20.70 20.68	41540 20.26 20.20 20.22 20.21 20.18 20.21 20.25 20.19 20.26 20.14	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
	QPSK	size  1 1 1 25 25 25 50 1 1 1 25	0 25 49 0 13 25 0 0 25 49	39700 20.71 20.69 20.67 20.71 20.68 20.66 20.72 20.78 20.76 20.69 20.67	40160 20.69 20.78 20.66 20.68 20.65 20.67 20.70 20.77 20.77 20.67 20.66	40620 20.74 20.69 20.68 20.70 20.70 20.67 20.74 20.70 20.74 20.66 20.69	41080 20.74 20.68 20.76 20.65 20.62 20.74 20.68 20.70 20.68 20.70	41540 20.26 20.20 20.22 20.21 20.18 20.21 20.25 20.19 20.26 20.14 20.18	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
	QPSK	size  1 1 1 25 25 50 1 1 1 25 25 50 25	0 25 49 0 13 25 0 0 25 49 0	39700 20.71 20.69 20.67 20.71 20.68 20.66 20.72 20.78 20.76 20.69 20.67 20.69	40160 20.69 20.78 20.66 20.68 20.65 20.67 20.70 20.77 20.77 20.67 20.66 20.71	40620 20.74 20.69 20.68 20.70 20.70 20.67 20.74 20.70 20.74 20.66 20.69 20.68	41080 20.74 20.68 20.76 20.65 20.62 20.74 20.68 20.70 20.68 20.70 20.62	41540 20.26 20.20 20.22 20.21 20.18 20.21 20.25 20.19 20.26 20.14 20.18 20.17	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
	QPSK	size  1 1 1 25 25 25 50 1 1 1 25 25 25 25	0 25 49 0 13 25 0 0 25 49 0 13 25	39700 20.71 20.69 20.67 20.71 20.68 20.66 20.72 20.78 20.76 20.69 20.67 20.69	40160 20.69 20.78 20.66 20.68 20.65 20.67 20.70 20.77 20.77 20.66 20.71 20.73	40620 20.74 20.69 20.68 20.70 20.70 20.67 20.74 20.70 20.74 20.66 20.69 20.68 20.63	41080 20.74 20.68 20.76 20.65 20.62 20.74 20.68 20.70 20.68 20.70 20.62 20.62 20.70	41540 20.26 20.20 20.22 20.21 20.18 20.21 20.25 20.19 20.26 20.14 20.18 20.17 20.26	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
	QPSK	size  1 1 1 25 25 25 50 1 1 25 25 50 50 6 6 6 7 7 7 8 7 8 7 8 8 8 8 8 8 8 8 8 8	0 25 49 0 13 25 0 0 25 49 0 13 25	39700 20.71 20.69 20.67 20.71 20.68 20.66 20.72 20.78 20.76 20.69 20.67 20.69 20.65 20.66	40160 20.69 20.78 20.66 20.68 20.65 20.70 20.77 20.77 20.67 20.71 20.73 20.65	40620 20.74 20.69 20.68 20.70 20.70 20.67 20.74 20.70 20.74 20.66 20.69 20.68 20.63	41080 20.74 20.68 20.76 20.65 20.62 20.74 20.68 20.70 20.68 20.70 20.62 20.62 20.68 20.70	41540 20.26 20.20 20.22 20.21 20.18 20.21 20.25 20.19 20.26 20.14 20.18 20.17 20.26 20.27	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
	QPSK	size  1 1 1 25 25 50 1 1 25 25 50 1 1 1 25 25 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 25 49 0 13 25 0 0 25 49 0 13 25 0	39700 20.71 20.69 20.67 20.71 20.68 20.66 20.72 20.78 20.76 20.69 20.67 20.69 20.65 20.66 20.73	40160 20.69 20.78 20.66 20.68 20.65 20.70 20.77 20.77 20.67 20.66 20.71 20.73 20.65 20.70	40620 20.74 20.69 20.68 20.70 20.70 20.67 20.74 20.70 20.74 20.66 20.69 20.68 20.63 20.74	41080 20.74 20.68 20.76 20.65 20.62 20.74 20.68 20.69 20.70 20.68 20.70 20.62 20.62 20.68 20.70	41540 20.26 20.20 20.22 20.21 20.18 20.21 20.25 20.19 20.26 20.14 20.18 20.17 20.26 20.22 20.22	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
	QPSK	size  1 1 1 25 25 25 50 1 1 25 25 50 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 25 49 0 13 25 0 0 25 49 0 13 25 0	39700 20.71 20.69 20.67 20.71 20.68 20.66 20.72 20.78 20.76 20.69 20.67 20.69 20.65 20.65 20.73 20.72	40160 20.69 20.78 20.66 20.68 20.65 20.67 20.77 20.77 20.67 20.66 20.71 20.73 20.65 20.70 20.68	40620 20.74 20.69 20.68 20.70 20.70 20.67 20.74 20.66 20.69 20.68 20.63 20.63 20.74 20.67	41080 20.74 20.68 20.76 20.65 20.62 20.74 20.68 20.69 20.70 20.68 20.70 20.62 20.68 20.70 20.62 20.69 20.70	41540 20.26 20.20 20.22 20.21 20.18 20.21 20.25 20.19 20.26 20.14 20.18 20.17 20.26 20.22 20.22 20.20	22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

111 of 182 Page:

		25	25	20.18	20.18	20.18	20.13	19.68	21.50
		50	0	20.17	20.16	20.16	20.13	19.74	21.50
	NA - ded - ti	RB	DD - ((t	Channel	Channel	Channel	Channel	Channel	T
Bandwidth	Modulation	size	RB offset	39725	40173	40620	41068	41515	Tune up
		1	0	20.71	20.71	20.74	20.75	20.19	22.00
		1	38	20.70	20.73	20.71	20.70	20.25	22.00
		1	74	20.70	20.67	20.63	20.70	20.21	22.00
	QPSK	36	0	20.66	20.67	20.67	20.68	20.28	22.00
		36	18	20.67	20.70	20.70	20.67	20.19	22.00
		36	39	20.71	20.66	20.68	20.74	20.28	22.00
		75	0	20.63	20.65	20.73	20.75	20.26	22.00
		1	0	20.74	20.71	20.75	20.69	20.16	22.00
		1	38	20.71	20.78	20.74	20.67	20.23	22.00
		1	74	20.66	20.68	20.65	20.71	20.18	22.00
15MHz	16QAM	36	0	20.69	20.66	20.72	20.71	20.26	22.00
		36	18	20.73	20.74	20.72	20.65	20.16	22.00
		36	39	20.64	20.70	20.62	20.74	20.18	22.00
		75	0	20.68	20.65	20.66	20.72	20.24	22.00
		1	0	20.66	20.73	20.72	20.69	20.19	22.00
		1	38	20.75	20.75	20.72	20.67	20.22	22.00
		1	74	20.75	20.66	20.64	20.76	20.16	22.00
	64QAM	36	0	20.15	20.13	20.21	20.22	19.74	21.50
		36	18	20.20	20.20	20.21	20.14	19.71	21.50
		36	39	20.17	20.16	20.15	20.15	19.65	21.50
		75	0	20.14	20.13	20.17	20.13	19.68	21.50
Bandwidth	Modulation	RB	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
Danawiatii	Woddiation	size	TO Oliset	39750	40185	40620	41055	41490	rune up
		1	0	20.78	20.79	20.83	20.72	20.27	22.00
		1	50	20.74	20.72	20.74	20.71	20.21	22.00
		1	99	20.69	20.69	20.64	20.67	20.24	22.00
	QPSK	50	0	20.77	20.78	20.79	20.78	20.34	22.00
		50	25	20.73	20.69	20.69	20.66	20.24	22.00
		50	50	20.75	20.68	20.66	20.71	20.27	22.00
		100	0	20.69	20.70	20.76	20.68	20.21	22.00
20MHz		1	0	20.72	20.70	20.74	20.66	20.23	22.00
2011112		1	50	20.71	20.73	20.72	20.66	20.26	22.00
		1	99	20.63	20.64	20.64	20.66	20.22	22.00
	16QAM	50	0	20.66	20.69	20.71	20.73	20.20	22.00
		50	25	20.69	20.67	20.74	20.61	20.22	22.00
		50	50	20.65	20.70	20.69	20.75	20.19	22.00
		100	0	20.62	20.61	20.64	20.70	20.22	22.00
	64QAM	1	0	20.66	20.69	20.70	20.72	20.19	22.00
	OTQ/NIVI	1	50	20.70	20.73	20.74	20.70	20.23	22.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

112 of 182 Page:

1	99	20.70	20.69	20.71	20.77	20.22	22.00
50	0	20.18	20.22	20.19	20.18	19.79	21.50
50	25	20.18	20.19	20.19	20.20	19.65	21.50
50	50	20.21	20.24	20.17	20.20	19.62	21.50
100	0	20.15	20.12	20.21	20.16	19.71	21.50

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	
Bandwidth	Modulation	1	RD Ollset			Charmer	Tungun
				131979	132322	132665	Tune up
		1	0	24.09	24.09	24.17	25.00
		ı	2	24.16	24.07	24.17	25.00
	QPSK	1	5	24.19	24.10	24.16	25.00
	QPSK	3	0	24.11	24.12	24.15	25.00
		3	1	24.09	24.10	24.09	25.00
		3	3	24.09	24.16	24.16	25.00
		6	0	22.99	23.01	23.07	24.00
		1	0	23.00	22.99	23.16	24.00
		1	2	22.93	23.03	22.99	24.00
		1	5	22.89	22.97	22.98	24.00
1.4MHz	16QAM	3	0	23.11	23.09	23.09	24.00
	Ī	3	1	23.10	23.12	23.11	24.00
		3	3	23.09	23.18	23.12	24.00
		6	0	22.10	22.25	22.17	23.00
		1	0	22.20	22.21	22.20	23.00
	64QAM	1	2	22.13	22.05	21.90	23.00
		1	5	22.14	21.96	21.93	23.00
		3	0	22.26	22.27	22.21	23.00
		3	1	22.21	22.21	22.18	23.00
		3	3	22.26	22.25	22.24	23.00
	Ī	6	0	21.03	20.92	20.94	22.00
5		DD :	DD " '	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	131987	132322	132657	Tune up
		1	0	24.23	24.23	24.27	25.00
		1	7	24.24	24.16	24.13	25.00
		1	14	24.15	24.07	24.09	25.00
	QPSK	8	0	23.14	23.09	23.11	24.00
		8	4	23.17	23.07	23.11	24.00
3MHz		8	7	23.13	23.18	23.16	24.00
	ļ	15	0	23.15	23.12	23.14	24.00
		1	0	23.17	23.17	23.17	24.00
	100111	1	7	23.07	23.11	23.16	24.00
	16QAM	1	14	23.02	23.08	23.10	24.00
		8	0	22.08	22.14	22.14	23.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 113 of 182

		8	4	22.04	22.04	22.13	23.00
		8	7	22.10	22.11	22.10	23.00
		15	0	22.21	22.25	22.29	23.00
		1	0	22.23	22.31	22.30	23.00
		1	7	22.16	22.09	22.17	23.00
		1	14	22.12	22.08	22.10	23.00
	64QAM	8	0	21.19	21.11	21.13	22.00
	O+Q/AW	8	4	21.11	21.23	21.21	22.00
		8	7	21.14	21.13	21.06	22.00
		15	0	21.14	21.15	21.09	22.00
		10	Ŭ.	Channel	Channel	Channel	22.00
Bandwidth	Modulation	RB size	RB offset	131997	132322	132647	Tune up
		1	0	24.18	24.22	24.28	25.00
		1	13	24.19	24.15	24.26	25.00
		1	24	24.19	24.15	24.20	25.00
	QPSK	12	0	23.10	23.07	23.09	24.00
	QF SIX	12	6	23.10	23.14	23.17	24.00
		12	13	23.16	23.14	23.17	24.00
		25	0	23.18	23.19	23.17	24.00
			0				
		1	13	23.16 23.09	23.12 23.12	23.22 23.12	24.00 24.00
		1					24.00
5M11-	400 414		24	23.13	23.07	23.03	
5MHz	16QAM	12 12	0	22.14	22.15	22.13	23.00
			6 13	22.08	22.08	22.02	23.00
		12		22.08	22.12	22.06	23.00
		25	0	22.22	22.20	22.29	23.00
		1	0 13	22.23	22.19	22.27	23.00
				22.15	22.11	22.13	23.00
	64001	1	24	22.15	22.12	22.05	23.00
	64QAM	12 12	0	21.17	21.13	21.14	22.00
			6	21.12	21.11	21.13	22.00
		12	13	21.15	21.13	21.05	22.00
		25	0	21.15	21.07	21.14	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
		4	0	132022	132322	132622	05.00
		1	0	24.29	24.18	24.25	25.00
		1	25	24.18	24.15	24.14	25.00
	OBOK	1	49	24.19	24.06	24.14	25.00
10MHz	QPSK	25	0	23.07	23.06	23.06	24.00
		25	13	23.10	23.10	23.16	24.00
		25	25	23.18	23.15	23.12	24.00
		50	0	23.17	23.15	23.09	24.00
	16QAM	1	0	23.14	23.14	23.19	24.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 114 of 182

		1	25	23.17	23.13	23.06	24.00
		1	49	23.02	23.10	23.05	24.00
		25	0	22.09	22.14	22.13	23.00
		25	13	22.05	22.07	22.08	23.00
		25	25	22.03	22.07	22.11	23.00
		50	0	22.07	22.30	22.11	23.00
		1	0	22.23	22.23	22.22	23.00
		1	25	22.23	22.23	22.12	23.00
		1	49	22.10	22.09	22.12	23.00
	64QAM	25	0	21.14	21.14	21.13	22.00
	04QAIVI	25	13	21.14	21.14	21.13	22.00
							22.00
		25 50	25 0	21.12 21.12	21.04	21.10 21.10	22.00
		50	U		21.12		22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
		4	0	132047	132322	132597	25.00
		1	0	24.22	24.21	24.26	25.00
		1	38	24.17	24.18	24.17	25.00
		1	74	24.15	24.11	24.15	25.00
	QPSK	36	0	23.12	23.07	23.08	24.00
		36	18	23.13	23.13	23.09	24.00
		36	39	23.14	23.20	23.23	24.00
		75	0	23.09	23.14	23.16	24.00
	-	1	0	23.23	23.22	23.16	24.00
		1	38	23.16	23.18	23.09	24.00
		1	74	23.08	23.04	23.08	24.00
15MHz	16QAM	36	0	22.19	22.11	22.08	23.00
		36	18	22.10	22.03	22.05	23.00
		36	39	22.14	22.11	22.17	23.00
		75	0	22.22	22.23	22.27	23.00
		1	0	22.25	22.30	22.29	23.00
		1	38	22.09	22.17	22.16	23.00
		1	74	22.09	22.08	22.13	23.00
	64QAM	36	0	21.14	21.09	21.21	22.00
		36	18	21.14	21.18	21.15	22.00
		36	39	21.09	21.15	21.13	22.00
		75	0	21.06	21.07	21.17	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danuwium	Modulation	TAD SIZE	IND Ollset	132072	132322	132572	Tulle up
		1	0	24.28	24.35	24.26	25.00
		1	50	24.14	24.22	24.18	25.00
20MHz	QPSK	1	99	24.08	24.14	24.06	25.00
		50	0	23.25	23.29	23.24	24.00
		50	25	23.10	23.10	23.15	24.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

115 of 182 Page:

	50	50	23.18	23.11	23.19	24.00
	100	0	23.14	23.37	23.19	24.00
	1	0	23.14	23.14	23.18	24.00
	1	50	23.14	23.11	23.12	24.00
	1	99	23.09	23.10	23.10	24.00
16QAM	50	0	22.08	22.09	22.15	23.00
	50	25	22.14	22.09	22.05	23.00
	50	50	22.08	22.09	22.17	23.00
	100	0	22.29	22.29	22.28	23.00
	1	0	22.24	22.21	22.22	23.00
	1	50	22.14	22.20	22.09	23.00
	1	99	22.11	22.09	22.11	23.00
64QAM	50	0	21.13	21.12	21.11	22.00
	50	25	21.18	21.15	21.11	22.00
	50	50	21.10	21.11	21.16	22.00
	100	0	21.16	21.12	21.17	22.00

	LTE Ba State3			Conducted Power(dBm)					
Donalisi déla	Madulation	RB size	RB offset	Channel	Channel	Channel	Tungun		
Bandwidth	Modulation	RB SIZE	RB offset	131979	132322	132665	Tune up		
		1	0	21.28	21.23	21.24	22.00		
		1	2	21.22	21.17	21.25	22.00		
		1	5	21.21	21.12	21.17	22.00		
	QPSK	3	0	21.20	21.21	21.21	22.00		
		3	1	21.29	21.20	21.16	22.00		
		3	3	21.27	21.14	21.22	22.00		
		6	0	21.15	21.24	21.23	22.00		
	16QAM	1	0	21.21	21.24	21.21	22.00		
		1	2	21.17	21.23	21.22	22.00		
		1	5	21.19	21.13	21.24	22.00		
1.4MHz		3	0	21.22	21.19	21.16	22.00		
		3	1	21.24	21.20	21.24	22.00		
		3	3	21.20	21.27	21.23	22.00		
		6	0	21.27	21.15	21.16	22.00		
		1	0	21.21	21.27	21.24	22.00		
		1	2	21.20	21.16	21.16	22.00		
		1	5	21.17	21.25	21.22	22.00		
	64QAM	3	0	21.27	21.21	21.16	22.00		
		3	1	21.22	21.22	21.17	22.00		
		3	3	21.16	21.25	21.22	22.00		
		6	0	21.23	21.30	21.19	22.00		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 116 of 182

<b>5</b> 1 1 111			55 %	Channel	Channel	Channel	-
Bandwidth	Modulation	RB size	RB offset	131987	132322	132657	Tune up
		1	0	21.28	21.21	21.22	22.00
		1	7	21.18	21.19	21.28	22.00
		1	14	21.14	21.18	21.23	22.00
	QPSK	8	0	21.18	21.17	21.19	22.00
		8	4	21.27	21.18	21.13	22.00
		8	7	21.18	21.20	21.24	22.00
		15	0	21.20	21.27	21.26	22.00
		1	0	21.18	21.19	21.24	22.00
		1	7	21.15	21.18	21.22	22.00
		1	14	21.20	21.13	21.22	22.00
3MHz	16QAM	8	0	21.21	21.21	21.16	22.00
		8	4	21.29	21.19	21.17	22.00
		8	7	21.19	21.27	21.26	22.00
		15	0	21.26	21.21	21.18	22.00
		1	0	21.21	21.24	21.20	22.00
		1	7	21.21	21.17	21.16	22.00
		1	14	21.17	21.21	21.18	22.00
	64QAM	8	0	21.23	21.18	21.15	22.00
		8	4	21.25	21.21	21.22	22.00
		8	7	21.17	21.20	21.25	22.00
		15	0	21.23	21.24	21.19	22.00
Dan de dalla	Madulatian	DD sins	DD -#+	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	131997	132322	132647	Tune up
		1	0	21.23	21.24	21.22	22.00
		1	13	21.19	21.16	21.25	22.00
		1	24	21.14	21.17	21.23	22.00
	QPSK	12	0	21.24	21.19	21.15	22.00
		12	6	21.25	21.18	21.21	22.00
		12	13	21.25	21.22	21.26	22.00
		25	0	21.15	21.23	21.26	22.00
		1	0	21.19	21.19	21.21	22.00
EMU-		1	13	21.12	21.24	21.25	22.00
5MHz		1	24	21.17	21.19	21.22	22.00
	16QAM	12	0	21.23	21.19	21.16	22.00
		12	6	21.29	21.18	21.25	22.00
		12	13	21.23	21.25	21.20	22.00
		25	0	21.27	21.19	21.21	22.00
		1	0	21.15	21.20	21.22	22.00
	64000	1	13	21.20	21.23	21.19	22.00
	64QAM	1	24	21.21	21.21	21.18	22.00
		12	0	21.19	21.22	21.18	22.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratori

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

117 of 182 Page:

		12	6	21.24	21.20	21.16	22.00
		12	13	21.19	21.20	21.22	22.00
		25	0	21.24	21.24	21.23	22.00
				Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	132022	132322	132622	Tune up
		1	0	21.27	21.23	21.20	22.00
		1	25	21.17	21.15	21.21	22.00
		1	49	21.20	21.14	21.18	22.00
	QPSK	25	0	21.24	21.17	21.16	22.00
		25	13	21.22	21.18	21.19	22.00
		25	25	21.23	21.19	21.23	22.00
		50	0	21.15	21.25	21.26	22.00
		1	0	21.21	21.21	21.22	22.00
		1	25	21.21	21.24	21.20	22.00
		1	49	21.20	21.20	21.26	22.00
10MHz	16QAM	25	0	21.20	21.19	21.22	22.00
		25	13	21.28	21.24	21.20	22.00
		25	25	21.26	21.25	21.26	22.00
		50	0	21.26	21.19	21.23	22.00
		1	0	21.15	21.23	21.17	22.00
		1	25	21.18	21.19	21.18	22.00
		1	49	21.15	21.26	21.18	22.00
	64QAM	25	0	21.19	21.18	21.13	22.00
		25	13	21.22	21.20	21.17	22.00
		25	25	21.22	21.24	21.24	22.00
		50	0	21.26	21.21	21.19	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tung up
Danuwiutii	Modulation	ND Size	ND oliset	132047	132322	132597	Tune up
		1	0	21.25	21.18	21.25	22.00
		1	38	21.24	21.24	21.22	22.00
		1	74	21.18	21.17	21.24	22.00
	QPSK	36	0	21.20	21.19	21.15	22.00
		36	18	21.29	21.22	21.14	22.00
		36	39	21.21	21.20	21.29	22.00
		75	0	21.21	21.25	21.27	22.00
15MHz		1	0	21.19	21.22	21.21	22.00
		1	38	21.16	21.18	21.25	22.00
		1	74	21.17	21.12	21.20	22.00
	16QAM	36	0	21.20	21.16	21.21	22.00
		36	18	21.27	21.17	21.23	22.00
		36	39	21.22	21.22	21.25	22.00
		75	0	21.27	21.16	21.22	22.00
	64QAM	1	0	21.15	21.22	21.24	22.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980

Member of the SGS Group (SGS SA)



Report No.: SUCR241100047301

Rev.: 01

118 of 182 Page:

Bandwidth   Modulation   RB size   RB offset   1   20   21.29   21.38   21.27   21.21   21.20   22.00								
Bandwidth   Modulation   RB size   RB offset   Channel   Channel			1	38	21.17	21.21	21.17	22.00
Bandwidth   Modulation   RB size   RB offset   Tune up			1	74	21.21	21.21	21.20	22.00
Bandwidth   Modulation   RB size   RB offset   Channel   Channel   Channel   Channel   Tune up			36	0	21.21	21.18	21.16	22.00
Pandwidth   Modulation   RB size   RB offset   Channel   Channel   Channel   Tune up			36	18	21.28	21.27	21.20	22.00
RB size   RB offset   Channel   Channel   Channel   Tune up			36	39	21.17	21.19	21.26	22.00
Pandwidth   Modulation   RB size   RB offset			75	0	21.19	21.30	21.19	22.00
1	Dan de dalde	Madulatian	DD sins	DD effect	Channel	Channel	Channel	T
POPSK    1	Bandwidth	Modulation	RB size	RB offset	132072	132322	132572	Tune up
QPSK			1	0	21.29	21.38	21.29	22.00
QPSK			1	50	21.15	21.18	21.26	22.00
20MHz    50   25   21.28   21.20   21.18   22.00			1	99	21.17	21.13	21.18	22.00
Total Color		QPSK	50	0	21.29	21.35	21.25	22.00
100			50	25	21.28	21.20	21.18	22.00
20MHz         1         0         21.22         21.19         21.19         22.00           1         50         21.17         21.23         21.19         22.00           1         99         21.20         21.14         21.19         22.00           50         0         21.27         21.21         21.17         22.00           50         25         21.23         21.19         21.17         22.00           50         50         21.23         21.20         21.28         22.00           100         0         21.26         21.22         21.23         22.00           1         0         21.20         21.25         21.23         22.00           1         50         21.15         21.21         21.13         22.00           1         99         21.17         21.20         21.23         22.00           64QAM         50         0         21.25         21.21         21.13         22.00			50	50	21.24	21.18	21.16	22.00
20MHz 16QAM			100	0	21.21	21.29	21.23	22.00
1   99   21.20   21.14   21.19   22.00     50   0   21.27   21.21   21.17   22.00     50   25   21.23   21.19   21.17   22.00     50   50   50   21.23   21.20   21.28   22.00     100   0   21.26   21.22   21.23   22.00     1   0   21.20   21.25   21.23   22.00     1   50   21.15   21.21   21.13   22.00     1   99   21.17   21.20   21.23   22.00     64QAM   50   0   21.25   21.21   21.13   22.00			1	0	21.22	21.19	21.19	22.00
20MHz         16QAM         50         0         21.27         21.21         21.17         22.00           50         25         21.23         21.19         21.17         22.00           50         50         21.23         21.20         21.28         22.00           100         0         21.26         21.22         21.23         22.00           1         0         21.20         21.25         21.23         22.00           1         50         21.15         21.21         21.13         22.00           64QAM         50         0         21.25         21.21         21.13         22.00			1	50	21.17	21.23	21.19	22.00
50         25         21.23         21.19         21.17         22.00           50         50         21.23         21.20         21.28         22.00           100         0         21.26         21.22         21.23         22.00           1         0         21.20         21.25         21.23         22.00           1         50         21.15         21.21         21.13         22.00           1         99         21.17         21.20         21.23         22.00           64QAM         50         0         21.25         21.21         21.13         22.00			1	99	21.20	21.14	21.19	22.00
50         50         21.23         21.20         21.28         22.00           100         0         21.26         21.22         21.23         22.00           1         0         21.20         21.25         21.23         22.00           1         50         21.15         21.21         21.13         22.00           1         99         21.17         21.20         21.23         22.00           64QAM         50         0         21.25         21.21         21.13         22.00	20MHz	16QAM	50	0	21.27	21.21	21.17	22.00
100         0         21.26         21.22         21.23         22.00           1         0         21.20         21.25         21.23         22.00           1         50         21.15         21.21         21.13         22.00           1         99         21.17         21.20         21.23         22.00           64QAM         50         0         21.25         21.21         21.13         22.00			50	25	21.23	21.19	21.17	22.00
1     0     21.20     21.25     21.23     22.00       1     50     21.15     21.21     21.13     22.00       1     99     21.17     21.20     21.23     22.00       64QAM     50     0     21.25     21.21     21.13     22.00			50	50	21.23	21.20	21.28	22.00
1     50     21.15     21.21     21.13     22.00       1     99     21.17     21.20     21.23     22.00       64QAM     50     0     21.25     21.21     21.13     22.00			100	0	21.26	21.22	21.23	22.00
1 99 21.17 21.20 21.23 22.00 64QAM 50 0 21.25 21.21 21.13 22.00			1	0	21.20	21.25	21.23	22.00
64QAM 50 0 21.25 21.21 21.13 22.00			1	50	21.15	21.21	21.13	22.00
			1	99	21.17	21.20	21.23	22.00
50 25 21.24 21.22 21.21 22.00		64QAM	50	0	21.25	21.21	21.13	22.00
			50	25	21.24	21.22	21.21	22.00
50 50 21.21 21.25 21.27 22.00			50	50	21.21	21.25	21.27	22.00
100 0 21.19 21.23 21.19 22.00			100	0	21.19	21.23	21.19	22.00

#### Ant5:

	LTE Band 4 State0 State5	;		Conducted	Power(dBm)		
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
banawiath	Modulation	RD SIZE	KD Ollset	19957	20175	20393	Tune up
		1	0	23.16	23.10	23.12	24.00
		1	2	23.13	23.10	23.14	24.00
1.4MHz	QPSK	1	5	23.12	23.09	23.15	24.00
1.411172	QF3K	3	0	23.12	23.13	23.16	24.00
		3	2	23.12	23.14	23.08	24.00
		3	3	23.10	23.15	23.12	24.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 119 of 182

		6	0	22.04	22.03	22.15	23.00
		1	0	22.09	22.01	22.09	23.00
		1	2	22.02	22.05	22.04	23.00
		1	5	21.92	21.98	21.94	23.00
	16QAM	3	0	22.16	22.16	22.18	23.00
	1000	3	2	22.14	22.17	22.16	23.00
		3	3	22.09	22.10	22.18	23.00
		6	0	21.12	21.18	21.16	22.00
		1	0	21.24	21.20	21.14	22.00
		1	2	21.15	21.01	20.90	22.00
		1	5	21.09	20.93	20.91	22.00
	64QAM	3	0	21.20	21.23	21.28	22.00
	0 100 1111	3	2	21.22	21.28	21.18	22.00
		3	3	21.19	21.29	21.26	22.00
		6	0	19.98	19.96	19.90	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	
Bandwidth	Modulation	RB SIZE	RB offset	19965	20175	20385	Tune up
		1	0	23.11	23.08	23.07	24.00
		1	7	23.04	23.10	23.15	24.00
		1	14	22.98	23.04	22.98	24.00
	QPSK	8	0	22.02	22.01	22.05	23.00
		8	4	22.04	21.99	22.03	23.00
		8	7	22.01	22.10	22.04	23.00
		15	0	22.02	21.98	22.00	23.00
		1	0	22.09	22.13	22.10	23.00
		1	7	22.00	22.00	22.02	23.00
		1	14	21.90	22.01	22.02	23.00
3MHz	16QAM	8	0	21.08	21.05	21.06	22.00
		8	4	21.03	20.93	21.00	22.00
		8	7	20.97	20.97	20.95	22.00
		15	0	21.13	21.11	21.22	22.00
		1	0	21.16	21.17	21.13	22.00
		1	7	21.08	20.99	21.04	22.00
		1	14	21.07	20.97	21.04	22.00
	64QAM	8	0	20.07	20.04	20.02	21.00
		8	4	20.11	20.00	20.12	21.00
		8	7	19.98	20.05	20.02	21.00
		15	0	19.97	19.98	19.98	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19975	20175	20375	
5MHz	QPSK	1	0	23.09	23.06	23.07	24.00
VIII 12	Q. O.	1	13	23.13	23.15	23.10	24.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 120 of 182

		1	24	23.04	23.02	23.09	24.00
		12	0	21.99	22.05	22.02	23.00
		12	6	22.00	21.97	22.00	23.00
		12	13	22.03	22.13	22.12	23.00
		25	0	21.99	22.05	22.10	23.00
		1	0	22.06	22.11	22.04	23.00
		1	13	22.07	22.06	21.98	23.00
		1	24	22.02	21.97	22.00	23.00
	16QAM	12	0	21.07	21.09	21.02	22.00
		12	6	21.01	20.92	20.92	22.00
		12	13	21.01	21.01	20.96	22.00
		25	0	21.16	21.22	21.15	22.00
		1	0	21.12	21.11	21.20	22.00
		1	13	21.10	21.02	21.02	22.00
		1	24	21.05	21.00	21.04	22.00
	64QAM	12	0	20.08	19.99	20.00	21.00
		12	6	20.04	20.01	20.00	21.00
		12	13	19.95	20.03	20.00	21.00
		25	0	20.02	20.06	19.99	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danawidin	Wodulation	TAB SIZE	TAD Oliset	20000	20175	20350	rune up
		1	0	23.19	23.17	23.08	24.00
		1	25	23.12	23.08	23.05	24.00
		1	49	23.02	23.05	23.01	24.00
	QPSK	25	0	21.99	21.99	21.93	23.00
		25	13	22.08	22.03	22.05	23.00
		25	25	22.14	22.03	22.07	23.00
		50	0	22.06	22.03	22.07	23.00
		1	0	22.08	22.03	22.14	23.00
		1	25	22.08	21.97	21.97	23.00
		1	49	22.01	21.93	21.92	23.00
10MHz	16QAM	25	0	20.99	21.04	21.02	22.00
		25	13	20.98	21.03	20.99	22.00
		25	25	20.96	21.00	20.96	22.00
		50	0	21.20	21.20	21.15	22.00
		1	0	21.12	21.22	21.13	22.00
		1	25	21.00	21.00	20.99	22.00
	640444	1	49	21.04	21.06	21.07	22.00
	64QAM	25	0	20.09	20.11	20.12	21.00
		25	13	20.05	20.03	20.12	21.00
		25	25	20.05	20.03	20.04	21.00
David 144	Mandada Car	50	0	20.03	20.00	20.04	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 121 of 182

				20025	20175	20325	
		1	0	23.09	23.11	23.08	24.00
		1	38	23.16	23.16	23.13	24.00
		1	74	22.99	23.08	22.98	24.00
	QPSK	36	0	22.04	21.98	22.03	23.00
		36	18	21.97	22.02	22.08	23.00
		36	39	22.13	22.07	22.02	23.00
		75	0	21.99	21.97	22.00	23.00
		1	0	22.10	22.14	22.11	23.00
		1	38	21.98	22.05	21.98	23.00
		1	74	22.00	22.00	21.96	23.00
15MHz	16QAM	36	0	21.01	21.09	21.03	22.00
		36	18	21.03	21.00	21.04	22.00
		36	39	20.97	21.04	20.95	22.00
		75	0	21.12	21.20	21.22	22.00
		1	0	21.17	21.16	21.15	22.00
		1	38	21.04	21.01	21.02	22.00
		1	74	20.96	20.97	20.98	22.00
	64QAM	36	0	20.05	20.07	20.00	21.00
		36	18	20.03	20.11	20.11	21.00
		36	39	19.99	19.94	20.04	21.00
		75	0	20.01	20.04	20.02	21.00
Randwidth	Modulation		-	20.01 Channel	20.04 Channel	20.02 Channel	
Bandwidth	Modulation	75 RB size	0 RB offset				21.00 Tune up
Bandwidth	Modulation		-	Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	Channel 20050	Channel 20175	Channel 20300	Tune up
Bandwidth	Modulation	RB size	RB offset	Channel 20050 23.19 23.07 23.01	Channel 20175 23.24	Channel 20300 23.19	Tune up 24.00
Bandwidth	Modulation QPSK	RB size	RB offset  0  50	Channel 20050 23.19 23.07	Channel 20175 23.24 23.13	Channel 20300 23.19 23.15	24.00 24.00
Bandwidth		RB size  1 1 1	RB offset  0  50  99	Channel 20050 23.19 23.07 23.01	Channel 20175 23.24 23.13 22.97	Channel 20300 23.19 23.15 23.05	24.00 24.00 24.00 24.00
Bandwidth		RB size  1 1 1 1 50	RB offset  0 50 99 0	Channel 20050 23.19 23.07 23.01 22.22	Channel 20175 23.24 23.13 22.97 22.26	Channel 20300 23.19 23.15 23.05 22.19	24.00 24.00 24.00 24.00 23.00
Bandwidth		RB size  1 1 1 50 50	RB offset  0 50 99 0 25	Channel 20050 23.19 23.07 23.01 22.22 22.03	Channel 20175 23.24 23.13 22.97 22.26 22.01	Channel 20300 23.19 23.15 23.05 22.19 21.99	Tune up  24.00  24.00  24.00  23.00  23.00
Bandwidth		RB size  1 1 1 50 50 50	RB offset  0 50 99 0 25 50	Channel 20050 23.19 23.07 23.01 22.22 22.03 22.09	Channel 20175 23.24 23.13 22.97 22.26 22.01 22.07	Channel 20300 23.19 23.15 23.05 22.19 21.99 22.07	Tune up 24.00 24.00 24.00 23.00 23.00 23.00
Bandwidth		RB size  1 1 1 50 50 50 100	RB offset  0 50 99 0 25 50 0	Channel 20050 23.19 23.07 23.01 22.22 22.03 22.09 22.06	Channel 20175 23.24 23.13 22.97 22.26 22.01 22.07 22.20	Channel 20300 23.19 23.15 23.05 22.19 21.99 22.07 22.03	Tune up  24.00  24.00  24.00  23.00  23.00  23.00  23.00  23.00
Bandwidth  20MHz		RB size  1 1 1 50 50 50 100 1	RB offset  0 50 99 0 25 50 0 0	Channel 20050 23.19 23.07 23.01 22.22 22.03 22.09 22.06 22.13	Channel 20175 23.24 23.13 22.97 22.26 22.01 22.07 22.20 22.06	Channel 20300 23.19 23.15 23.05 22.19 21.99 22.07 22.03 22.10	Tune up  24.00  24.00  24.00  23.00  23.00  23.00  23.00  23.00  23.00
		RB size  1 1 1 50 50 50 100 1	RB offset  0 50 99 0 25 50 0 0 50	Channel 20050 23.19 23.07 23.01 22.22 22.03 22.09 22.06 22.13 22.00	Channel 20175 23.24 23.13 22.97 22.26 22.01 22.07 22.20 22.06 22.07	Channel 20300 23.19 23.15 23.05 22.19 21.99 22.07 22.03 22.10 21.99	Tune up  24.00  24.00  24.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00
	QPSK	RB size  1 1 1 50 50 50 100 1 1 1	RB offset  0 50 99 0 25 50 0 0 50 99	Channel 20050 23.19 23.07 23.01 22.22 22.03 22.09 22.06 22.13 22.00 21.93	Channel 20175 23.24 23.13 22.97 22.26 22.01 22.07 22.20 22.06 22.07 21.96	Channel 20300 23.19 23.15 23.05 22.19 21.99 22.07 22.03 22.10 21.99 21.92	Tune up  24.00  24.00  24.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00
	QPSK	RB size  1 1 1 50 50 50 100 1 1 1 1 50	RB offset  0 50 99 0 25 50 0 0 99 0 0	Channel 20050 23.19 23.07 23.01 22.22 22.03 22.09 22.06 22.13 22.00 21.93 21.05	Channel 20175 23.24 23.13 22.97 22.26 22.01 22.07 22.20 22.06 22.07 21.96 21.05	Channel 20300 23.19 23.15 23.05 22.19 21.99 22.07 22.03 22.10 21.99 21.92 20.98	Tune up  24.00  24.00  24.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00
	QPSK	RB size  1 1 1 50 50 100 1 1 1 1 50 50 50 100 10	RB offset  0 50 99 0 25 50 0 0 50 99 0 25 50 0 0 50 99 0 25 50 0	Channel 20050 23.19 23.07 23.01 22.22 22.03 22.09 22.06 22.13 22.00 21.93 21.05 20.92 20.96 21.11	Channel 20175 23.24 23.13 22.97 22.26 22.01 22.07 22.20 22.06 22.07 21.96 21.05 21.05 21.10	Channel 20300 23.19 23.15 23.05 22.19 21.99 22.07 22.03 22.10 21.99 21.92 20.98 20.95 21.03 21.15	Tune up  24.00  24.00  24.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  22.00  22.00  22.00
	QPSK	RB size  1 1 1 50 50 100 1 1 1 1 50 50 50 50 50 50	RB offset  0 50 99 0 25 50 0 0 50 99 25 50 0 25 50 50 50	Channel 20050 23.19 23.07 23.01 22.22 22.03 22.09 22.06 22.13 22.00 21.93 21.05 20.92 20.96	Channel 20175 23.24 23.13 22.97 22.26 22.01 22.07 22.20 22.06 22.07 21.96 21.05	Channel 20300 23.19 23.15 23.05 22.19 21.99 22.07 22.03 22.10 21.99 21.92 20.98 20.95 21.03	Tune up  24.00  24.00  24.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  22.00  22.00  22.00
	QPSK	RB size  1 1 1 50 50 100 1 1 1 1 50 50 50 100 10	RB offset  0 50 99 0 25 50 0 0 50 99 0 25 50 0 0 50 99 0 25 50 0	Channel 20050 23.19 23.07 23.01 22.22 22.03 22.09 22.06 22.13 22.00 21.93 21.05 20.92 20.96 21.11	Channel 20175 23.24 23.13 22.97 22.26 22.01 22.07 22.20 22.06 22.07 21.96 21.05 21.05 21.10	Channel 20300 23.19 23.15 23.05 22.19 21.99 22.07 22.03 22.10 21.99 21.92 20.98 20.95 21.03 21.15	Tune up  24.00  24.00  24.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  22.00  22.00  22.00
	QPSK	RB size  1 1 1 50 50 50 100 1 1 1 50 50 100 1 1 1 1	RB offset  0 50 99 0 25 50 0 0 50 99 0 25 50 0 0 50 99 0 25 50 0 0	Channel 20050 23.19 23.07 23.01 22.22 22.03 22.09 22.06 22.13 22.00 21.93 21.05 20.92 20.96 21.11 21.20	Channel 20175 23.24 23.13 22.97 22.26 22.01 22.07 22.20 22.06 22.07 21.96 21.05 21.02 21.05 21.10 21.22	Channel 20300 23.19 23.15 23.05 22.19 21.99 22.07 22.03 22.10 21.99 21.92 20.98 20.95 21.03 21.15 21.14	Tune up  24.00  24.00  24.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  22.00  22.00  22.00  22.00  22.00
	QPSK 16QAM	RB size  1 1 1 50 50 50 100 1 1 1 50 50 50 100 1 1 1 1	RB offset  0 50 99 0 25 50 0 0 50 99 0 25 50 0 0 50 99 0 25 50 0 50	Channel 20050 23.19 23.07 23.01 22.22 22.03 22.09 22.06 22.13 22.00 21.93 21.05 20.92 20.96 21.11 21.20 21.12	Channel 20175 23.24 23.13 22.97 22.26 22.01 22.07 22.20 22.06 22.07 21.96 21.05 21.02 21.10 21.22 21.06	Channel 20300 23.19 23.15 23.05 22.19 21.99 22.07 22.03 22.10 21.99 21.92 20.98 20.95 21.03 21.15 21.14 21.07	Tune up  24.00  24.00  24.00  23.00  23.00  23.00  23.00  23.00  23.00  23.00  22.00  22.00  22.00  22.00  22.00  22.00  22.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

122 of 182 Page:

50	50	19.96	20.02	20.03	21.00
100	0	20.04	19.98	20.09	21.00

	LTE B State3			Conducted Power(dBm)				
		55 :	55 %	Channel	Channel	Channel	_	
Bandwidth	Modulation	RB size	RB offset	19957	20175	20393	Tune up	
		1	0	22.73	22.72	22.79	23.50	
		1	2	22.65	22.64	22.69	23.50	
		1	5	22.74	22.64	22.73	23.50	
	QPSK	3	0	22.68	22.76	22.72	23.50	
		3	2	22.74	22.73	22.69	23.50	
		3	3	22.67	22.75	22.71	23.50	
		6	0	22.23	22.24	22.15	23.00	
		1	0	22.20	22.16	22.19	23.00	
		1	2	22.17	22.24	22.17	23.00	
		1	5	22.21	22.23	22.14	23.00	
1.4MHz	16QAM	3	0	22.28	22.23	22.22	23.00	
		3	2	22.20	22.16	22.17	23.00	
		3	3	22.18	22.27	22.24	23.00	
		6	0	21.23	21.17	21.24	22.00	
	z 16QAM	1	0	21.17	21.25	21.25	22.00	
	16QAM		1	2	21.23	21.25	21.19	22.00
		1	5	21.26	21.26	21.24	22.00	
	64QAM	3	0	21.19	21.15	21.23	22.00	
		3	2	21.29	21.21	21.16	22.00	
		3	3	21.13	21.17	21.21	22.00	
		6	0	20.17	20.18	20.20	21.00	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tuna un	
Bandwidth	Wodulation	KB Size	RB oliset	19965	20175	20385	Tune up	
		1	0	22.71	22.68	22.65	23.50	
		1	7	22.72	22.76	22.73	23.50	
		1	14	22.69	22.77	22.74	23.50	
	QPSK	8	0	22.18	22.29	22.15	23.00	
		8	4	22.17	22.26	22.22	23.00	
3MHz		8	7	22.28	22.21	22.20	23.00	
SIVIMZ		15	0	22.16	22.25	22.24	23.00	
		1	0	22.30	22.24	22.20	23.00	
		1	7	22.25	22.19	22.21	23.00	
	16QAM	1	14	22.13	22.22	22.27	23.00	
		8	0	21.19	21.20	21.23	22.00	
		8	4	21.21	21.16	21.20	22.00	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

123 of 182 Page:

		8	7	21.21	21.17	21.21	22.00
		15	0	21.22	21.23	21.16	22.00
		1	0	21.22	21.23	21.23	22.00
		1	7	21.18	21.18	21.20	22.00
		1	14	21.22	21.23	21.22	22.00
	64QAM	8	0	20.21	20.26	20.25	21.00
		8	4	20.24	20.17	20.23	21.00
		8	7	20.18	20.24	20.17	21.00
		15	0	20.21	20.16	20.24	21.00
				Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	19975	20175	20375	Tune up
		1	0	22.63	22.65	22.66	23.50
		1	13	22.71	22.75	22.74	23.50
		1	24	22.68	22.73	22.78	23.50
	QPSK	12	0	22.16	22.73	22.76	23.00
	QFSK	12	6	22.10	22.19	22.28	23.00
		12	13	22.21	22.23	22.17	23.00
		25	0	22.21	22.26	22.17	23.00
		1	0	22.13	22.20	22.10	23.00
		1	13	22.30	22.17	22.20	23.00
		1	24	22.20	22.23	22.20	23.00
5MHz	16QAM	12	0	21.22	21.22	21.30	22.00
SIVITZ	TOQAW	12	6	21.22	21.18	21.25	22.00
		12	13	21.22	21.17	21.26	22.00
		25	0	21.22	21.17	21.13	22.00
		1	0	21.27	21.25	21.17	22.00
		1	13	21.10	21.23	21.17	22.00
		1	24	21.20	21.22	21.21	22.00
	64QAM	12	0	20.17	20.27	20.26	21.00
	04QAW	12	6	20.17	20.27	20.28	21.00
		12	13	20.23	20.18	20.16	21.00
		25	0	20.10	20.24	20.24	21.00
		23	U	Channel	Channel	Channel	21.00
Bandwidth	Modulation	RB size	RB offset	20000	20175	20350	Tune up
		1	0	22.71	22.65	22.71	23.50
		1	25	22.65	22.70	22.69	23.50
		1	49	22.68	22.75	22.79	23.50
	QPSK	25	0	22.06	22.75	22.19	23.00
10MHz	Qi Oit	25	13	22.14	22.24	22.19	23.00
IUMITZ		25	25	22.24	22.24	22.20	23.00
		50	0	22.20	22.27	22.26	23.00
		1	0	22.13	22.27	22.20	23.00
	16QAM	1	25	22.30			+
	I	T	<sub>1</sub> 25	ZZ.Z4	22.26	22.17	23.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 124 of 182

		1	49	22.20	22.19	22.22	23.00
		25	0	21.16	21.27	21.23	22.00
		25	13	21.18	21.14	21.23	22.00
		25	25	21.23	21.18	21.21	22.00
		50	0	21.22	21.17	21.14	22.00
		1	0	21.21	21.26	21.15	22.00
		1	25	21.19	21.20	21.24	22.00
		1	49	21.27	21.22	21.21	22.00
	64QAM	25	0	20.16	20.21	20.24	21.00
		25	13	20.21	20.24	20.25	21.00
		25	25	20.17	20.27	20.23	21.00
		50	0	20.16	20.15	20.25	21.00
D 1 - 1-141-	NA - ded - 45	DD die	DD - (( +	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	20025	20175	20325	Tune up
		1	0	22.68	22.67	22.71	23.50
		1	38	22.71	22.72	22.68	23.50
		1	74	22.67	22.73	22.79	23.50
	QPSK	36	0	22.17	22.25	22.20	23.00
		36	18	22.18	22.20	22.26	23.00
		36	39	22.28	22.23	22.20	23.00
		75	0	22.19	22.25	22.25	23.00
		1	0	22.28	22.23	22.20	23.00
		1	38	22.22	22.25	22.18	23.00
		1	74	22.15	22.20	22.26	23.00
15MHz	16QAM	36	0	21.14	21.20	21.26	22.00
		36	18	21.18	21.16	21.21	22.00
		36	39	21.20	21.16	21.28	22.00
		75	0	21.25	21.19	21.20	22.00
		1	0	21.21	21.20	21.15	22.00
		1	38	21.21	21.22	21.23	22.00
		1	74	21.23	21.18	21.27	22.00
	64QAM	36	0	20.18	20.21	20.26	21.00
		36	18	20.24	20.21	20.21	21.00
		36	39	20.18	20.21	20.23	21.00
		75	0	20.15	20.15	20.21	21.00
Domain deli	Modulation	DD size	DD offeet	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RB size	RB offset	20050	20175	20300	Tune up
		1	0	22.84	22.89	22.79	23.50
		1	50	22.67	22.73	22.66	23.50
008411	ODCK	1	99	22.65	22.78	22.76	23.50
20MHz	QPSK	50	0	22.31	22.43	22.38	23.00
		EO	25	22.24	22.22	22.26	23.00
		50	23	22.24	22.22	22.20	23.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

125 of 182 Page:

	100	0	22.21	22.36	22.24	23.00
	1	0	22.29	22.23	22.24	23.00
	1	50	22.20	22.20	22.17	23.00
	1	99	22.21	22.21	22.26	23.00
16QAM	50	0	21.19	21.20	21.29	22.00
	50	25	21.18	21.13	21.26	22.00
	50	50	21.25	21.19	21.22	22.00
	100	0	21.21	21.25	21.16	22.00
	1	0	21.20	21.20	21.17	22.00
	1	50	21.23	21.18	21.26	22.00
	1	99	21.18	21.18	21.25	22.00
64QAM	50	0	20.20	20.24	20.19	21.00
	50	25	20.23	20.23	20.25	21.00
	50	50	20.20	20.26	20.25	21.00
	100	0	20.21	20.21	20.24	21.00

	LTE Band 7 State0	7		Conducted Power(dBm)				
Dan desidab	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun	
Bandwidth	Modulation	RD SIZE	RD Ollset	20775	21100	21425	Tune up	
		1	0	20.99	20.96	20.94	22.20	
		1	13	20.93	20.88	20.88	22.20	
		1	24	20.88	20.88	20.93	22.20	
	QPSK	12	0	19.88	19.80	19.85	21.20	
		12	6	19.93	19.80	19.85	21.20	
		12	13	19.91	19.89	19.87	21.20	
		25	0	19.84	19.89	19.85	21.20	
		1	0	19.88	19.96	19.90	21.20	
		1	13	19.84	19.93	19.81	21.20	
		1	24	19.86	19.80	19.78	21.20	
5MHz	16QAM	12	0	18.82	18.87	18.87	20.20	
		12	6	18.81	18.83	18.88	20.20	
		12	13	18.85	18.89	18.86	20.20	
		25	0	19.03	19.05	19.00	20.20	
		1	0	19.02	19.02	18.96	20.20	
		1	13	18.94	18.91	18.94	20.20	
		1	24	18.92	18.79	18.83	20.20	
	64QAM	12	0	17.85	17.93	17.89	19.20	
		12	6	17.93	17.86	17.85	19.20	
		12	13	17.78	17.82	17.81	19.20	
		25	0	17.90	17.93	17.82	19.20	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
Danuwidin	wodulation	IVD SIZE	IND Offset	20800	21100	21400	rune up	
10MHz	QPSK	1	0	21.02	21.02	20.96	22.20	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 126 of 182

		1	25	20.98	20.89	20.97	22.20
		1	49	20.88	20.09	20.97	22.20
		25	0	19.84	19.79	19.87	21.20
		25	13	19.82	19.79	19.92	21.20
		25	25	19.88	19.95	19.90	21.20
		50	0	19.88	19.94	19.93	21.20
		1	0	19.99	19.98	19.95	21.20
		1	25	19.85	19.84	19.91	21.20
		1	49	19.86	19.78	19.77	21.20
	16QAM	25	0	18.88	18.82	18.91	20.20
	1000/11/1	25	13	18.80	18.87	18.81	20.20
		25	25	18.87	18.86	18.86	20.20
		50	0	19.07	18.99	19.00	20.20
		1	0	19.01	19.00	19.06	20.20
		1	25	18.86	18.93	18.94	20.20
		1	49	18.83	18.82	18.88	20.20
	64QAM	25	0	17.87	17.90	17.87	19.20
	0 1 30 tivi	25	13	17.92	17.95	17.97	19.20
		25	25	17.85	17.78	17.83	19.20
		50	0	17.88	17.88	17.89	19.20
				Channel	Channel	Channel	
	Madulation	RB size	RB offset				Tungun
Bandwidth	Modulation	ND SIZE	KD Ollset	20825	21100	21375	Tune up
Bandwidth	Modulation	1	0	20825 20.99	21100 20.98	21375 20.92	•
Bandwidth	Modulation			20825 20.99 20.92	21100 20.98 20.98	21375 20.92 20.91	22.20 22.20
Bandwidth	Modulation	1	0	20.99	20.98	20.92	22.20
Bandwidth	QPSK	1 1	0 38	20.99 20.92	20.98 20.98	20.92 20.91	22.20 22.20
Bandwidth		1 1 1	0 38 74	20.99 20.92 20.84	20.98 20.98 20.86	20.92 20.91 20.91	22.20 22.20 22.20
Bandwidth		1 1 1 36	0 38 74 0	20.99 20.92 20.84 19.90	20.98 20.98 20.86 19.89	20.92 20.91 20.91 19.85	22.20 22.20 22.20 21.20
Bandwidth		1 1 1 36 36	0 38 74 0 18	20.99 20.92 20.84 19.90 19.84	20.98 20.98 20.86 19.89 19.82	20.92 20.91 20.91 19.85 19.91	22.20 22.20 22.20 21.20 21.20
Bandwidth		1 1 1 36 36 36	0 38 74 0 18 39	20.99 20.92 20.84 19.90 19.84 19.97	20.98 20.98 20.86 19.89 19.82 19.96	20.92 20.91 20.91 19.85 19.91 19.88	22.20 22.20 22.20 21.20 21.20 21.20
Bandwidth		1 1 1 36 36 36 36 75	0 38 74 0 18 39	20.99 20.92 20.84 19.90 19.84 19.97 19.87	20.98 20.98 20.86 19.89 19.82 19.96 19.93	20.92 20.91 20.91 19.85 19.91 19.88 19.94	22.20 22.20 22.20 21.20 21.20 21.20 21.20
Bandwidth		1 1 1 36 36 36 75	0 38 74 0 18 39 0	20.99 20.92 20.84 19.90 19.84 19.97 19.87 20.00	20.98 20.98 20.86 19.89 19.82 19.96 19.93 19.89	20.92 20.91 20.91 19.85 19.91 19.88 19.94 19.94	22.20 22.20 22.20 21.20 21.20 21.20 21.20 21.20
15MHz		1 1 1 36 36 36 36 75 1	0 38 74 0 18 39 0 0 38	20.99 20.92 20.84 19.90 19.84 19.97 19.87 20.00	20.98 20.98 20.86 19.89 19.82 19.96 19.93 19.89	20.92 20.91 20.91 19.85 19.91 19.88 19.94 19.94 19.89	22.20 22.20 22.20 21.20 21.20 21.20 21.20 21.20 21.20
	QPSK	1 1 1 36 36 36 75 1 1	0 38 74 0 18 39 0 0 0 38 74	20.99 20.92 20.84 19.90 19.84 19.97 19.87 20.00 19.92 19.84	20.98 20.98 20.86 19.89 19.82 19.96 19.93 19.89 19.81	20.92 20.91 20.91 19.85 19.91 19.88 19.94 19.94 19.89	22.20 22.20 22.20 21.20 21.20 21.20 21.20 21.20 21.20 21.20
	QPSK	1 1 1 36 36 36 75 1 1 1 36	0 38 74 0 18 39 0 0 0 38 74	20.99 20.92 20.84 19.90 19.84 19.97 19.87 20.00 19.92 19.84 18.88	20.98 20.98 20.86 19.89 19.82 19.96 19.93 19.89 19.81 19.80 18.87	20.92 20.91 20.91 19.85 19.91 19.88 19.94 19.94 19.89 19.80 18.83	22.20 22.20 22.20 21.20 21.20 21.20 21.20 21.20 21.20 21.20 21.20 21.20
	QPSK	1 1 1 36 36 36 75 1 1 1 36 36	0 38 74 0 18 39 0 0 0 38 74 0	20.99 20.92 20.84 19.90 19.84 19.97 19.87 20.00 19.92 19.84 18.88 18.89	20.98 20.98 20.86 19.89 19.82 19.96 19.93 19.89 19.81 19.80 18.87 18.80	20.92 20.91 20.91 19.85 19.91 19.88 19.94 19.94 19.89 19.80 18.83 18.85	22.20 22.20 22.20 21.20 21.20 21.20 21.20 21.20 21.20 21.20 21.20 20.20
	QPSK	1 1 1 36 36 36 75 1 1 1 1 36 36 36	0 38 74 0 18 39 0 0 0 38 74 0 18	20.99 20.92 20.84 19.90 19.84 19.97 19.87 20.00 19.92 19.84 18.88 18.89 18.83	20.98 20.98 20.86 19.89 19.82 19.96 19.93 19.89 19.81 19.80 18.87 18.80	20.92 20.91 20.91 19.85 19.91 19.88 19.94 19.94 19.89 19.80 18.83 18.85 18.83	22.20 22.20 22.20 21.20 21.20 21.20 21.20 21.20 21.20 21.20 21.20 20.20
	QPSK	1 1 1 36 36 36 75 1 1 1 1 36 36 36 75	0 38 74 0 18 39 0 0 38 74 0 18 39	20.99 20.92 20.84 19.90 19.84 19.97 19.87 20.00 19.92 19.84 18.88 18.89 18.83	20.98 20.98 20.86 19.89 19.82 19.96 19.93 19.89 19.81 19.80 18.87 18.80 18.84	20.92 20.91 20.91 19.85 19.91 19.88 19.94 19.94 19.89 19.80 18.83 18.85 18.83	22.20 22.20 22.20 21.20 21.20 21.20 21.20 21.20 21.20 21.20 20.20 20.20 20.20
	QPSK	1 1 1 36 36 36 75 1 1 1 36 36 36 36 75	0 38 74 0 18 39 0 0 38 74 0 18 39 0	20.99 20.92 20.84 19.90 19.84 19.97 19.87 20.00 19.92 19.84 18.88 18.89 18.83 19.00	20.98 20.98 20.86 19.89 19.82 19.96 19.93 19.89 19.81 19.80 18.87 18.80 18.84 19.01	20.92 20.91 20.91 19.85 19.91 19.88 19.94 19.89 19.80 18.83 18.85 18.83 19.01	22.20 22.20 22.20 21.20 21.20 21.20 21.20 21.20 21.20 21.20 20.20 20.20 20.20 20.20
	QPSK	1 1 1 36 36 36 75 1 1 1 36 36 36 75	0 38 74 0 18 39 0 0 38 74 0 18 39 0	20.99 20.92 20.84 19.90 19.84 19.97 19.87 20.00 19.92 19.84 18.88 18.89 18.83 19.00 18.98	20.98 20.98 20.86 19.89 19.82 19.96 19.93 19.89 19.81 19.80 18.87 18.80 18.84 19.01 18.99 18.89	20.92 20.91 20.91 19.85 19.91 19.88 19.94 19.89 19.80 18.83 18.85 18.83 19.01 19.05	22.20 22.20 22.20 21.20 21.20 21.20 21.20 21.20 21.20 20.20 20.20 20.20 20.20 20.20 20.20
	QPSK 16QAM	1 1 1 36 36 36 75 1 1 1 36 36 36 36 36 1 1	0 38 74 0 18 39 0 0 0 38 74 0 18 39 0 0 38 74	20.99 20.92 20.84 19.90 19.84 19.97 19.87 20.00 19.92 19.84 18.88 18.89 18.83 19.00 18.98 18.91 18.82	20.98 20.98 20.86 19.89 19.82 19.96 19.93 19.81 19.80 18.87 18.80 18.84 19.01 18.99 18.89 18.84	20.92 20.91 20.91 19.85 19.91 19.88 19.94 19.89 19.80 18.83 18.85 18.83 19.01 19.05 18.94 18.84	22.20 22.20 22.20 21.20 21.20 21.20 21.20 21.20 21.20 20.20 20.20 20.20 20.20 20.20 20.20 20.20 20.20
	QPSK 16QAM	1 1 1 36 36 36 75 1 1 1 36 36 36 75 1 1 1 1 36	0 38 74 0 18 39 0 0 0 38 74 0 18 39 0 0 0 38 74 0	20.99 20.92 20.84 19.90 19.84 19.97 19.87 20.00 19.92 19.84 18.88 18.89 18.83 19.00 18.98 18.91 18.82	20.98 20.98 20.86 19.89 19.82 19.96 19.93 19.81 19.80 18.87 18.80 18.84 19.01 18.99 18.89 18.84 17.86	20.92 20.91 20.91 19.85 19.91 19.88 19.94 19.89 19.80 18.83 18.85 18.83 19.01 19.05 18.94 18.84 17.87	22.20 22.20 22.20 21.20 21.20 21.20 21.20 21.20 21.20 20.20 20.20 20.20 20.20 20.20 20.20 20.20 20.20 20.20

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

127 of 182 Page:

D 1 144	Madalaka	DD die	DD - 111-14	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	20850	21100	21350	Tune up
		1	0	21.00	21.03	21.01	22.20
		1	50	21.00	20.91	20.95	22.20
		1	99	20.86	20.88	20.93	22.20
	QPSK	50	0	19.90	19.81	19.87	21.20
		50	25	19.88	19.81	19.91	21.20
		50	50	19.96	19.96	19.86	21.20
		100	0	19.83	19.95	19.90	21.20
		1	0	19.98	19.89	19.96	21.20
		1	50	19.82	19.82	19.81	21.20
	16QAM	1	99	19.76	19.86	19.77	21.20
20MHz		50	0	18.85	18.83	18.93	20.20
		50	25	18.82	18.80	18.85	20.20
		50	50	18.82	18.91	18.84	20.20
		100	0	19.07	19.02	18.96	20.20
		1	0	19.04	19.06	18.96	20.20
		1	50	18.86	18.86	18.93	20.20
		1	99	18.87	18.80	18.85	20.20
	64QAM	50	0	17.93	17.90	17.88	19.20
		50	25	17.87	17.90	17.87	19.20
		50	50	17.83	17.82	17.87	19.20
		100	0	17.82	17.92	17.92	19.20

	LTE B State3			Conducted Power(dBm)					
Dan de d'aléle	Modulation	RB size	RB offset	Channel	Channel	Channel	Tuna un		
Bandwidth	Modulation	RD SIZE	RB offset	20775	21100	21425	Tune up		
		1	0	17.51	17.49	17.44	18.70		
		1	13	17.57	17.49	17.51	18.70		
		1	24	17.49	17.54	17.55	18.70		
	QPSK	12	0	17.48	17.57	17.55	18.70		
		12	6	17.59	17.53	17.49	18.70		
		12	13	17.58	17.51	17.49	18.70		
		25	0	17.44	17.49	17.48	18.70		
<b>5841</b> 1_		1	0	17.48	17.53	17.49	18.70		
5MHz		1	13	17.51	17.52	17.57	18.70		
		1	24	17.51	17.44	17.51	18.70		
	16QAM	12	0	17.51	17.53	17.46	18.70		
		12	6	17.50	17.49	17.49	18.70		
		12	13	17.52	17.44	17.46	18.70		
		25	0	17.46	17.49	17.48	18.70		
	640414	1	0	17.53	17.45	17.48	18.70		
	64QAM	1	13	17.56	17.56	17.50	18.70		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 128 of 182

		1	24	17.50	17.55	17.49	18.70
		12	0	17.49	17.44	17.49	18.70
		12	6	17.51	17.49	17.43	18.70
		12	13	17.52	17.52	17.47	18.70
		25	0	17.47	17.51	17.53	18.70
Dan de dalla	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Bandwidth	Wodulation	KD SIZE	KD Oliset	20800	21100	21400	Tune up
		1	0	17.45	17.46	17.50	18.70
		1	25	17.54	17.54	17.55	18.70
		1	49	17.49	17.56	17.56	18.70
	QPSK	25	0	17.49	17.53	17.49	18.70
		25	13	17.52	17.49	17.54	18.70
		25	25	17.56	17.50	17.53	18.70
		50	0	17.45	17.54	17.50	18.70
		1	0	17.50	17.47	17.55	18.70
		1	25	17.44	17.57	17.55	18.70
		1	49	17.51	17.51	17.46	18.70
10MHz	16QAM	25	0	17.50	17.50	17.48	18.70
		25	13	17.58	17.50	17.52	18.70
		25	25	17.52	17.50	17.47	18.70
		50	0	17.48	17.56	17.50	18.70
		1	0	17.47	17.46	17.49	18.70
		1	25	17.54	17.51	17.46	18.70
		1	49	17.52	17.51	17.46	18.70
	64QAM	25	0	17.53	17.49	17.42	18.70
		25	13	17.48	17.55	17.48	18.70
		25	25	17.56	17.57	17.55	18.70
		50	0	17.47	17.51	17.57	18.70
Bandwidth	Madulation	DD size	RB offset	Channel	Channel	Channel	Tungun
Dandwidin	Modulation	RB size	RD Ollset	20825	21100	21375	Tune up
		1	0	17.47	17.52	17.44	18.70
		1	38	17.60	17.52	17.51	18.70
		1	74	17.49	17.47	17.51	18.70
	QPSK	36	0	17.54	17.56	17.49	18.70
		36	18	17.56	17.47	17.50	18.70
		36	39	17.50	17.54	17.53	18.70
15MHz		75	0	17.44	17.52	17.51	18.70
		1	0	17.50	17.52	17.51	18.70
		1	38	17.51	17.51	17.50	18.70
	160 444	1	74	17.48	17.46	17.51	18.70
	16QAM	36	0	17.55	17.51	17.47	18.70
		36	18	17.54	17.46	17.54	18.70
		36	39	17.53	17.47	17.50	18.70

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 129 of 182

		75	0	17.46	17.51	17.53	18.70
		1	0	17.51	17.50	17.53	18.70
		1	38	17.50	17.54	17.52	18.70
		1	74	17.48	17.53	17.44	18.70
	64QAM	36	0	17.48	17.47	17.44	18.70
		36	18	17.52	17.54	17.51	18.70
		36	39	17.52	17.53	17.53	18.70
		75	0	17.51	17.55	17.51	18.70
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
bandwidth	Modulation	RD SIZE	Rb oliset	20850	21100	21350	Tune up
		1	0	17.66	17.69	17.68	18.70
		1	50	17.49	17.48	17.55	18.70
	QPSK	1	99	17.53	17.50	17.54	18.70
		50	0	17.63	17.68	17.67	18.70
		50	25	17.53	17.50	17.51	18.70
		50	50	17.55	17.51	17.50	18.70
		100	0	17.47	17.61	17.46	18.70
		1	0	17.48	17.52	17.56	18.70
		1	50	17.45	17.54	17.56	18.70
		1	99	17.44	17.46	17.49	18.70
20MHz	16QAM	50	0	17.48	17.52	17.44	18.70
		50	25	17.54	17.47	17.51	18.70
		50	50	17.53	17.47	17.45	18.70
		100	0	17.47	17.49	17.51	18.70
		1	0	17.54	17.47	17.53	18.70
		1	50	17.51	17.50	17.48	18.70
		1	99	17.52	17.52	17.44	18.70
	64QAM	50	0	17.47	17.48	17.43	18.70
		50	25	17.54	17.49	17.51	18.70
		50	50	17.51	17.58	17.54	18.70
		100	0	17.49	17.49	17.51	18.70

		Band 7 Ite5		Conducted Power(dBm)					
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tung up		
Danuwidin	Modulation	KD Size	RD Ollset	20775	21100	21425	Tune up		
		1	0	18.43	18.54	18.52	19.70		
	QPSK	1	13	18.56	18.48	18.55	19.70		
		1	24	18.51	18.49	18.51	19.70		
5MHz		12	0	18.52	18.57	18.50	19.70		
SIVITZ		12	6	18.48	18.58	18.57	19.70		
		12	13	18.44	18.48	18.54	19.70		
		25	0	18.49	18.50	18.49	19.70		
	16QAM	1	0	18.51	18.47	18.52	19.70		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

01 Rev.:

Page: 130 of 182

		1	13	18.56	18.46	18.52	19.70
		1	24	18.54	18.48	18.47	19.70
		12	0	18.49	18.54	18.46	19.70
		12	6	18.49	18.56	18.53	19.70
		12	13	18.47	18.53	18.43	19.70
		25	0	18.53	18.46	18.54	19.70
		1	0	18.54	18.59	18.52	19.70
		1	13	18.52	18.44	18.43	19.70
		1	24	18.56	18.49	18.49	19.70
	64QAM	12	0	17.93	18.06	18.03	19.20
		12	6	17.96	18.01	17.93	19.20
		12	13	17.98	18.00	17.99	19.20
		25	0	17.93	17.97	18.04	19.20
			55 %	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	20800	21100	21400	Tune up
		1	0	18.49	18.56	18.59	19.70
		1	25	18.58	18.52	18.54	19.70
		1	49	18.52	18.54	18.52	19.70
	QPSK	25	0	18.55	18.53	18.55	19.70
		25	13	18.50	18.54	18.59	19.70
		25	25	18.48	18.53	18.51	19.70
		50	0	18.54	18.47	18.51	19.70
		1	0	18.51	18.51	18.49	19.70
	16QAM	1	25	18.56	18.49	18.54	19.70
		1	49	18.54	18.49	18.50	19.70
10MHz		25	0	18.57	18.51	18.48	19.70
		25	13	18.53	18.48	18.52	19.70
		25	25	18.55	18.53	18.47	19.70
		50	0	18.51	18.53	18.55	19.70
		1	0	18.60	18.55	18.46	19.70
		1	25	18.52	18.46	18.44	19.70
		1	49	18.51	18.51	18.51	19.70
	64QAM	25	0	17.96	18.06	18.07	19.20
		25	13	18.04	17.98	17.97	19.20
		25	25	17.93	17.93	17.96	19.20
		50	0	17.96	18.02	18.03	19.20
		DD :	DD "	Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	20825	21100	21375	Tune up
		1	0	18.44	18.47	18.55	19.70
		1	38	18.53	18.47	18.56	19.70
15MHz	QPSK	1	74	18.53	18.55	18.53	19.70
	-	36	0	18.53	18.54	18.50	19.70
		36	18		•		
15MHz	QPSK	1 36	74 0	18.53	18.55	18.53	19.70

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratori

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

131 of 182 Page:

		26	20	10 17	10 50	10 40	10.70
		36 75	39	18.47 18.55	18.52 18.48	18.48 18.49	19.70 19.70
		1	0	18.53	18.48	18.46	19.70
		1		18.60	•	18.51	
		1	38 74	18.50	18.48	•	19.70
	400 414		1		18.50	18.48	19.70
	16QAM	36	0	18.56	18.48	18.46	19.70
		36	18	18.51	18.54	18.51	19.70
		36	39	18.52	18.52	18.46	19.70
		75	0	18.47	18.47	18.49	19.70
		1	0	18.53	18.54	18.46	19.70
		1	38	18.50	18.46	18.47	19.70
		1	74	18.55	18.50	18.47	19.70
	64QAM	36	0	17.98	18.04	18.07	19.20
		36	18	17.97	17.95	17.96	19.20
		36	39	17.93	18.00	17.96	19.20
		75	0	17.98	17.94	18.02	19.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danawidin	Modulation	TAD GIZO		20850	21100	21350	·
		1	0	18.65	18.68	18.64	19.70
		1	50	18.54	18.50	18.54	19.70
	QPSK	1	99	18.55	18.49	18.55	19.70
		50	0	18.61	18.62	18.58	19.70
		50	25	18.48	18.52	18.50	19.70
		50	50	18.44	18.46	18.48	19.70
		100	0	18.52	18.67	18.52	19.70
		1	0	18.52	18.47	18.46	19.70
		1	50	18.53	18.50	18.51	19.70
		1	99	18.58	18.50	18.44	19.70
20MHz	16QAM	50	0	18.57	18.54	18.50	19.70
		50	25	18.50	18.49	18.47	19.70
		50	50	18.49	18.46	18.51	19.70
		100	0	18.52	18.52	18.47	19.70
		1	0	18.52	18.53	18.51	19.70
		1	50	18.51	18.46	18.51	19.70
		1	99	18.52	18.52	18.50	19.70
	64QAM	50	0	17.98	18.00	18.04	19.20
		50	25	17.98	17.96	17.99	19.20
		50	50	17.99	17.93	17.96	19.20
		100	0	17.94	18.00	18.00	19.20
	•		•	•			

LTE Band 38 State0 State3 State5 State8					Conducted	Power(dBm)	
Domalusi altin	Modulation	RB offset	Channel	Channel	Channel	Tungun	
Bandwidth	iviodulation	37775	38000	38225	Tune up		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 132 of 182

		1	0	21.00	21.08	21.06	22.50
		1	13	21.04	21.00	21.01	22.50
		1	24	20.91	20.99	20.97	22.50
	QPSK	12	0	19.83	19.93	19.85	21.50
		12	6	19.90	19.88	19.92	21.50
		12	13	19.92	20.01	20.02	21.50
		25	0	19.87	19.98	19.96	21.50
		1	0	19.98	19.95	19.94	21.50
		1	13	19.85	19.90	19.91	21.50
		1	24	19.83	19.92	19.83	21.50
5MHz	16QAM	12	0	18.90	18.98	18.96	20.50
		12	6	18.94	18.85	18.87	20.50
		12	13	18.97	18.90	18.91	20.50
		25	0	19.03	19.13	19.04	20.50
		1	0	19.08	19.05	19.01	20.50
		1	13	18.90	18.93	18.98	20.50
		1	24	18.86	18.94	18.93	20.50
	64QAM	12	0	17.90	17.96	17.94	19.50
		12	6	17.92	17.98	17.94	19.50
		12	13	17.91	17.84	17.87	19.50
		25	0	17.88	17.90	17.99	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Balluwiutii	Modulation	ND Size	ND Ollset	37800	38000	38200	rune up
		1	0	21.06	21.09	20.98	22.50
		1	25	20.97	20.93	20.96	22.50
		1	49	20.88	20.97	20.89	22.50
	QPSK	1 25	0	20.88 19.83	20.97 19.92	20.89 19.85	22.50 21.50
	QPSK			•			
	QPSK	25	0	19.83	19.92	19.85	21.50
	QPSK	25 25	0 13	19.83 19.94	19.92 19.88	19.85 19.96	21.50 21.50
	QPSK	25 25 25	0 13 25	19.83 19.94 20.02	19.92 19.88 19.92	19.85 19.96 19.98	21.50 21.50 21.50
	QPSK	25 25 25 25 50	0 13 25 0	19.83 19.94 20.02 19.91	19.92 19.88 19.92 19.99	19.85 19.96 19.98 19.99	21.50 21.50 21.50 21.50
10MHz	QPSK	25 25 25 50 1	0 13 25 0	19.83 19.94 20.02 19.91 20.02	19.92 19.88 19.92 19.99 19.93	19.85 19.96 19.98 19.99 20.01	21.50 21.50 21.50 21.50 21.50
10MHz	QPSK 16QAM	25 25 25 50 1	0 13 25 0 0 25	19.83 19.94 20.02 19.91 20.02 19.94	19.92 19.88 19.92 19.99 19.93 19.97	19.85 19.96 19.98 19.99 20.01 19.93	21.50 21.50 21.50 21.50 21.50 21.50
10MHz		25 25 25 50 1 1	0 13 25 0 0 25 49	19.83 19.94 20.02 19.91 20.02 19.94 19.87	19.92 19.88 19.92 19.99 19.93 19.97 19.86	19.85 19.96 19.98 19.99 20.01 19.93 19.81	21.50 21.50 21.50 21.50 21.50 21.50 21.50
10MHz		25 25 25 50 1 1 1 25	0 13 25 0 0 25 49	19.83 19.94 20.02 19.91 20.02 19.94 19.87 18.97	19.92 19.88 19.92 19.99 19.93 19.97 19.86 18.92	19.85 19.96 19.98 19.99 20.01 19.93 19.81 18.99	21.50 21.50 21.50 21.50 21.50 21.50 21.50 21.50 20.50
10MHz		25 25 25 50 1 1 1 25 25 25 50	0 13 25 0 0 25 49 0 13 25 0	19.83 19.94 20.02 19.91 20.02 19.94 19.87 18.97 18.83	19.92 19.88 19.92 19.99 19.93 19.97 19.86 18.92 18.82	19.85 19.96 19.98 19.99 20.01 19.93 19.81 18.99 18.90 18.93 19.07	21.50 21.50 21.50 21.50 21.50 21.50 21.50 20.50 20.50 20.50
10MHz		25 25 25 50 1 1 1 25 25 25	0 13 25 0 0 25 49 0 13 25 0	19.83 19.94 20.02 19.91 20.02 19.94 19.87 18.97 18.83 18.90	19.92 19.88 19.92 19.99 19.93 19.97 19.86 18.92 18.82 18.97	19.85 19.96 19.98 19.99 20.01 19.93 19.81 18.99 18.90 18.93	21.50 21.50 21.50 21.50 21.50 21.50 21.50 20.50 20.50 20.50 20.50
10MHz		25 25 25 50 1 1 1 25 25 25 50	0 13 25 0 0 25 49 0 13 25 0	19.83 19.94 20.02 19.91 20.02 19.94 19.87 18.97 18.83 18.90 19.09	19.92 19.88 19.92 19.99 19.93 19.97 19.86 18.92 18.82 18.97	19.85 19.96 19.98 19.99 20.01 19.93 19.81 18.99 18.90 18.93 19.07	21.50 21.50 21.50 21.50 21.50 21.50 21.50 20.50 20.50 20.50
10MHz	16QAM	25 25 25 50 1 1 1 25 25 25 50 1	0 13 25 0 0 25 49 0 13 25 0	19.83 19.94 20.02 19.91 20.02 19.94 19.87 18.97 18.83 18.90 19.09 19.05	19.92 19.88 19.92 19.99 19.93 19.97 19.86 18.92 18.82 18.97 19.03 19.10	19.85 19.96 19.98 19.99 20.01 19.93 19.81 18.99 18.90 18.93 19.07	21.50 21.50 21.50 21.50 21.50 21.50 21.50 20.50 20.50 20.50 20.50
10MHz		25 25 25 50 1 1 1 25 25 25 25 50 1	0 13 25 0 0 0 25 49 0 13 25 0 0	19.83 19.94 20.02 19.91 20.02 19.94 19.87 18.97 18.83 18.90 19.09 19.05 18.98	19.92 19.88 19.92 19.99 19.93 19.97 19.86 18.92 18.82 18.97 19.03 19.10	19.85 19.96 19.98 19.99 20.01 19.93 19.81 18.99 18.90 18.90 18.93 19.07 19.07	21.50 21.50 21.50 21.50 21.50 21.50 21.50 20.50 20.50 20.50 20.50 20.50
10MHz	16QAM	25 25 25 50 1 1 1 25 25 25 50 1 1	0 13 25 0 0 0 25 49 0 13 25 0 0 25 49	19.83 19.94 20.02 19.91 20.02 19.94 19.87 18.97 18.83 18.90 19.09 19.05 18.98 18.85	19.92 19.88 19.92 19.99 19.93 19.97 19.86 18.92 18.82 18.97 19.03 19.10 18.95 18.84	19.85 19.96 19.98 19.99 20.01 19.93 19.81 18.99 18.90 18.93 19.07 19.07 18.97 18.87	21.50 21.50 21.50 21.50 21.50 21.50 21.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratori

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 133 of 182

		50	0	17.91	17.96	17.95	19.50
Donales della	Madulatian	DD size	DD -#4	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	37825	38000	38175	Tune up
		1	0	21.00	21.07	21.09	22.50
		1	38	21.04	20.93	20.93	22.50
		1	74	20.89	20.90	20.91	22.50
	QPSK	36	0	19.90	19.89	19.88	21.50
		36	18	19.86	19.88	19.93	21.50
		36	39	19.96	20.00	19.97	21.50
		75	0	19.93	19.97	19.96	21.50
		1	0	19.92	19.99	19.97	21.50
		1	38	19.98	19.91	19.89	21.50
		1	74	19.89	19.88	19.88	21.50
15MHz	16QAM	36	0	18.92	18.95	18.96	20.50
		36	18	18.89	18.81	18.89	20.50
		36	39	18.85	18.93	18.89	20.50
		75	0	19.10	19.09	19.03	20.50
		1	0	19.09	19.03	19.05	20.50
		1	38	18.90	18.98	18.95	20.50
	64QAM	1	74	18.88	18.96	18.86	20.50
		36	0	17.97	17.99	18.00	19.50
		36	18	17.98	17.98	18.02	19.50
		36	39	17.94	17.90	17.95	19.50
		75	0	17.96	17.97	17.89	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Balluwiutii	iviodulation	IND SIZE	IND Ollset	37850	38000	38150	Turie up
		1	0	21.07	21.11	21.02	22.50
		1	50	21.05	20.93	21.00	22.50
		1	99	20.88	20.99	20.92	22.50
	QPSK	50	0	19.98	20.02	20.01	21.50
		50	25	19.92	19.97	19.98	21.50
		50	50	19.94	19.99	20.02	21.50
		100	0	20.00	20.03	20.00	21.50
		1	0	19.98	19.98	19.97	21.50
20MHz		1	50	19.93	19.97	19.94	21.50
		1	99	19.81	19.90	19.85	21.50
	16QAM	50	0	18.87	18.96	18.96	20.50
		50	25	18.81	18.91	18.91	20.50
		50	50	18.95	18.91	18.91	20.50
		100	0	19.03	19.12	19.04	20.50
		1	0	19.08	19.04	19.01	20.50
	64QAM	1	50	19.01	18.93	18.92	20.50
		1	99	18.85	18.89	18.89	20.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



SUCR241100047301 Report No.:

Rev.: 01

134 of 182 Page:

50	0	17.90	17.92	17.97	19.50
50	25	17.91	17.96	17.99	19.50
50	50	17.93	17.85	17.91	19.50
100	0	17.90	17.90	17.88	19.50

	LTE Band 41 State0 State3 State5			Conducted Power(dBm)					
Bandwidth	Modulation	RB size	RB offset	Channel 39675	Channel 40148	Channel 40620	Channel 41093	Channel 41565	Tune up
		1	0	22.39	21.93	21.58	21.15	20.77	22.50
		1	13	22.30	21.97	21.64	21.21	20.83	22.50
		1	24	22.39	21.85	21.40	21.08	20.56	22.50
	QPSK	12	0	21.23	20.87	20.50	20.09	19.71	21.50
	·	12	6	21.31	20.89	20.52	20.07	19.61	21.50
		12	13	21.28	20.91	20.41	19.95	19.60	21.50
		25	0	21.28	20.98	20.56	20.02	19.66	21.50
		1	0	21.40	21.07	20.68	20.27	19.85	21.50
		1	13	21.28	20.86	20.42	19.97	19.59	21.50
		1	24	21.23	20.89	20.50	20.17	19.80	21.50
5MHz	16QAM	12	0	20.33	19.95	19.42	19.08	18.60	20.50
		12	6	20.20	19.85	19.41	18.95	18.67	20.50
		12	13	20.25	19.92	19.46	19.11	18.68	20.50
		25	0	20.42	20.06	19.60	19.13	18.72	20.50
		1	0	20.32	20.00	19.62	19.27	18.76	20.50
		1	13	20.31	19.83	19.44	18.98	18.61	20.50
		1	24	20.25	19.93	19.44	19.06	18.57	20.50
	64QAM	12	0	19.40	18.94	18.45	18.09	17.60	19.50
		12	6	19.41	18.85	18.57	18.11	17.69	19.50
		12	13	19.26	18.80	18.44	18.04	17.63	19.50
		25	0	19.32	18.86	18.48	18.01	17.59	19.50
Dan de delle	Madulatian	DD -:	DD -#+	Channel	Channel	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	39700	40160	40620	41080	41540	Tune up
		1	0	22.29	22.01	21.58	21.21	20.81	22.50
		1	25	22.28	21.95	21.68	21.16	20.82	22.50
		1	49	22.32	21.89	21.40	21.06	20.64	22.50
	QPSK	25	0	21.31	20.84	20.47	20.09	19.69	21.50
		25	13	21.26	20.79	20.49	20.00	19.66	21.50
10MHz		25	25	21.29	20.91	20.39	20.06	19.65	21.50
IUIVIMZ		50	0	21.35	20.97	20.50	20.09	19.66	21.50
		1	0	21.39	21.00	20.71	20.16	19.81	21.50
		1	25	21.32	20.83	20.37	19.99	19.58	21.50
	16QAM	1	49	21.31	20.91	20.56	20.13	19.76	21.50
	. 3 2	25	0	20.29	19.94	19.37	19.08	18.62	20.50
	sued by the Company subject to	25	13	20.27	19.77	19.45	18.96	18.62	20.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

01 Rev.:

Page: 135 of 182

		25	25	20.24	19.90	19.44	19.03	18.64	20.50
		50	0	20.32	20.01	19.57	19.11	18.63	20.50
		1	0	20.45	19.97	19.71	19.31	18.87	20.50
		1	25	20.25	19.87	19.42	19.02	18.61	20.50
		1	49	20.23	19.84	19.41	19.05	18.61	20.50
	64QAM	25	0	19.35	18.88	18.51	18.07	17.62	19.50
		25	13	19.30	18.82	18.49	18.16	17.72	19.50
		25	25	19.28	18.72	18.39	18.10	17.66	19.50
		50	0	19.32	18.93	18.46	18.05	17.65	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tungun
Danuwiutii	Modulation	KD SIZE	KD Ollset	39725	40173	40620	41068	41515	Tune up
		1	0	22.33	22.04	21.68	21.26	20.96	22.50
		1	38	22.30	21.99	21.66	21.24	20.84	22.50
		1	74	22.35	21.82	21.46	21.07	20.57	22.50
	QPSK	36	0	21.34	20.93	20.52	20.08	19.67	21.50
		36	18	21.22	20.89	20.49	20.01	19.59	21.50
		36	39	21.32	20.81	20.50	19.97	19.64	21.50
		75	0	21.33	20.96	20.54	20.06	19.69	21.50
		1	0	21.39	21.11	20.71	20.24	19.81	21.50
		1	38	21.25	20.86	20.46	20.00	19.59	21.50
		1	74	21.32	20.99	20.57	20.23	19.72	21.50
15MHz	16QAM	36	0	20.30	19.85	19.47	19.09	18.56	20.50
		36	18	20.22	19.82	19.43	19.01	18.58	20.50
		36	39	20.23	19.89	19.53	19.12	18.62	20.50
		75	0	20.44	20.03	19.57	19.11	18.69	20.50
		1	0	20.50	20.07	19.67	19.25	18.78	20.50
		1	38	20.32	19.80	19.43	19.05	18.59	20.50
		1	74	20.33	19.83	19.39	19.02	18.55	20.50
	64QAM	36	0	19.35	18.90	18.50	18.01	17.68	19.50
		36	18	19.32	18.90	18.47	18.19	17.68	19.50
		36	39	19.22	18.76	18.36	17.97	17.71	19.50
		75	0	19.36	18.88	18.44	18.03	17.64	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tungun
Danuwidin	wodulation	ND SIZE	ND Ullset	39750	40185	40620	41055	41490	Tune up
		1	0	22.41	21.99	21.58	21.29	20.88	22.50
		1	50	22.31	21.97	21.57	21.22	20.84	22.50
		1	99	22.34	21.83	21.47	21.06	20.54	22.50
	QPSK	50	0	21.36	20.93	20.55	20.06	19.73	21.50
20MHz		50	25	21.26	20.80	20.49	19.97	19.65	21.50
		50	50	21.32	20.89	20.48	20.02	19.70	21.50
		100	0	21.39	20.95	20.54	20.07	19.73	21.50
	16QAM	1	0	21.46	21.00	20.68	20.23	19.88	21.50
	IOQAW	1	50	21.31	20.85	20.39	20.00	19.54	21.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratori

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980

www.sgsgroup.com.cn Member of the SGS Group (SGS SA)



Report No.: SUCR241100047301

Rev.: 01

136 of 182 Page:

	1	99	21.26	20.92	20.57	20.23	19.81	21.50
	50	0	20.36	19.92	19.41	19.09	18.59	20.50
	50	25	20.19	19.80	19.46	18.98	18.67	20.50
	50	50	20.24	19.80	19.45	19.01	18.71	20.50
	100	0	20.21	19.98	19.53	19.19	18.74	20.50
	1	0	20.50	20.01	19.65	19.33	18.83	20.50
	1	50	20.28	19.87	19.41	19.03	18.63	20.50
	1	99	20.23	19.96	19.46	19.05	18.56	20.50
64QAM	50	0	19.35	18.91	18.50	18.13	17.64	19.50
	50	25	19.38	18.86	18.47	18.12	17.76	19.50
	50	50	19.26	18.73	18.47	17.99	17.60	19.50
	100	0	19.39	18.94	18.50	18.06	17.62	19.50

	LTE Band 6 State0 State				Conducted	Power(dBm)	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Danowidin	Wodulation	RD SIZE	RD Ollset	131979	132322	132665	Tune up
		1	0	23.22	23.25	23.18	24.00
		1	2	23.22	23.27	23.27	24.00
		1	5	23.21	23.22	23.23	24.00
	QPSK	3	0	23.18	23.18	23.27	24.00
		3	1	23.25	23.26	23.20	24.00
		3	3	23.23	23.25	23.29	24.00
		6	0	22.11	22.07	22.26	23.00
		1	0	22.12	22.12	22.24	23.00
		1	2	22.11	22.07	22.15	23.00
	16QAM	1	5	22.00	22.17	22.02	23.00
1.4MHz		3	0	22.18	22.22	22.19	23.00
		3	1	22.18	22.18	22.18	23.00
		3	3	22.21	22.22	22.27	23.00
		6	0	21.19	21.35	21.21	22.00
		1	0	21.31	21.22	21.24	22.00
		1	2	21.19	21.15	21.07	22.00
		1	5	21.28	21.09	21.03	22.00
	64QAM	3	0	21.32	21.39	21.30	22.00
		3	1	21.27	21.33	21.32	22.00
		3	3	21.36	21.28	21.28	22.00
		6	0	20.12	20.08	20.10	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danawiatii	Modulation	I (D SIZE	ND Olladt	131987	132322	132657	Turic up
		1	0	23.14	23.27	23.19	24.00
3MHz	QPSK	1	7	23.29	23.21	23.26	24.00
JIVII 12	QI OIL	1	14	23.11	23.19	23.20	24.00
	ed by the Company subject to its Ge	8	0	22.08	22.12	22.12	23.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

137 of 182 Page:

		8	4	22.27	22.14	22.18	23.00
		8	7	22.18	22.21	22.28	23.00
		15	0	22.15	22.16	22.29	23.00
		1	0	22.19	22.17	22.23	23.00
		1	7	22.13	22.17	22.13	23.00
		1	14	22.02	22.18	22.09	23.00
	16QAM	8	0	21.02	21.22	21.18	22.00
		8	4	21.07	21.07	21.15	22.00
		8	7	21.15	21.06	21.15	22.00
		15	0	21.23	21.39	21.26	22.00
		1	0	21.37	21.29	21.30	22.00
		1	7	21.28	21.16	21.08	22.00
		1	14	21.29	21.08	21.11	22.00
	64QAM	8	0	20.19	20.18	20.11	21.00
		8	4	20.18	20.18	20.21	21.00
		8	7	20.18	20.05	20.09	21.00
		15	0	20.14	20.07	20.09	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danawidin	Modulation	IND SIZE	ND onset	131997	132322	132647	rune up
		1	0	23.15	23.28	23.19	24.00
		1	13	23.29	23.22	23.25	24.00
		1	24	23.10	23.21	23.19	24.00
	QPSK	12	0	22.07	22.11	22.14	23.00
		12	6	22.25	22.15	22.17	23.00
		12	13	22.17	22.22	22.28	23.00
		25	0	22.15	22.15	22.28	23.00
		1	0	22.17	22.14	22.26	23.00
		1	13	22.13	22.15	22.14	23.00
		1	24	22.05	22.17	22.06	23.00
5MHz	16QAM	12	0	21.04	21.22	21.16	22.00
		12	6	21.09	21.07	21.15	22.00
		12	13	21.17	21.07	21.15	22.00
		25	0	21.22	21.38	21.28	22.00
		1	0	21.35	21.30	21.29	22.00
		1	13	21.28	21.14	21.07	22.00
		1	24	21.29	21.07	21.10	22.00
	64QAM	12	0	20.19	20.15	20.14	21.00
		12	6	20.19	20.17	20.20	21.00
		12	13	20.18	20.05	20.09	21.00
		25	0	20.16	20.07	20.10	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
408411	ODOK	4		132022	132322	132622	•
10MHz	QPSK	1	0	23.16	23.26	23.20	24.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 138 of 182

		1	25	23.27	23.19	23.27	24.00
		1	49	23.12	23.22	23.18	24.00
		25	0	22.10	22.11	22.15	23.00
		25	13	22.27	22.16	22.18	23.00
		25	25	22.18	22.22	22.25	23.00
		50	0	22.16	22.16	22.27	23.00
		1	0	22.17	22.15	22.26	23.00
		1	25	22.14	22.17	22.14	23.00
		1	49	22.03	22.18	22.06	23.00
	16QAM	25	0	21.05	21.20	21.17	22.00
		25	13	21.08	21.08	21.13	22.00
		25	25	21.16	21.06	21.14	22.00
		50	0	21.23	21.37	21.28	22.00
		1	0	21.36	21.30	21.31	22.00
		1	25	21.28	21.13	21.09	22.00
		1	49	21.31	21.07	21.10	22.00
	64QAM	25	0	20.17	20.16	20.11	21.00
		25	13	20.18	20.20	20.20	21.00
		25	25	20.18	20.03	20.07	21.00
		50	0	20.14	20.09	20.11	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danuwium	เขอนนเลเเอก	I RD SIZE	I RD Ollset				i i une ub
				132047	132322	132597	'
		1	0	132047 23.15	132322 23.27	132597 23.19	24.00
							,
		1	0	23.15	23.27	23.19	24.00
	QPSK	1 1	0 38	23.15 23.28	23.27 23.20	23.19 23.26	24.00 24.00
	QPSK	1 1 1	0 38 74	23.15 23.28 23.10	23.27 23.20 23.22	23.19 23.26 23.19	24.00 24.00 24.00
	QPSK	1 1 1 36	0 38 74 0	23.15 23.28 23.10 22.10 22.27 22.19	23.27 23.20 23.22 22.11	23.19 23.26 23.19 22.14	24.00 24.00 24.00 23.00
	QPSK	1 1 1 36 36 36 36 75	0 38 74 0 18 39	23.15 23.28 23.10 22.10 22.27 22.19 22.16	23.27 23.20 23.22 22.11 22.16 22.22 22.15	23.19 23.26 23.19 22.14 22.18 22.26 22.26	24.00 24.00 24.00 23.00 23.00 23.00 23.00
	QPSK	1 1 1 36 36 36 75	0 38 74 0 18 39 0	23.15 23.28 23.10 22.10 22.27 22.19 22.16 22.19	23.27 23.20 23.22 22.11 22.16 22.22 22.15 22.15	23.19 23.26 23.19 22.14 22.18 22.26 22.26 22.25	24.00 24.00 24.00 23.00 23.00 23.00 23.00 23.00 23.00
	QPSK	1 1 1 36 36 36 36 75 1	0 38 74 0 18 39 0 0 38	23.15 23.28 23.10 22.10 22.27 22.19 22.16 22.19 22.14	23.27 23.20 23.22 22.11 22.16 22.22 22.15 22.15 22.16	23.19 23.26 23.19 22.14 22.18 22.26 22.26 22.25 22.16	24.00 24.00 24.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00
		1 1 1 36 36 36 75 1 1	0 38 74 0 18 39 0 0 0 38 74	23.15 23.28 23.10 22.10 22.27 22.19 22.16 22.19 22.14 22.03	23.27 23.20 23.22 22.11 22.16 22.22 22.15 22.15 22.16 22.18	23.19 23.26 23.19 22.14 22.18 22.26 22.26 22.25 22.16 22.08	24.00 24.00 24.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00
15MHz	QPSK 16QAM	1 1 1 36 36 36 75 1 1 1 36	0 38 74 0 18 39 0 0 0 38 74	23.15 23.28 23.10 22.10 22.27 22.19 22.16 22.19 22.14 22.03 21.05	23.27 23.20 23.22 22.11 22.16 22.22 22.15 22.15 22.16 22.18 21.21	23.19 23.26 23.19 22.14 22.18 22.26 22.26 22.26 22.25 22.16 22.08 21.17	24.00 24.00 24.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00
		1 1 1 36 36 36 75 1 1 1 36 36	0 38 74 0 18 39 0 0 0 38 74 0	23.15 23.28 23.10 22.10 22.27 22.19 22.16 22.19 22.14 22.03 21.05 21.09	23.27 23.20 23.22 22.11 22.16 22.22 22.15 22.15 22.16 22.18 21.21 21.06	23.19 23.26 23.19 22.14 22.18 22.26 22.26 22.25 22.16 22.08 21.17 21.14	24.00 24.00 24.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 22.00
		1 1 1 36 36 36 75 1 1 1 1 36 36 36	0 38 74 0 18 39 0 0 0 38 74 0 18	23.15 23.28 23.10 22.10 22.27 22.19 22.16 22.19 22.14 22.03 21.05 21.09 21.16	23.27 23.20 23.22 22.11 22.16 22.22 22.15 22.15 22.16 22.18 21.21 21.06 21.07	23.19 23.26 23.19 22.14 22.18 22.26 22.26 22.25 22.16 22.08 21.17 21.14 21.16	24.00 24.00 24.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 22.00 22.00
		1 1 1 36 36 36 75 1 1 1 1 36 36 36 75	0 38 74 0 18 39 0 0 38 74 0 18 39	23.15 23.28 23.10 22.10 22.27 22.19 22.16 22.19 22.14 22.03 21.05 21.09 21.16 21.23	23.27 23.20 23.22 22.11 22.16 22.22 22.15 22.15 22.16 22.18 21.21 21.06 21.07 21.38	23.19 23.26 23.19 22.14 22.18 22.26 22.25 22.16 22.08 21.17 21.14 21.16 21.27	24.00 24.00 24.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 22.00 22.00 22.00
		1 1 1 36 36 36 75 1 1 1 36 36 36 36 75	0 38 74 0 18 39 0 0 38 74 0 18 39 0	23.15 23.28 23.10 22.10 22.27 22.19 22.16 22.19 22.14 22.03 21.05 21.09 21.16 21.23 21.34	23.27 23.20 23.22 22.11 22.16 22.22 22.15 22.15 22.16 22.18 21.21 21.06 21.07 21.38 21.30	23.19 23.26 23.19 22.14 22.18 22.26 22.25 22.16 22.08 21.17 21.14 21.16 21.27 21.28	24.00 24.00 24.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 22.00 22.00 22.00 22.00 22.00
		1 1 1 36 36 36 75 1 1 1 36 36 36 75	0 38 74 0 18 39 0 0 38 74 0 18 39 0	23.15 23.28 23.10 22.10 22.27 22.19 22.16 22.19 22.14 22.03 21.05 21.09 21.16 21.23 21.34 21.30	23.27 23.20 23.22 22.11 22.16 22.22 22.15 22.15 22.16 22.18 21.21 21.06 21.07 21.38 21.30 21.13	23.19 23.26 23.19 22.14 22.18 22.26 22.26 22.25 22.16 22.08 21.17 21.14 21.16 21.27 21.28 21.07	24.00 24.00 24.00 23.00 23.00 23.00 23.00 23.00 23.00 22.00 22.00 22.00 22.00 22.00 22.00
	16QAM	1 1 1 36 36 36 75 1 1 1 36 36 36 36 75 1 1	0 38 74 0 18 39 0 0 0 38 74 0 18 39 0 0 38 74	23.15 23.28 23.10 22.10 22.27 22.19 22.16 22.19 22.14 22.03 21.05 21.09 21.16 21.23 21.34 21.30	23.27 23.20 23.22 22.11 22.16 22.22 22.15 22.15 22.16 22.18 21.21 21.06 21.07 21.38 21.30 21.13 21.08	23.19 23.26 23.19 22.14 22.18 22.26 22.26 22.25 22.16 22.08 21.17 21.14 21.16 21.27 21.28 21.07 21.11	24.00 24.00 24.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
		1 1 1 36 36 36 75 1 1 1 36 36 36 75 1 1 1 1 36	0 38 74 0 18 39 0 0 0 38 74 0 18 39 0 0 0 38 74 0	23.15 23.28 23.10 22.10 22.27 22.19 22.16 22.19 22.14 22.03 21.05 21.09 21.16 21.23 21.30 21.30 20.19	23.27 23.20 23.22 22.11 22.16 22.22 22.15 22.15 22.16 22.18 21.21 21.06 21.07 21.38 21.30 21.13 21.08 20.16	23.19 23.26 23.19 22.14 22.18 22.26 22.26 22.25 22.16 22.08 21.17 21.14 21.16 21.27 21.28 21.07 21.11 20.12	24.00 24.00 24.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00
	16QAM	1 1 1 36 36 36 75 1 1 1 36 36 75 1 1 1 1 36 36 36 36 36 36 36 36 36 36 36 36 36	0 38 74 0 18 39 0 0 0 38 74 0 18 39 0 0 0 38 74 0 18	23.15 23.28 23.10 22.10 22.27 22.19 22.16 22.19 22.14 22.03 21.05 21.09 21.16 21.23 21.34 21.30 20.19 20.19	23.27 23.20 23.22 22.11 22.16 22.22 22.15 22.15 22.16 22.18 21.21 21.06 21.07 21.38 21.30 21.13 21.08 20.16 20.19	23.19 23.26 23.19 22.14 22.18 22.26 22.26 22.25 22.16 22.08 21.17 21.14 21.16 21.27 21.28 21.07 21.11 20.12 20.21	24.00 24.00 24.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 21.00 21.00
	16QAM	1 1 1 36 36 36 75 1 1 1 36 36 36 75 1 1 1 1 36	0 38 74 0 18 39 0 0 0 38 74 0 18 39 0 0 0 38 74 0	23.15 23.28 23.10 22.10 22.27 22.19 22.16 22.19 22.14 22.03 21.05 21.09 21.16 21.23 21.30 21.30 20.19	23.27 23.20 23.22 22.11 22.16 22.22 22.15 22.15 22.16 22.18 21.21 21.06 21.07 21.38 21.30 21.13 21.08 20.16	23.19 23.26 23.19 22.14 22.18 22.26 22.26 22.25 22.16 22.08 21.17 21.14 21.16 21.27 21.28 21.07 21.11 20.12	24.00 24.00 24.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 139 of 182

D	Madalaka	DD die	DD - 111-14	Channel	Channel	Channel	T
Bandwidth	Modulation	RB size	RB offset	132072	132322	22         132572         Tul           29         23.27         24           21         23.26         24           21         23.17         24           33         22.31         23           33         22.16         23           21         22.28         23           28         22.26         23           6         22.23         23           7         22.14         23           9         21.18         23           97         21.14         23           98         21.15         23           98         21.15         23           98         21.29         23           90         21.29         23	Tune up
		1	0	23.28	23.29	23.27	24.00
		1	50	23.27	23.21	23.26	24.00
		1	99	23.10	23.21	23.17	24.00
	QPSK	50	0	22.28	22.33	22.31	23.00
		50	25	22.26	22.13	22.16	23.00
		50	50	22.18	22.21	22.28	23.00
		100	0	22.14	22.28	22.26	23.00
		1	0	22.17	22.16	22.23	23.00
		1	50	22.15	22.17	22.14	23.00
		1	99	22.03	22.19	22.08	23.00
20MHz	16QAM	50	0	21.02	21.19	21.18	22.00
		50	25	21.09	21.07	21.14	22.00
		50	50	21.16	21.08	21.15	22.00
		100	0	21.23	21.38	21.29	22.00
		1	0	21.36	21.30	21.29	22.00
		1	50	21.28	21.14	21.07	22.00
		1	99	21.28	21.09	21.11	22.00
	64QAM	50	0	20.19	20.17	20.13	21.00
		50	25	20.19	20.17	20.22	21.00
		50	50	20.17	20.04	20.09	21.00
		100	0	20.14	20.10	20.12	21.00

	LTE Ba State3				Conducted	Power(dBm)	
Donalisi déb	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RD SIZE	RD Ollset	131979	132322	132665	Tune up
		1	0	22.71	22.80	22.70	23.50
		1	2	22.75	22.76	22.78	23.50
		1	5	22.81	22.82	132665  22.70 23 22.78 23 22.74 23 22.81 22.72 23 22.79 23 22.28 22.32 22.32 22.31 22.31 22.26 23 22.19 23 22.29 22.19 23 22.23 22.23 22.23 22.23 22.29	23.50
	QPSK	3	0	22.78	22.73	22.81	23.50
		3	1	1 22.74 22.74 22.72	23.50		
		3	3	22.81	22.81	22.79	23.50
		6	0	22.33	22.19	22.28	23.00
4 48411-		1	0	22.20	22.25	22.32	23.00
1.4MHz		1	2	22.30	22.23	22.21	23.00
		1	5	22.30	22.25	22.31	23.00
	16QAM	3	0	22.25	22.28	22.26	23.00
		3	1	22.21	22.23	22.19	23.00
		3	3	22.25	22.23	22.23	23.00
		6	0	21.26	21.31	21.33	22.00
	CAOANA	1	0	21.28	21.25	21.29	22.00
	64QAM	1	2	21.22	21.25	21.22	22.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 140 of 182

		1	5	21.31	21.28	21.24	22.00
		3	0	21.22	21.22	21.23	22.00
		3	1	21.23	21.30	21.26	22.00
		3	3	21.31	21.23	21.33	22.00
		6	0	20.25	20.30	20.28	21.00
Donalos i déla	Madulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Bandwidth	Modulation	RD SIZE	RD Ollset	131987	132322	132657	Tune up
		1	0	22.79	22.73	22.72	23.50
		1	7	22.71	22.77	22.77	23.50
		1	14	22.75	22.71	22.69	23.50
	QPSK	8	0	22.26	22.28	22.21	23.00
		8	4	22.21	22.25	22.20	23.00
		8	7	22.19	22.26	22.23	23.00
		15	0	22.31	22.19	22.22	23.00
		1	0	22.25	22.20	22.25	23.00
		1	7	22.18	22.29	22.21	23.00
		1	14	22.19	22.20	22.26	23.00
3MHz	16QAM	8	0	21.26	21.21	21.25	22.00
		8	4	21.26	21.22	21.19	22.00
		8	7	21.17	21.24	21.16	22.00
		15	0	21.31	21.24	21.24	22.00
		1	0	21.24	21.26	21.28	22.00
		1	7	21.21	21.18	21.23	22.00
		1	14	21.25	21.22	21.23	22.00
	64QAM	8	0	20.23	20.25	20.22	21.00
		8	4	20.25	20.26	20.23	21.00
		8	7	20.24	20.26	20.25	21.00
		15	0	20.21	20.26	20.19	21.00
				Channel	Channel	Channel	
Bandwidth	Modulation	RB size	RB offset	131997	132322	132647	Tune up
		1	0	22.74	22.70	22.71	23.50
		1	13	22.70	22.77	22.81	23.50
		1	24	22.67	22.67	22.70	23.50
	QPSK	12	0	22.29	22.25	22.24	23.00
		12	6	22.24	22.22	22.21	23.00
		12	13	22.24	22.25	22.21	23.00
5MHz		25	0	22.24	22.20	22.24	23.00
		1	0	22.22	22.29	22.23	23.00
		1	13	22.17	22.24	22.22	23.00
		1	24	22.22	22.21	22.31	23.00
	16QAM	12	0	21.27	21.20	21.20	22.00
		12	6	21.29	21.30	21.21	22.00
		12	13	21.21	21.20	21.20	22.00
1	1		1 10		21.20	0	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sas.com/en/Terms-and-Conditions.aspx">http://www.sas.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratori

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 141 of 182

		25	0	21.26	21.27	21.23	22.00
		1	0	21.22	21.28	21.26	22.00
		1	13	21.22	21.21	21.23	22.00
		1	24	21.21	21.19	21.17	22.00
	64QAM	12	0	20.24	20.25	20.25	21.00
	·	12	6	20.21	20.23	20.23	21.00
		12	13	20.18	20.22	20.19	21.00
		25	0	20.24	20.26	20.20	21.00
				Channel	Channel	Channel	_
Bandwidth	Modulation	RB size	RB offset	132022	132322	132622	Tune up
		1	0	22.78	22.71	22.74	23.50
		1	25	22.73	22.71	22.73	23.50
		1	49	22.67	22.71	22.76	23.50
	QPSK	25	0	22.26	22.26	22.27	23.00
		25	13	22.19	22.26	22.17	23.00
		25	25	22.20	22.19	22.21	23.00
		50	0	22.24	22.22	22.17	23.00
		1	0	22.28	22.22	22.21	23.00
		1	25	22.17	22.24	22.19	23.00
		1	49	22.22	22.19	22.24	23.00
10MHz	16QAM	25	0	21.29	21.18	21.22	22.00
		25	13	21.22	21.22	21.27	22.00
		25	25	21.21	21.17	21.22	22.00
		50	0	21.25	21.30	21.23	22.00
		1	0	21.24	21.22	21.31	22.00
		1	25	21.21	21.22	21.22	22.00
		1	49	21.22	21.24	21.21	22.00
	64QAM	25	0	20.21	20.27	20.22	21.00
		25	13	20.22	20.29	20.26	21.00
		25	25	20.24	20.20	20.22	21.00
		50	0	20.24	20.25	20.20	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
Danawiath	เขเงนแลแงก	ND SIZE	ND Ullset	132047	132322	132597	rune up
		1	0	22.72	22.77	22.75	23.50
		1	38	22.72	22.77	22.81	23.50
		1	74	22.73	22.66	22.75	23.50
	QPSK	36	0	22.21	22.29	22.24	23.00
15MHz		36	18	22.21	22.24	22.23	23.00
IONITZ		36	39	22.21	22.27	22.20	23.00
		75	0	22.29	22.17	22.24	23.00
		1	0	22.27	22.23	22.22	23.00
	16QAM	1	38	22.19	22.22	22.19	23.00
		1	74	22.22	22.19	22.26	23.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sas.com/en/Terms-and-Conditions.aspx">http://www.sas.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 142 of 182

	1	1		T.	T	I	
		36	0	21.28	21.15	21.27	22.00
		36	18	21.25	21.26	21.21	22.00
		36	39	21.22	21.16	21.21	22.00
		75	0	21.23	21.28	21.23	22.00
		1	0	21.24	21.26	21.24	22.00
		1	38	21.22	21.20	21.22	22.00
		1	74	21.24	21.20	21.21	22.00
	64QAM	36	0	20.20	20.23	20.27	21.00
		36	18	20.18	20.30	20.30	21.00
		36	39	20.17	20.21	20.19	21.00
		75	0	20.20	20.20	20.25	21.00
Dan de d'alde	Modulation	RB size	RB offset	Channel	Channel	Channel	Tungun
Bandwidth	Wodulation	RD SIZE	RD Ollset	132072	132322	132572	Tune up
		1	0	22.76	22.84	22.79	23.50
		1	50	22.70	22.72	22.76	23.50
		1	99	22.70	22.71	22.73	23.50
	QPSK	50	0	22.26	22.32	22.29	23.00
		50	25	22.24	22.21	22.22	23.00
		50	50	22.22	22.22	22.26	23.00
		100	0	22.30	22.33	22.25	23.00
		1	0	22.29	22.26	22.24	23.00
		1	50	22.18	22.26	22.25	23.00
		1	99	22.25	22.19	22.25	23.00
20MHz	16QAM	50	0	21.28	21.21	21.23	22.00
		50	25	21.31	21.26	21.26	22.00
		50	50	21.23	21.21	21.24	22.00
		100	0	21.28	21.23	21.23	22.00
		1	0	21.27	21.27	21.31	22.00
		1	50	21.18	21.21	21.28	22.00
		1	99	21.20	21.23	21.22	22.00
	64QAM	50	0	20.24	20.19	20.30	21.00
		50	25	20.23	20.24	20.27	21.00
		50	50	20.19	20.22	20.23	21.00
		100	0	20.21	20.19	20.27	21.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sas.com/en/Terms-and-Conditions.aspx">http://www.sas.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

143 of 182 Page:

# 4. Conducted Power of LTE UL\_CA

#### Ant1:

				CA_4	C Ant	1 State	e0			
		Combi	natio	n 20MI	1z+20	MHz (	100RB+	100RB)		
DOO	000		P	CC	S	CC	Total	Target	Measured	Tune
PCC Channel	SCC Channel	Modulation	RB Size	RB offset	RB Size	RB offset	RB Size	MPR Level (dB)	Power (dBm)	Power (dBm)
20050	20248	QPSK	1	99	1	0	1	0	22.86	24.00
20175	19977	QPSK	1	0	1	99	2	0	22.87	24.00
20300	20102	QPSK	1	0	1	99	2	0	22.89	24.00
20050	20248	QPSK	50	49	50	0	2	1	21.86	23.00
20175	19977	QPSK	50	0	50	49	2	1	21.73	23.00
20300	20102	QPSK	50	0	50	49	2	1	21.86	23.00

	CA_4C Ant1 State3 State8										
	Combination 20MHz+20MHz (100RB+100RB)										
DOO	cc scc	000		CC	Ś	CC	Total	Target	Measured	Tune	
PCC Channel	Channel	Modulation	RB Size	RB offset	RB Size	RB offset	RB Size	MPR Level (dB)	Power (dBm)	up Power (dBm)	
20050	20248	QPSK	1	99	1	0	1	0	20.28	21.50	
20175	19977	QPSK	1	0	1	99	2	0	20.35	21.50	
20300	20102	QPSK	1	0	1	99	2	0	20.34	21.50	
20050	20248	QPSK	50	49	50	0	2	0	20.29	21.50	
20175	19977	QPSK	50	0	50	49	2	0	20.28	21.50	
20300	20102	QPSK	50	0	50	49	2	0	20.31	21.50	

	CA_4C Ant1 State5											
Combination 20MHz+20MHz (100RB+100RB)												
D00	SCC Channel	Modulation	PCC		SCC		Total	Target	Measured	Tune		
PCC Channel			RB Size	RB offset	RB Size	RB offset	RB Size	MPR Level (dB)	Power (dBm)	Power (dBm)		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sas.com/en/Terms-and-Conditions.aspx">http://www.sas.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 144 of 182

20050	20248	QPSK	1	99	1	0	1	0	15.72	17.00
20175	19977	QPSK	1	0	1	99	2	0	15.90	17.00
20300	20102	QPSK	1	0	1	99	2	0	15.67	17.00
20050	20248	QPSK	50	49	50	0	2	0	15.81	17.00
20175	19977	QPSK	50	0	50	49	2	0	15.79	17.00
20300	20102	QPSK	50	0	50	49	2	0	15.73	17.00

	CA_7C Ant1 State0											
Combination 20MHz+20MHz (100RB+100RB)												
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total	Target	Measured	Tune		
			RB Size	RB offset	RB Size	RB offset	RB Size	MPR Level (dB)	Power (dBm)	up Power (dBm)		
20850	21048	QPSK	1	99	1	0	1	0	23.00	23.70		
21100	20902	QPSK	1	0	1	99	2	0	22.99	23.70		
21350	21152	QPSK	1	0	1	99	2	0	22.87	23.70		
20850	21048	QPSK	50	49	50	0	2	1	21.94	22.70		
21100	20902	QPSK	50	0	50	49	2	1	21.90	22.70		
21350	21152	QPSK	50	0	50	49	2	1	22.01	22.70		

	CA_7C Ant1 State3 State8											
Combination 20MHz+20MHz (100RB+100RB)												
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total	Target	Measured	Tune		
			RB Size	RB offset	RB Size	RB offset	RB Size	MPR Level (dB)	Power (dBm)	up Power (dBm)		
20850	21048	QPSK	1	99	1	0	1	0	18.03	18.70		
21100	20902	QPSK	1	0	1	99	2	0	18.06	18.70		
21350	21152	QPSK	1	0	1	99	2	0	18.00	18.70		
20850	21048	QPSK	50	49	50	0	2	0	18.04	18.70		
21100	20902	QPSK	50	0	50	49	2	0	18.06	18.70		
21350	21152	QPSK	50	0	50	49	2	0	17.91	18.70		

#### CA 7C Ant1 State5 Combination 20MHz+20MHz (100RB+100RB)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

145 of 182 Page:

<b>D</b> 00	PCC SCC		P	CC	S	CC	Total	Target	Measured	Tune
Channel	Channel	Modulation	RB Size	RB offset	RB Size	RB offset	RB Size	MPR Level (dB)	Power (dBm)	up Power (dBm)
20850	21048	QPSK	1	99	1	0	1	0	13.44	14.20
21100	20902	QPSK	1	0	1	99	2	0	13.65	14.20
21350	21152	QPSK	1	0	1	99	2	0	13.45	14.20
20850	21048	QPSK	50	49	50	0	2	0	13.47	14.20
21100	20902	QPSK	50	0	50	49	2	0	13.47	14.20
21350	21152	QPSK	50	0	50	49	2	0	13.48	14.20

CA_38C Ant1 State0													
Combination 20MHz+20MHz (100RB+100RB)													
D00	000		P	CC	S	CC	Total	Target	Measured	Tune			
PCC Channel	SCC Channel	Modulation	RB Size	RB offset	RB Size	RB offset	RB Size	MPR Level (dB)	Power (dBm)	Power (dBm)			
37850	38048	QPSK	1	99	1	0	1	0	22.93	24.00			
38099	37901	QPSK	1	0	1	99	2	0	23.00	24.00			
38150	37952	QPSK	1	0	1	99	2	0	22.97	24.00			
37850	38048	QPSK	50	49	50	0	2	1	21.83	23.00			
38099	37901	QPSK	50	0	50	49	2	1	21.93	23.00			
38150	37952	QPSK	50	0	50	49	2	1	22.04	23.00			

	CA_38C Ant1 State3 State8  Combination 20MHz+20MHz (100RB+100RB)													
PCC	SCC			СС		cc	Total	Target	Measured	Tune				
Channel	PCC SCC Channel	Modulation	RB Size	RB offset	RB Size	RB offset	RB Size	MPR Level (dB)	Power (dBm)	Power (dBm)				
37850	38048	QPSK	1	99	1	0	1	0	19.53	20.50				
38099	37901	QPSK	1	0	1	99	2	0	19.54	20.50				
38150	37952	QPSK	1	0	1	99	2	0	19.55	20.50				
37850	38048	QPSK	50	49	50	0	2	0	19.47	20.50				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 146 of 182

38099	37901	QPSK	50	0	50	49	2	0	19.59	20.50
38150	37952	QPSK	50	0	50	49	2	0	19.45	20.50

CA_38C Ant1 State5													
Combination 20MHz+20MHz (100RB+100RB)													
DCC	200		P	CC	S	CC	Total	Target	Measured	Tune			
PCC Channel	SCC Channel	Modulation	RB Size	RB offset	RB Size	RB offset	RB Size	MPR Level (dB)	Power (dBm)	up Power (dBm)			
37850	38048	QPSK	1	99	1	0	1	0	15.56	16.50			
38099	37901	QPSK	1	0	1	99	2	0	15.65	16.50			
38150	37952	QPSK	1	0	1	99	2	0	15.40	16.50			
37850	38048	QPSK	50	49	50	0	2	0	15.38	16.50			
38099	37901	QPSK	50	0	50	49	2	0	15.51	16.50			
38150	37952	QPSK	50	0	50	49	2	0	15.46	16.50			

CA_41C Ant1 State0													
Combination 20MHz+20MHz (100RB+100RB)													
PCC Channel	SCC Channel	Modulation	RB Size	CC RB offset	RB Size	CC RB offset	Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)			
39750	39948	QPSK	1	99	1	0	1	0	23.91	24.00			
40185	39987	QPSK	1	0	1	99	2	0	23.44	24.00			
40620	40422	QPSK	1	0	1	99	2	0	22.80	24.00			
41055	40857	QPSK	1	0	1	99	2	0	22.34	24.00			
41490	41292	QPSK	1	0	1	99	2	0	22.34	24.00			
39750	39948	QPSK	50	49	50	0	2	0	22.79	23.00			
40185	39987	QPSK	50	0	50	49	2	0	22.51	23.00			
40620	40422	QPSK	50	0	50	49	2	0	21.96	23.00			
41055	40857	QPSK	50	0	50	49	2	0	21.54	23.00			
41490	41292	QPSK	50	0	50	49	2	0	21.53	23.00			

### CA 41C Ant1 State3 State8 Combination 20MHz+20MHz (100RB+100RB)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-news-and-Condi

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

147 of 182 Page:

D00	000		P	CC	S	CC	Total	Target	Measured	Tune
PCC Channel	SCC Channel	Modulation	RB Size	RB offset	RB Size	RB offset	RB Size	MPR Level (dB)	Power (dBm)	up Power (dBm)
39750	39948	QPSK	1	99	1	0	1	0	20.28	20.50
40185	39987	QPSK	1	0	1	99	2	0	19.95	20.50
40620	40422	QPSK	1	0	1	99	2	0	19.65	20.50
41055	40857	QPSK	1	0	1	99	2	0	19.15	20.50
41490	41292	QPSK	1	0	1	99	2	0	19.07	20.50
39750	39948	QPSK	50	49	50	0	2	0	20.08	20.50
40185	39987	QPSK	50	0	50	49	2	0	19.91	20.50
40620	40422	QPSK	50	0	50	49	2	0	19.60	20.50
41055	40857	QPSK	50	0	50	49	2	0	19.21	20.50
41490	41292	QPSK	50	0	50	49	2	0	19.10	20.50

CA_41C Ant1 State5														
Combination 20MHz+20MHz (100RB+100RB)														
PCC Channel	SCC Channel	Modulation	RB Size	RB offset	RB Size	CC RB offset	Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)				
39750	39948	QPSK	1	99	1	0	1	0	16.33	16.50				
40185	39987	QPSK	1	0	1	99	2	0	15.90	16.50				
40620	40422	QPSK	1	0	1	99	2	0	15.52	16.50				
41055	40857	QPSK	1	0	1	99	2	0	15.22	16.50				
41490	41292	QPSK	1	0	1	99	2	0	15.07	16.50				
39750	39948	QPSK	50	49	50	0	2	0	16.15	16.50				
40185	39987	QPSK	50	0	50	49	2	0	15.77	16.50				
40620	40422	QPSK	50	0	50	49	2	0	15.56	16.50				
41055	40857	QPSK	50	0	50	49	2	0	15.21	16.50				
41490	41292	QPSK	50	0	50	49	2	0	15.01	16.50				

		CA_66	C Ant1 Stat	te0								
	Combi	nation 20Ml	lz+20MHz (	100RB+	100RB)							
Modulation PCC SCC												

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 148 of 182

PCC Channel	SCC Channel		RB Size	RB offset	RB Size	RB offset	Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
132072	132270	QPSK	1	99	1	0	1	0	23.27	24.50
132322	132124	QPSK	1	0	1	99	2	0	23.24	24.50
132572	132374	QPSK	1	0	1	99	2	0	23.35	24.50
132072	132270	QPSK	50	49	50	0	2	1	22.34	23.50
132322	132124	QPSK	50	0	50	49	2	1	22.23	23.50
132572	132374	QPSK	50	0	50	49	2	1	22.39	23.50

	CA_66C Ant1 State3 State8													
Combination 20MHz+20MHz (100RB+100RB)														
DOO	000		P	CC	S	CC	Total	Target	Measured	Tune				
PCC Channel	SCC Channel	Modulation	RB Size	RB offset	RB Size	RB offset	RB Size	MPR Level (dB)	Power (dBm)	up Power (dBm)				
132072	132270	QPSK	1	99	1	0	1	0	21.73	23.00				
132322	132124	QPSK	1	0	1	99	2	0	21.98	23.00				
132572	132374	QPSK	1	0	1	99	2	0	21.68	23.00				
132072	132270	QPSK	50	49	50	0	2	0	21.71	23.00				
132322	132124	QPSK	50	0	50	49	2	0	21.82	23.00				
132572	132374	QPSK	50	0	50	49	2	0	21.60	23.00				

	CA_66C Ant1 State5													
		Combi	natio	n 20MH	1z+20	MHz (	100RB+	100RB)						
DOO	000		P	CC	S	CC	Total	Target	Measured	Tune				
PCC Channel	SCC Channel	Modulation	RB Size	RB offset	RB Size	RB offset	RB Size	MPR Level (dB)	Power (dBm)	Power (dBm)				
132072	132270	QPSK	1	99	1	0	1	0	15.82	17.00				
132322	132124	QPSK	1	0	1	99	2	0	15.72	17.00				
132572	132374	QPSK	1	0	1	99	2	0	15.69	17.00				
132072	132270	QPSK	50	49	50	0	2	0	15.73	17.00				
132322	132124	QPSK	50	0	50	49	2	0	15.78	17.00				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 149 of 182

	132572	132374	QPSK	50	0	50	49	2	0	15.68	17.00
--	--------	--------	------	----	---	----	----	---	---	-------	-------

### Ant4:

	CA_4C Ant1 State0 State5														
	Combination 20MHz+20MHz (100RB+100RB)														
<b>DO0</b>	000		P	CC	S	CC	Total	Target	Measured	Tune					
PCC Channel	SCC Channel	Modulation	RB Size	RB offset	RB Size	RB offset	RB Size	MPR Level (dB)	Power (dBm)	up Power (dBm)					
20050	20248	QPSK	1	99	1	0	1	0	23.45	24.50					
20175	19977	QPSK	1	0	1	99	2	0	23.52	24.50					
20300	20102	QPSK	1	0	1	99	2	0	23.44	24.50					
20050	20248	QPSK	50	49	50	0	2	1	22.39	23.50					
20175	19977	QPSK	50	0	50	49	2	1	22.54	23.50					
20300	20102	QPSK	50	0	50	49	2	1	22.4	23.50					

CA_4C Ant1 State3 State8														
Combination 20MHz+20MHz (100RB+100RB)														
DCC	200		P	CC	S	CC	Total	Target	Measured	Tune				
PCC Channel	SCC Channel	Modulation	RB Size	RB offset	RB Size	RB offset	RB Size	MPR Level (dB)	Power (dBm)	up Power (dBm)				
20050	20248	QPSK	1	99	1	0	1	0	20.82	22.00				
20175	19977	QPSK	1	0	1	99	2	0	20.91	22.00				
20300	20102	QPSK	1	0	1	99	2	0	20.85	22.00				
20050	20248	QPSK	50	49	50	0	2	0	20.81	22.00				
20175	19977	QPSK	50	0	50	49	2	0	20.85	22.00				
20300	20102	QPSK	50	0	50	49	2	0	20.84	22.00				

	CA_7C A	nt1 State0 S	State5		
Comb	ination 20M	Hz+20MHz (	100RB+	100RB)	
Modulation	PCC	SCC			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 150 of 182

PCC Channel	SCC Channel		RB Size	RB offset	RB Size	RB offset	Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
20850	21048	QPSK	1	99	1	0	1	0	22.87	24.20
21100	20902	QPSK	1	0	1	99	2	0	22.95	24.20
21350	21152	QPSK	1	0	1	99	2	0	22.84	24.20
20850	21048	QPSK	50	49	50	0	2	1	21.79	23.20
21100	20902	QPSK	50	0	50	49	2	1	21.85	23.20
21350	21152	QPSK	50	0	50	49	2	1	21.83	23.20

CA_7C Ant1 State3 State8														
Combination 20MHz+20MHz (100RB+100RB)														
DOO	000		P	CC	S	CC	Total	Target	Measured	Tune				
PCC Channel	SCC Channel	Modulation	RB Size	RB offset	RB Size	RB offset	RB Size	MPR Level (dB)	Power (dBm)	up Power (dBm)				
20850	21048	QPSK	1	99	1	0	1	0	18.31	19.70				
21100	20902	QPSK	1	0	1	99	2	0	18.29	19.70				
21350	21152	QPSK	1	0	1	99	2	0	18.31	19.70				
20850	21048	QPSK	50	49	50	0	2	1	18.25	19.70				
21100	20902	QPSK	50	0	50	49	2	1	18.37	19.70				
21350	21152	QPSK	50	0	50	49	2	1	18.15	19.70				

	CA_38C Ant1 State0 State5														
	Combination 20MHz+20MHz (100RB+100RB)														
			P	CC	S	CC	Total	Target	Measured	Tune					
PCC Channel	SCC Channel	Modulation	RB Size	RB offset	RB Size	RB offset	RB Size	MPR Level (dB)	Power (dBm)	up Power (dBm)					
37850	38048	QPSK	1	99	1	0	1	0	23.20	24.50					
38099	37901	QPSK	1	0	1	99	2	0	23.33	24.50					
38150	37952	QPSK	1	0	1	99	2	0	23.31	24.50					
37850	38048	QPSK	50	49	50	0	2	1	22.36	23.50					
38099	37901	QPSK	50	0	50	49	2	1	22.30	23.50					

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 151 of 182

38150	37952	QPSK	50	0	50	49	2	1	22.31	23.50
-------	-------	------	----	---	----	----	---	---	-------	-------

	CA_38C Ant1 State3 State8														
	Combination 20MHz+20MHz (100RB+100RB)														
PCC	SCC		P	CC	S	CC	Total	Target	Measured	Tune					
Channel	Channel	Modulation	RB Size	RB offset	RB Size	RB offset	RB Size	MPR Level (dB)	Power (dBm)	up Power (dBm)					
37850	38048	QPSK	1	99	1	0	1	0	20.66	22.00					
38099	37901	QPSK	1	0	1	99	2	0	20.73	22.00					
38150	37952	QPSK	1	0	1	99	2	0	20.71	22.00					
37850	38048	QPSK	50	49	50	0	2	1	20.68	22.00					
38099	37901	QPSK	50	0	50	49	2	1	20.68	22.00					
38150	37952	QPSK	50	0	50	49	2	1	20.75	22.00					

	CA_41C Ant1 State0 State5														
	Combination 20MHz+20MHz (100RB+100RB)														
PCC Channel	SCC Channel	Modulation	RB Size	RB offset	RB Size	RB offset	Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)					
39750	39948	QPSK	1	99	1	0	1	0	23.04	24.50					
40185	39987	QPSK	1	0	1	99	2	0	23.15	24.50					
40620	40422	QPSK	1	0	1	99	2	0	23.31	24.50					
41055	40857	QPSK	1	0	1	99	2	0	23.05	24.50					
41490	41292	QPSK	1	0	1	99	2	0	22.61	24.50					
39750	39948	QPSK	50	49	50	0	2	1	22.18	23.50					
40185	39987	QPSK	50	0	50	49	2	1	22.24	23.50					
40620	40422	QPSK	50	0	50	49	2	1	22.24	23.50					
41055	40857	QPSK	50	0	50	49	2	1	22.07	23.50					
41490	41292	QPSK	50	0	50	49	2	1	21.72	23.50					

### CA 41C Ant1 State3 State8

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

152 of 182 Page:

	Combination 20MHz+20MHz (100RB+100RB)														
PCC	SCC		P	CC	S	CC	Total	Target	Measured	Tune					
Channel	Channel	Modulation	RB Size	RB offset	RB Size	RB offset	RB Size	MPR Level (dB)	Power (dBm)	up Power (dBm)					
39750	39948	QPSK	1	99	1	0	1	0	20.66	22.00					
40185	39987	QPSK	1	0	1	99	2	0	20.76	22.00					
40620	40422	QPSK	1	0	1	99	2	0	20.80	22.00					
41055	40857	QPSK	1	0	1	99	2	0	20.63	22.00					
41490	41292	QPSK	1	0	1	99	2	0	20.17	22.00					
39750	39948	QPSK	50	49	50	0	2	1	20.47	22.00					
40185	39987	QPSK	50	0	50	49	2	1	20.51	22.00					
40620	40422	QPSK	50	0	50	49	2	1	20.67	22.00					
41055	40857	QPSK	50	0	50	49	2	1	20.54	22.00					
41490	41292	QPSK	50	0	50	49	2	1	20.28	22.00					

	CA_66C Ant1 State0 State5														
	Combination 20MHz+20MHz (100RB+100RB)														
200	000		P	CC	S	CC	Total	Target	Measured	Tune					
PCC Channel	SCC Channel	Modulation	RB Size	RB offset	RB Size	RB offset	RB Size	MPR Level (dB)	Power (dBm)	up Power (dBm)					
132072	132270	QPSK	1	99	1	0	1	0	24.16	25.00					
132322	132124	QPSK	1	0	1	99	2	0	24.24	25.00					
132572	132374	QPSK	1	0	1	99	2	0	24.24	25.00					
132072	132270	QPSK	50	49	50	0	2	1	23.15	24.00					
132322	132124	QPSK	50	0	50	49	2	1	23.28	24.00					
132572	132374	QPSK	50	0	50	49	2	1	23.21	24.00					

CA_66C Ant1 State3 State8										
	Combi	nation 20Ml	Hz+20MHz (	100RB+	100RB)					
	Modulation	PCC	SCC							

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

153 of 182 Page:

PCC Channel	SCC Channel		RB Size	RB offset	RB Size	RB offset	Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
132072	132270	QPSK	1	99	1	0	1	0	21.19	22.00
132322	132124	QPSK	1	0	1	99	2	0	21.29	22.00
132572	132374	QPSK	1	0	1	99	2	0	21.22	22.00
132072	132270	QPSK	50	49	50	0	2	1	21.17	22.00
132322	132124	QPSK	50	0	50	49	2	1	21.34	22.00
132572	132374	QPSK	50	0	50	49	2	1	21.21	22.00

#### Ant5:

	CA_4C Ant1 State0 State5													
	Combination 20MHz+20MHz (100RB+100RB)													
DOO	000		P	CC	S	CC	Total	Target	Measured	Tune				
PCC Channel	SCC Channel	Modulation	RB Size	RB offset	RB Size	RB offset	RB Size	MPR Level (dB)	Power (dBm)	Power (dBm)				
20050	20248	QPSK	1	99	1	0	1	0	23.08					
20050	20240	QPSK	I	99	ı	U	ı	U	23.00	24.00				
20175	19977	QPSK	1	0	1	99	2	0	23.16	24.00				
20300	20102	QPSK	1	0	1	99	2	0	23.08	24.00				
20050	20248	QPSK	50	49	50	0	2	1	22.17	23.00				
20175	19977	QPSK	50	0	50	49	2	1	22.22	23.00				
20300	20102	QPSK	50	0	50	49	2	1	22.13	23.00				

	CA_4C Ant1 State3 State8													
	Combination 20MHz+20MHz (100RB+100RB)													
DCC	800		P	CC	S	CC	Total	Target	Measured	Tune				
PCC Channel	SCC Channel	Modulation	RB Size	RB offset	RB Size	RB offset	RB Size	MPR Level (dB)	Power (dBm)	up Power (dBm)				
20050	20248	QPSK	1	99	1	0	1	0	22.76	23.50				
20175	19977	QPSK	1	0	1	99	2	0	22.83	23.50				
20300	20102	QPSK	1	0	1	99	2	0	22.71	23.50				
20050	20248	QPSK	50	49	50	0	2	0.5	22.25	23.00				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

154 of 182 Page:

20175	19977	QPSK	50	0	50	49	2	0.5	22.39	23.00
20300	20102	QPSK	50	0	50	49	2	0.5	22.36	23.00

	CA_7C Ant1 State0														
	Combination 20MHz+20MHz (100RB+100RB)														
D00	000		P	CC	S	CC	Total	Target	Measured	Tune					
PCC Channel	SCC Channel	Modulation	RB Size	RB offset	RB Size	RB offset	RB Size	MPR Level (dB)	Power (dBm)	Power (dBm)					
20850	21048	QPSK	1	99	1	0	1	0	20.90	22.20					
21100	20902	QPSK	1	0	1	99	2	0	21.02	22.20					
21350	21152	QPSK	1	0	1	99	2	0	20.99	22.20					
20850	21048	QPSK	50	49	50	0	2	1	19.82	21.20					
21100	20902	QPSK	50	0	50	49	2	1	19.74	21.20					
21350	21152	QPSK	50	0	50	49	2	1	19.75	21.20					

	CA_7C Ant1 State3 State8													
Combination 20MHz+20MHz (100RB+100RB)														
DCC	200		P	CC	S	CC	Total	Target	Measured	Tune				
PCC Channel	SCC Channel	Modulation	RB Size	RB offset	RB Size	RB offset	RB Size	MPR Level (dB)	Power (dBm)	up Power (dBm)				
20850	21048	QPSK	1	99	1	0	1	0	17.61	18.70				
21100	20902	QPSK	1	0	1	99	2	0	17.67	18.70				
21350	21152	QPSK	1	0	1	99	2	0	17.59	18.70				
20850	21048	QPSK	50	49	50	0	2	0	17.59	18.70				
21100	20902	QPSK	50	0	50	49	2	0	17.62	18.70				
21350	21152	QPSK	50	0	50	49	2	0	17.61	18.70				

	CA_7C Ant1 State5												
	Combination 20MHz+20MHz (100RB+100RB)												
			Р	CC	S	CC	Total	Target	Measured	Tune			
PCC Channel	SCC Channel	Modulation	RB Size	RB offset	RB Size	RB offset	RB Size	MPR Level (dB)	Power (dBm)	up Power (dBm)			
20850	21048	QPSK	1	99	1	0	1	0	18.54	19.70			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

155 of 182 Page:

21100	20902	QPSK	1	0	1	99	2	0	18.63	19.70
21350	21152	QPSK	1	0	1	99	2	0	18.58	19.70
20850	21048	QPSK	50	49	50	0	2	1	18.50	19.70
21100	20902	QPSK	50	0	50	49	2	1	18.55	19.70
21350	21152	QPSK	50	0	50	49	2	1	18.48	19.70

	CA_38C Ant1 State0 State5 State8													
	Combination 20MHz+20MHz (100RB+100RB)													
200	000		Р	CC	S	CC	Total	Target	Measured	Tune				
PCC Channel	SCC Channel	Modulation	RB Size	RB offset	RB Size	RB offset	RB Size	MPR Level (dB)	Power (dBm)	up Power (dBm)				
37850	38048	QPSK	1	99	1	0	1	0	20.96	22.50				
38099	37901	QPSK	1	0	1	99	2	0	21.05	22.50				
38150	37952	QPSK	1	0	1	99	2	0	20.92	22.50				
37850	38048	QPSK	50	49	50	0	2	1	19.91	21.50				
38099	37901	QPSK	50	0	50	49	2	1	19.90	21.50				
38150	37952	QPSK	50	0	50	49	2	1	19.94	21.50				

	CA_41C Ant1 State0 State5 State8													
Combination 20MHz+20MHz (100RB+100RB)														
PCC Channel	SCC Channel	Modulation	RB Size	RB offset	RB Size	CC RB offset	Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)				
39750	39948	QPSK	1	99	1	0	1	0	22.37	22.50				
40185	39987	QPSK	1	0	1	99	2	0	21.89	22.50				
40620	40422	QPSK	1	0	1	99	2	0	21.48	22.50				
41055	40857	QPSK	1	0	1	99	2	0	21.20	22.50				
41490	41292	QPSK	1	0	1	99	2	0	20.85	22.50				
39750	39948	QPSK	50	49	50	0	2	1	21.26	21.50				
40185	39987	QPSK	50	0	50	49	2	1	20.88	21.50				
40620	40422	QPSK	50	0	50	49	2	1	20.54	21.50				
41055	40857	QPSK	50	0	50	49	2	1	20.04	21.50				
41490	41292	QPSK	50	0	50	49	2	1	19.71	21.50				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 156 of 182

	CA_66C Ant1 State0 State5													
	Combination 20MHz+20MHz (100RB+100RB)													
DOO	000		P	CC	S	CC	Total	Target	Measured	Tune				
PCC Channel	SCC Channel	Modulation	RB Size	RB offset	RB Size	RB offset	RB Size	MPR Level (dB)	Power (dBm)	up Power (dBm)				
132072	132270	QPSK	1	99	1	0	1	0	23.19	24.00				
132322	132124	QPSK	1	0	1	99	2	0	23.21	24.00				
132572	132374	QPSK	1	0	1	99	2	0	23.17	24.00				
132072	132270	QPSK	50	49	50	0	2	1	22.20	23.00				
132322	132124	QPSK	50	0	50	49	2	1	22.29	23.00				
132572	132374	QPSK	50	0	50	49	2	1	22.27	23.00				

			CA	_66C <i>A</i>	Ant1 S	State3	State8			
		Combi	natio	n 20MI	1z+20	MHz (	100RB+	100RB)		
PCC	SCC		P	СС	S	CC	Total	Target	Measured	Tune
Channel	Channel	Modulation	RB Size	RB offset	RB Size	RB offset	RB Size	MPR Level (dB)	Power (dBm)	up Power (dBm)
132072	132270	QPSK	1	99	1	0	1	0	22.72	23.50
132322	132124	QPSK	1	0	1	99	2	0	22.78	23.50
132572	132374	QPSK	1	0	1	99	2	0	22.70	23.50
132072	132270	QPSK	50	49	50	0	2	0.5	22.19	23.00
132322	132124	QPSK	50	0	50	49	2	0.5	22.24	23.00
132572	132374	QPSK	50	0	50	49	2	0.5	22.19	23.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

157 of 182 Page:

## 5. Conducted Power of LTE DL CA

				F	PCC					SC	CC1			SC	CC2		Po	wer
CA 1 :-+	LTE		BW	UL	UL		UL#	UL	LTE	BW	DL	DL	LTE	BW	DL	DL	With CA	Without CA
CA List	Band	Ant	(MHz)	Freq. (MHz)	Channel	Mod.	RB	RB Offset	Band	(MHz)	Freq. (MHz)	Channel	Band	(MHz)	Freq. (MHz)	Channel	Tx. Power (dBm)	Tx. Power (dBm)
	Band 2	1	20M	1880	18900	QPSK	1	0	Band 2	20M	1979.8	1098			(IVII IZ)		22.83	22.93
CA_2C	Band 2	4	20M	1880	18900	QPSK	1	0	Band 2	20M	1979.8	1098					23.52	23.56
	Band 38	1	20M	2585.1	37901	QPSK	1	0	Band 38	20M	2604.9	38099					22.99	23.06
CA_38C	Band 38	4	20M	2585.1	37901	QPSK	1	0	Band 38	20M	2604.9	38099					23.41	23.44
	Band 38	5	20M	2585.1	37901	QPSK	1	0	Band 38	20M	2604.9	38099					20.97	21.11
	Band 2	1	20M	1880	18900	QPSK	1	0	Band 26	15M	876.5	8865					22.81	22.93
CA_2A-26A	Band 2	4	20M	1880	18900	QPSK	1	0	Band 26	15M	876.5	8865					23.35	23.56
0/1_2/120/1	Band 26	0	15M	831.5	26865	QPSK	1	0	Band 2	5M	1987.5	1175					22.91	23.07
	Band 26	1	15M	831.5	26865	QPSK	1	0	Band 2	5M	1987.5	1175					23.29	23.38
CA 2A-2A	Band 2	0	20M	1880	18900	QPSK	1	0	Band 2	5M	1987.5	1175					22.77	22.93
0,1_2,1,2,1	Band 2	2	20M	1880	18900	QPSK	1	0	Band 2	5M	1987.5	1175					23.35	23.56
	Band 2	1	20M	1880	18900	QPSK	1	0	Band 12	10M	737.5	5095					22.73	22.93
CA 2A-12A	Band 2	4	20M	1880	18900	QPSK	1	0	Band 12	10M	737.5	5095					23.52	23.56
ON_2N-12N	Band 12	0	10M	707.5	23095	QPSK	1	0	Band 2	20M	1960	900					23.84	23.87
	Band 12	1	10M	707.5	23095	QPSK	1	0	Band 2	20M	1960	900					23.50	23.70
	Band 2	1	20M	1880	18900	QPSK	1	0	Band 7	20M	2655	3100					22.83	22.93
	Band 2	4	20M	1880	18900	QPSK	1	0	Band 7	20M	2655	3100					23.44	23.56
CA_2A-7A	Band 7	1	20M	2535	21100	QPSK	1	0	Band 2	20M	1960	900					22.97	23.05
	Band 7	4	20M	2535	21100	QPSK	1	0	Band 2	20M	1960	900					22.92	22.97
	Band 7	5	20M	2535	21100	QPSK	1	0	Band 2	20M	1960	900					20.89	21.03
	Band 12	0	10M	707.5	23095	QPSK	1	0	Band 66	20M	2145	66786					23.79	23.87
	Band 12	1	10M	707.5	23095	QPSK	1	0	Band 66	20M	2145	66786					23.57	23.70
CA_12A- 66A	Band 66	1	20M	1745	132322	QPSK	1	0	Band 12	10M	737.5	5095					23.17	23.33
	Band 66	4	20M	1745	132322	QPSK	1	0	Band 12	10M	737.5	5095					24.28	24.35
	Band 66	5	20M	1745	132322	QPSK	1	0	Band 12	10M	737.5	5095					23.19	23.29
	Band 66	1	20M	1745	132322	QPSK	1	0	Band 71	20M	637	68786					23.19	23.33
CA_66A- 71A	Band 66	4	20M	1745	132322	QPSK	1	0	Band 71	20M	637	68786					24.15	24.35
	Band 66	5	20M	1745	132322	QPSK	1	0	Band 71	20M	637	68786					23.27	23.29

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SUCR241100047301

Rev.: 01

Page: 158 of 182

	Band 71	0	20M	1745	132322	QPSK	1	0	Band 66	20M	2145	66786					23.49	23.59
	Band 71	1	20M	1745	132322	QPSK	1	0	Band 66	20M	2145	66786					23.35	23.36
04 54 004	Band 5	0	10M	836.5	20525	QPSK	1	0	Band 38	20M	2595	38000					23.27	23.30
CA_5A-38A	Band 5	1	10M	836.5	20525	QPSK	1	0	Band 38	20M	2595	38000					22.60	22.77
CA 26A-	Band 26	0	15M	831.5	26865	QPSK	1	0	Band 38	20M	2595	38000					22.87	23.07
38A	Band 26	1	15M	831.5	26865	QPSK	1	0	Band 38	20M	2595	38000					23.36	23.38
	Band 7	1	20M	2535	21100	QPSK	1	0	Band 26	15M	876.5	8865					23.03	23.05
	Band 7	4	20M	2535	21100	QPSK	1	0	Band 26	15M	876.5	8865					22.87	22.97
CA_7A-26A	Band 7	5	20M	2535	21100	QPSK	1	0	Band 26	15M	876.5	8865					20.95	21.03
	Band 26	0	15M	831.5	26865	QPSK	1	0	Band 7	20M	2655	3100					22.89	23.07
	Band 26	1	15M	831.5	26865	QPSK	1	0	Band 7	20M	2655	3100					23.20	23.38
	Band 2	1	20M	1880	18900	QPSK	1	0	Band 7	20M	2655	3100	Band 7	20M	2674.8	3298	22.84	22.93
	Band 2	4	20M	1880	18900	QPSK	1	0	Band 7	20M	2655	3100	Band 7	20M	2674.8	3298	23.44	23.56
CA_2A-7C	Band 7	1	20M	2535	21100	QPSK	1	0	Band 7	20M	2674.8	3298	Band 2	20M	1960	900	22.88	23.05
	Band 7	4	20M	2535	21100	QPSK	1	0	Band 7	20M	2674.8	3298	Band 2	20M	1960	900	22.93	22.97
	Band 7	5	20M	2535	21100	QPSK	1	0	Band 7	20M	2674.8	3298	Band 2	20M	1960	900	20.98	21.03
	Band 7	1	20M	2535	21100	QPSK	1	0	Band 7	5M	2687.5	3425	Band 66	20M	2145	66786	22.95	23.05
	Band 7	4	20M	2535	21100	QPSK	1	0	Band 7	5M	2687.5	3425	Band 66	20M	2145	66786	22.77	22.97
CA_7A-7A-	Band 7	5	20M	2535	21100	QPSK	1	0	Band 7	5M	2687.5	3425	Band 66	20M	2145	66786	20.84	21.03
66A	Band 66	1	20M	1745	132322	QPSK	1	0	Band 7	20M	2655	3100	Band 7	5M	2687.5	3425	23.29	23.33
	Band 66	4	20M	1745	132322	QPSK	1	0	Band 7	20M	2655	3100	Band 7	5M	2687.5	3425	24.24	24.35
	Band 66	5	20M	1745	132322	QPSK	1	0	Band 7	20M	2655	3100	Band 7	5M	2687.5	3425	23.12	23.29
	Band 41	1	20M	2593	40620	QPSK	1	0	Band 41	20M	2612.8	40818	Band 41	20M	2632.6	41016	22.73	22.85
CA_41D	Band 41	4	20M	2593	40620	QPSK	1	0	Band 41	20M	2612.8	40818	Band 41	20M	2632.6	41016	23.28	23.36
	Band 41	5	20M	2593	40620	QPSK	1	0	Band 41	20M	2612.8	40818	Band 41	20M	2632.6	41016	21.52	21.58
	Band 5	0	10M	836.5	20525	QPSK	1	0	Band 66	20M	2145	66786	Band 66	5M	2177.5	67111	23.10	23.30
	Band 5	1	10M	836.5	20525	QPSK	1	0	Band 66	20M	2145	66786	Band 66	5M	2177.5	67111	22.69	22.77
CA_5A- 66A-66A	Band 66	1	20M	1745	132322	QPSK	1	0	Band 66	20M	2145	66786	Band 5	10M	881.5	2525	22.64	22.85
	Band 66	4	20M	1745	132322	QPSK	1	0	Band 66	5M	2177.5	67111	Band 5	10M	881.5	2525	23.16	23.36
	Band 66	5	20M	1745	132322	QPSK	1	0	Band 66	5M	2177.5	67111	Band 5	10M	881.5	2525	21.56	21.58
CA_5A-7A-	Band 5	0	10M	836.5	20525	QPSK	1	0	Band 7	20M	2655	3100	Band 7	5M	2687.5	3425	23.15	23.30
7A	Band 5	1	10M	836.5	20525	QPSK	1	0	Band 7	20M	2655	3100	Band 7	5M	2687.5	3425	22.64	22.77

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 159 of 182

	Band 7	1	20M	2535	21100	QPSK	1	0	Band 7	5M	2687.5	3425	Band 5	10M	881.5	2525	22.98	23.05
	Band 7	4	20M	2535	21100	QPSK	1	0	Band 7	5M	2687.5	3425	Band 5	10M	881.5	2525	22.81	22.97
	Band 7	5	20M	2535	21100	QPSK	1	0	Band 7	5M	2687.5	3425	Band 5	10M	881.5	2525	20.88	21.03
	Band 5	0	10M	836.5	20525	QPSK	1	0	Band 7	20M	2655	3100	Band 66	20M	2145	66786	23.19	23.30
	Band 5	1	10M	836.5	20525	QPSK	1	0	Band 7	20M	2655	3100	Band 66	20M	2145	66786	22.57	22.77
CA_5A-7A- 66A	Band 7	1	20M	2535	21100	QPSK	1	0	Band 5	10M	881.5	2525	Band 66	20M	2145	66786	23.02	23.05
	Band 7	4	20M	2535	21100	QPSK	1	0	Band 5	10M	881.5	2525	Band 66	20M	2145	66786	22.95	22.97
	Band 7	5	20M	2535	21100	QPSK	1	0	Band 5	10M	881.5	2525	Band 66	20M	2145	66786	21.01	21.03
	Band 41	1	20M	2593	40620	QPSK	1	0	Band 41	5M	2687.5	41565	Band 41	20M	2506	39750	22.81	22.85
CA_41A- 41A-41A	Band 41	4	20M	2593	40620	QPSK	1	0	Band 41	5M	2687.5	41565	Band 41	20M	2506	39750	23.19	23.36
	Band 41	5	20M	2593	40620	QPSK	1	0	Band 41	5M	2687.5	41565	Band 41	20M	2506	39750	21.46	21.58
	Band 4	1	20M	1732.5	20175	QPSK	1	0	Band 7	20M	2655	3100	Band 7	20M	2674.8	3298	22.85	22.95
	Band 4	4	20M	1732.5	20175	QPSK	1	0	Band 7	20M	2655	3100	Band 7	20M	2674.8	3298	23.37	23.54
CA 4A-7C	Band 4	5	20M	1732.5	20175	QPSK	1	0	Band 7	20M	2655	3100	Band 7	20M	2674.8	3298	23.09	23.24
CA_4A-7C	Band 7	1	20M	2535	21100	QPSK	1	0	Band 7	20M	2674.8	3298	Band 4	20M	2132.5	2175	22.90	23.05
	Band 7	4	20M	2535	21100	QPSK	1	0	Band 7	20M	2674.8	3298	Band 4	20M	2132.5	2175	22.87	22.97
	Band 7	5	20M	2535	21100	QPSK	1	0	Band 7	20M	2674.8	3298	Band 4	20M	2132.5	2175	21.00	21.03
	Band 5	0	10M	836.5	20525	QPSK	1	0	Band 7	20M	2655	3100	Band 7	20M	2674.8	3298	23.22	23.30
	Band 5	1	10M	836.5	20525	QPSK	1	0	Band 7	20M	2655	3100	Band 7	20M	2674.8	3298	22.68	22.77
CA_5A-7C	Band 7	1	20M	2535	21100	QPSK	1	0	Band 7	20M	2674.8	3298	Band 5	10M	881.5	2525	22.94	23.05
	Band 7	4	20M	2535	21100	QPSK	1	0	Band 7	20M	2674.8	3298	Band 5	10M	881.5	2525	22.86	22.97
	Band 7	5	20M	2535	21100	QPSK	1	0	Band 7	20M	2674.8	3298	Band 5	10M	881.5	2525	20.83	21.03
	Band 7	1	20M	2535	21100	QPSK	1	0	Band 66	20M	2145	66786	Band 66	5M	2177.5	67111	22.92	23.05
	Band 7	4	20M	2535	21100	QPSK	1	0	Band 66	20M	2145	66786	Band 66	5M	2177.5	67111	22.82	22.97
CA_7A-	Band 7	5	20M	2535	21100	QPSK	1	0	Band 66	20M	2145	66786	Band 66	5M	2177.5	67111	20.82	21.03
66A-66A	Band 66	1	20M	1745	132322	QPSK	1	0	Band 66	20M	2145	66786	Band 7	20M	2655	3100	22.65	22.85
	Band 66	4	20M	1745	132322	QPSK	1	0	Band 66	20M	2145	66786	Band 7	20M	2655	3100	23.24	23.36
	Band 66	5	20M	1745	132322	QPSK	1	0	Band 66	20M	2145	66786	Band 7	20M	2655	3100	21.46	21.58
	Band 7	1	20M	2535	21100	QPSK	1	0	Band 7	20M	2674.8	3298	Band 66	20M	2145	66786	23.04	23.05
CA_7C-66A	Band 7	4	20M	2535	21100	QPSK	1	0	Band 7	20M	2674.8	3298	Band 66	20M	2145	66786	22.91	22.97
3/ _/ O-00A	Band 7	5	20M	2535	21100	QPSK	1	0	Band 7	20M	2674.8	3298	Band 66	20M	2145	66786	20.90	21.03
	Band 66	1	20M	1745	132322	QPSK	1	0	Band 7	20M	2655	3100	Band 7	20M	2674.8	3298	22.80	22.85

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 160 of 182

	Band 66	4	20M	1745	132322	QPSK	1	0	Band 7	20M	2655	3100	Band 7	20M	2674.8	3298	23.31	23.36
	Band 66	5	20M	1745	132322	QPSK	1	0	Band 7	20M	2655	3100	Band 7	20M	2674.8	3298	21.40	21.58
CA_26A-	Band 26	0	15M	831.5	26865	QPSK	1	0	Band 41	20M	2593	40620	Band 41	20M	2612.8	40818	22.93	23.07
41C	Band 26	1	15M	831.5	26865	QPSK	1	0	Band 41	20M	2593	40620	Band 41	20M	2612.8	40818	23.37	23.38
	Band 2	1	20M	1880	18900	QPSK	1	0	Band 4	20M	2132.5	2175	Band 5	10M	881.5	2525	22.91	22.93
	Band 2	4	20M	1880	18900	QPSK	1	0	Band 4	20M	2132.5	2175	Band 5	10M	881.5	2525	23.50	23.56
	Band 4	1	20M	1732.5	20175	QPSK	1	0	Band 2	20M	1960	900	Band 5	10M	881.5	2525	22.79	22.95
CA_2A-4A- 5A	Band 4	4	20M	1732.5	20175	QPSK	1	0	Band 2	20M	1960	900	Band 5	10M	881.5	2525	23.37	23.54
	Band 4	5	20M	1732.5	20175	QPSK	1	0	Band 2	20M	1960	900	Band 5	10M	881.5	2525	23.10	23.24
	Band 5	0	10M	836.5	20525	QPSK	1	0	Band 2	20M	1960	900	Band 4	20M	2132.5	2175	23.13	23.30
	Band 5	1	10M	836.5	20525	QPSK	1	0	Band 2	20M	1960	900	Band 4	20M	2132.5	2175	22.63	22.77
	Band 66	1	20M	1745	132322	QPSK	1	0	Band 38	20M	2585.1	37901	Band 38	20M	2604.9	38099	22.74	22.85
CA_38C- 66A	Band 66	4	20M	1745	132322	QPSK	1	0	Band 38	20M	2585.1	37901	Band 38	20M	2604.9	38099	23.22	23.36
	Band 66	5	20M	1745	132322	QPSK	1	0	Band 38	20M	2585.1	37901	Band 38	20M	2604.9	38099	21.47	21.58
	Band 4	1	20M	1732.5	20175	QPSK	1	0	Band 5	10M	881.5	2525	Band 7	20M	2655	3100	22.89	22.95
	Band 4	4	20M	1732.5	20175	QPSK	1	0	Band 5	10M	881.5	2525	Band 7	20M	2655	3100	23.48	23.54
	Band 4	5	20M	1732.5	20175	QPSK	1	0	Band 5	10M	881.5	2525	Band 7	20M	2655	3100	23.05	23.24
CA_4A-5A-	Band 5	0	10M	836.5	20525	QPSK	1	0	Band 4	20M	2132.5	2175	Band 7	20M	2655	3100	23.25	23.30
7A	Band 5	1	10M	836.5	20525	QPSK	1	0	Band 4	20M	2132.5	2175	Band 7	20M	2655	3100	22.72	22.77
	Band 7	1	20M	1732.5	20175	QPSK	1	0	Band 4	20M	2132.5	2175	Band 5	10M	881.5	2525	22.87	23.05
	Band 7	4	20M	1732.5	20175	QPSK	1	0	Band 4	20M	2132.5	2175	Band 5	10M	881.5	2525	22.82	22.97
	Band 7	5	20M	1732.5	20175	QPSK	1	0	Band 4	20M	2132.5	2175	Band 5	10M	881.5	2525	20.83	21.03
	Band 66	1	20M	1745	132322	QPSK	1	0	Band 41	20M	2593	40620	Band 41	20M	2612.8	40818	22.66	22.85
CA_41C- 66A	Band 66	4	20M	1745	132322	QPSK	1	0	Band 41	20M	2593	40620	Band 41	20M	2612.8	40818	23.33	23.36
	Band 66	5	20M	1745	132322	QPSK	1	0	Band 41	20M	2593	40620	Band 41	20M	2612.8	40818	21.45	21.58
CA 5A-41C	Band 5	0	10M	836.5	20525	QPSK	1	0	Band 41	20M	2593	40620	Band 41	20M	2612.8	40818	23.13	23.30
0, 0, 1, 1, 0	Band 5	1	10M	836.5	20525	QPSK	1	0	Band 41	20M	2593	40620	Band 41	20M	2612.8	40818	22.59	22.77
	Band 2	1	20M	1880	18900	QPSK	1	0	Band 7	20M	2655	3100	Band 7	5M	2687.5	3425	22.73	22.93
	Band 2	4	20M	1880	18900	QPSK	1	0	Band 7	20M	2655	3100	Band 7	5M	2687.5	3425	23.50	23.56
CA_2A-7A- 7A	Band 7	1	20M	2535	21100	QPSK	1	0	Band 7	5M	2687.5	3425	Band 2	20M	1960	900	22.95	23.05
	Band 7	4	20M	2535	21100	QPSK	1	0	Band 7	5M	2687.5	3425	Band 2	20M	1960	900	22.85	22.97
	Band 7	5	20M	2535	21100	QPSK	1	0	Band 7	5M	2687.5	3425	Band 2	20M	1960	900	20.87	21.03

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 161 of 182

	Band 5	0	10M	836.5	20525	QPSK	1	0	Band 66	20M	2145	66786	Band 66	20M	2164.8	66984	23.26	23.30
	Band 5	1	10M	836.5	20525	QPSK	1	0	Band 66	20M	2145	66786	Band 66	20M	2164.8	66984	22.69	22.77
CA_5A-66C	Band 66	1	20M	1745	132322	QPSK	1	0	Band 66	20M	2164.8	66984	Band 5	10M	881.5	2525	22.70	22.85
	Band 66	4	20M	1745	132322	QPSK	1	0	Band 66	20M	2164.8	66984	Band 5	10M	881.5	2525	23.15	23.36
	Band 66	5	20M	1745	132322	QPSK	1	0	Band 66	20M	2164.8	66984	Band 5	10M	881.5	2525	21.48	21.58
	Band 4	1	20M	1732.5	20175	QPSK	1	0	Band 4	5M	2152.5	2375	Band 5	10M	881.5	2525	22.89	22.95
	Band 4	4	20M	1732.5	20175	QPSK	1	0	Band 4	5M	2152.5	2375	Band 5	10M	881.5	2525	23.46	23.54
CA_4A-4A- 5A	Band 4	5	20M	1732.5	20175	QPSK	1	0	Band 4	5M	2152.5	2375	Band 5	10M	881.5	2525	23.18	23.24
	Band 5	0	20M	1732.5	20175	QPSK	1	0	Band 4	20M	2132.5	2175	Band 4	5M	2152.5	2375	23.16	23.30
	Band 5	1	20M	1732.5	20175	QPSK	1	0	Band 4	20M	2132.5	2175	Band 4	5M	2152.5	2375	22.74	22.77
	Band 4	1	20M	1732.5	20175	QPSK	1	0	Band 4	20M	901.3	2723	Band 7	20M	2655	3100	22.82	22.95
	Band 4	4	20M	1732.5	20175	QPSK	1	0	Band 4	20M	901.3	2723	Band 7	20M	2655	3100	23.53	23.54
CA 4C-7A	Band 4	5	20M	1732.5	20175	QPSK	1	0	Band 4	20M	901.3	2723	Band 7	20M	2655	3100	23.08	23.24
OA_40-7A	Band 7	1	20M	1732.5	20175	QPSK	1	0	Band 4	20M	2132.5	2175	Band 4	20M	901.3	2723	22.81	22.95
	Band 7	4	20M	1732.5	20175	QPSK	1	0	Band 4	20M	2132.5	2175	Band 4	20M	901.3	2723	23.37	23.54
	Band 7	5	20M	1732.5	20175	QPSK	1	0	Band 4	20M	2132.5	2175	Band 4	20M	901.3	2723	23.13	23.24
	Band 4	1	20M	1732.5	20175	QPSK	1	0	Band 4	5M	2152.5	2375	Band 7	20M	2655	3100	22.79	22.95
	Band 4	4	20M	1732.5	20175	QPSK	1	0	Band 4	5M	2152.5	2375	Band 7	20M	2655	3100	23.34	23.54
CA_4A-4A-	Band 4	5	20M	1732.5	20175	QPSK	1	0	Band 4	5M	2152.5	2375	Band 7	20M	2655	3100	23.14	23.24
7A	Band 7	1	20M	1732.5	20175	QPSK	1	0	Band 4	20M	2132.5	2175	Band 4	5M	2152.5	2375	22.83	22.95
	Band 7	4	20M	1732.5	20175	QPSK	1	0	Band 4	20M	2132.5	2175	Band 4	5M	2152.5	2375	23.34	23.54
	Band 7	5	20M	1732.5	20175	QPSK	1	0	Band 4	20M	2132.5	2175	Band 4	5M	2152.5	2375	23.16	23.24
	Band 2	1	20M	1880	18900	QPSK	1	0	Band 5	10M	881.5	2525	Band 66	20M	2145	66786	22.79	22.93
	Band 2	4	20M	1880	18900	QPSK	1	0	Band 5	10M	881.5	2525	Band 66	20M	2145	66786	23.48	23.56
	Band 5	0	10M	836.5	20525	QPSK	1	0	Band 2	20M	1960	900	Band 66	20M	2145	66786	23.18	23.30
CA_2A-5A- 66A	Band 5	1	10M	836.5	20525	QPSK	1	0	Band 2	20M	1960	900	Band 66	20M	2145	66786	22.75	22.77
	Band 66	1	20M	1745	132322	QPSK	1	0	Band 2	20M	1960	900	Band 5	10M	881.5	2525	22.75	22.95
	Band 66	4	20M	1745	132322	QPSK	1	0	Band 2	20M	1960	900	Band 5	10M	881.5	2525	23.46	23.54
	Band 66	5	20M	1745	132322	QPSK	1	0	Band 2	20M	1960	900	Band 5	10M	881.5	2525	23.03	23.24
	Band 2	1	20M	1880	18900	QPSK	1	0	Band 5	10M	881.5	2525	Band 7	20M	2655	3100	22.91	22.93
CA_2A-5A- 7A	Band 2	4	20M	1880	18900	QPSK	1	0	Band 5	10M	881.5	2525	Band 7	20M	2655	3100	23.42	23.56
	Band 5	0	10M	836.5	20525	QPSK	1	0	Band 2	20M	1960	900	Band 7	20M	2655	3100	23.15	23.30

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 162 of 182

	Band 5	1	10M	836.5	20525	QPSK	1	0	Band 2	20M	1960	900	Band 7	20M	2655	3100	22.67	22.77
	Band 7	1	20M	1732.5	20175	QPSK	1	0	Band 2	20M	1960	900	Band 5	10M	881.5	2525	22.87	22.95
	Band 7	4	20M	1732.5	20175	QPSK	1	0	Band 2	20M	1960	900	Band 5	10M	881.5	2525	23.47	23.54
	Band 7	5	20M	1732.5	20175	QPSK	1	0	Band 2	20M	1960	900	Band 5	10M	881.5	2525	23.20	23.24
	Band 2	1	20M	1880	18900	QPSK	1	0	Band 38	20M	2595	38000					22.79	22.93
	Band 2	4	20M	1880	18900	QPSK	1	0	Band 38	20M	2595	38000					23.35	23.56
CA_2A-38A	Band 38	1	20M	2595	38000	QPSK	1	0	Band 2	20M	1960	900					22.97	23.06
	Band 38	4	20M	2595	38000	QPSK	1	0	Band 2	20M	1960	900					23.29	23.44
	Band 38	5	20M	2595	38000	QPSK	1	0	Band 2	20M	1960	900					20.93	21.11

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 163 of 182

## 6. Conducted Power of WIFI

		WIFI 2.4G Head Standalor Body Standalone&W			
Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	1	2412		11.85	13.00
802.11b	6	2437	1	12.02	13.00
	11	2462		12.48	13.00
	1	2412		13.26	14.00
802.11g	6	2437	6	13.14	14.00
	11	2462		13.63	14.00
	1	2412		13.18	14.00
802.11n 20M	6	2437	6.5	13.06	14.00
2011	11	2462		13.41	14.00
	3	2422		11.59	12.00
802.11n 40M	6	2437	13.5	11.48	12.00
40101	9	2452		11.72	12.00
	1	2412		13.03	14.00
802.11ac 20M	6	2437	MCS0	13.08	14.00
20101	11	2462		13.60	14.00
	3	2422		11.56	12.00
802.11ac 40M	6	2437	MCS0	11.45	12.00
40101	9	2452		11.50	12.00
	1	2412		13.38	14.00
802.11ax 20M	6	2437	MCS0	12.59	14.00
20111	11	2462		13.61	14.00
	3	2422		10.81	11.00
802.11ax 40M	6	2437	MCS0	10.80	11.00
TOIVI	9	2452		10.89	11.00

			WIFI 5G Body Standalone	,		
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
		36	5180		16.87	18.00
802.11a	U-NII-1	40	5200	6	16.82	18.00
		44	5220		16.69	18.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



SUCR241100047301 Report No.:

Rev.: 01

164 of 182 Page:

	1			T	T	ı
		48	5240		16.73	18.00
		52	5260		16.77	18.00
	U-NII-2A	56	5280		16.71	18.00
	O IVIII Z.X	60	5300		16.64	18.00
		64	5320		16.77	18.00
		100	5500		16.89	18.00
		104	5520		16.99	18.00
		108	5540		16.86	18.00
		112	5560		16.91	18.00
		116	5580		17.25	18.00
	U-NII-2C	120	5600		17.13	18.00
		124	5620		17.04	18.00
		128	5640		17.02	18.00
		132	5660		16.92	18.00
		136	5680		16.95	18.00
		140	5700		16.99	18.00
		149	5745		17.04	17.50
		153	5765		17.00	17.50
	U-NII-3	157	5785		17.06	17.50
		161	5805		17.03	17.50
		165	5825		16.90	17.50
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
		36	5180		16.53	18.00
	U-NII-1	40	5200		16.80	18.00
	O-INII- I	44	5220		16.79	18.00
		48	5240		16.79	18.00
		52	5260		16.80	18.00
	U-NII-2A	56	5280		16.76	18.00
802.11n	U-MII-ZA	60	5300	Moss	16.75	18.00
20M		64	5320	MCS0	16.76	18.00
		100	5500		16.75	18.00
		104	5520		16.60	18.00
	11 NIII 20	108	5540		16.57	18.00
	U-NII-2C	112	5560		16.74	18.00
		116	5580		17.29	18.00
		120	5600		17.25	18.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 165 of 182

		1			ı	ı
		124	5620		17.04	18.00
		128	5640		16.99	18.00
		132	5660		17.06	18.00
		136	5680		17.14	18.00
		140	5700		17.20	18.00
		149	5745		16.98	17.50
		153	5765		16.79	17.50
	U-NII-3	157	5785		16.92	17.50
		161	5805		16.76	17.50
		165	5825		16.74	17.50
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	U-NII-1	38	5190		13.54	14.50
	U-INII- I	46	5230		13.44	14.50
	U-NII-2A	54	5270		13.30	14.50
	U-INII-ZA	62	5310		13.28	14.50
		102	5510		13.05	14.00
802.11n 40M		110	5550	MCS0	13.09	14.00
	U-NII-2C	118	5590		13.09	14.00
		126	5630		13.06	14.00
		134	5670		13.21	14.00
	LI NIII 2	151	5755		17.10	17.50
	U-NII-3	159	5795		16.88	17.50
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
		36	5180		16.61	18.00
	U-NII-1	40	5200		16.80	18.00
	U-INII- I	44	5220		16.70	18.00
		48	5240		16.74	18.00
		52	5260		16.87	18.00
802.11ac	LI NIII OA	56	5280	MCCO	16.69	18.00
20M	U-NII-2A	60	5300	MCS0	16.73	18.00
		64	5320		16.72	18.00
		100	5500		16.90	18.00
	11 N// 20	104	5520		16.83	18.00
	U-NII-2C	108	5540		16.69	18.00
		112	5560		16.83	18.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratori

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 166 of 182

		116	5580		17.23	18.00
		120	5600		17.19	18.00
		124	5620		17.02	18.00
		128	5640		16.95	18.00
		132	5660		16.88	18.00
		136	5680		16.80	18.00
		140	5700		17.12	18.00
		149	5745		17.08	17.50
		153	5765		16.98	17.50
	U-NII-3	157	5785		16.89	17.50
		161	5805		16.71	17.50
		165	5825		16.84	17.50
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	U-NII-1	38	5190		15.78	17.00
	O-INII- I	46	5230		15.68	17.00
	U-NII-2A	54	5270		15.80	17.00
	U-MII-ZA	62	5310		15.76	17.00
		102	5510		16.07	17.00
802.11ac 40M		110	5550	MCS0	16.30	17.00
	U-NII-2C	118	5590		16.15	17.00
		126	5630		16.08	17.00
		134	5670		16.34	17.00
	U-NII-3	151	5755		16.03	16.50
	0-1111-3	159	5795		15.91	16.50
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	U-NII-1	42	5210		11.26	12.50
	U-NII-2A	58	5290		10.23	11.50
802.11ac		106	5530	MCS0	16.33	16.50
80M	U-NII-2C	122	5610	IVICSU	16.25	16.50
		138	5690		16.21	16.50
	U-NII-3	155	5775		15.26	16.00
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11ax 20M	U-NII-1	36	5180	MCS0	16.79	18.00
OUZ. I IAX ZUIVI	O-INII- I	40	5200	IVICOU	16.99	18.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratori

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 167 of 182

		44	5220	4	16.90	18.00
		48	5240		16.91	18.00
		52	5260		17.02	18.00
	U-NII-2A	56	5280		16.83	18.00
	0 1111 271	60	5300	_	16.74	18.00
		64	5320	_	16.92	18.00
		100	5500	_	17.09	18.00
		104	5520		16.95	18.00
		108	5540		16.89	18.00
		112	5560		17.00	18.00
		116	5580		17.46	18.00
	U-NII-2C	120	5600		17.44	18.00
		124	5620		17.32	18.00
		128	5640		17.17	18.00
		132	5660		17.01	18.00
		136	5680		17.12	18.00
		140	5700		17.35	18.00
		149	5745		17.18	17.50
		153	5765		17.11	17.50
	U-NII-3	157	5785		17.19	17.50
		161	5805		16.90	17.50
		165	5825		16.81	17.50
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	U-NII-1	38	5190		13.06	14.00
	O-MII-1	46	5230		13.24	14.00
	U-NII-2A	54	5270		13.31	14.00
	U-INII-ZA	62	5310		13.23	14.00
		102	5510		13.59	14.00
802.11ax 40M		110	5550	MCS0	13.58	14.00
	U-NII-2C	118	5590		13.47	14.00
		126	5630		13.41	14.00
		134	5670		13.48	14.00
	LI NIII 2	151	5755		17.24	17.50
	U-NII-3	159	5795		17.27	17.50
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratori

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 168 of 182

802.11ax	U-NII-1	42	5210	MCS0	11.47	12.50
	U-NII-2A	58	5290		10.15	11.00
	U-NII-2C	106	5530		15.65	16.00
80M		122	5610		15.78	16.00
		138	5690		15.53	16.00
	U-NII-3	155	5775		15.29	15.50

WIFI 5G Body WWAN+WIFI5G								
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		
		36	5180		11.69	13.00		
	LLAULA	40	5200		11.68	13.00		
	U-NII-1	44	5220		11.65	13.00		
		48	5240		11.59	13.00		
		52	5260	]	11.66	13.00		
		56	5280	]	11.70	13.00		
	U-NII-2A	60	5300	]	11.49	13.00		
		64	5320		11.65	13.00		
		100	5500		12.73	14.00		
		104	5520		12.96	14.00		
		108	5540		12.83	14.00		
802.11a		112	5560	6	12.89	14.00		
002.11a		116	5580		13.08	14.00		
	U-NII-2C	120	5600		12.98	14.00		
		124	5620		12.95	14.00		
		128	5640		12.88	14.00		
		132	5660		12.88	14.00		
		136	5680		12.85	14.00		
		140	5700		12.94	14.00		
		149	5745		12.44	13.00		
		153	5765	]	12.39	13.00		
	U-NII-3	157	5785		12.36	13.00		
		161	5805	1	12.49	13.00		
		165	5825		12.26	13.00		
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up		
	U-NII-1	36	5180	MCS0	11.45	13.00		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 169 of 182

		40	5200		11.61	13.00
		44	5220	-	11.67	13.00
		48	5240	_	11.65	13.00
		52	5260	-	11.67	13.00
		56	5280	-	11.59	13.00
	U-NII-2A	60	5300	-	11.71	13.00
		64	5320	_	11.70	13.00
		100	5500	-	12.73	14.00
		104	5520	-	12.54	14.00
		108	5540	-	12.45	14.00
		112	5560	-	12.62	14.00
802.11n		116	5580	-	13.10	14.00
20M	U-NII-2C	120	5600	-	13.07	14.00
	0 20	124	5620	1	12.98	14.00
		128	5640	-	12.80	14.00
		132	5660	†	12.87	14.00
		136	5680	1	12.99	14.00
		140	5700	1	12.99	14.00
		149	5745	1	12.37	13.00
		153	5765	1	12.28	13.00
	U-NII-3	157	5785	1	12.28	13.00
		161	5805	1	12.13	13.00
		165	5825	1	12.22	13.00
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	11 800 4	38	5190		8.38	9.50
	U-NII-1	46	5230	1	8.34	9.50
	11 NIII 04	54	5270	1	8.15	9.50
	U-NII-2A	62	5310	1	8.19	9.50
		102	5510	1	9.01	10.00
802.11n 40M		110	5550	MCS0	8.91	10.00
.5	U-NII-2C	118	5590		8.89	10.00
		126	5630		9.02	10.00
		134	5670		9.09	10.00
	11-1111 3	151	5755		12.56	13.00
	U-NII-3	159	5795		12.26	13.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 170 of 182

5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
		36	5180		11.42	13.00
	U-NII-1	40	5200		11.61	13.00
	0-1411-1	44	5220		11.60	13.00
		48	5240		11.56	13.00
		52	5260		11.72	13.00
	U-NII-2A	56	5280		11.66	13.00
	U-MII-ZA	60	5300		11.66	13.00
		64	5320		11.53	13.00
		100	5500		12.77	14.00
		104	5520		12.81	14.00
		108	5540		12.60	14.00
802.11ac		112	5560	Moss	12.66	14.00
20M		116	5580	MCS0	13.15	14.00
	U-NII-2C	120	5600		13.17	14.00
		124	5620		12.91	14.00
		128	5640		12.88	14.00
		132	5660		12.71	14.00
		136	5680		12.74	14.00
		140	5700		13.00	14.00
		149	5745		12.45	13.00
		153	5765		12.39	13.00
	U-NII-3	157	5785		12.33	13.00
		161	5805		12.11	13.00
		165	5825		12.23	13.00
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	11 8111 4	38	5190		10.57	12.00
	U-NII-1	46	5230		10.65	12.00
	11 11 04	54	5270		10.75	12.00
	U-NII-2A	62	5310		10.75	12.00
802.11ac 40M		102	5510	MCS0	12.01	13.00
		110	5550		12.14	13.00
	U-NII-2C	118	5590		12.11	13.00
		126	5630		12.03	13.00
		134	5670		12.18	13.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

171 of 182 Page:

		151	5755		11.47	12.00
	U-NII-3	159	5795		11.39	12.00
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	U-NII-1	42	5210		6.17	7.50
	U-NII-2A	58	5290		5.15	6.50
802.11ac		106	5530	MCS0	12.24	12.50
80M	U-NII-2C	122	5610	WICSU	12.21	12.50
		138	5690		12.18	12.50
	U-NII-3	155	5775		10.65	11.50
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
		36	5180		11.66	13.00
	U-NII-1	40	5200		11.85	13.00
	U-INII- I	44	5220		11.79	13.00
		48	5240		11.87	13.00
		52	5260		11.98	13.00
	U-NII-2A	56	5280		11.74	13.00
	U-MII-ZA	60	5300		11.71	13.00
		64	5320		11.88	13.00
		100	5500		12.94	14.00
		104	5520		12.80	14.00
		108	5540		12.75	14.00
802.11ax 20M		112	5560	MCS0	12.81	14.00
002.11ax 201VI		116	5580	WICSU	13.37	14.00
	U-NII-2C	120	5600		13.41	14.00
		124	5620		13.22	14.00
		128	5640		13.06	14.00
		132	5660		12.89	14.00
		136	5680		12.95	14.00
		140	5700		13.34	14.00
		149	5745		12.54	13.00
		153	5765		12.40	13.00
	U-NII-3	157	5785		12.67	13.00
		161	5805		12.33	13.00
		165	5825		12.22	13.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



SUCR241100047301 Report No.:

Rev.: 01

172 of 182 Page:

5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	11.500.4	38	5190		8.03	9.00
	U-NII-1	46	5230		8.05	9.00
	U-NII-2A	54	5270		8.25	9.00
	U-MII-ZA	62	5310		8.16	9.00
		102	5510		9.50	10.00
802.11ax 40M		110	5550	MCS0	9.40	10.00
	U-NII-2C	118	5590		9.42	10.00
		126	5630		9.23	10.00
		134	5670		9.33	10.00
	LI NIII 2	151	5755		12.68	13.00
	U-NII-3	159	5795		12.58	13.00
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	U-NII-1	42	5210		6.44	7.50
	U-NII-2A	58	5290		5.13	6.00
802.11ax		106	5530	MCS0	11.61	12.00
80M	U-NII-2C	122	5610	IVICSU	11.72	12.00
		138	5690	1	11.39	12.00
	U-NII-3	155	5775		10.75	11.00

WIFI 5G Head Stanalone									
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up			
		36	5180		12.77	14.00			
	U-NII-1	40	5200		12.70	14.00			
	U-INII- I	44	5220		12.55	14.00			
		48	5240		12.66	14.00			
		52	5260		12.66	14.00			
	U-NII-2A	56	5280		12.63	14.00			
802.11a	U-MII-ZA	60	5300	6	12.48	14.00			
		64	5320		12.76	14.00			
		100	5500		12.73	14.00			
		104	5520		12.96	14.00			
	U-NII-2C	108	5540		12.83	14.00			
		112	5560		12.89	14.00			
		116	5580		13.08	14.00			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

173 of 182 Page:

		120	5600		12.98	14.00
		124	5620		12.95	14.00
		128	5640		12.88	14.00
		132	5660		12.88	14.00
		136	5680		12.85	14.00
		140	5700		12.94	14.00
		149	5745		15.02	15.50
		153	5765		14.89	15.50
	U-NII-3	157	5785		14.88	15.50
		161	5805		14.86	15.50
		165	5825		14.80	15.50
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
		36	5180		12.44	14.00
	LINULA	40	5200		12.63	14.00
	U-NII-1	44	5220	1	12.79	14.00
		48	5240		12.68	14.00
		52	5260		12.61	14.00
		56	5280		12.64	14.00
	U-NII-2A	60	5300		12.57	14.00
		64	5320		12.57	14.00
		100	5500		12.73	14.00
		104	5520		12.54	14.00
		108	5540		12.45	14.00
802.11n		112	5560	14000	12.62	14.00
20M		116	5580	MCS0	13.10	14.00
	U-NII-2C	120	5600		13.07	14.00
		124	5620		12.98	14.00
		128	5640		12.80	14.00
		132	5660		12.87	14.00
		136	5680		12.99	14.00
		140	5700		12.99	14.00
		149	5745		14.82	15.50
		153	5765		14.78	15.50
	U-NII-3	157	5785		14.73	15.50
		161	5805		14.74	15.50
		165	5825		14.58	15.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 174 of 182

5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	U-NII-1	38	5190		9.45	10.50
	U-MII- I	46	5230		9.39	10.50
	LI NIII 2A	54	5270		9.29	10.50
	U-NII-2A	62	5310		9.23	10.50
		102	5510		9.01	10.00
802.11n 40M		110	5550	MCS0	8.91	10.00
10111	U-NII-2C	118	5590		8.89	10.00
		126	5630		9.02	10.00
		134	5670		9.09	10.00
	LI NIII O	151	5755		15.07	15.50
	U-NII-3	159	5795		14.70	15.50
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
		36	5180		12.57	14.00
	U-NII-1	40	5200		12.63	14.00
	0-1111-1	44	5220		12.61	14.00
		48	5240		12.68	14.00
		52	5260		12.74	14.00
	U-NII-2A	56	5280		12.60	14.00
	U-MII-ZA	60	5300		12.68	14.00
		64	5320		12.67	14.00
		100	5500		12.77	14.00
		104	5520		12.81	14.00
802.11ac		108	5540	MCS0	12.60	14.00
20M		112	5560	MCSO	12.66	14.00
		116	5580		13.15	14.00
	U-NII-2C	120	5600		13.17	14.00
		124	5620		12.91	14.00
		128	5640		12.88	14.00
		132	5660		12.71	14.00
		136	5680		12.74	14.00
		140	5700	]	13.00	14.00
		149	5745		14.91	15.50
	U-NII-3	153	5765		14.84	15.50
		157	5785		14.87	15.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratori

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 175 of 182

		161	5805		14.55	15.50
		165	5825		14.68	15.50
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	U-NII-1	38	5190		11.73	13.00
	U-INII- I	46	5230		11.55	13.00
	U-NII-2A	54	5270		11.73	13.00
	U-MII-ZA	62	5310		11.75	13.00
		102	5510		12.01	13.00
802.11ac 40M		110	5550	MCS0	12.14	13.00
	U-NII-2C	118	5590		12.11	13.00
		126	5630		12.03	13.00
		134	5670		12.18	13.00
	11 111 2	151	5755		13.90	14.50
	U-NII-3	159	5795		13.88	14.50
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	U-NII-1	42	5210		7.19	8.50
	U-NII-2A	58	5290		6.06	7.50
802.11ac		106	5530	MCS0	12.24	12.50
80M	U-NII-2C	122	5610		12.21	12.50
		138	5690		12.18	12.50
	U-NII-3	155	5775		10.65	11.50
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
		36	5180		12.68	14.00
	U-NII-1	40	5200		12.96	14.00
	U-INII- I	44	5220		12.79	14.00
		48	5240		12.86	14.00
		52	5260		11.98	13.00
802.11ax 20M	U-NII-2A	56	5280	MCS0	11.74	13.00
OUZ. I IAX ZUM	U-INII-ZA	60	5300	IVICSU	11.71	13.00
		64	5320		11.88	13.00
		100	5500		12.94	14.00
	11 11 00	104	5520		12.80	14.00
	U-NII-2C	108	5540		12.75	14.00
		112	5560	1	12.81	14.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratori

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

176 of 182 Page:

	ı	1			1	1
		116	5580		13.37	14.00
		120	5600		13.41	14.00
		124	5620		13.22	14.00
		128	5640		13.06	14.00
		132	5660		12.89	14.00
		136	5680		12.95	14.00
		140	5700		13.34	14.00
		149	5745		15.06	15.50
		153	5765		15.05	15.50
	U-NII-3	157	5785		15.05	15.50
		161	5805		14.73	15.50
		165	5825		14.62	15.50
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	U-NII-1	38	5190		8.89	10.00
	U-MII-1	46	5230		9.24	10.00
		54	5270		9.14	10.00
	U-NII-2A	62	5310	MCS0	9.19	10.00
		102	5510		9.50	10.00
802.11ax 40M		110	5550		9.40	10.00
	U-NII-2C	118	5590		9.42	10.00
		126	5630		9.23	10.00
		134	5670		9.33	10.00
	11 111 2	151	5755		15.20	15.50
	U-NII-3	159	5795		15.17	15.50
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	U-NII-1	42	5210		7.40	8.50
	U-NII-2A	58	5290	1	6.11	7.00
802.11ax		106	5530	Moss	11.61	12.00
80M	U-NII-2C	122	5610	- MCS0	11.72	12.00
	-	138	5690	11.3	11.39	12.00
	U-NII-3	155	5775		13.18	13.50
				•		

WIFI 5G Head WWAN+WIFI5G							
5GHz	Mode	Channel	Frequency(MHz)	Data Average Power Rate(Mbps) (dBm)		Tune up	
802.11a	U-NII-1	36	5180	6	9.24	10.50	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 177 of 182

		40	5200		9.30	10.50
		44	5220		9.15	10.50
		48	5240		9.10	10.50
		52	5260		9.26	10.50
	U-NII-2A	56	5280		9.14	10.50
	U-INII-ZA	60	5300		9.04	10.50
		64	5320		9.09	10.50
		100	5500		9.19	10.50
		104	5520		9.30	10.50
		108	5540		9.22	10.50
		112	5560		9.39	10.50
		116	5580		9.73	10.50
	U-NII-2C	120	5600		9.58	10.50
		124	5620		9.53	10.50
		128	5640		9.48	10.50
		132	5660		9.26	10.50
		136	5680		9.29	10.50
		140	5700		9.47	10.50
		149	5745		11.37	12.00
		153	5765		11.32	12.00
	U-NII-3	157	5785		11.42	12.00
		161	5805		11.49	12.00
		165	5825		11.29	12.00
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
		36	5180		8.93	10.50
		40	5000		9.16	10.50
	11 MH 4	40	5200		3.10	
1	U-NII-1	44	5220		9.17	10.50
	U-NII-1			<u>-</u> -		
	U-NII-1	44	5220	- - -	9.17	10.50
802.11n		44	5220 5240	Moco	9.17 9.12	10.50 10.50
802.11n 20M	U-NII-1 U-NII-2A	44 48 52	5220 5240 5260	- MCS0	9.17 9.12 9.14	10.50 10.50 10.50
		44 48 52 56	5220 5240 5260 5280	MCS0	9.17 9.12 9.14 9.20	10.50 10.50 10.50 10.50
		44 48 52 56 60	5220 5240 5260 5280 5300	MCS0	9.17 9.12 9.14 9.20 9.17	10.50 10.50 10.50 10.50 10.50
	U-NII-2A	44 48 52 56 60 64	5220 5240 5260 5280 5300 5320	MCS0	9.17 9.12 9.14 9.20 9.17 9.20	10.50 10.50 10.50 10.50 10.50 10.50
		44 48 52 56 60 64 100	5220 5240 5260 5280 5300 5320 5500	MCS0	9.17 9.12 9.14 9.20 9.17 9.20 9.13	10.50 10.50 10.50 10.50 10.50 10.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratori

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

178 of 182 Page:

	1	ı		1	1	
		116	5580	]	9.75	10.50
		120	5600	]	9.74	10.50
		124	5620	]	9.39	10.50
		128	5640		9.39	10.50
		132	5660		9.56	10.50
		136	5680		9.63	10.50
		140	5700		9.62	10.50
		149	5745		11.32	12.00
		153	5765		11.09	12.00
	U-NII-3	157	5785		11.41	12.00
		161	5805		11.10	12.00
		165	5825		11.08	12.00
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	U-NII-1	38	5190		5.87	7.00
	U-MII- I	46	5230	Data Rate(Mbps)  Data Average Pov (dBm)  5.87  5.76  5.63  5.69  5.40  MCS0  5.56  5.39  5.53  5.59	5.76	7.00
	11 111 04	54	5270	]	5.63	7.00
	U-NII-2A	62	5310	]	5.69	7.00
		102	5510	MCS0	5.40	6.50
802.11n 40M	U-NII-2C	110	5550		5.56	6.50
40101		118	5590		5.39	6.50
		126	5630		5.53	6.50
		134	5670		5.59	6.50
	LLNULO	151	5755		11.45	12.00
	U-NII-3	159	5795		11.33	12.00
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
		36	5180		8.93	10.50
	11 800 4	40	5200		9.28	10.50
	U-NII-1	44	5220	]	9.15	10.50
		48	5240	1	9.12	10.50
802.11ac		52	5260	Moss	9.18	10.50
20M		56	5280	MCS0	9.05	10.50
	U-NII-2A	60	5300	1	9.20	10.50
		64	5320	1	9.12	10.50
	11 1111 200	100	5500	9.36		10.50
	U-NII-2C	104	5520	1	9.24	10.50

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratori

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

Page: 179 of 182

		108	5540		9.14	10.50
		112	5560		9.31	10.50
		116	5580		9.69	10.50
		120	5600		9.68	10.50
		124	5620		9.40	10.50
		128	5640		9.40	10.50
		132	5660		9.36	10.50
		136	5680		9.20	10.50
		140	5700		9.57	10.50
		149	5745		11.48	12.00
		153	5765		11.38	12.00
	U-NII-3	157	5785		11.34	12.00
		161	5805		11.20	12.00
		165	5825		11.27	12.00
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
		38	5190		8.20	9.50
	U-NII-1	46	5230		8.01	9.50
	U-NII-2A	54	5270		8.11	9.50
	U-MII-ZA	62	5310		8.23	9.50
		102	5510		8.38	9.50
802.11ac 40M		110	5550	MCS0	8.68	9.50
	U-NII-2C	118	5590		8.46	9.50
		126	5630		8.49	9.50
		134	5670		8.81	9.50
	U-NII-3	151	5755		10.48	11.00
	U-INII-3	159	5795		10.41	11.00
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	U-NII-1	42	5210		3.61	5.00
	U-NII-2A	58	5290		2.60	4.00
802.11ac		106	5530	MCS0	8.72	9.00
80M	U-NII-2C	122	5610	IVICSU	8.59	9.00
		138	5690	]	8.56	9.00
	U-NII-3	155	5775	<u> </u>	9.75	10.50
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



SUCR241100047301 Report No.:

Rev.: 01

180 of 182 Page:

		36	5180		9.22	10.50
	U-NII-1	40	5200		9.45	10.50
	U-INII- I	44	5220		9.27	10.50
		48	5240		9.38	10.50
		52	5260		9.48	10.50
	U-NII-2A	56	5280		9.18	10.50
	U-MII-ZA	60	5300		9.24	10.50
		64	5320		9.34	10.50
		100	5500		9.47	10.50
		104	5520		9.25	10.50
		108	5540		9.36	10.50
802.11ax 20M		112	5560	Moss	9.49	10.50
802.11ax 20M		116	5580	MCS0	9.90	10.50
	U-NII-2C	120	5600		9.79	10.50
		124	5620		9.65	10.50
		128	5640	9.3 9.6 9.7 11.6 11.5	9.66	10.50
		132	5660		9.39	10.50
		136	5680		9.60	10.50
		140	5700		9.79	10.50
	U-NII-3	149	5745		11.68	12.00
		153	5765		11.54	12.00
		157	5785		11.66	12.00
		161	5805		11.30	12.00
		165	5825		11.17	12.00
5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	LI NIII 1	38	5190		5.47	6.50
	U-NII-1	46	5230		5.65	6.50
	U-NII-2A	54	5270		5.70	6.50
		62	5310		5.63	6.50
		102	5510		6.04	6.50
802.11ax 40M		110	5550	MCS0	5.97	6.50
	U-NII-2C	118	5590		5.89	6.50
		126	5630		5.81	6.50
		134	5670		5.92	6.50
	11 11 2	151	5755		11.69	12.00
	U-NII-3	159	5795		11.61	12.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

181 of 182 Page:

5GHz	Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
	U-NII-1	42	5210		3.79	5.00
	U-NII-2A	58	5290		2.51	3.50
802.11ax		106	5530	MCS0	8.01	8.50
80M	U-NII-2C	122	5610	IVICSU	8.15	8.50
		138	5690		7.92	8.50
	U-NII-3	155	5775		9.75	10.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980



Report No.: SUCR241100047301

Rev.: 01

182 of 182 Page:

### 7. Conducted Power of Bluetooth

ВТ		Aver	Tune up		
Band	Channel	0	39	78	78
	GFSK	14.49	14.63	15.67	16.00
ВТ	π/4DQPSK	11.73	11.11	11.78	13.00
	8DPSK	11.86	11.26	11.94	13.00
Band	Channel	0	19	39	Tune up
BLE	1M	4.58	6.31	5.45	9.00
DLE	2M	4.71	6.38	5.54	9.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980