

## Appendix C: Test Results of Radiated Spurious Emissions & Mains

### Conducted Emission Test

<CDD>

Band Edges, 5.46GHz ~ 7.250GHz

U-NII 5


#### 802.11ax HE20

##### CH01 (Horizontal) Peak

##### CH01 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|------|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|      | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1    | 5765.09 | 64.99  | 74.09  | -9.10 | 88.20  | -23.21 | 100  | 236  | Peak | Horizontal |           |      |
| 2 *  | 5955.00 | 106.74 | 115.55 | -8.81 | 88.20  | 18.54  | 100  | 236  | Peak | Horizontal |           |      |
| 3    | 7203.58 | 65.01  | 73.52  | -8.51 | 88.20  | -23.19 | 100  | 236  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|------|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|      | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | cm   | deg  |      |          |           |      |
| 1    | 5467.91 | 65.53  | 75.03  | -9.50 | 88.20  | -22.67 | 105  | 9    | Peak | Vertical |           |      |
| 2 *  | 5955.00 | 105.02 | 113.83 | -8.81 | 88.20  | 16.82  | 105  | 9    | Peak | Vertical |           |      |
| 3    | 7242.03 | 65.13  | 73.63  | -8.50 | 88.20  | -23.07 | 105  | 9    | Peak | Vertical |           |      |


**802.11ax HE20**

**CH01 (Horizontal) RMS**

**CH01 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level  | Factor | Limit | Over   | APos | TPos    | Remark     | Pol/Phase | Note |
|------|---------|-------|--------|--------|-------|--------|------|---------|------------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m   | dBuV/m | dB    | dB     | cm   | deg     |            |           |      |
| 1    | 5781.62 | 56.17 | 65.23  | -9.06  | 68.20 | -12.03 | 100  | 236 RMS | Horizontal |           |      |
| 2    | 5955.00 | 98.30 | 107.11 | -8.81  | 68.20 | 30.10  | 100  | 236 RMS | Horizontal |           |      |
| 3    | 7166.93 | 55.66 | 64.20  | -8.54  | 68.20 | -12.54 | 100  | 236 RMS | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322





| Freq | Level   | Read  | Level  | Factor | Limit | Over   | APos | TPos  | Remark   | Pol/Phase | Note |
|------|---------|-------|--------|--------|-------|--------|------|-------|----------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m   | dBuV/m | dB    | dB     | cm   | deg   |          |           |      |
| 1    | 5765.09 | 56.15 | 65.25  | -9.10  | 68.20 | -12.05 | 105  | 9 RMS | Vertical |           |      |
| 2    | 5955.00 | 95.51 | 104.32 | -8.81  | 68.20 | 27.31  | 105  | 9 RMS | Vertical |           |      |
| 3    | 7249.58 | 55.71 | 64.21  | -8.50  | 68.20 | -12.49 | 105  | 9 RMS | Vertical |           |      |

**802.11ax HE20**

**CH45 (Horizontal) Peak**

**CH45 (Vertical) Peak**




802.11ax HE20

CH45 (Horizontal) RMS

CH45 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5771.76 | 56.19  | 65.28  | -9.09 | 68.20  | -12.01 | 100  | 71   | RMS  | Horizontal |           |      |
| 2 * | 6175.00 | 100.68 | 100.61 | -8.13 | 68.20  | 32.48  | 100  | 71   | RMS  | Horizontal |           |      |
| 3   | 7216.44 | 55.90  | 64.42  | -8.52 | 68.20  | -12.30 | 100  | 71   | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5792.02 | 53.74  | 62.76  | -9.02 | 68.20  | -14.46 | 100  | 276  | RMS  | Vertical |           |      |
| 2 * | 6175.00 | 93.66  | 101.79 | -8.13 | 68.20  | 25.46  | 100  | 276  | RMS  | Vertical |           |      |
| 3   | 7198.08 | 53.32  | 61.84  | -8.52 | 68.20  | -14.88 | 100  | 276  | RMS  | Vertical |           |      |


802.11ax HE20

CH93 (Horizontal) Peak

CH93 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Factor | Limit  | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|-----|---------|--------|--------|--------|--------|--------|------|------|--------|------------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m   | dBuV/m | dB     | cm   | deg  |        |            |      |
| 1   | 5874.00 | 65.36  | 74.43  | -9.07  | 88.20  | -22.84 | 100  | 76   | Peak   | Horizontal |      |
| 2 * | 6415.00 | 107.70 | 115.93 | -8.15  | 88.20  | 19.58  | 100  | 76   | Peak   | Horizontal |      |
| 3   | 7236.00 | 65.50  | 74.60  | -8.50  | 88.20  | -22.70 | 100  | 76   | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Factor | Limit  | Over   | APos | TPos | Remark | Pol/Phase | Note |
|-----|---------|--------|--------|--------|--------|--------|------|------|--------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m   | dBuV/m | dB     | cm   | deg  |        |           |      |
| 1   | 5595.00 | 65.56  | 74.95  | -9.39  | 88.20  | -22.64 | 100  | 74   | Peak   | Vertical  |      |
| 2 * | 6415.00 | 104.23 | 112.38 | -8.15  | 88.20  | 16.03  | 100  | 74   | Peak   | Vertical  |      |
| 3   | 7148.58 | 64.85  | 73.40  | -8.55  | 88.20  | -23.35 | 100  | 74   | Peak   | Vertical  |      |


802.11ax HE20

CH93 (Horizontal) RMS

CH93 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5886.05 | 53.75  | 62.76  | -9.01 | 68.20  | -14.45 | 100  | 76   | RMS  | Horizontal |           |      |
| 2 * | 6415.00 | 95.88  | 104.03 | -8.15 | 68.20  | 27.68  | 100  | 76   | RMS  | Horizontal |           |      |
| 3   | 7243.44 | 53.30  | 61.80  | -8.50 | 68.20  | -14.90 | 100  | 76   | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322





|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5769.78 | 53.81  | 62.90  | -9.09 | 68.20  | -14.39 | 100  | 74   | RMS  | Vertical |           |      |
| 2 * | 6415.00 | 92.91  | 101.06 | -8.15 | 68.20  | 24.71  | 100  | 74   | RMS  | Vertical |           |      |
| 3   | 7245.06 | 53.51  | 62.01  | -8.50 | 68.20  | -14.69 | 100  | 74   | RMS  | Vertical |           |      |

**802.11ax HE40**

**CH03 (Horizontal) Peak**

**CH03 (Vertical) Peak**



| Freq | Level   | Read   | Level  | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|--------|--------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV   | dBm    | dBuV/m | dBm   | dB     | cm   | deg  |        |            |      |
| 1    | 5924.76 | 70.67  | 79.60  | -8.93  | 88.20 | -17.53 | 115  | 236  | Peak   | Horizontal |      |
| 2    | 5965.00 | 109.22 | 118.00 | -8.78  | 88.20 | 21.02  | 115  | 236  | Peak   | Horizontal |      |
| 3    | 7164.42 | 65.93  | 74.47  | -8.54  | 88.20 | -22.27 | 115  | 236  | Peak   | Horizontal |      |

| Freq | Level   | Read   | Level  | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|--------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV   | dBm    | dBuV/m | dBm   | dB     | cm   | deg  |        |           |      |
| 1    | 5870.50 | 65.99  | 75.06  | -9.07  | 88.20 | -22.21 | 100  | 269  | Peak   | Vertical  |      |
| 2    | 5965.00 | 105.95 | 114.73 | -8.78  | 88.20 | 17.75  | 100  | 269  | Peak   | Vertical  |      |
| 3    | 7246.14 | 65.09  | 73.59  | -8.50  | 88.20 | -23.11 | 100  | 269  | Peak   | Vertical  |      |


802.11ax HE40

CH03 (Horizontal) RMS

CH03 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Factor | Limit  | Over   | APos | TPos    | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|--------|--------|--------|------|---------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m   | dBuV/m | dB     | cm   | deg     |            |           |      |
| 1   | 5889.02 | 53.79  | 62.81  | -9.02  | 68.20  | -14.41 | 115  | 236 RMS | Horizontal |           |      |
| 2 * | 5965.00 | 96.25  | 105.03 | -8.78  | 68.20  | 20.05  | 115  | 236 RMS | Horizontal |           |      |
| 3   | 7249.38 | 53.40  | 61.90  | -8.50  | 68.20  | -14.80 | 115  | 236 RMS | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Factor | Limit  | Over   | APos | TPos    | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|--------|--------|--------|------|---------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m   | dBuV/m | dB     | cm   | deg     |          |           |      |
| 1   | 5887.40 | 53.84  | 62.85  | -9.01  | 68.20  | -14.36 | 100  | 269 RMS | Vertical |           |      |
| 2 * | 5965.00 | 92.76  | 101.54 | -8.78  | 68.20  | 24.56  | 100  | 269 RMS | Vertical |           |      |
| 3   | 7232.82 | 53.53  | 62.04  | -8.51  | 68.20  | -14.67 | 100  | 269 RMS | Vertical |           |      |


802.11ax HE40

CH43 (Horizontal) Peak

CH43 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5597.88 | 64.87  | 74.26  | -9.39 | 88.20  | -23.33 | 100  | 69   | Peak | Horizontal |           |      |
| 2 * | 6165.00 | 118.45 | 118.60 | -8.15 | 88.20  | 22.25  | 100  | 69   | Peak | Horizontal |           |      |
| 3   | 7249.92 | 65.64  | 74.14  | -8.50 | 88.20  | -22.56 | 100  | 69   | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5497.88 | 66.13  | 75.52  | -9.39 | 88.20  | -22.07 | 100  | 273  | Peak | Vertical |           |      |
| 2 * | 6165.00 | 108.58 | 116.73 | -8.15 | 88.20  | 28.53  | 100  | 273  | Peak | Vertical |           |      |
| 3   | 7158.56 | 64.18  | 72.65  | -8.55 | 88.20  | -24.10 | 100  | 273  | Peak | Vertical |           |      |


802.11ax HE40

CH43 (Horizontal) RMS

CH43 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5490.24 | 53.93  | 63.35  | -9.42 | 68.20  | -14.27 | 100  | 69   | RMS  | Horizontal |           |      |
| 2 * | 6165.00 | 98.21  | 106.36 | -8.15 | 68.20  | 38.01  | 100  | 69   | RMS  | Horizontal |           |      |
| 3   | 7224.00 | 53.49  | 62.00  | -8.51 | 68.20  | -14.71 | 100  | 69   | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5818.20 | 53.88  | 62.91  | -9.03 | 68.20  | -14.32 | 100  | 273  | RMS  | Vertical |           |      |
| 2 * | 6165.00 | 94.97  | 103.12 | -8.15 | 68.20  | 26.77  | 100  | 273  | RMS  | Vertical |           |      |
| 3   | 7245.78 | 53.50  | 62.00  | -8.50 | 68.20  | -14.70 | 100  | 273  | RMS  | Vertical |           |      |


**802.11ax HE40**

**CH91 (Horizontal) Peak**

**CH91 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5766.00 | 65.54  | 74.64  | -9.10 | 88.20  | -22.66 | 100  | 86   | Peak | Horizontal |           |      |
| 2 * | 6485.00 | 109.21 | 117.35 | -8.14 | 88.20  | 21.01  | 100  | 86   | Peak | Horizontal |           |      |
| 3   | 7197.00 | 66.45  | 74.97  | -8.52 | 88.20  | -21.75 | 100  | 86   | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5814.06 | 66.24  | 75.27  | -9.03 | 88.20  | -21.96 | 100  | 93   | Peak | Vertical |           |      |
| 2 * | 6485.00 | 107.12 | 115.26 | -8.14 | 88.20  | 18.92  | 100  | 93   | Peak | Vertical |           |      |
| 3   | 7207.26 | 65.93  | 74.44  | -8.51 | 88.20  | -22.27 | 100  | 93   | Peak | Vertical |           |      |


**802.11ax HE40**

**CH91 (Horizontal) RMS**

**CH91 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5891.10 | 53.68  | 62.69  | -9.01 | 68.20  | -14.52 | 100  | 86   | RMS  | Horizontal |           |      |
| 2 * | 6485.00 | 97.26  | 105.40 | -8.14 | 68.20  | 29.06  | 100  | 86   | RMS  | Horizontal |           |      |
| 3   | 7228.22 | 53.40  | 61.91  | -8.51 | 68.20  | -14.80 | 100  | 86   | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5784.36 | 53.74  | 62.79  | -9.05 | 68.20  | -14.46 | 100  | 93   | RMS  | Vertical |           |      |
| 2 * | 6485.00 | 94.69  | 102.83 | -8.14 | 68.20  | 26.49  | 100  | 93   | RMS  | Vertical |           |      |
| 3   | 7199.34 | 53.39  | 61.91  | -8.52 | 68.20  | -14.81 | 100  | 93   | RMS  | Vertical |           |      |


**802.11ax HE80**

**CH07 (Horizontal) Peak**

**CH07 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 5918.72 | 67.28  | 76.28  | -9.00 | 88.20  | -20.92 | 100  | 236  | Peak | Horizontal |           |      |
| 2 | 5985.00 | 107.42 | 116.15 | -8.73 | 88.20  | 19.22  | 100  | 236  | Peak | Horizontal |           |      |
| 3 | 7148.40 | 64.70  | 73.25  | -8.55 | 88.20  | -23.50 | 100  | 236  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 5785.26 | 65.81  | 74.86  | -9.05 | 88.20  | -22.39 | 100  | 273  | Peak | Vertical |           |      |
| 2 | 5985.00 | 104.92 | 113.65 | -8.73 | 88.20  | 16.72  | 100  | 273  | Peak | Vertical |           |      |
| 3 | 7197.18 | 64.86  | 73.38  | -8.52 | 88.20  | -23.34 | 100  | 273  | Peak | Vertical |           |      |


**802.11ax HE80**

**CH07 (Horizontal) RMS**

**CH07 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 5924.40 | 56.10  | 65.03  | -8.93 | 68.20  | -12.10 | 100  | 236  | RMS  | Horizontal |           |      |
| 2 | 5985.00 | 96.21  | 104.94 | -8.73 | 68.20  | 26.01  | 100  | 236  | RMS  | Horizontal |           |      |
| 3 | 7184.58 | 53.92  | 62.45  | -8.53 | 68.20  | -14.28 | 100  | 236  | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 5924.76 | 54.42  | 63.35  | -8.93 | 68.20  | -13.78 | 100  | 273  | RMS  | Vertical |           |      |
| 2 | 5985.00 | 94.21  | 102.94 | -8.73 | 68.20  | 26.01  | 100  | 273  | RMS  | Vertical |           |      |
| 3 | 7170.90 | 53.87  | 62.40  | -8.53 | 68.20  | -14.33 | 100  | 273  | RMS  | Vertical |           |      |


**802.11ax HE80**

**CH39 (Horizontal) Peak**

**CH39 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5752.68 | 65.46  | 74.59  | -9.13 | 88.20  | -22.74 | 100  | 243  | Peak | Horizontal |           |      |
| 2 * | 6145.00 | 106.32 | 116.52 | -8.20 | 88.20  | 28.32  | 100  | 243  | Peak | Horizontal |           |      |
| 3   | 7245.60 | 65.43  | 73.93  | -8.50 | 88.20  | -22.77 | 100  | 243  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5836.56 | 65.14  | 74.19  | -9.05 | 88.20  | -23.06 | 100  | 275  | Peak | Vertical |           |      |
| 2 * | 6145.00 | 106.19 | 114.39 | -8.20 | 88.20  | 26.19  | 100  | 275  | Peak | Vertical |           |      |
| 3   | 7206.36 | 65.03  | 73.54  | -8.51 | 88.20  | -23.17 | 100  | 275  | Peak | Vertical |           |      |


802.11ax HE80

CH39 (Horizontal) RMS

CH39 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level  | Factor | Limit | Over   | APos | TPos    | Remark     | Pol/Phase | Note |
|------|---------|-------|--------|--------|-------|--------|------|---------|------------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m   | dBuV/m | dB    | cm     | deg  |         |            |           |      |
| 1    | 5744.94 | 53.74 | 62.89  | -9.15  | 68.20 | -14.46 | 100  | 243 RMS | Horizontal |           |      |
| 2    | 6145.00 | 94.63 | 102.83 | -8.20  | 68.20 | 26.43  | 100  | 243 RMS | Horizontal |           |      |
| 3    | 7219.86 | 53.39 | 61.90  | -8.51  | 68.20 | -14.81 | 100  | 243 RMS | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level  | Factor | Limit | Over   | APos | TPos    | Remark   | Pol/Phase | Note |
|------|---------|-------|--------|--------|-------|--------|------|---------|----------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m   | dBuV/m | dB    | cm     | deg  |         |          |           |      |
| 1    | 5787.96 | 53.76 | 62.79  | -9.03  | 68.20 | -14.44 | 100  | 275 RMS | Vertical |           |      |
| 2    | 6145.00 | 92.44 | 100.64 | -8.20  | 68.20 | 24.24  | 100  | 275 RMS | Vertical |           |      |
| 3    | 7221.30 | 53.44 | 61.95  | -8.51  | 68.20 | -14.76 | 100  | 275 RMS | Vertical |           |      |


**802.11ax HE80**

**CH87 (Horizontal) Peak**

**CH87 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dBm   | dBuV/m | dBm    | dB   | cm   | deg  |            |           |      |
| 1   | 5771.22 | 65.16  | 74.25  | -9.09 | 88.20  | -23.04 | 100  | 72   | Peak | Horizontal |           |      |
| 2 * | 6385.00 | 108.65 | 116.82 | -8.17 | 88.20  | 28.45  | 100  | 72   | Peak | Horizontal |           |      |
| 3   | 7243.98 | 64.75  | 73.25  | -8.56 | 88.20  | -23.45 | 100  | 72   | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dBm   | dBuV/m | dBm    | dB   | cm   | deg  |          |           |      |
| 1   | 5821.00 | 65.64  | 74.67  | -9.03 | 88.20  | -22.56 | 100  | 92   | Peak | Vertical |           |      |
| 2 * | 6385.00 | 104.54 | 112.71 | -8.17 | 88.20  | 16.34  | 100  | 92   | Peak | Vertical |           |      |
| 3   | 7160.82 | 65.42  | 73.96  | -8.54 | 88.20  | -22.78 | 100  | 92   | Peak | Vertical |           |      |


**802.11ax HE80**

**CH87 (Horizontal) RMS**

**CH87 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos   | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|--------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm     | deg  |            |           |      |
| 1   | 5791.02 | 54.41  | 63.44  | -9.03 | 68.20  | -13.79 | 100  | 72 RMS |      | Horizontal |           |      |
| 2 * | 6385.00 | 97.45  | 105.62 | -8.17 | 68.20  | 29.25  | 100  | 72 RMS |      | Horizontal |           |      |
| 3   | 7234.08 | 54.01  | 62.51  | -8.50 | 68.20  | -14.19 | 100  | 72 RMS |      | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos   | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|--------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm     | deg  |          |           |      |
| 1   | 5472.42 | 54.23  | 63.72  | -9.49 | 68.20  | -13.97 | 100  | 92 RMS |      | Vertical |           |      |
| 2 * | 6385.00 | 93.02  | 101.99 | -8.17 | 68.20  | 25.62  | 100  | 92 RMS |      | Vertical |           |      |
| 3   | 7186.02 | 53.76  | 62.28  | -8.52 | 68.20  | -14.44 | 100  | 92 RMS |      | Vertical |           |      |

**802.11ax HE160**

**CH15 (Horizontal) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read   | Level  | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|--------|--------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV   | dB/m   | dBuV/m | dB    | dB     | cm   | deg  |        |            |      |
| 1    | 5891.46 | 74.30  | 83.35  | -9.05  | 88.20 | -13.90 | 100  | 238  | Peak   | Horizontal |      |
| 2    | 6025.00 | 103.94 | 112.46 | -8.52  | 88.20 | 15.74  | 100  | 238  | Peak   | Horizontal |      |
| 3    | 7158.30 | 64.96  | 73.50  | -8.54  | 88.20 | -23.24 | 100  | 238  | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read   | Level  | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|--------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV   | dB/m   | dBuV/m | dB    | dB     | cm   | deg  |        |           |      |
| 1    | 5889.66 | 69.04  | 78.10  | -9.06  | 88.20 | -19.16 | 100  | 287  | Peak   | Vertical  |      |
| 2    | 6025.00 | 101.13 | 109.65 | -8.52  | 88.20 | 12.93  | 100  | 287  | Peak   | Vertical  |      |
| 3    | 7235.52 | 64.30  | 72.80  | -8.50  | 88.20 | -23.90 | 100  | 287  | Peak   | Vertical  |      |


**802.11ax HE160**

**CH15 (Horizontal) RMS**


**CH15 (Vertical) RMS**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322





TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



**802.11ax HE160**

**CH47 (Horizontal) Peak**

**CH47 (Vertical) Peak**



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5752.59 | 64.60  | 73.74  | -9.14 | 88.20  | -23.60 | 100  | 71   | Peak | Horizontal |           |      |
| 2 * | 6185.00 | 104.78 | 112.88 | -8.10 | 88.20  | 16.58  | 100  | 71   | Peak | Horizontal |           |      |
| 3   | 7228.86 | 65.43  | 73.94  | -8.51 | 88.20  | -22.77 | 100  | 71   | Peak | Horizontal |           |      |

|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5794.00 | 64.99  | 74.01  | -9.02 | 88.20  | -23.21 | 100  | 277  | Peak | Vertical |           |      |
| 2 * | 6185.00 | 103.32 | 111.42 | -8.10 | 88.20  | 15.12  | 100  | 277  | Peak | Vertical |           |      |
| 3   | 7203.48 | 64.15  | 72.66  | -8.51 | 88.20  | -24.05 | 100  | 277  | Peak | Vertical |           |      |


**802.11ax HE160**

**CH47 (Horizontal) RMS**

**CH47 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5779.68 | 52.95  | 62.01 | -9.06 | 68.20  | -15.25 | 100  | 71   | RMS  | Horizontal |           |      |
| 2 * | 6185.00 | 90.97  | 99.07 | -8.10 | 68.20  | 22.77  | 100  | 71   | RMS  | Horizontal |           |      |
| 3   | 7213.38 | 53.18  | 61.70 | -8.52 | 68.20  | -15.02 | 100  | 71   | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5788.14 | 52.92  | 61.95 | -9.03 | 68.20  | -15.28 | 100  | 277  | RMS  | Vertical |           |      |
| 2 * | 6185.00 | 88.88  | 96.98 | -8.10 | 68.20  | 20.68  | 100  | 277  | RMS  | Vertical |           |      |
| 3   | 7241.10 | 53.18  | 61.68 | -8.50 | 68.20  | -15.02 | 100  | 277  | RMS  | Vertical |           |      |


**802.11ax HE160**

**CH79 (Horizontal) Peak**

**CH79 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5737.20 | 64.74  | 73.93  | -9.19 | 88.20  | -23.46 | 100  | 73   | Peak | Horizontal |           |      |
| 2 * | 6345.00 | 104.00 | 113.00 | -8.20 | 88.20  | 16.60  | 100  | 73   | Peak | Horizontal |           |      |
| 3   | 7247.94 | 64.76  | 73.26  | -8.50 | 88.20  | -23.44 | 100  | 73   | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5722.44 | 64.99  | 74.25  | -9.26 | 88.20  | -23.21 | 100  | 265  | Peak | Vertical |           |      |
| 2 * | 6345.00 | 101.83 | 110.11 | -8.28 | 88.20  | 13.63  | 100  | 265  | Peak | Vertical |           |      |
| 3   | 7207.80 | 64.99  | 73.50  | -8.51 | 88.20  | -23.21 | 100  | 265  | Peak | Vertical |           |      |


**802.11ax HE160**

**CH79 (Horizontal) RMS**

**CH79 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5884.88 | 52.99  | 62.00 | -9.01 | 68.20  | -15.21 | 100  | 73   | RMS  | Horizontal |           |      |
| 2 * | 6345.00 | 98.16  | 98.44 | -8.28 | 68.20  | 21.96  | 100  | 73   | RMS  | Horizontal |           |      |
| 3   | 7208.42 | 53.19  | 61.71 | -8.52 | 68.20  | -15.01 | 100  | 73   | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322





|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5792.10 | 52.92  | 61.95 | -9.03 | 68.20  | -15.28 | 100  | 265  | RMS  | Vertical |           |      |
| 2 * | 6345.00 | 86.77  | 95.85 | -9.08 | 68.20  | 18.57  | 100  | 265  | RMS  | Vertical |           |      |
| 3   | 7244.70 | 53.38  | 61.88 | -8.50 | 68.20  | -14.82 | 100  | 265  | RMS  | Vertical |           |      |

**U-NII 6**

**802.11ax HE20**

**CH97 (Horizontal) Peak**

**CH97 (Vertical) Peak**




**802.11ax HE20**

**CH97 (Horizontal) RMS**

**CH97 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5782.92 | 53.78  | 62.83  | -9.05 | 68.20  | -14.42 | 100  | 72   | RMS  | Horizontal |           |      |
| 2 * | 6435.00 | 96.45  | 104.63 | -8.18 | 68.20  | 20.25  | 100  | 72   | RMS  | Horizontal |           |      |
| 3   | 7246.86 | 53.29  | 61.79  | -8.50 | 68.20  | -14.91 | 100  | 72   | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5799.48 | 53.93  | 62.94  | -9.01 | 68.20  | -14.27 | 104  | 75   | RMS  | Vertical |           |      |
| 2 * | 6435.00 | 93.64  | 101.82 | -8.18 | 68.20  | 25.44  | 104  | 75   | RMS  | Vertical |           |      |
| 3   | 7239.66 | 53.29  | 61.79  | -8.50 | 68.20  | -14.91 | 104  | 75   | RMS  | Vertical |           |      |


**802.11ax HE20**

**CH105 (Horizontal) Peak**

**CH105 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5778.96 | 66.27  | 75.33  | -9.06 | 88.20  | -21.93 | 100  | 73   | Peak | Horizontal |           |      |
| 2 * | 6475.00 | 106.57 | 116.81 | -8.24 | 88.20  | 28.61  | 100  | 73   | Peak | Horizontal |           |      |
| 3   | 7222.56 | 64.72  | 73.23  | -8.51 | 88.20  | -23.48 | 100  | 73   | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5844.84 | 65.19  | 74.26  | -9.07 | 88.20  | -23.01 | 100  | 90   | Peak | Vertical |           |      |
| 2 * | 6475.00 | 105.93 | 114.17 | -8.24 | 88.20  | 25.97  | 100  | 90   | Peak | Vertical |           |      |
| 3   | 7208.16 | 65.67  | 74.18  | -8.51 | 88.20  | -22.53 | 100  | 90   | Peak | Vertical |           |      |


**802.11ax HE20**

**CH105 (Horizontal) RMS**

**CH105 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 5884.00 | 53.94  | 62.95  | -9.01 | 68.20  | -14.26 | 100  | 73   | RMS  | Horizontal |           |      |
| 2 | 6475.00 | 95.70  | 103.94 | -8.24 | 68.20  | 27.50  | 100  | 73   | RMS  | Horizontal |           |      |
| 3 | 7229.22 | 53.52  | 62.03  | -8.51 | 68.20  | -14.68 | 100  | 73   | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 5785.26 | 53.78  | 62.83  | -9.05 | 68.20  | -14.42 | 100  | 90   | RMS  | Vertical |           |      |
| 2 | 6475.00 | 93.44  | 101.67 | -8.23 | 68.20  | 25.24  | 100  | 90   | RMS  | Vertical |           |      |
| 3 | 7249.20 | 53.30  | 61.80  | -8.50 | 68.20  | -14.90 | 100  | 90   | RMS  | Vertical |           |      |


**802.11ax HE20**

**CH113 (Horizontal) Peak**

**CH113 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5466.66 | 65.59  | 75.09  | -9.50 | 88.20  | -22.61 | 100  | 88   | Peak | Horizontal |           |      |
| 2 * | 6515.00 | 107.39 | 115.64 | -8.25 | 88.20  | 19.19  | 100  | 88   | Peak | Horizontal |           |      |
| 3   | 7167.30 | 64.79  | 73.33  | -8.54 | 88.20  | -23.41 | 100  | 88   | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5819.46 | 66.06  | 75.09  | -9.03 | 88.20  | -22.14 | 400  | 150  | Peak | Vertical |           |      |
| 2 * | 6515.00 | 104.73 | 112.98 | -8.25 | 88.20  | 16.53  | 400  | 150  | Peak | Vertical |           |      |
| 3   | 7169.10 | 65.56  | 74.10  | -8.54 | 88.20  | -22.64 | 400  | 150  | Peak | Vertical |           |      |


**802.11ax HE20**

**CH113 (Horizontal) RMS**

**CH113 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5770.68 | 53.86  | 62.95  | -9.09 | 68.20  | -14.34 | 100  | 88   | RMS  | Horizontal |           |      |
| 2 * | 6515.00 | 94.62  | 102.87 | -8.25 | 68.20  | 26.42  | 100  | 88   | RMS  | Horizontal |           |      |
| 3   | 7236.96 | 53.41  | 61.91  | -8.50 | 68.20  | -14.79 | 100  | 88   | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5816.58 | 53.94  | 62.96  | -9.02 | 68.20  | -14.26 | 400  | 150  | RMS  | Vertical |           |      |
| 2 * | 6515.00 | 92.93  | 101.18 | -8.25 | 68.20  | 24.73  | 400  | 150  | RMS  | Vertical |           |      |
| 3   | 7236.66 | 53.44  | 61.95  | -8.51 | 68.20  | -14.76 | 400  | 150  | RMS  | Vertical |           |      |


**802.11ax HE40**

**CH99 (Horizontal) Peak**

**CH99 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5499.96 | 65.71  | 75.09  | -9.38 | 88.20  | -22.49 | 100  | 72   | Peak | Horizontal |           |      |
| 2 * | 6445.00 | 110.91 | 119.11 | -8.20 | 88.20  | 22.71  | 100  | 72   | Peak | Horizontal |           |      |
| 3   | 7245.60 | 65.10  | 73.60  | -8.50 | 88.20  | -23.10 | 100  | 72   | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5731.90 | 66.27  | 75.48  | -9.21 | 88.20  | -21.93 | 100  | 93   | Peak | Vertical |           |      |
| 2 * | 6445.00 | 109.42 | 117.62 | -8.20 | 88.20  | 21.22  | 100  | 93   | Peak | Vertical |           |      |
| 3   | 7186.74 | 64.29  | 72.81  | -8.52 | 88.20  | -23.91 | 100  | 93   | Peak | Vertical |           |      |


**802.11ax HE40**

**CH99 (Horizontal) RMS**

**CH99 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level  | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|-------|--------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV  | dB/m   | dBuV/m | dB    | dB     | cm   | deg  |        |            |      |
| 1    | 5798.84 | 53.70 | 62.73  | -9.03  | 68.20 | -14.50 | 100  | 72   | RMS    | Horizontal |      |
| 2    | 6445.00 | 98.60 | 106.80 | -8.20  | 68.20 | 30.40  | 100  | 72   | RMS    | Horizontal |      |
| 3    | 7237.86 | 53.34 | 61.84  | -8.50  | 68.20 | -14.86 | 100  | 72   | RMS    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level  | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|--------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m   | dBuV/m | dB    | dB     | cm   | deg  |        |           |      |
| 1    | 5766.54 | 53.90 | 63.00  | -9.10  | 68.20 | -14.30 | 100  | 93   | RMS    | Vertical  |      |
| 2    | 6445.00 | 95.97 | 104.17 | -8.20  | 68.20 | 27.77  | 100  | 93   | RMS    | Vertical  |      |
| 3    | 7178.64 | 53.44 | 61.97  | -8.53  | 68.20 | -14.76 | 100  | 93   | RMS    | Vertical  |      |


**802.11ax HE40**

**CH107 (Horizontal) Peak**

**CH107 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5863.56 | 65.43  | 74.50  | -9.07 | 88.20  | -22.77 | 100  | 70   | Peak | Horizontal |           |      |
| 2 * | 6485.00 | 109.00 | 118.05 | -8.25 | 88.20  | 21.60  | 100  | 70   | Peak | Horizontal |           |      |
| 3   | 7139.76 | 65.00  | 73.55  | -8.55 | 88.20  | -23.20 | 100  | 70   | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5796.42 | 66.05  | 75.07  | -9.02 | 88.20  | -22.15 | 100  | 5    | Peak | Vertical |           |      |
| 2 * | 6485.00 | 107.83 | 116.08 | -8.25 | 88.20  | 19.63  | 100  | 5    | Peak | Vertical |           |      |
| 3   | 7247.04 | 65.24  | 73.74  | -8.50 | 88.20  | -22.96 | 100  | 5    | Peak | Vertical |           |      |


802.11ax HE40

CH107 (Horizontal) RMS


CH107 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




**802.11ax HE40**

**CH115 (Horizontal) Peak**

**CH115 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Limit | Over   | APos   | TPos | Remark  | Pol/Phase  | Note |
|-----|---------|--------|--------|-------|--------|--------|------|---------|------------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | cm   | deg     |            |      |
| 1   | 5494.02 | 65.66  | 75.05  | -9.39 | 88.20  | -22.54 | 100  | 88 Peak | Horizontal |      |
| 2 * | 6525.00 | 109.54 | 117.77 | -8.23 | 88.20  | 21.34  | 100  | 88 Peak | Horizontal |      |
| 3   | 7188.90 | 65.17  | 73.69  | -8.52 | 88.20  | -23.03 | 100  | 88 Peak | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Limit | Over   | APos   | TPos | Remark  | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|---------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | cm   | deg     |           |      |
| 1   | 5758.62 | 65.38  | 74.49  | -9.11 | 88.20  | -22.82 | 100  | 74 Peak | Vertical  |      |
| 2 * | 6525.00 | 109.16 | 117.39 | -8.23 | 88.20  | 20.96  | 100  | 74 Peak | Vertical  |      |
| 3   | 7244.88 | 65.05  | 73.55  | -8.50 | 88.20  | -23.15 | 100  | 74 Peak | Vertical  |      |


802.11ax HE40

CH115 (Horizontal) RMS

CH115 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5764.56 | 53.86  | 62.96  | -9.10 | 68.20  | -14.34 | 100  | 88   | RMS  | Horizontal |           |      |
| 2 * | 6525.00 | 97.07  | 105.39 | -8.23 | 68.20  | 20.87  | 100  | 88   | RMS  | Horizontal |           |      |
| 3   | 7186.74 | 53.71  | 62.23  | -8.52 | 68.20  | -14.49 | 100  | 88   | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5786.88 | 53.81  | 62.85  | -9.04 | 68.20  | -14.39 | 100  | 74   | RMS  | Vertical |           |      |
| 2 * | 6525.00 | 95.18  | 103.41 | -8.23 | 68.20  | 26.98  | 100  | 74   | RMS  | Vertical |           |      |
| 3   | 7228.32 | 53.52  | 62.03  | -8.51 | 68.20  | -14.68 | 100  | 74   | RMS  | Vertical |           |      |


**802.11ax HE80**

**CH103 (Horizontal) Peak**

**CH103 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5841.42 | 65.10  | 74.16  | -9.06 | 88.20  | -23.10 | 100  | 71   | Peak | Horizontal |           |      |
| 2 * | 6465.00 | 109.46 | 117.68 | -8.22 | 88.20  | 21.26  | 100  | 71   | Peak | Horizontal |           |      |
| 3   | 7202.76 | 65.08  | 73.59  | -8.51 | 88.20  | -23.12 | 100  | 71   | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5526.24 | 65.61  | 75.02  | -9.41 | 88.20  | -22.59 | 100  | 91   | Peak | Vertical |           |      |
| 2 * | 6465.00 | 105.85 | 114.07 | -8.22 | 88.20  | 17.65  | 100  | 91   | Peak | Vertical |           |      |
| 3   | 7210.32 | 64.83  | 73.35  | -8.52 | 88.20  | -23.37 | 100  | 91   | Peak | Vertical |           |      |


802.11ax HE80

CH103 (Horizontal) RMS

CH103 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level  | Factor | Limit | Over   | APos | TPos   | Remark     | Pol/Phase | Note |
|------|---------|-------|--------|--------|-------|--------|------|--------|------------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m   | dBuV/m | dB    | dB     | cm   | deg    |            |           |      |
| 1    | 5767.44 | 54.28 | 63.38  | -9.10  | 68.20 | -13.92 | 100  | 71 RMS | Horizontal |           |      |
| 2 *  | 6465.00 | 97.69 | 105.91 | -8.22  | 68.20 | 29.49  | 100  | 71 RMS | Horizontal |           |      |
| 3    | 7216.44 | 54.25 | 62.77  | -8.52  | 68.20 | -13.95 | 100  | 71 RMS | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level  | Factor | Limit | Over   | APos | TPos   | Remark   | Pol/Phase | Note |
|------|---------|-------|--------|--------|-------|--------|------|--------|----------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m   | dBuV/m | dB    | dB     | cm   | deg    |          |           |      |
| 1    | 5467.56 | 54.22 | 63.72  | -9.50  | 68.20 | -13.98 | 100  | 91 RMS | Vertical |           |      |
| 2 *  | 6465.00 | 95.82 | 104.04 | -8.22  | 68.20 | 27.62  | 100  | 91 RMS | Vertical |           |      |
| 3    | 7183.14 | 53.92 | 62.45  | -8.53  | 68.20 | -14.28 | 100  | 91 RMS | Vertical |           |      |


**802.11ax HE80**

**CH119 (Horizontal) Peak**

**CH119 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5462.34 | 65.76  | 75.29  | -9.53 | 88.20  | -22.44 | 100  | 73   | Peak | Horizontal |           |      |
| 2 * | 6545.00 | 106.75 | 116.96 | -8.21 | 88.20  | 28.76  | 100  | 73   | Peak | Horizontal |           |      |
| 3   | 7163.34 | 63.86  | 72.40  | -8.54 | 88.20  | -24.34 | 100  | 73   | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5487.00 | 65.93  | 75.36  | -9.43 | 88.20  | -22.27 | 100  | 72   | Peak | Vertical |           |      |
| 2 * | 6545.00 | 106.85 | 116.96 | -8.21 | 88.20  | 28.76  | 100  | 72   | Peak | Vertical |           |      |
| 3   | 7217.34 | 65.27  | 73.79  | -8.52 | 88.20  | -22.93 | 100  | 72   | Peak | Vertical |           |      |


**802.11ax HE80**

**CH119 (Horizontal) RMS**

**CH119 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5798.66 | 54.37  | 63.40  | -9.03 | 68.20  | -13.83 | 100  | 73   | RMS  | Horizontal |           |      |
| 2 * | 6545.00 | 97.34  | 105.55 | -8.21 | 68.20  | 29.14  | 100  | 73   | RMS  | Horizontal |           |      |
| 3   | 7212.66 | 54.09  | 62.61  | -8.52 | 68.20  | -14.11 | 100  | 73   | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5752.06 | 54.30  | 63.43  | -9.13 | 68.20  | -13.90 | 100  | 72   | RMS  | Vertical |           |      |
| 2 * | 6545.00 | 94.04  | 103.05 | -8.21 | 68.20  | 26.64  | 100  | 72   | RMS  | Vertical |           |      |
| 3   | 7222.20 | 53.71  | 62.22  | -8.51 | 68.20  | -14.49 | 100  | 72   | RMS  | Vertical |           |      |


**802.11ax HE160**

**CH111 (Horizontal) Peak**

**CH111 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Factor | Limit  | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|-----|---------|--------|--------|--------|--------|--------|------|------|--------|------------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m   | dBuV/m | dB     | cm   | deg  |        |            |      |
| 1   | 5909.02 | 64.98  | 73.98  | -9.00  | 88.20  | -23.22 | 100  | 68   | Peak   | Horizontal |      |
| 2 * | 6505.00 | 107.70 | 115.97 | -8.27  | 88.20  | 19.50  | 100  | 68   | Peak   | Horizontal |      |
| 3   | 7197.36 | 64.42  | 72.94  | -8.52  | 88.20  | -23.78 | 100  | 68   | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Factor | Limit  | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|-----|---------|--------|--------|--------|--------|--------|------|------|--------|------------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m   | dBuV/m | dB     | cm   | deg  |        |            |      |
| 1   | 5901.46 | 64.46  | 73.47  | -9.01  | 88.20  | -23.74 | 100  | 233  | Peak   | Horizontal |      |
| 2 * | 6505.00 | 106.54 | 114.81 | -8.27  | 88.20  | 18.34  | 100  | 233  | Peak   | Horizontal |      |
| 3   | 7127.16 | 64.55  | 73.11  | -8.56  | 88.20  | -23.65 | 100  | 233  | Peak   | Horizontal |      |


802.11ax HE160

CH111 (Horizontal) RMS

CH111 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 5785.98 | 52.96  | 62.01  | -9.05 | 68.20  | -15.24 | 100  | 68   | RMS  | Horizontal |           |      |
| 2 | 6505.00 | 92.45  | 100.72 | -8.27 | 68.20  | 24.25  | 100  | 68   | RMS  | Horizontal |           |      |
| 3 | 7245.98 | 53.13  | 61.63  | -8.50 | 68.20  | -15.07 | 100  | 68   | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 5785.26 | 53.01  | 62.06  | -9.05 | 68.20  | -15.19 | 100  | 233  | RMS  | Horizontal |           |      |
| 2 | 6505.00 | 92.17  | 100.44 | -8.27 | 68.20  | 23.97  | 100  | 233  | RMS  | Horizontal |           |      |
| 3 | 7190.34 | 53.15  | 61.67  | -8.52 | 68.20  | -15.05 | 100  | 233  | RMS  | Horizontal |           |      |

**U-NII 7**


**802.11ax HE20**

**CH117 (Horizontal) Peak**

**CH117 (Vertical) Peak**



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5834.75 | 65.79  | 74.84  | -9.05 | 88.20  | -22.41 | 100  | 238  | Peak | Horizontal |           |      |
| 2 * | 6535.00 | 106.64 | 114.87 | -8.23 | 88.20  | 18.44  | 100  | 238  | Peak | Horizontal |           |      |
| 3   | 7225.44 | 67.18  | 75.61  | -8.51 | 88.20  | -21.10 | 100  | 238  | Peak | Horizontal |           |      |



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5782.02 | 65.55  | 74.61  | -9.06 | 88.20  | -22.65 | 100  | 93   | Peak | Vertical |           |      |
| 2 * | 6535.00 | 105.07 | 113.30 | -8.23 | 88.20  | 16.87  | 100  | 93   | Peak | Vertical |           |      |
| 3   | 7144.62 | 66.05  | 74.60  | -8.55 | 88.20  | -22.15 | 100  | 93   | Peak | Vertical |           |      |


**802.11ax HE20**

**CH117 (Horizontal) RMS**

**CH117 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5791.56 | 53.80  | 62.83  | -9.03 | 68.20  | -14.40 | 100  | 238  | RMS  | Horizontal |           |      |
| 2 * | 6535.00 | 94.06  | 102.29 | -8.23 | 68.20  | 25.06  | 100  | 238  | RMS  | Horizontal |           |      |
| 3   | 7164.96 | 53.43  | 61.97  | -8.54 | 68.20  | -14.77 | 100  | 238  | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5793.00 | 53.80  | 62.82  | -9.02 | 68.20  | -14.40 | 100  | 93   | RMS  | Vertical |           |      |
| 2 * | 6535.00 | 92.28  | 100.51 | -8.23 | 68.20  | 24.08  | 100  | 93   | RMS  | Vertical |           |      |
| 3   | 7222.02 | 53.22  | 61.73  | -8.51 | 68.20  | -14.98 | 100  | 93   | RMS  | Vertical |           |      |


**802.11ax HE20**

**CH149 (Horizontal) Peak**

**CH149 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 5893.98 | 65.31  | 74.32  | -9.01 | 88.20  | -22.89 | 100  | 90   | Peak | Horizontal |           |      |
| 2 | 6695.00 | 107.88 | 116.20 | -8.32 | 88.20  | 19.68  | 100  | 90   | Peak | Horizontal |           |      |
| 3 | 7214.10 | 66.38  | 74.90  | -8.52 | 88.20  | -21.82 | 100  | 90   | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 5756.10 | 65.38  | 74.51  | -9.13 | 88.20  | -22.82 | 260  | 212  | Peak | Vertical |           |      |
| 2 | 6695.00 | 106.85 | 115.17 | -8.32 | 88.20  | 18.65  | 260  | 212  | Peak | Vertical |           |      |
| 3 | 7240.56 | 65.14  | 73.64  | -8.50 | 88.20  | -23.06 | 260  | 212  | Peak | Vertical |           |      |


**802.11ax HE20**

**CH149 (Horizontal) RMS**

**CH149 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 5783.28 | 53.87  | 62.92  | -9.05 | 68.20  | -14.33 | 100  | 90   | RMS  | Horizontal |           |      |
| 2 | 6695.00 | 95.48  | 103.80 | -8.32 | 68.20  | 27.20  | 100  | 90   | RMS  | Horizontal |           |      |
| 3 | 7233.36 | 53.48  | 61.99  | -8.51 | 68.20  | -14.72 | 100  | 90   | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 5798.58 | 53.78  | 62.79  | -9.01 | 68.20  | -14.42 | 260  | 212  | RMS  | Vertical |           |      |
| 2 | 6695.00 | 94.38  | 102.62 | -8.32 | 68.20  | 26.10  | 260  | 212  | RMS  | Vertical |           |      |
| 3 | 7240.02 | 53.55  | 62.05  | -8.50 | 68.20  | -14.65 | 260  | 212  | RMS  | Vertical |           |      |


**802.11ax HE20**

**CH181 (Horizontal) Peak**

**CH181 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5868.32 | 65.54  | 74.61  | -9.07 | 88.20  | -22.66 | 100  | 238  | Peak | Horizontal |           |      |
| 2 * | 6855.00 | 104.87 | 113.30 | -8.43 | 88.20  | 16.67  | 100  | 238  | Peak | Horizontal |           |      |
| 3   | 7170.00 | 64.97  | 73.50  | -8.53 | 88.20  | -23.23 | 100  | 238  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5723.70 | 65.49  | 74.75  | -9.26 | 88.20  | -22.71 | 100  | 64   | Peak | Vertical |           |      |
| 2 * | 6855.00 | 105.73 | 114.16 | -8.43 | 88.20  | 17.53  | 100  | 64   | Peak | Vertical |           |      |
| 3   | 7137.06 | 64.15  | 72.71  | -8.56 | 88.20  | -24.05 | 100  | 64   | Peak | Vertical |           |      |


802.11ax HE20

CH181 (Horizontal) RMS

CH181 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5591.58 | 53.86  | 63.24  | -9.38 | 68.20  | -14.34 | 100  | 238  | RMS  | Horizontal |           |      |
| 2 * | 6855.00 | 92.56  | 100.99 | -8.43 | 68.20  | 24.36  | 100  | 238  | RMS  | Horizontal |           |      |
| 3   | 7242.36 | 53.35  | 61.85  | -8.50 | 68.20  | -14.85 | 100  | 238  | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322





|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5477.46 | 53.77  | 63.24  | -9.47 | 68.20  | -14.43 | 100  | 64   | RMS  | Vertical |           |      |
| 2 * | 6855.00 | 94.48  | 102.91 | -8.43 | 68.20  | 26.28  | 100  | 64   | RMS  | Vertical |           |      |
| 3   | 7239.48 | 53.48  | 61.98  | -8.50 | 68.20  | -14.72 | 100  | 64   | RMS  | Vertical |           |      |

**802.11ax HE20**

**CH185 (Horizontal) Peak**

**CH185 (Vertical) Peak**




**802.11ax HE20**

**CH185 (Horizontal) RMS**

**CH185 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos    | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|---------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm      | deg  |            |           |      |
| 1   | 5792.64 | 53.85  | 62.87  | -9.02 | 68.20  | -14.35 | 100  | 239 RMS |      | Horizontal |           |      |
| 2 * | 6875.00 | 92.04  | 100.52 | -8.48 | 68.20  | 23.04  | 100  | 239 RMS |      | Horizontal |           |      |
| 3   | 7236.96 | 53.62  | 62.12  | -8.50 | 68.20  | -14.58 | 100  | 239 RMS |      | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos   | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|--------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm     | deg  |          |           |      |
| 1   | 5795.52 | 53.82  | 62.84  | -9.02 | 68.20  | -14.38 | 100  | 84 RMS |      | Vertical |           |      |
| 2 * | 6875.00 | 94.29  | 102.77 | -8.48 | 68.20  | 26.09  | 100  | 84 RMS |      | Vertical |           |      |
| 3   | 7234.62 | 53.31  | 61.81  | -8.50 | 68.20  | -14.89 | 100  | 84 RMS |      | Vertical |           |      |


**802.11ax HE40**

**CH123 (Horizontal) Peak**

**CH123 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5787.78 | 65.23  | 74.26  | -9.03 | 88.20  | -22.97 | 100  | 89   | Peak | Horizontal |           |      |
| 2 * | 6565.00 | 109.94 | 118.16 | -8.22 | 88.20  | 21.74  | 100  | 89   | Peak | Horizontal |           |      |
| 3   | 7141.02 | 64.82  | 73.37  | -8.55 | 88.20  | -23.38 | 100  | 89   | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5833.68 | 65.44  | 74.49  | -9.05 | 88.20  | -22.76 | 100  | 90   | Peak | Vertical |           |      |
| 2 * | 6565.00 | 109.12 | 114.34 | -8.22 | 88.20  | 17.92  | 100  | 90   | Peak | Vertical |           |      |
| 3   | 7175.76 | 65.68  | 74.13  | -8.53 | 88.20  | -22.60 | 100  | 90   | Peak | Vertical |           |      |


**802.11ax HE40**

**CH123 (Horizontal) RMS**

**CH123 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5789.04 | 53.77  | 62.80  | -9.03 | 68.20  | -14.43 | 100  | 89   | RMS  | Horizontal |           |      |
| 2 * | 6565.00 | 97.44  | 105.66 | -8.22 | 68.20  | 29.24  | 100  | 89   | RMS  | Horizontal |           |      |
| 3   | 7249.38 | 53.43  | 61.93  | -8.50 | 68.20  | -14.77 | 100  | 89   | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5793.90 | 53.86  | 62.88  | -9.02 | 68.20  | -14.34 | 100  | 90   | RMS  | Vertical |           |      |
| 2 * | 6565.00 | 93.69  | 101.91 | -8.22 | 68.20  | 25.49  | 100  | 90   | RMS  | Vertical |           |      |
| 3   | 7237.86 | 53.47  | 61.97  | -8.50 | 68.20  | -14.73 | 100  | 90   | RMS  | Vertical |           |      |


**802.11ax HE40**

**CH155 (Horizontal) Peak**

**CH155 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5834.40 | 65.87  | 74.92  | -9.05 | 88.20  | -22.33 | 100  | 78   | Peak | Horizontal |           |      |
| 2 * | 6725.00 | 106.40 | 116.78 | -8.38 | 88.20  | 28.20  | 100  | 78   | Peak | Horizontal |           |      |
| 3   | 7223.64 | 65.26  | 73.77  | -8.51 | 88.20  | -22.94 | 100  | 78   | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5567.82 | 65.09  | 74.57  | -9.48 | 88.20  | -23.11 | 100  | 118  | Peak | Vertical |           |      |
| 2 * | 6725.00 | 105.43 | 113.81 | -8.38 | 88.20  | 17.23  | 100  | 118  | Peak | Vertical |           |      |
| 3   | 7146.96 | 64.93  | 73.48  | -8.55 | 88.20  | -23.27 | 100  | 118  | Peak | Vertical |           |      |


**802.11ax HE40**

**CH155 (Horizontal) RMS**

**CH155 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 5798.22 | 53.69  | 62.75  | -9.06 | 68.20  | -14.51 | 100  | 78   | RMS  | Horizontal |           |      |
| 2 | 6725.00 | 94.61  | 102.99 | -8.38 | 68.20  | 26.41  | 100  | 78   | RMS  | Horizontal |           |      |
| 3 | 7193.94 | 53.45  | 61.97  | -8.52 | 68.20  | -14.75 | 100  | 78   | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 5742.60 | 53.74  | 62.91  | -9.17 | 68.20  | -14.46 | 100  | 118  | RMS  | Vertical |           |      |
| 2 | 6725.00 | 92.66  | 101.04 | -8.38 | 68.20  | 24.46  | 100  | 118  | RMS  | Vertical |           |      |
| 3 | 7248.66 | 53.77  | 62.27  | -8.50 | 68.20  | -14.43 | 100  | 118  | RMS  | Vertical |           |      |


**802.11ax HE40**

**CH179 (Horizontal) Peak**

**CH179 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5824.06 | 65.82  | 74.86  | -9.04 | 88.20  | -22.38 | 100  | 233  | Peak | Horizontal |           |      |
| 2 * | 6845.00 | 105.22 | 113.62 | -8.40 | 88.20  | 17.02  | 100  | 233  | Peak | Horizontal |           |      |
| 3   | 7186.92 | 65.73  | 74.25  | -8.52 | 88.20  | -22.47 | 100  | 233  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5846.28 | 65.70  | 74.76  | -9.06 | 88.20  | -22.50 | 100  | 351  | Peak | Vertical |           |      |
| 2 * | 6845.00 | 105.67 | 114.07 | -8.40 | 88.20  | 17.47  | 100  | 351  | Peak | Vertical |           |      |
| 3   | 7243.26 | 64.50  | 73.00  | -8.50 | 88.20  | -23.70 | 100  | 351  | Peak | Vertical |           |      |