



Report No.: SEWM2304000133RG01

Rev.: 01 Page: 1 of 8

Appendix B.12

LTE Band 26(824-849)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-an-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issued seftlend therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

or email: CN.Doccheck@sgs.com

I South of No. 6 Plant. No. 1. Runsheng Road. Suzhou Industrial Park. Suzhou Area. China (Jiangsu) Pilot Free Trade Zone 215000

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 v t (86–512) 62992980 s

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2304000133RG01

Rev.: 01 Page: 2 of 8

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	ERP(dBm)	Limit(dBm)	Verdict
Band26	1.4MHz	QPSK	26797	1RB#0	23.53	24.25	38.45	PASS
Band26	1.4MHz	QPSK	26797	1RB#2	23.57	24.29	38.45	PASS
Band26	1.4MHz	QPSK	26797	1RB#5	23.48	24.20	38.45	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	22.58	23.30	38.45	PASS
Band26	1.4MHz	QPSK	26915	1RB#0	23.59	24.31	38.45	PASS
Band26	1.4MHz	QPSK	26915	1RB#2	23.58	24.30	38.45	PASS
Band26	1.4MHz	QPSK	26915	1RB#5	23.52	24.24	38.45	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	22.70	23.42	38.45	PASS
Band26	1.4MHz	QPSK	27033	1RB#0	23.58	24.30	38.45	PASS
Band26	1.4MHz	QPSK	27033	1RB#2	23.65	24.37	38.45	PASS
Band26	1.4MHz	QPSK	27033	1RB#5	23.54	24.26	38.45	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	22.72	23.44	38.45	PASS
Band26	1.4MHz	16QAM	26797	1RB#0	22.79	23.51	38.45	PASS
Band26	1.4MHz	16QAM	26797	1RB#2	22.88	23.60	38.45	PASS
Band26	1.4MHz	16QAM	26797	1RB#5	22.71	23.43	38.45	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	21.71	22.43	38.45	PASS
Band26	1.4MHz	16QAM	26915	1RB#0	22.75	23.47	38.45	PASS
Band26	1.4MHz	16QAM	26915	1RB#2	22.77	23.49	38.45	PASS
Band26	1.4MHz	16QAM	26915	1RB#5	22.70	23.42	38.45	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	21.77	22.49	38.45	PASS
Band26	1.4MHz	16QAM	27033	1RB#0	22.75	23.47	38.45	PASS
Band26	1.4MHz	16QAM	27033	1RB#2	22.84	23.56	38.45	PASS
Band26	1.4MHz	16QAM	27033	1RB#5	22.81	23.53	38.45	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	21.68	22.40	38.45	PASS
Band26	3MHz	QPSK	26805	1RB#0	23.58	24.30	38.45	PASS
Band26	3MHz	QPSK	26805	1RB#8	23.54	24.26	38.45	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-And

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sg t (86–512) 62992980 sgs.chii



Report No.: SEWM2304000133RG01

Rev.: 01 3 of 8 Page:

					Page:	3 of 8)	
Band26	3MHz	QPSK	26805	1RB#14	23.50	24.22	38.45	PASS
Band26	3MHz	QPSK	26805	15RB#0	22.67	23.39	38.45	PASS
Band26	3MHz	QPSK	26915	1RB#0	23.62	24.34	38.45	PASS
Band26	3MHz	QPSK	26915	1RB#8	23.64	24.36	38.45	PASS
Band26	3MHz	QPSK	26915	1RB#14	23.56	24.28	38.45	PASS
Band26	3MHz	QPSK	26915	15RB#0	22.71	23.43	38.45	PASS
Band26	3MHz	QPSK	27025	1RB#0	23.69	24.41	38.45	PASS
Band26	3MHz	QPSK	27025	1RB#8	23.63	24.35	38.45	PASS
Band26	3MHz	QPSK	27025	1RB#14	23.60	24.32	38.45	PASS
Band26	3MHz	QPSK	27025	15RB#0	22.76	23.48	38.45	PASS
Band26	3MHz	16QAM	26805	1RB#0	22.83	23.55	38.45	PASS
Band26	3MHz	16QAM	26805	1RB#8	22.78	23.50	38.45	PASS
Band26	3MHz	16QAM	26805	1RB#14	22.83	23.55	38.45	PASS
Band26	3MHz	16QAM	26805	15RB#0	21.69	22.41	38.45	PASS
Band26	3MHz	16QAM	26915	1RB#0	22.94	23.66	38.45	PASS
Band26	3MHz	16QAM	26915	1RB#8	22.94	23.66	38.45	PASS
Band26	3MHz	16QAM	26915	1RB#14	22.84	23.56	38.45	PASS
Band26	3MHz	16QAM	26915	15RB#0	21.76	22.48	38.45	PASS
Band26	3MHz	16QAM	27025	1RB#0	22.83	23.55	38.45	PASS
Band26	3MHz	16QAM	27025	1RB#8	22.91	23.63	38.45	PASS
Band26	3MHz	16QAM	27025	1RB#14	22.85	23.57	38.45	PASS
Band26	3MHz	16QAM	27025	15RB#0	21.76	22.48	38.45	PASS
Band26	5MHz	QPSK	26815	1RB#0	23.62	24.34	38.45	PASS
Band26	5MHz	QPSK	26815	1RB#12	23.57	24.29	38.45	PASS
Band26	5MHz	QPSK	26815	1RB#24	23.63	24.35	38.45	PASS
Band26	5MHz	QPSK	26815	25RB#0	22.73	23.45	38.45	PASS
Band26	5MHz	QPSK	26915	1RB#0	23.67	24.39	38.45	PASS
Band26	5MHz	QPSK	26915	1RB#12	23.60	24.32	38.45	PASS
Band26	5MHz	QPSK	26915	1RB#24	23.71	24.43	38.45	PASS
Band26	5MHz	QPSK	26915	25RB#0	22.72	23.44	38.45	PASS
Band26	5MHz	QPSK	27015	1RB#0	23.70	24.42	38.45	PASS
Band26	5MHz	QPSK	27015	1RB#12	23.65	24.37	38.45	PASS
Band26	5MHz	QPSK	27015	1RB#24	23.63	24.35	38.45	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-And

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2304000133RG01

Rev.: 01 4 of 8 Page:

Band26 5MHz 16QAM 26815 1RB#0 22.85 23.57 38.45 PA Band26 5MHz 16QAM 26815 1RB#12 22.90 23.62 38.45 PA Band26 5MHz 16QAM 26815 1RB#24 22.95 23.67 38.45 PA Band26 5MHz 16QAM 26815 25RB#0 21.75 22.47 38.45 PA	488 488 488 488
Band26 5MHz 16QAM 26815 1RB#12 22.90 23.62 38.45 Page 1 Band26 5MHz 16QAM 26815 1RB#24 22.95 23.67 38.45 Page 2 Band26 5MHz 16QAM 26815 25RB#0 21.75 22.47 38.45 Page 2	4SS 4SS 4SS
Band26 5MHz 16QAM 26815 1RB#24 22.95 23.67 38.45 Paragraph Band26 5MHz 16QAM 26815 25RB#0 21.75 22.47 38.45 Paragraph	ASS ASS
Band26 5MHz 16QAM 26815 25RB#0 21.75 22.47 38.45 P.	ASS
Band26 5MHz 16OAM 26915 1RR#0 22.94 23.66 38.45 P	100
Bullid20 Olvil 12 Tog/ livi 200 TO Trustion 22.04 20.00 00.40 Trustion	ASS
Band26 5MHz 16QAM 26915 1RB#12 22.98 23.70 38.45 P.	ASS
Band26 5MHz 16QAM 26915 1RB#24 23.02 23.74 38.45 Page 1	ASS
Band26 5MHz 16QAM 26915 25RB#0 21.73 22.45 38.45 P.	ASS
Band26 5MHz 16QAM 27015 1RB#0 22.96 23.68 38.45 Page 1	ASS
Band26 5MHz 16QAM 27015 1RB#12 22.95 23.67 38.45 P.	ASS
Band26 5MHz 16QAM 27015 1RB#24 22.82 23.54 38.45 P.	ASS
Band26 5MHz 16QAM 27015 25RB#0 21.78 22.50 38.45 P.	ASS
Band26 10MHz QPSK 26840 1RB#0 23.62 24.34 38.45 P.	ASS
Band26 10MHz QPSK 26840 1RB#24 23.69 24.41 38.45 P.	ASS
Band26 10MHz QPSK 26840 1RB#49 23.60 24.32 38.45 P.	ASS
Band26 10MHz QPSK 26840 50RB#0 22.76 23.48 38.45 P.	ASS
Band26 10MHz QPSK 26915 1RB#0 23.67 24.39 38.45 PA	ASS
Band26 10MHz QPSK 26915 1RB#24 23.64 24.36 38.45 Page 1	ASS
Band26 10MHz QPSK 26915 1RB#49 23.70 24.42 38.45 Page 1	ASS
Band26 10MHz QPSK 26915 50RB#0 22.71 23.43 38.45 Page 1	ASS
Band26 10MHz QPSK 26990 1RB#0 23.75 24.47 38.45 Page 1	ASS
Band26 10MHz QPSK 26990 1RB#24 23.75 24.47 38.45 P.	ASS
Band26 10MHz QPSK 26990 1RB#49 23.66 24.38 38.45 P.	ASS
Band26 10MHz QPSK 26990 50RB#0 22.79 23.51 38.45 Page 1	ASS
Band26 10MHz 16QAM 26840 1RB#0 22.88 23.60 38.45 P.	ASS
Band26 10MHz 16QAM 26840 1RB#24 22.97 23.69 38.45 P.	ASS
Band26 10MHz 16QAM 26840 1RB#49 22.87 23.59 38.45 P.	ASS
Band26 10MHz 16QAM 26840 50RB#0 21.78 22.50 38.45 P.	ASS
Band26 10MHz 16QAM 26915 1RB#0 22.94 23.66 38.45 P.	ASS
Band26 10MHz 16QAM 26915 1RB#24 22.82 23.54 38.45 P.	ASS
Band26 10MHz 16QAM 26915 1RB#49 22.85 23.57 38.45 P.	ASS
Band26 10MHz 16QAM 26915 50RB#0 21.74 22.46 38.45 P.	ASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-And

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2304000133RG01

Rev.: 01 5 of 8 Page:

Band26 1 Band26 1 Band26 1	0MHz 0MHz 0MHz 0MHz 5MHz	16QAM 16QAM 16QAM	26990 26990 26990	1RB#0 1RB#24 1RB#49	23.05 23.00	23.77	38.45 38.45	PASS PASS
Band26 1 Band26 1	0MHz 0MHz	16QAM	26990		23.00	23.72	38.45	PASS
Band26 1	0MHz			1DR#40				
		16QAM		1170#48	22.79	23.51	38.45	PASS
-	5MHz		26990	50RB#0	21.82	22.54	38.45	PASS
Band26 1		QPSK	26865	1RB#0	23.61	24.33	38.45	PASS
Band26 1	5MHz	QPSK	26865	1RB#38	23.70	24.42	38.45	PASS
Band26 1	5MHz	QPSK	26865	1RB#74	23.62	24.34	38.45	PASS
Band26 1	5MHz	QPSK	26865	75RB#0	22.74	23.46	38.45	PASS
Band26 1	5MHz	QPSK	26915	1RB#0	23.69	24.41	38.45	PASS
Band26 1	5MHz	QPSK	26915	1RB#38	23.63	24.35	38.45	PASS
Band26 1	5MHz	QPSK	26915	1RB#74	23.71	24.43	38.45	PASS
Band26 1	5MHz	QPSK	26915	75RB#0	22.68	23.40	38.45	PASS
Band26 1	5MHz	QPSK	26965	1RB#0	23.68	24.40	38.45	PASS
Band26 1	5MHz	QPSK	26965	1RB#38	23.75	24.47	38.45	PASS
Band26 1	5MHz	QPSK	26965	1RB#74	23.60	24.32	38.45	PASS
Band26 1	5MHz	QPSK	26965	75RB#0	22.66	23.38	38.45	PASS
Band26 1	5MHz	16QAM	26865	1RB#0	22.87	23.59	38.45	PASS
Band26 1	5MHz	16QAM	26865	1RB#38	22.87	23.59	38.45	PASS
Band26 1	5MHz	16QAM	26865	1RB#74	22.90	23.62	38.45	PASS
Band26 1	5MHz	16QAM	26865	75RB#0	21.77	22.49	38.45	PASS
Band26 1	5MHz	16QAM	26915	1RB#0	23.00	23.72	38.45	PASS
Band26 1	5MHz	16QAM	26915	1RB#38	22.87	23.59	38.45	PASS
Band26 1	5MHz	16QAM	26915	1RB#74	23.02	23.74	38.45	PASS
Band26 1	5MHz	16QAM	26915	75RB#0	21.73	22.45	38.45	PASS
Band26 1	5MHz	16QAM	26965	1RB#0	22.94	23.66	38.45	PASS
Band26 1	5MHz	16QAM	26965	1RB#38	23.02	23.74	38.45	PASS
Band26 1	5MHz	16QAM	26965	1RB#74	22.82	23.54	38.45	PASS
Band26 1	5MHz	16QAM	26965	75RB#0	21.70	22.42	38.45	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-And

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2304000133RG01

Rev.: 01 Page: 6 of 8

Field Strength of Spurious Radiation

Test Band = LTE_26 _TM1 Test Channel = 15MHz_LCH

Final D	Final Data List												
NO.	Freq.	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Polarity			
	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]				
1	1649.8325	70.55	-52.87	25.90	-51.68	-13.00	38.68	125	193	Horizontal			
2	2201.5601	54.08	-51.93	27.69	-65.42	-13.00	52.42	366	207	Horizontal			
3	3818.9409	52.81	-48.19	30.46	-60.18	-13.00	47.18	287	267	Horizontal			
4	5125.3563	51.11	-44.18	33.55	-54.78	-13.00	41.78	149	351	Horizontal			
5	7348.0174	48.73	-42.85	36.91	-52.47	-13.00	39.47	321	141	Horizontal			
6	9977.4989	47.87	-39.57	38.69	-48.27	-13.00	35.27	119	321	Horizontal			

Final D	Final Data List												
NO.	Freq.	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Polarity			
	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	lolality			
1	1649.8325	65.47	-52.87	25.90	-56.76	-13.00	43.76	289	130	Vertical			
2	2106.6053	54.77	-52.11	27.49	-65.11	-13.00	52.11	362	144	Vertical			
3	3295.1148	52.56	-49.74	30.69	-61.75	-13.00	48.75	244	144	Vertical			
4	5506.9753	50.75	-43.19	33.11	-54.59	-13.00	41.59	221	90	Vertical			
5	7915.9458	49.21	-42.30	37.43	-50.92	-13.00	37.92	179	144	Vertical			
6	9009.5005	49.14	-40.71	38.78	-48.05	-13.00	35.05	220	344	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thittp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and juryaldiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SEWM2304000133RG01

Rev.: 01 7 of 8 Page:

Test Band = LTE_26 _TM1 Test Channel = 15MHz_MCH

Final D	Final Data List												
NO	Freq.	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Delevite			
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	1659.733	67.33	-52.83	25.88	-54.88	-13.00	41.88	216	206	Horizontal			
2	2197.5099	53.70	-51.94	27.69	-65.81	-13.00	52.81	332	329	Horizontal			
3	3285.2143	52.96	-49.77	30.67	-61.40	-13.00	48.40	221	162	Horizontal			
4	5133.9067	51.08	-44.23	33.57	-54.84	-13.00	41.84	151	261	Horizontal			
5	7456.9228	49.62	-42.80	36.69	-51.75	-13.00	38.75	178	231	Horizontal			
6	9739.887	46.85	-38.94	38.78	-48.57	-13.00	35.57	263	187	Horizontal			

Final D	Final Data List												
NO.	Freq.	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Polarity			
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	lolanty			
1	1659.733	65.19	-52.83	25.88	-57.02	-13.00	44.02	346	192	Vertical			
2	2548.0774	53.69	-50.91	28.29	-64.19	-13.00	51.19	221	354	Vertical			
3	3633.0817	53.35	-49.33	30.33	-60.91	-13.00	47.91	334	325	Vertical			
4	5132.1066	51.32	-44.22	33.56	-54.60	-13.00	41.60	147	119	Vertical			
5	7375.4688	49.18	-42.66	36.85	-51.89	-13.00	38.89	256	226	Vertical			
6	9602.6301	47.10	-39.38	39.18	-48.36	-13.00	35.36	298	197	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-And



Report No.: SEWM2304000133RG01

Rev.: 01 Page: 8 of 8

Test Band = LTE_26 _TM1 Test Channel = 15MHz_HCH

Final D	Final Data List												
NO	Freq.	Reading	Factor	AF	Level	Limit	Margin	Height	Angle				
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	1669.6335	62.70	-52.78	25.86	-59.48	-13.00	46.48	189	187	Horizontal			
2	2545.3773	53.43	-50.93	28.27	-64.49	-13.00	51.49	152	80	Horizontal			
3	3558.8279	52.30	-49.05	30.12	-61.89	-13.00	48.89	214	114	Horizontal			
4	4979.099	51.51	-44.04	33.14	-54.65	-13.00	41.65	221	314	Horizontal			
5	7373.2187	49.11	-42.67	36.85	-51.97	-13.00	38.97	146	163	Horizontal			
6	9048.6524	48.24	-40.10	38.70	-48.42	-13.00	35.42	398	20	Horizontal			

Final D	Final Data List												
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	1669.6335	64.74	-52.78	25.86	-57.44	-13.00	44.44	301	221	Vertical			
2	2877.0439	53.07	-50.46	29.01	-63.64	-13.00	50.64	299	103	Vertical			
3	3941.7971	52.04	-47.97	30.85	-60.34	-13.00	47.34	224	182	Vertical			
4	5142.4571	50.95	-44.28	33.58	-55.01	-13.00	42.01	148	152	Vertical			
5	7576.1788	49.06	-42.06	36.75	-51.51	-13.00	38.51	226	266	Vertical			
6	9723.2362	47.13	-39.09	38.75	-48.47	-13.00	35.47	321	305	Vertical			

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit - Level

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com