





Test Mode IEEE 802.11a_Aux Antenna





Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5180	3.19	0.11	3.30	-0.95	2.35	-	10.00	Complies
5200	2.98	0.11	3.09	-0.95	2.14	-	10.00	Complies
5240	2.86	0.11	2.97	-0.95	2.02	-	10.00	Complies



Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5260	2.79	0.11	2.90	-	-	11.00	-	Complies
5300	2.66	0.11	2.77	-	-	11.00	-	Complies
5320	2.50	0.11	2.61	-	-	11.00	-	Complies




Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5500	3.04	0.11	3.15	-	-	11.00	-	Complies
5580	3.55	0.11	3.66	-	-	11.00	-	Complies
5700	3.50	0.11	3.61	-	-	11.00	-	Complies
5720	0.58	0.11	0.69	-	-	11.00	-	Complies




Frequency	Maximum Power Spectral Density		Duty Factor	Measured Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/100kHz)	(dBm/500kHz)	(dB)	(dBm/500kHz)	(dBm/500kHz)	(dBm/500kHz)	
5720	-1.94	5.05	0.11	5.16	30.00	-	Complies
5745	1.04	8.03	0.11	8.14	30.00	-	Complies
5785	0.98	7.97	0.11	8.08	30.00	-	Complies
5825	0.76	7.75	0.11	7.86	30.00	-	Complies

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11n (HT20)_Main Antenna
-----------	----------------------------------





Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5180	-0.15	0.06	-0.09	2.46	2.37	-	10.00	Complies
5200	1.23	0.06	1.29	2.46	3.75	-	10.00	Complies
5240	-1.56	0.06	-1.50	2.46	0.96	-	10.00	Complies



Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5260	-0.26	0.06	-0.20	-	-	11.00	-	Complies
5300	-0.74	0.06	-0.68	-	-	11.00	-	Complies
5320	0.16	0.06	0.22	-	-	11.00	-	Complies




Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5500	-0.72	0.06	-0.66	-	-	11.00	-	Complies
5580	0.49	0.06	0.55	-	-	11.00	-	Complies
5700	-0.77	0.06	-0.71	-	-	11.00	-	Complies
5700	0.34	0.06	0.40	-	-	11.00	-	Complies




Frequency	Maximum Power Spectral Density		Duty Factor	Measured Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/100kHz)	(dBm/500kHz)	(dB)	(dBm/500kHz)	(dBm/500kHz)	(dBm/500kHz)	
5720	-3.27	3.72	0.06	3.78	30.00	-	Complies
5745	-3.73	3.26	0.06	3.32	30.00	-	Complies
5785	-1.49	5.50	0.06	5.56	30.00	-	Complies
5825	-1.67	5.32	0.06	5.38	30.00	-	Complies

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11n (HT20)_Aux Antenna
-----------	---------------------------------


Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5180	1.42	0.06	1.48	-0.95	0.53	-	10.00	Complies
5200	2.86	0.06	2.92	-0.95	1.97	-	10.00	Complies
5240	2.74	0.06	2.80	-0.95	1.85	-	10.00	Complies




Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5260	2.75	0.06	2.81	-	-	11.00	-	Complies
5300	2.32	0.06	2.38	-	-	11.00	-	Complies
5320	2.10	0.06	2.16	-	-	11.00	-	Complies




Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5500	2.70	0.06	2.76	-	-	11.00	-	Complies
5580	3.07	0.06	3.13	-	-	11.00	-	Complies
5700	2.95	0.06	3.01	-	-	11.00	-	Complies
5720	-0.37	0.06	-0.31	-	-	11.00	-	Complies




Date: 30.DEC.2020 15:39:22



Date: 30.DEC.2020 15:40:19




Date: 30.DEC.2020 15:41:30



Date: 5.JAN.2021 14:28:11


Frequency	Maximum Power Spectral Density		Duty Factor	Measured Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/100kHz)	(dBm/500kHz)	(dB)	(dBm/500kHz)	(dBm/500kHz)	(dBm/500kHz)	
5720	-3.25	3.74	0.06	3.80	30.00	-	Complies
5745	0.44	7.43	0.06	7.49	30.00	-	Complies
5785	0.83	7.82	0.06	7.88	30.00	-	Complies
5825	0.39	7.38	0.06	7.44	30.00	-	Complies

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11n (HT40)_ Main Antenna
-----------	-----------------------------------





Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5190	-3.78	0.09	-3.69	2.46	-1.23	-	10.00	Complies
5230	-2.96	0.09	-2.87	2.46	-0.41	-	10.00	Complies



Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5270	-3.12	0.09	-3.03	-	-	11.00	-	Complies
5310	-3.41	0.09	-3.32	-	-	11.00	-	Complies




Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5510	-3.22	0.09	-3.13	-	-	11.00	-	Complies
5550	-2.50	0.09	-2.41	-	-	11.00	-	Complies
5670	-4.21	0.09	-4.12	-	-	11.00	-	Complies
5710	-1.30	0.09	-1.21	-	-	11.00	-	Complies




Frequency	Maximum Power Spectral Density		Duty Factor	Measured Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/100kHz)	(dBm/500kHz)	(dB)	(dBm/500kHz)	(dBm/500kHz)	(dBm/500kHz)	
5710	-4.51	2.48	0.09	2.57	30.00	-	Complies
5755	-6.08	0.91	0.09	1.00	30.00	-	Complies
5795	-5.96	1.03	0.09	1.12	30.00	-	Complies

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11n (HT40)_Aux Antenna
-----------	---------------------------------





Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5190	-0.17	0.09	-0.08	-0.95	-1.03	-	10.00	Complies
5230	-0.43	0.09	-0.34	-0.95	-1.29	-	10.00	Complies



Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5270	-0.64	0.09	-0.55	-	-	11.00	-	Complies
5310	-0.91	0.09	-0.82	-	-	11.00	-	Complies




Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5510	-0.32	0.09	-0.23	-	-	11.00	-	Complies
5550	0.14	0.09	0.23	-	-	11.00	-	Complies
5670	0.01	0.09	0.10	-	-	11.00	-	Complies
5710	-1.69	0.09	-1.60	-	-	11.00	-	Complies




Frequency	Maximum Power Spectral Density		Duty Factor	Measured Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/100kHz)	(dBm/500kHz)	(dB)	(dBm/500kHz)	(dBm/500kHz)	(dBm/500kHz)	
5710	-4.84	2.15	0.09	2.24	30.00	-	Complies
5755	-2.81	4.18	0.09	4.27	30.00	-	Complies
5795	-2.70	4.29	0.09	4.38	30.00	-	Complies

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$







Test Mode	IEEE 802.11ac (VHT20)_ Main Antenna
-----------	-------------------------------------





Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5180	1.52	0.06	1.58	2.46	4.04	-	10.00	Complies
5200	0.34	0.06	0.40	2.46	2.86	-	10.00	Complies
5240	-0.75	0.06	-0.69	2.46	1.77	-	10.00	Complies



Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5260	0.10	0.06	0.16	-	-	11.00	-	Complies
5300	-0.82	0.06	-0.76	-	-	11.00	-	Complies
5320	-0.66	0.06	-0.60	-	-	11.00	-	Complies




Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5500	0.38	0.06	0.44	-	-	11.00	-	Complies
5580	0.61	0.06	0.67	-	-	11.00	-	Complies
5700	0.19	0.06	0.25	-	-	11.00	-	Complies
5720	0.34	0.06	0.40	-	-	11.00	-	Complies




Frequency	Maximum Power Spectral Density		Duty Factor	Measured Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/100kHz)	(dBm/500kHz)	(dB)	(dBm/500kHz)	(dBm/500kHz)	(dBm/500kHz)	
5720	-3.29	3.70	0.06	3.76	30.00	-	Complies
5745	-1.58	5.41	0.06	5.47	30.00	-	Complies
5785	-0.82	6.17	0.06	6.23	30.00	-	Complies
5825	-0.96	6.03	0.06	6.09	30.00	-	Complies

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT20)_Aux Antenna
-----------	-----------------------------------





Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5180	0.92	0.06	0.98	-0.95	0.03	-	10.00	Complies
5200	1.40	0.06	1.46	-0.95	0.51	-	10.00	Complies
5240	0.14	0.06	0.20	-0.95	-0.75	-	10.00	Complies



Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5260	2.68	0.06	2.74	-	-	11.00	-	Complies
5300	1.04	0.06	1.10	-	-	11.00	-	Complies
5320	-0.19	0.06	-0.13	-	-	11.00	-	Complies




Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5500	2.57	0.06	2.63	-	-	11.00	-	Complies
5580	0.83	0.06	0.89	-	-	11.00	-	Complies
5700	0.12	0.06	0.18	-	-	11.00	-	Complies
5720	-0.12	0.06	-0.06	-	-	11.00	-	Complies




Frequency	Maximum Power Spectral Density		Duty Factor	Measured Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/100kHz)	(dBm/500kHz)	(dB)	(dBm/500kHz)	(dBm/500kHz)	(dBm/500kHz)	
5720	-3.32	3.67	0.06	3.73	30.00	-	Complies
5745	-0.35	6.64	0.06	6.70	30.00	-	Complies
5785	-0.60	6.39	0.06	6.45	30.00	-	Complies
5825	-0.56	6.43	0.06	6.49	30.00	-	Complies

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT40)_ Main Antenna
-----------	-------------------------------------





Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5190	-2.01	0.09	-1.92	2.46	0.54	-	10.00	Complies
5230	-2.84	0.09	-2.75	2.46	-0.29	-	10.00	Complies



Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5270	-3.23	0.09	-3.14	-	-	11.00	-	Complies
5310	-2.29	0.09	-2.20	-	-	11.00	-	Complies




Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5510	-2.40	0.09	-2.31	-	-	11.00	-	Complies
5550	-2.83	0.09	-2.74	-	-	11.00	-	Complies
5670	-1.77	0.09	-1.68	-	-	11.00	-	Complies
5710	-1.31	0.09	-1.22	-	-	11.00	-	Complies




Frequency	Maximum Power Spectral Density		Duty Factor	Measured Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/100kHz)	(dBm/500kHz)	(dB)	(dBm/500kHz)	(dBm/500kHz)	(dBm/500kHz)	
5710	-4.52	2.47	0.09	2.56	30.00	-	Complies
5755	-5.13	1.86	0.09	1.95	30.00	-	Complies
5795	-3.64	3.35	0.09	3.44	30.00	-	Complies

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT40)_Aux Antenna
-----------	-----------------------------------





Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5190	-0.72	0.09	-0.63	-0.95	-1.58	-	10.00	Complies
5230	-1.18	0.09	-1.09	-0.95	-2.04	-	10.00	Complies



Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5270	-2.49	0.09	-2.40	-	-	11.00	-	Complies
5310	-2.64	0.09	-2.55	-	-	11.00	-	Complies




Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5510	-2.32	0.09	-2.23	-	-	11.00	-	Complies
5550	-0.93	0.09	-0.84	-	-	11.00	-	Complies
5670	-2.33	0.09	-2.24	-	-	11.00	-	Complies
5710	-1.61	0.09	-1.52	-	-	11.00	-	Complies



Frequency	Maximum Power Spectral Density		Duty Factor	Measured Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/100kHz)	(dBm/500kHz)	(dB)	(dBm/500kHz)	(dBm/500kHz)	(dBm/500kHz)	
5710	-4.93	2.06	0.09	2.15	30.00	-	Complies
5755	-4.71	2.28	0.09	2.37	30.00	-	Complies
5795	-3.79	3.20	0.09	3.29	30.00	-	Complies


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT80)_ Main Antenna
-----------	-------------------------------------

Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5210	-5.83	0.09	-5.74	2.46	-3.28	-	10.00	Complies





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210				11.00	Pass



Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5290	-5.41	0.09	-5.32	-	-	11.00	-	Complies




Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5530	-6.05	0.09	-5.96	-	-	11.00	-	Complies
5610	-5.60	0.09	-5.51	-	-	11.00	-	Complies
5690	-0.72	0.09	-0.63	-	-	11.00	-	Complies




Frequency	Maximum Power Spectral Density		Duty Factor	Measured Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/100kHz)	(dBm/500kHz)	(dB)	(dBm/500kHz)	(dBm/500kHz)	(dBm/500kHz)	
5690	-7.35	-0.36	0.09	-0.27	30.00	-	Complies
5775	-9.04	-2.05	0.09	-1.96	30.00	-	Complies

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT80)_Aux Antenna
-----------	-----------------------------------





Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5210	-2.75	0.09	-2.66	-0.95	-3.61	-	10.00	Complies



Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5290	-3.06	0.09	-2.97	-	-	11.00	-	Complies




Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5530	-3.04	0.09	-2.95	-	-	11.00	-	Complies
5610	-4.03	0.09	-3.94	-	-	11.00	-	Complies
5690	-1.08	0.09	-0.99	-	-	11.00	-	Complies




Frequency	Maximum Power Spectral Density		Duty Factor	Measured Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/100kHz)	(dBm/500kHz)	(dB)	(dBm/500kHz)	(dBm/500kHz)	(dBm/500kHz)	
5775	-8.67	-1.68	0.09	-1.59	30.00	-	Complies
5690	-7.47	-0.48	0.09	-0.39	30.00	-	Complies

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT160)_ Main Antenna
-----------	--------------------------------------

Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5250	-8.51	0.04	-8.47	2.46	-6.01	-	10.00	Complies




Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5570	-8.29	0.04	-8.25	-	-	11.00	-	Complies




Test Mode	IEEE 802.11ac (VHT160)_Aux Antenna
-----------	------------------------------------

Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5250	-6.83	0.04	-6.79	-0.95	-7.74	-	10.00	Complies




Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5570	-8.06	0.04	-8.02	-	-	11.00	-	Complies




Test Mode IEEE 802.11ax (HEW20)_Main Antenna


Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5180	-1.89	0.09	-1.80	2.46	0.66	-	10.00	Complies
5180_26 Tone	6.91	0.09	7.00	2.46	9.46	-	10.00	Complies
5180_52 Tone	5.18	0.09	5.27	2.46	7.73	-	10.00	Complies
5180_106 Tone	3.37	0.09	3.46	2.46	5.92	-	10.00	Complies
5200	1.77	0.09	1.86	2.46	4.32	-	10.00	Complies
5240	1.52	0.09	1.61	2.46	4.07	-	10.00	Complies




Date: 4.MAR.2021 11:49:36




Date: 4.MAR.2021 10:39:16







Date: 4.MAR.2021 13:18:59




Date: 4.MAR.2021 13:24:10








Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5260	1.40	0.09	1.49	-	-	11.00	-	Complies
5260_26 Tone	10.80	0.09	10.89		-	11.00	-	Complies
5260_52 Tone	9.38	0.09	9.47		-	11.00	-	Complies
5260_106 Tone	6.54	0.09	6.63		-	11.00	-	Complies
5300	0.90	0.09	0.99	-	-	11.00	-	Complies
5320	0.78	0.09	0.87	-	-	11.00	-	Complies






Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5500	1.61	0.09	1.70	-	-	11.00	-	Complies
5500_26 Tone	10.78	0.09	10.87	-	-	11.00	-	Complies
5500_52 Tone	9.32	0.09	9.41	-	-	11.00	-	Complies
5500_106 Tone	6.27	0.09	6.36	-	-	11.00	-	Complies
5580	2.15	0.09	2.24	-	-	11.00	-	Complies
5700	1.56	0.09	1.65	-	-	11.00	-	Complies
5720	-0.03	0.09	0.06	-	-	11.00	-	Complies






Frequency	Maximum Power Spectral Density		Duty Factor	Measured Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/100kHz)	(dBm/500kHz)	(dB)	(dBm/500kHz)	(dBm/500kHz)	(dBm/500kHz)	
5720	-3.83	3.16	0.09	3.25	30.00	-	Complies
5745	-1.16	5.83	0.09	5.92	30.00	-	Complies
5745_26 Tone	9.39	16.38	0.09	16.47	30.00	-	Complies
5745_52 Tone	6.61	13.60	0.09	13.69	30.00	-	Complies
5745_106 Tone	3.55	10.54	0.09	10.63	30.00	-	Complies
5785	-1.27	5.72	0.09	5.81	30.00	-	Complies
5825	-1.25	5.74	0.09	5.83	30.00	-	Complies

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




5745 MHz 106 Tone




Date: 23.FEB.2021 17:08:04

5785 MHz



Date: 4.JAN.2021 14:39:55


5825 MHz




Date: 4.JAN.2021 14:42:21

Test Mode	IEEE 802.11ax (HEW20)_Aux Antenna
-----------	-----------------------------------


Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5180	1.20	0.09	1.29	-0.95	0.34	-	10.00	Complies
5180_26 Tone	9.61	0.09	9.70	-0.95	8.75	-	10.00	Complies
5180_52 Tone	8.92	0.09	9.01	-0.95	8.06	-	10.00	Complies
5180_106 Tone	6.38	0.09	6.47	-0.95	5.52	-	10.00	Complies
5200	0.22	0.09	0.31	-0.95	-0.64	-	10.00	Complies
5240	1.31	0.09	1.40	-0.95	0.45	-	10.00	Complies




Date: 4.JAN.2021 10:40:33




Date: 23.FEB.2021 13:51:53







Date: 23.FEB.2021 13:53:53




Date: 23.FEB.2021 13:54:52




Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5260	0.19	0.09	0.28	-	-	11.00	-	Complies
5260_26 Tone	10.26	0.09	10.35	-	-	11.00	-	Complies
5260_52 Tone	8.97	0.09	9.06	-	-	11.00	-	Complies
5260_106 Tone	6.19	0.09	6.28	-	-	11.00	-	Complies
5300	-0.71	0.09	-0.62	-	-	11.00	-	Complies
5320	0.71	0.09	0.80	-	-	11.00	-	Complies







Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5500	1.72	0.09	1.81	-	-	11.00	-	Complies
5500_26 Tone	10.90	0.09	10.99	-	-	11.00	-	Complies
5500_52 Tone	9.79	0.09	9.88	-	-	11.00	-	Complies
5500_106 Tone	6.54	0.09	6.63	-	-	11.00	-	Complies
5580	2.06	0.09	2.15	-	-	11.00	-	Complies
5700	-0.88	0.09	-0.79	-	-	11.00	-	Complies
5720	-0.68	0.09	-0.59	-	-	11.00	-	Complies




Date: 4.JAN.2021 10:54:11




Date: 23.FEB.2021 14:09:19



Date: 23.FEB.2021 14:10:15




Date: 23.FEB.2021 14:11:05




Frequency	Maximum Power Spectral Density		Duty Factor	Measured Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/100kHz)	(dBm/500kHz)	(dB)	(dBm/500kHz)	(dBm/500kHz)	(dBm/500kHz)	
5720	-3.85	3.14	0.09	3.23	30.00	-	Complies
5745	-1.76	5.23	0.09	5.32	30.00	-	Complies
5745_26 Tone	8.52	15.51	0.09	15.60	30.00	-	Complies
5745_52 Tone	6.28	13.27	0.09	13.36	30.00	-	Complies
5745_106 Tone	3.45	10.44	0.09	10.53	30.00	-	Complies
5785	-1.66	5.33	0.09	5.42	30.00	-	Complies
5825	-1.98	5.01	0.09	5.10	30.00	-	Complies

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




5745 MHz 106 Tone




Date: 23.FEB.2021 14:15:25

5785 MHz



Date: 4.JAN.2021 10:58:16


5825 MHz




Date: 4.JAN.2021 10:59:17

Test Mode	IEEE 802.11ax (HEW40)_Main Antenna
-----------	------------------------------------


Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5190	-1.43	0.09	-1.34	2.46	1.12	-	10.00	Complies
5190_242 Tone	3.30	0.09	3.39	2.46	5.85	-	10.00	Complies
5230	-1.75	0.09	-1.66	2.46	0.8	-	10.00	Complies




Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5270	-1.98	0.09	-1.89	-	-	11.00	-	Complies
5270_242 Tone	3.04	0.09	3.13	-	-	11.00	-	Complies
5310	-2.37	0.09	-2.28	-	-	11.00	-	Complies




Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5510	-1.70	0.09	-1.61	-	-	11.00	-	Complies
5510_242 Tone	2.93	0.09	3.02	-	-	11.00	-	Complies
5550	-1.35	0.09	-1.26	-	-	11.00	-	Complies
5670	-1.95	0.09	-1.86	-	-	11.00	-	Complies
5710	-2.20	0.09	-2.11	-	-	11.00	-	Complies






Frequency	Maximum Power Spectral Density		Duty Factor	Measured Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/100kHz)	(dBm/500kHz)	(dB)	(dBm/500kHz)	(dBm/500kHz)	(dBm/500kHz)	
5710	-4.98	2.01	0.09	2.10	30.00	-	Complies
5755	-4.55	2.44	0.09	2.53	30.00	-	Complies
5755_242 Tone	0.08	7.07	0.09	7.16	30.00	-	Complies
5795	-4.39	2.60	0.09	2.69	30.00	-	Complies

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HEW40)_Aux Antenna
-----------	-----------------------------------


Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5190	-1.21	0.09	-1.12	-0.95	-2.07	-	10.00	Complies
5190_242 Tone	3.67	0.09	3.76	-0.95	2.81	-	10.00	Complies
5230	-1.49	0.09	-1.40	-0.95	-2.35	-	10.00	Complies




Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5270	-2.83	0.09	-2.74	-	-	11.00	-	Complies
5270_242 Tone	3.48	0.09	3.57	-	-	11.00	-	Complies
5310	-2.16	0.09	-2.07	-	-	11.00	-	Complies




Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5510	-2.41	0.09	-2.32	-	-	11.00	-	Complies
5510_242 Tone	3.17	0.09	3.26	-	-	11.00	-	Complies
5550	-1.18	0.09	-1.09	-	-	11.00	-	Complies
5670	-2.50	0.09	-2.41	-	-	11.00	-	Complies
5710	-2.16	0.09	-2.07	-	-	11.00	-	Complies






Frequency	Maximum Power Spectral Density		Duty Factor	Measured Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/100kHz)	(dBm/500kHz)	(dB)	(dBm/500kHz)	(dBm/500kHz)	(dBm/500kHz)	
5710	-5.47	1.52	0.09	1.61	30.00	-	Complies
5755	-4.52	2.47	0.09	2.56	30.00	-	Complies
5755_242 Tone	-0.05	6.94	0.09	7.03	30.00	-	Complies
5795	-4.34	2.65	0.09	2.74	30.00	-	Complies

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HEW80)_Main Antenna
-----------	------------------------------------


Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5210	-3.53	0.09	-3.44	2.46	-0.98	-	10.00	Complies
5210_484 Tone	0.48	0.09	0.57	2.46	3.03	-	10.00	Complies



Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5290	-4.27	0.09	-4.18	-	-	11.00	-	Complies
5290_484 Tone	0.21	0.09	0.30	-	-	11.00	-	Complies




Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5530	-3.62	0.09	-3.53	-	-	11.00	-	Complies
5530_484 Tone	-0.31	0.09	-0.22	-	-	11.00	-	Complies
5610	-3.47	0.09	-3.38	-	-	11.00	-	Complies
5690	-1.07	0.09	-0.98	-	-	11.00	-	Complies




Frequency	Maximum Power Spectral Density		Duty Factor	Measured Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/100kHz)	(dBm/500kHz)	(dB)	(dBm/500kHz)	(dBm/500kHz)	(dBm/500kHz)	
5690	-7.86	-0.87	0.09	-0.78	30.00	-	Complies
5775	-6.56	0.43	0.09	0.52	30.00	-	Complies
5775_484 Tone	-2.99	4.00	0.09	4.09	30.00	-	Complies

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HEW80)_Aux Antenna
-----------	-----------------------------------





Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5210	-3.60	0.09	-3.51	-0.95	-4.46	-	10.00	Complies
5210_484 Tone	0.57	0.09	0.66	-0.95	-0.29	-	10.00	Complies



Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5290	-4.43	0.09	-4.34	-	-	11.00	-	Complies
5290_484 Tone	0.94	0.09	1.03	-	-	11.00	-	Complies




Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5530	-3.88	0.09	-3.79	-	-	11.00	-	Complies
5530_484 Tone	0.06	0.09	0.15	-	-	11.00	-	Complies
5610	-3.75	0.09	-3.66	-	-	11.00	-	Complies
5690	-1.84	0.09	-1.75	-	-	11.00	-	Complies




Frequency	Maximum Power Spectral Density		Duty Factor	Measured Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Spectral Density Limit	Result
(MHz)	(dBm/100kHz)	(dBm/500kHz)	(dB)	(dBm/500kHz)	(dBm/500kHz)	(dBm/500kHz)	
5690	-8.00	-1.01	0.09	-0.92	30.00	-	Complies
5775	-7.58	-0.59	0.09	-0.50	30.00	-	Complies
5775_484 Tone	-3.16	3.83	0.09	3.92	30.00	-	Complies

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HEW160)_Main Antenna
-----------	-------------------------------------

Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5250	-8.11	0.07	-8.04	2.46	-5.58	-	10.00	Complies
5250_996 Tone	-2.92	0.07	-2.85	2.46	-0.39	-	10.00	Complies




Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5570	-8.07	0.07	-8.00	-	-	11.00	-	Complies
5570_996 Tone	-4.17	0.07	-4.10	-	-	11.00	-	Complies




Test Mode	IEEE 802.11ax (HEW160)_Aux Antenna
-----------	------------------------------------

Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5250	-8.52	0.07	-8.45	-0.95	-9.4	-	10.00	Complies
5250_996 Tone	-2.53	0.07	-2.46	-0.95	-3.41	-	10.00	Complies



Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5570	-8.32	0.07	-8.25	-	-	11.00	-	Complies
5570_996 Tone	-4.23	0.07	-4.16	-	-	11.00	-	Complies



End of Test Report