



### 14.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -65.98      | -25         | 40.98       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -66.3       | -25         | 41.3        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 998.799         | -59.84      | -25         | 34.84       | Pass    | 9701        |
| 1000                  | 2565                 | 1         | RMS      | 2516            | -46.33      | -25         | 21.33       | Pass    | 1566        |
| 2565                  | 2625                 | 1         | RMS      | 2592.9          | 25.78       | 60          | 34.22       | Pass    | 401         |
| 2625                  | 3000                 | 1         | RMS      | 2869.688        | -44.78      | -25         | 19.78       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11918           | -56.7       | -25         | 31.7        | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25869           | -46.78      | -25         | 21.78       | Pass    | 14502       |




#### 14.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -66.92      | -25         | 41.92       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -66.05      | -25         | 41.05       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 880.721         | -59.86      | -25         | 34.86       | Pass    | 9701        |
| 1000                  | 2565                 | 1         | RMS      | 2540            | -46.38      | -25         | 21.38       | Pass    | 1566        |
| 2565                  | 2625                 | 1         | RMS      | 2592.9          | 25.14       | 60          | 34.86       | Pass    | 401         |
| 2625                  | 3000                 | 1         | RMS      | 2867.813        | -44.75      | -25         | 19.75       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7778            | -56.53      | -25         | 31.53       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25896           | -46.82      | -25         | 21.82       | Pass    | 14502       |




#### 14.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -65.31      | -25         | 40.31       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -65.92      | -25         | 40.92       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 872.916         | -59.73      | -25         | 34.73       | Pass    | 9701        |
| 1000                  | 2565                 | 1         | RMS      | 2521            | -46.34      | -25         | 21.34       | Pass    | 1566        |
| 2565                  | 2625                 | 1         | RMS      | 2615.25         | 26.08       | 60          | 33.92       | Pass    | 401         |
| 2625                  | 3000                 | 1         | RMS      | 2625            | -38.98      | -25         | 13.98       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 5231            | -54.24      | -25         | 29.24       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25887           | -46.78      | -25         | 21.78       | Pass    | 14502       |




#### 14.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -65.4       | -25         | 40.4        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -65.83      | -25         | 40.83       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 872.015         | -59.79      | -25         | 34.79       | Pass    | 9701        |
| 1000                  | 2565                 | 1         | RMS      | 2528            | -46.32      | -25         | 21.32       | Pass    | 1566        |
| 2565                  | 2625                 | 1         | RMS      | 2615.4          | 25.12       | 60          | 34.88       | Pass    | 401         |
| 2625                  | 3000                 | 1         | RMS      | 2625            | -40.43      | -25         | 15.43       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11905           | -56.78      | -25         | 31.78       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25897           | -46.75      | -25         | 21.75       | Pass    | 14502       |




**14.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -66.1       | -25         | 41.1        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -65.75      | -25         | 40.75       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 864.91          | -59.75      | -25         | 34.75       | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2553            | -33.7       | -25         | 8.7         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2570.5          | 25.83       | 60          | 34.17       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2871.425        | -44.79      | -25         | 19.79       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7712            | -56.49      | -25         | 31.49       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25876           | -46.69      | -25         | 21.69       | Pass    | 14502       |




#### 14.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -65.41      | -25         | 40.41       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -66.65      | -25         | 41.65       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 887.225         | -59.65      | -25         | 34.65       | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2553            | -35.44      | -25         | 10.44       | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2570.5          | 25.25       | 60          | 34.75       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2866.8          | -44.78      | -25         | 19.78       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11903           | -56.74      | -25         | 31.74       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25899           | -46.74      | -25         | 21.74       | Pass    | 14502       |



**14.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -66.35      | -25         | 41.35       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -66.53      | -25         | 41.53       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 891.628         | -59.72      | -25         | 34.72       | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2525            | -46.32      | -25         | 21.32       | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2590.45         | 26.23       | 60          | 33.77       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2876.05         | -44.75      | -25         | 19.75       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11901           | -56.74      | -25         | 31.74       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25869           | -46.7       | -25         | 21.7        | Pass    | 14502       |



#### 14.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -65.48      | -25         | 40.48       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -66.73      | -25         | 41.73       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 871.215         | -59.8       | -25         | 34.8        | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2545            | -46.32      | -25         | 21.32       | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2590.45         | 24.73       | 60          | 35.27       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2869.575        | -44.78      | -25         | 19.78       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11896           | -56.7       | -25         | 31.7        | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25901           | -46.74      | -25         | 21.74       | Pass    | 14502       |



#### 14.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -66.11      | -25         | 41.11       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -66.44      | -25         | 41.44       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 872.616         | -59.81      | -25         | 34.81       | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2528            | -46.37      | -25         | 21.37       | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2610.575        | 25.63       | 60          | 34.37       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2869.575        | -44.79      | -25         | 19.79       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7832            | -52.06      | -25         | 27.06       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25901           | -46.77      | -25         | 21.77       | Pass    | 14502       |



#### 14.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -66.24      | -25         | 41.24       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -65.33      | -25         | 40.33       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 869.313         | -59.84      | -25         | 34.84       | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2536            | -46.39      | -25         | 21.39       | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2610.4          | 25.31       | 60          | 34.69       | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2870.5          | -44.78      | -25         | 19.78       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7832            | -53.7       | -25         | 28.7        | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25900           | -46.72      | -25         | 21.72       | Pass    | 14502       |



### 14.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,  
Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -66.13      | -25         | 41.13       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -65.81      | -25         | 40.81       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 876.518         | -59.77      | -25         | 34.77       | Pass    | 9701        |
| 1000                  | 2555                 | 1         | RMS      | 2544            | -35.85      | -25         | 10.85       | Pass    | 1556        |
| 2555                  | 2635                 | 1         | RMS      | 2570.6          | 25.75       | 60          | 34.25       | Pass    | 401         |
| 2635                  | 3000                 | 1         | RMS      | 2873.163        | -44.77      | -25         | 19.77       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7712            | -56.72      | -25         | 31.72       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25878           | -46.77      | -25         | 21.77       | Pass    | 14502       |



#### 14.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -66.89      | -25         | 41.89       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -67.12      | -25         | 42.12       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 896.832         | -59.83      | -25         | 34.83       | Pass    | 9701        |
| 1000                  | 2555                 | 1         | RMS      | 2544            | -38.22      | -25         | 13.22       | Pass    | 1556        |
| 2555                  | 2635                 | 1         | RMS      | 2570.8          | 25.11       | 60          | 34.89       | Pass    | 401         |
| 2635                  | 3000                 | 1         | RMS      | 2869.513        | -44.8       | -25         | 19.8        | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11909           | -56.7       | -25         | 31.7        | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25902           | -46.8       | -25         | 21.8        | Pass    | 14502       |



#### 14.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -65.87      | -25         | 40.87       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -66.64      | -25         | 41.64       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 875.317         | -59.83      | -25         | 34.83       | Pass    | 9701        |
| 1000                  | 2555                 | 1         | RMS      | 2538            | -46.34      | -25         | 21.34       | Pass    | 1556        |
| 2555                  | 2635                 | 1         | RMS      | 2588.2          | 26.18       | 60          | 33.82       | Pass    | 401         |
| 2635                  | 3000                 | 1         | RMS      | 2874.075        | -44.8       | -25         | 19.8        | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11887           | -56.75      | -25         | 31.75       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25903           | -46.74      | -25         | 21.74       | Pass    | 14502       |



#### 14.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -65.97      | -25         | 40.97       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -66.47      | -25         | 41.47       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 865.611         | -59.88      | -25         | 34.88       | Pass    | 9701        |
| 1000                  | 2555                 | 1         | RMS      | 2510            | -46.35      | -25         | 21.35       | Pass    | 1556        |
| 2555                  | 2635                 | 1         | RMS      | 2588.2          | 24.93       | 60          | 35.07       | Pass    | 401         |
| 2635                  | 3000                 | 1         | RMS      | 2873.163        | -44.79      | -25         | 19.79       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11901           | -56.71      | -25         | 31.71       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25903           | -46.83      | -25         | 21.83       | Pass    | 14502       |



#### 14.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,  
Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -65.77      | -25         | 40.77       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -66.86      | -25         | 41.86       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 901.134         | -59.8       | -25         | 34.8        | Pass    | 9701        |
| 1000                  | 2555                 | 1         | RMS      | 2527            | -46.36      | -25         | 21.36       | Pass    | 1556        |
| 2555                  | 2635                 | 1         | RMS      | 2605.8          | 26.08       | 60          | 33.92       | Pass    | 401         |
| 2635                  | 3000                 | 1         | RMS      | 2873.163        | -44.73      | -25         | 19.73       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7817            | -52.24      | -25         | 27.24       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25857           | -46.72      | -25         | 21.72       | Pass    | 14502       |



#### 14.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -66.37      | -25         | 41.37       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -66.41      | -25         | 41.41       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 876.418         | -59.8       | -25         | 34.8        | Pass    | 9701        |
| 1000                  | 2555                 | 1         | RMS      | 2541            | -46.36      | -25         | 21.36       | Pass    | 1556        |
| 2555                  | 2635                 | 1         | RMS      | 2605.8          | 25.29       | 60          | 34.71       | Pass    | 401         |
| 2635                  | 3000                 | 1         | RMS      | 2870.425        | -44.78      | -25         | 19.78       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7818            | -54.04      | -25         | 29.04       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25881           | -46.74      | -25         | 21.74       | Pass    | 14502       |



#### 14.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -66.24      | -25         | 41.24       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -66.66      | -25         | 41.66       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 873.216         | -59.79      | -25         | 34.79       | Pass    | 9701        |
| 1000                  | 2550                 | 1         | RMS      | 2535            | -36.36      | -25         | 11.36       | Pass    | 1551        |
| 2550                  | 2640                 | 1         | RMS      | 2570.925        | 25.76       | 60          | 34.24       | Pass    | 401         |
| 2640                  | 3000                 | 1         | RMS      | 2870.4          | -44.77      | -25         | 19.77       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11905           | -56.76      | -25         | 31.76       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25890           | -46.68      | -25         | 21.68       | Pass    | 14502       |



## 14.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -66.37      | -25         | 41.37       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -66.59      | -25         | 41.59       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 864.31          | -59.82      | -25         | 34.82       | Pass    | 9701        |
| 1000                  | 2550                 | 1         | RMS      | 2536            | -40.49      | -25         | 15.49       | Pass    | 1551        |
| 2550                  | 2640                 | 1         | RMS      | 2571.15         | 24.48       | 60          | 35.52       | Pass    | 401         |
| 2640                  | 3000                 | 1         | RMS      | 2871.3          | -44.73      | -25         | 19.73       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11895           | -56.74      | -25         | 31.74       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25896           | -46.7       | -25         | 21.7        | Pass    | 14502       |



#### 14.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -66.55      | -25         | 41.55       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -66.02      | -25         | 41.02       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 883.123         | -59.8       | -25         | 34.8        | Pass    | 9701        |
| 1000                  | 2550                 | 1         | RMS      | 2550            | -39.31      | -25         | 14.31       | Pass    | 1551        |
| 2550                  | 2640                 | 1         | RMS      | 2586            | 24.97       | 60          | 35.03       | Pass    | 401         |
| 2640                  | 3000                 | 1         | RMS      | 2872.2          | -44.74      | -25         | 19.74       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11915           | -56.76      | -25         | 31.76       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25902           | -46.81      | -25         | 21.81       | Pass    | 14502       |



## 14.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -66.7       | -25         | 41.7        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -66.5       | -25         | 41.5        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 880.321         | -59.81      | -25         | 34.81       | Pass    | 9701        |
| 1000                  | 2550                 | 1         | RMS      | 2550            | -39.72      | -25         | 14.72       | Pass    | 1551        |
| 2550                  | 2640                 | 1         | RMS      | 2585.775        | 24.03       | 60          | 35.97       | Pass    | 401         |
| 2640                  | 3000                 | 1         | RMS      | 2868.6          | -44.74      | -25         | 19.74       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7758            | -56.69      | -25         | 31.69       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25903           | -46.72      | -25         | 21.72       | Pass    | 14502       |



### 14.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20,  
Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -67.12      | -25         | 42.12       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -66.77      | -25         | 41.77       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 868.313         | -59.74      | -25         | 34.74       | Pass    | 9701        |
| 1000                  | 2550                 | 1         | RMS      | 2519            | -46.36      | -25         | 21.36       | Pass    | 1551        |
| 2550                  | 2640                 | 1         | RMS      | 2601.075        | 25.17       | 60          | 34.83       | Pass    | 401         |
| 2640                  | 3000                 | 1         | RMS      | 2869.5          | -44.77      | -25         | 19.77       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 5202            | -52.92      | -25         | 27.92       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25888           | -46.75      | -25         | 21.75       | Pass    | 14502       |



#### 14.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -66.42      | -25         | 41.42       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -67.01      | -25         | 42.01       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 886.925         | -59.73      | -25         | 34.73       | Pass    | 9701        |
| 1000                  | 2550                 | 1         | RMS      | 2537            | -46.33      | -25         | 21.33       | Pass    | 1551        |
| 2550                  | 2640                 | 1         | RMS      | 2601.075        | 24.75       | 60          | 35.25       | Pass    | 401         |
| 2640                  | 3000                 | 1         | RMS      | 2870.4          | -44.77      | -25         | 19.77       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11896           | -56.74      | -25         | 31.74       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25892           | -46.75      | -25         | 21.75       | Pass    | 14502       |



## 15. LTE\_Band41 120MHz


### 15.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -66.78      | -25         | 41.78       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -65.72      | -25         | 40.72       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 876.818         | -59.86      | -25         | 34.86       | Pass    | 9701        |
| 1000                  | 2491                 | 1         | RMS      | 2490            | -46.67      | -25         | 21.67       | Pass    | 1492        |
| 2491                  | 2695                 | 1         | RMS      | 2535.37         | 24.09       | 60          | 35.91       | Pass    | 401         |
| 2695                  | 3000                 | 1         | RMS      | 2872.663        | -44.91      | -25         | 19.91       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7606            | -54.34      | -25         | 29.34       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25900           | -46.63      | -25         | 21.63       | Pass    | 14502       |




## 15.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -66.26      | -25         | 41.26       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -65.94      | -25         | 40.94       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 889.927         | -59.88      | -25         | 34.88       | Pass    | 9701        |
| 1000                  | 2491                 | 1         | RMS      | 2487            | -46.64      | -25         | 21.64       | Pass    | 1492        |
| 2491                  | 2695                 | 1         | RMS      | 2535.37         | 23.29       | 60          | 36.71       | Pass    | 401         |
| 2695                  | 3000                 | 1         | RMS      | 2871.9          | -44.91      | -25         | 19.91       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7606            | -54.23      | -25         | 29.23       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25902           | -46.6       | -25         | 21.6        | Pass    | 14502       |




### 15.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -66.91      | -25         | 41.91       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -65.92      | -25         | 40.92       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 875.417         | -59.8       | -25         | 34.8        | Pass    | 9701        |
| 1000                  | 2491                 | 1         | RMS      | 2490            | -46.67      | -25         | 21.67       | Pass    | 1492        |
| 2491                  | 2695                 | 1         | RMS      | 2592.49         | 24.53       | 60          | 35.47       | Pass    | 401         |
| 2695                  | 3000                 | 1         | RMS      | 2871.138        | -44.89      | -25         | 19.89       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11905           | -56.79      | -25         | 31.79       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25896           | -46.7       | -25         | 21.7        | Pass    | 14502       |




#### 15.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -67.28      | -25         | 42.28       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -65.63      | -25         | 40.63       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 881.922         | -59.87      | -25         | 34.87       | Pass    | 9701        |
| 1000                  | 2491                 | 1         | RMS      | 2484            | -46.64      | -25         | 21.64       | Pass    | 1492        |
| 2491                  | 2695                 | 1         | RMS      | 2592.49         | 23.03       | 60          | 36.97       | Pass    | 401         |
| 2695                  | 3000                 | 1         | RMS      | 2871.9          | -44.89      | -25         | 19.89       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7778            | -55.96      | -25         | 30.96       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25882           | -46.75      | -25         | 21.75       | Pass    | 14502       |




### 15.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -65.87      | -25         | 40.87       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -66.21      | -25         | 41.21       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 869.614         | -59.93      | -25         | 34.93       | Pass    | 9701        |
| 1000                  | 2491                 | 1         | RMS      | 2491            | -46.65      | -25         | 21.65       | Pass    | 1492        |
| 2491                  | 2695                 | 1         | RMS      | 2650.12         | 25.51       | 60          | 34.49       | Pass    | 401         |
| 2695                  | 3000                 | 1         | RMS      | 2869.613        | -44.88      | -25         | 19.88       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 5301            | -51         | -25         | 26          | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25906           | -46.76      | -25         | 21.76       | Pass    | 14502       |




# 15.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -66.53      | -25         | 41.53       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -65.99      | -25         | 40.99       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 875.918         | -59.86      | -25         | 34.86       | Pass    | 9701        |
| 1000                  | 2491                 | 1         | RMS      | 2486            | -46.56      | -25         | 21.56       | Pass    | 1492        |
| 2491                  | 2695                 | 1         | RMS      | 2650.12         | 24.59       | 60          | 35.41       | Pass    | 401         |
| 2695                  | 3000                 | 1         | RMS      | 2871.9          | -44.88      | -25         | 19.88       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7951            | -49.43      | -25         | 24.43       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25884           | -46.67      | -25         | 21.67       | Pass    | 14502       |




**15.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -65.93      | -25         | 40.93       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -66.51      | -25         | 41.51       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 865.711         | -59.92      | -25         | 34.92       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2486            | -46.69      | -25         | 21.69       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2535.22         | 23.86       | 60          | 36.14       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2871.75         | -44.87      | -25         | 19.87       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11898           | -56.82      | -25         | 31.82       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25900           | -46.67      | -25         | 21.67       | Pass    | 14502       |




# 15.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -65.96      | -25         | 40.96       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -66.68      | -25         | 41.68       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 869.614         | -59.9       | -25         | 34.9        | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2484            | -46.66      | -25         | 21.66       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2535.22         | 22.91       | 60          | 37.09       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2870.25         | -44.88      | -25         | 19.88       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7607            | -56.35      | -25         | 31.35       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25902           | -46.7       | -25         | 21.7        | Pass    | 14502       |



**15.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -66.19      | -25         | 41.19       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -65.83      | -25         | 40.83       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 869.113         | -59.81      | -25         | 34.81       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2479            | -46.75      | -25         | 21.75       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2590.325        | 24.92       | 60          | 35.08       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2865.75         | -44.89      | -25         | 19.89       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11896           | -56.77      | -25         | 31.77       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25882           | -46.72      | -25         | 21.72       | Pass    | 14502       |



### 15.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -66.8       | -25         | 41.8        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -66.47      | -25         | 41.47       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 888.426         | -59.96      | -25         | 34.96       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2485            | -46.71      | -25         | 21.71       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2590.325        | 23.19       | 60          | 36.81       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2872.5          | -44.88      | -25         | 19.88       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11907           | -56.8       | -25         | 31.8        | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25899           | -46.62      | -25         | 21.62       | Pass    | 14502       |



### 15.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -66.21      | -25         | 41.21       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -66.63      | -25         | 41.63       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 874.517         | -59.95      | -25         | 34.95       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2485            | -46.63      | -25         | 21.63       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2645.43         | 25.58       | 60          | 34.42       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2868            | -44.88      | -25         | 19.88       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 10582           | -55.48      | -25         | 30.48       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25901           | -46.72      | -25         | 21.72       | Pass    | 14502       |



### 15.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -66.31      | -25         | 41.31       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -66.13      | -25         | 41.13       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 878.319         | -59.91      | -25         | 34.91       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2481            | -46.66      | -25         | 21.66       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2645.43         | 24.78       | 60          | 35.22       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2873.25         | -44.89      | -25         | 19.89       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7937            | -54.66      | -25         | 29.66       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25891           | -46.7       | -25         | 21.7        | Pass    | 14502       |



### 15.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:40115, Bandwidth:15,  
Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -66.22      | -25         | 41.22       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -66.76      | -25         | 41.76       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 884.523         | -59.84      | -25         | 34.84       | Pass    | 9701        |
| 1000                  | 2481                 | 1         | RMS      | 2481            | -46.67      | -25         | 21.67       | Pass    | 1482        |
| 2481                  | 2705                 | 1         | RMS      | 2535.32         | 24.37       | 60          | 35.63       | Pass    | 401         |
| 2705                  | 3000                 | 1         | RMS      | 2871.675        | -44.85      | -25         | 19.85       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11895           | -56.77      | -25         | 31.77       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25880           | -46.7       | -25         | 21.7        | Pass    | 14502       |



### 15.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -66.18      | -25         | 41.18       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.24            | -67.14      | -25         | 42.14       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 874.217         | -59.9       | -25         | 34.9        | Pass    | 9701        |
| 1000                  | 2481                 | 1         | RMS      | 2481            | -46.77      | -25         | 21.77       | Pass    | 1482        |
| 2481                  | 2705                 | 1         | RMS      | 2535.88         | 23.22       | 60          | 36.78       | Pass    | 401         |
| 2705                  | 3000                 | 1         | RMS      | 2866.513        | -44.86      | -25         | 19.86       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11890           | -56.73      | -25         | 31.73       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25899           | -46.7       | -25         | 21.7        | Pass    | 14502       |



### 15.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:40640, Bandwidth:15,  
Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -66.08      | -25         | 41.08       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -66.5       | -25         | 41.5        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 870.214         | -59.8       | -25         | 34.8        | Pass    | 9701        |
| 1000                  | 2481                 | 1         | RMS      | 2478            | -46.76      | -25         | 21.76       | Pass    | 1482        |
| 2481                  | 2705                 | 1         | RMS      | 2587.96         | 25.28       | 60          | 34.72       | Pass    | 401         |
| 2705                  | 3000                 | 1         | RMS      | 2870.938        | -44.84      | -25         | 19.84       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7765            | -55.09      | -25         | 30.09       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25891           | -46.71      | -25         | 21.71       | Pass    | 14502       |



### 15.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -66.27      | -25         | 41.27       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -66.92      | -25         | 41.92       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 882.022         | -59.81      | -25         | 34.81       | Pass    | 9701        |
| 1000                  | 2481                 | 1         | RMS      | 2479            | -46.71      | -25         | 21.71       | Pass    | 1482        |
| 2481                  | 2705                 | 1         | RMS      | 2587.96         | 23.99       | 60          | 36.01       | Pass    | 401         |
| 2705                  | 3000                 | 1         | RMS      | 2869.463        | -44.83      | -25         | 19.83       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7765            | -56.71      | -25         | 31.71       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25889           | -46.7       | -25         | 21.7        | Pass    | 14502       |



### 15.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:41165, Bandwidth:15,  
Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -65.49      | -25         | 40.49       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -66.29      | -25         | 41.29       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 872.916         | -59.9       | -25         | 34.9        | Pass    | 9701        |
| 1000                  | 2481                 | 1         | RMS      | 2479            | -46.69      | -25         | 21.69       | Pass    | 1482        |
| 2481                  | 2705                 | 1         | RMS      | 2640.6          | 24.32       | 60          | 35.68       | Pass    | 401         |
| 2705                  | 3000                 | 1         | RMS      | 2868.725        | -44.85      | -25         | 19.85       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7922            | -53.57      | -25         | 28.57       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25889           | -46.68      | -25         | 21.68       | Pass    | 14502       |



### 15.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -66.62      | -25         | 41.62       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -67.02      | -25         | 42.02       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 866.612         | -59.88      | -25         | 34.88       | Pass    | 9701        |
| 1000                  | 2481                 | 1         | RMS      | 2481            | -46.8       | -25         | 21.8        | Pass    | 1482        |
| 2481                  | 2705                 | 1         | RMS      | 2640.6          | 23.7        | 60          | 36.3        | Pass    | 401         |
| 2705                  | 3000                 | 1         | RMS      | 2867.988        | -44.87      | -25         | 19.87       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 5281            | -54.33      | -25         | 29.33       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25873           | -46.71      | -25         | 21.71       | Pass    | 14502       |



### 15.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -66.39      | -25         | 41.39       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -67.03      | -25         | 42.03       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 880.221         | -59.89      | -25         | 34.89       | Pass    | 9701        |
| 1000                  | 2476                 | 1         | RMS      | 2476            | -46.82      | -25         | 21.82       | Pass    | 1477        |
| 2476                  | 2710                 | 1         | RMS      | 2535.67         | 24.1        | 60          | 35.9        | Pass    | 401         |
| 2710                  | 3000                 | 1         | RMS      | 2872.4          | -44.86      | -25         | 19.86       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7608            | -56.7       | -25         | 31.7        | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25895           | -46.77      | -25         | 21.77       | Pass    | 14502       |



## 15.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -65.81      | -25         | 40.81       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -66.4       | -25         | 41.4        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 871.215         | -59.9       | -25         | 34.9        | Pass    | 9701        |
| 1000                  | 2476                 | 1         | RMS      | 2476            | -46.76      | -25         | 21.76       | Pass    | 1477        |
| 2476                  | 2710                 | 1         | RMS      | 2535.67         | 23.77       | 60          | 36.23       | Pass    | 401         |
| 2710                  | 3000                 | 1         | RMS      | 2866.6          | -44.87      | -25         | 19.87       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11893           | -56.8       | -25         | 31.8        | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25884           | -46.71      | -25         | 21.71       | Pass    | 14502       |



### 15.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -65.98      | -25         | 40.98       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.23            | -66.96      | -25         | 41.96       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 867.112         | -59.82      | -25         | 34.82       | Pass    | 9701        |
| 1000                  | 2476                 | 1         | RMS      | 2474            | -46.8       | -25         | 21.8        | Pass    | 1477        |
| 2476                  | 2710                 | 1         | RMS      | 2585.98         | 24.61       | 60          | 35.39       | Pass    | 401         |
| 2710                  | 3000                 | 1         | RMS      | 2872.4          | -44.87      | -25         | 19.87       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11899           | -56.67      | -25         | 31.67       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25902           | -46.73      | -25         | 21.73       | Pass    | 14502       |



## 15.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -65.24      | -25         | 40.24       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -66.29      | -25         | 41.29       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 868.913         | -59.72      | -25         | 34.72       | Pass    | 9701        |
| 1000                  | 2476                 | 1         | RMS      | 2474            | -46.75      | -25         | 21.75       | Pass    | 1477        |
| 2476                  | 2710                 | 1         | RMS      | 2585.98         | 22.99       | 60          | 37.01       | Pass    | 401         |
| 2710                  | 3000                 | 1         | RMS      | 2873.125        | -44.85      | -25         | 19.85       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11887           | -56.8       | -25         | 31.8        | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25891           | -46.71      | -25         | 21.71       | Pass    | 14502       |



### 15.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:41140, Bandwidth:20,  
Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -66.79      | -25         | 41.79       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -65.84      | -25         | 40.84       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 866.612         | -59.87      | -25         | 34.87       | Pass    | 9701        |
| 1000                  | 2476                 | 1         | RMS      | 2467            | -46.81      | -25         | 21.81       | Pass    | 1477        |
| 2476                  | 2710                 | 1         | RMS      | 2635.705        | 24.13       | 60          | 35.87       | Pass    | 401         |
| 2710                  | 3000                 | 1         | RMS      | 2868.775        | -44.86      | -25         | 19.86       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 5272            | -54.35      | -25         | 29.35       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25893           | -46.75      | -25         | 21.75       | Pass    | 14502       |



## 15.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -65.72      | -25         | 40.72       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -66.6       | -25         | 41.6        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 873.616         | -59.76      | -25         | 34.76       | Pass    | 9701        |
| 1000                  | 2476                 | 1         | RMS      | 2476            | -46.84      | -25         | 21.84       | Pass    | 1477        |
| 2476                  | 2710                 | 1         | RMS      | 2635.705        | 23.99       | 60          | 36.01       | Pass    | 401         |
| 2710                  | 3000                 | 1         | RMS      | 2870.225        | -44.86      | -25         | 19.86       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7908            | -55.56      | -25         | 30.56       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25894           | -46.78      | -25         | 21.78       | Pass    | 14502       |



---

--BLANK BELOW--