Measurement performed on October 12, 2023

### **Device Under Test**

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Google	G8HHN	151.0 x 72.0 x 10.0	150.0

## **Hardware Setup**

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 15, 2023	DAE4 Sn699	February 22, 2023


# **Communication Systems**

Band Name	Communication Systems Name	Channel	Frequency [MHz]
GSM 850	GSM-FDD (TDMA, GMSK)	128	824.2

## **Grid Settings**

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
31.61	30.19	3.63	33.82



Measurement performed on October 12, 2023

### **Device Under Test**

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Google	G8HHN	151.0 x 72.0 x 10.0	150.0

## **Hardware Setup**

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 15, 2023	DAE4 Sn699	February 22, 2023


## **Communication Systems**

Band Name	Communication Systems Name	Channel	Frequency [MHz]
GSM 850	GSM-FDD (TDMA, GMSK)	189	836.4

## **Grid Settings**

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
32.36	30.93	3.63	34.56



Measurement performed on October 12, 2023

### **Device Under Test**

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Google	G8HHN	151.0 x 72.0 x 10.0	150.0

## **Hardware Setup**

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 15, 2023	DAE4 Sn699	February 22, 2023


## **Communication Systems**

Band Name	Communication Systems Name	Channel	Frequency [MHz]
GSM 850	GSM-FDD (TDMA, GMSK)	251	848.8

## **Grid Settings**

	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
33.15	31.6	3.63	35.23



Measurement performed on October 12, 2023

### **Device Under Test**

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Google	G8HHN	151.0 x 72.0 x 10.0	150.0

## **Hardware Setup**

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 15, 2023	DAE4 Sn699	February 22, 2023


# **Communication Systems**

Band Name	Communication Systems Name	Channel	Frequency [MHz]
GSM 850	GSM-FDD (TDMA, GMSK)	128	824.2

## **Grid Settings**

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
40.53	35.2	3.63	38.83



Measurement performed on October 12, 2023

### **Device Under Test**

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Google	G8HHN	151.0 x 72.0 x 10.0	150.0

## **Hardware Setup**

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 15, 2023	DAE4 Sn699	February 22, 2023


## **Communication Systems**

Band Name	Communication Systems Name	Channel	Frequency [MHz]
GSM 850	GSM-FDD (TDMA, GMSK)	189	836.4

## **Grid Settings**

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
39.86	34.59	3.63	38.22



Measurement performed on October 12, 2023

### **Device Under Test**

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Google	G8HHN	151.0 x 72.0 x 10.0	150.0

## **Hardware Setup**

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 15, 2023	DAE4 Sn699	February 22, 2023


## **Communication Systems**

Band Name	Communication Systems Name	Channel	Frequency [MHz]
GSM 850	GSM-FDD (TDMA, GMSK)	251	848.8

## **Grid Settings**

	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
39.74	34.56	3.63	38.19



Measurement performed on October 12, 2023

### **Device Under Test**

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Google	G8HHN	151.0 x 72.0 x 10.0	150.0

## **Hardware Setup**

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 15, 2023	DAE4 Sn699	February 22, 2023


## **Communication Systems**

Band Name	Communication Systems Name	Channel	Frequency [MHz]
PCS 1900	GSM-FDD (TDMA, GMSK)	512	1850.2

## **Grid Settings**

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
27.74	22.47	3.63	26.1



Measurement performed on October 12, 2023

### **Device Under Test**

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Google	G8HHN	151.0 x 72.0 x 10.0	150.0

## **Hardware Setup**

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 15, 2023	DAE4 Sn699	February 22, 2023


# **Communication Systems**

Band Name	Communication Systems Name	Channel	Frequency [MHz]
PCS 1900	GSM-FDD (TDMA, GMSK)	661	1880.0

## **Grid Settings**

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
28.56	23.04	3.63	26.67



Measurement performed on October 12, 2023

### **Device Under Test**

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Google	G8HHN	151.0 x 72.0 x 10.0	150.0

## **Hardware Setup**

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 15, 2023	DAE4 Sn699	February 22, 2023


## **Communication Systems**

Band Name	Communication Systems Name	Channel	Frequency [MHz]
PCS 1900	GSM-FDD (TDMA, GMSK)	810	1909.8

## **Grid Settings**

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
28.61	23.47	3.63	27.1



Measurement performed on October 12, 2023

### **Device Under Test**

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Google	G8HHN	151.0 x 72.0 x 10.0	150.0

## **Hardware Setup**

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 15, 2023	DAE4 Sn699	February 22, 2023


## **Communication Systems**

Band Name	Communication Systems Name	Channel	Frequency [MHz]
PCS 1900	GSM-FDD (TDMA, GMSK)	512	1850.2

## **Grid Settings**

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
22.85	21.11	3.63	24.74



Measurement performed on October 12, 2023

### **Device Under Test**

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Google	G8HHN	151.0 x 72.0 x 10.0	150.0

## **Hardware Setup**

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 15, 2023	DAE4 Sn699	February 22, 2023


## **Communication Systems**

Band Name	Communication Systems Name	Channel	Frequency [MHz]
PCS 1900	GSM-FDD (TDMA, GMSK)	661	1880.0

## **Grid Settings**

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
26.57	24.27	3.63	27.9



Measurement performed on October 12, 2023

### **Device Under Test**

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Google	G8HHN	151.0 x 72.0 x 10.0	150.0

## **Hardware Setup**

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 15, 2023	DAE4 Sn699	February 22, 2023


## **Communication Systems**

Band Name	Communication Systems Name	Channel	Frequency [MHz]
PCS 1900	GSM-FDD (TDMA, GMSK)	810	1909.8

## **Grid Settings**

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
26.35	24.16	3.63	27.79



Measurement performed on October 12, 2023

### **Device Under Test**

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Google	G8HHN	151.0 x 72.0 x 10.0	150.0

## **Hardware Setup**

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 15, 2023	DAE4 Sn699	February 22, 2023


## **Communication Systems**

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 41, E-UTRA/TDD	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	39750	2506.0

## **Grid Settings**

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
25.28	23.57	-1.44	22.13



Measurement performed on October 12, 2023

### **Device Under Test**

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Google	G8HHN	151.0 x 72.0 x 10.0	150.0

## **Hardware Setup**

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 15, 2023	DAE4 Sn699	February 22, 2023


## **Communication Systems**

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 41, E-UTRA/TDD	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	40620	2593.0

## **Grid Settings**

	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
27.33	23.99	-1.44	22.55



Measurement performed on October 12, 2023

### **Device Under Test**

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Google	G8HHN	151.0 x 72.0 x 10.0	150.0

## **Hardware Setup**

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 15, 2023	DAE4 Sn699	February 22, 2023


# **Communication Systems**

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 41, E-UTRA/TDD	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	41490	2680.0

## **Grid Settings**

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
26.02	24.47	-1.44	23.03



Measurement performed on October 12, 2023

### **Device Under Test**

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Google	G8HHN	151.0 x 72.0 x 10.0	150.0

## **Hardware Setup**

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 15, 2023	DAE4 Sn699	February 22, 2023


## **Communication Systems**

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 41, E-UTRA/TDD	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	39750	2506.0

## **Grid Settings**

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
25.16	23.46	-1.44	22.02



Measurement performed on October 12, 2023

### **Device Under Test**

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Google	G8HHN	151.0 x 72.0 x 10.0	150.0

## **Hardware Setup**

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 15, 2023	DAE4 Sn699	February 22, 2023


## **Communication Systems**

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 41, E-UTRA/TDD	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	40620	2593.0

## **Grid Settings**

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
23.26	22.7	-1.44	21.26



Measurement performed on October 12, 2023

### **Device Under Test**

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Google	G8HHN	151.0 x 72.0 x 10.0	150.0

## **Hardware Setup**

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 15, 2023	DAE4 Sn699	February 22, 2023


## **Communication Systems**

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 41, E-UTRA/TDD	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	41490	2680.0

## **Grid Settings**

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
26.13	23.14	-1.44	21.7



Measurement performed on October 12, 2023

### **Device Under Test**

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Google	G8HHN	151.0 x 72.0 x 10.0	150.0

## **Hardware Setup**

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 15, 2023	DAE4 Sn699	February 22, 2023


## **Communication Systems**

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n77	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	656000	3840.0

## **Grid Settings**

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
29.83	26.56	-1.64	24.92



Measurement performed on October 12, 2023

### **Device Under Test**

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Google	G8HHN	151.0 x 72.0 x 10.0	150.0

## **Hardware Setup**

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 15, 2023	DAE4 Sn699	February 22, 2023


## **Communication Systems**

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n77	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	633332	3499.98

## **Grid Settings**

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
27.65	24.93	-1.64	23.29



Measurement performed on October 12, 2023

### **Device Under Test**

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Google	G8HHN	151.0 x 72.0 x 10.0	150.0

## **Hardware Setup**

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 15, 2023	DAE4 Sn699	February 22, 2023


## **Communication Systems**

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n77	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	656000	3840.0

## **Grid Settings**

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
25.61	23.24	-1.64	21.6



Measurement performed on October 12, 2023

### **Device Under Test**

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Google	G8HHN	151.0 x 72.0 x 10.0	150.0

## **Hardware Setup**

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 15, 2023	DAE4 Sn699	February 22, 2023

## **Communication Systems**

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n77	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	633332	3499.98

## **Grid Settings**

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
28.38	24.74	-1.64	23.1

