


ICOM

IC-R75

COMMUNICATIONS RECEIVER





SSB CW/RTTY FIL



AM

FM

TS



1

ABC 2

DEF 3

GHI 4

JKL 5

MNO 6

PRS 7

TUV 8

WXY 9

.

OZ 0

ENT

V/M

MW

CLR

SEL

SCAN

▼ DN

UP ▲

PHONES

POWER

AF → RF/SQL

TWIN PBT

ANT
SET

CLOCK

P.AMP

ATT

NR

ANF

NB

AGC

LOCK

ICOM

IC-R75

FCC ID: AFJ IC-R75

Icom Inc.
MADE IN JAPAN

SERIAL NO. X0015

ANT 1



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

REC REMOTE

REC

RS-232C

REMOTE

EXT SP

MUTE

GND

ANT 2


DC 13.8V











ICOM

IC-R75

FCC ID: AFJ IC-R75

Icom Inc.
MADE IN JAPAN

SERIAL NO.

~~X~~0015

ANT 1




REC REMOTE



REC



RS-232C



REMOTE



EXT SP



MUTE



GND



ANT 2



DC 13.8V



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

