




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5260MHz

07/02/2020




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5300MHz

07/02/2020




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5320MHz

07/02/2020




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5500MHz

07/02/2020




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5580MHz

07/02/2020




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5700MHz

07/02/2020




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

07/02/2020




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

07/02/2020




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5270MHz

07/02/2020














802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5310MHz

07/02/2020







Summary

Mode	PD (dBm/RBW)
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_1TX	5.82
802.11ac VHT20_Nss1,(MCS0)_1TX	5.19
802.11ac VHT40_Nss1,(MCS0)_1TX	2.39
802.11ac VHT80_Nss1,(MCS0)_1TX	-8.75
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_1TX	5.13
802.11ac VHT20_Nss1,(MCS0)_1TX	4.78
802.11ac VHT40_Nss1,(MCS0)_1TX	2.13
802.11ac VHT80_Nss1,(MCS0)_1TX	-1.26
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_1TX	1.77
802.11ac VHT20_Nss1,(MCS0)_1TX	1.38
802.11ac VHT40_Nss1,(MCS0)_1TX	-1.93
802.11ac VHT80_Nss1,(MCS0)_1TX	-6.18

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;



Result


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-
5260MHz	Pass	6.27	5.51	5.51	10.73
5300MHz	Pass	6.27	5.82	5.82	10.73
5320MHz	Pass	6.27	5.37	5.37	10.73
5500MHz	Pass	6.27	3.67	3.67	10.73
5580MHz	Pass	6.27	5.13	5.13	10.73
5700MHz	Pass	6.27	4.28	4.28	10.73
5720MHz Straddle 5.47-5.725GHz	Pass	6.27	3.71	3.71	10.73
5720MHz Straddle 5.725-5.85GHz	Pass	6.27	1.77	1.77	29.73
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-
5260MHz	Pass	6.27	5.19	5.19	10.73
5300MHz	Pass	6.27	5.16	5.16	10.73
5320MHz	Pass	6.27	4.28	4.28	10.73
5500MHz	Pass	6.27	3.20	3.20	10.73
5580MHz	Pass	6.27	4.78	4.78	10.73
5700MHz	Pass	6.27	2.03	2.03	10.73
5720MHz Straddle 5.47-5.725GHz	Pass	6.27	3.25	3.25	10.73
5720MHz Straddle 5.725-5.85GHz	Pass	6.27	1.38	1.38	29.73
802.11ac VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-
5270MHz	Pass	6.27	2.39	2.39	10.73
5310MHz	Pass	6.27	1.26	1.26	10.73
5510MHz	Pass	6.27	0.23	0.23	10.73
5550MHz	Pass	6.27	2.13	2.13	10.73
5670MHz	Pass	6.27	1.70	1.70	10.73
5710MHz Straddle 5.47-5.725GHz	Pass	6.27	0.97	0.97	10.73
5710MHz Straddle 5.725-5.85GHz	Pass	6.27	-1.93	-1.93	29.73
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-
5290MHz	Pass	6.27	-8.75	-8.75	10.73
5530MHz	Pass	6.27	-5.65	-5.65	10.73
5690MHz Straddle 5.47-5.725GHz	Pass	6.27	-1.52	-1.52	10.73
5610MHz	Pass	6.27	-1.26	-1.26	10.73
5690MHz Straddle 5.725-5.85GHz	Pass	6.27	-6.18	-6.18	29.73

DG = Directional Gain; For UNII-1, UNII-2A and UNII-2C, RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;




802.11a_Nss1,(6Mbps)_1TX

PSD




802.11a_Nss1,(6Mbps)_1TX

PSD




802.11a_Nss1,(6Mbps)_1TX

PSD




802.11a_Nss1,(6Mbps)_1TX

PSD




802.11a_Nss1,(6Mbps)_1TX

PSD




802.11a_Nss1,(6Mbps)_1TX

PSD




802.11a_Nss1,(6Mbps)_1TX

PSD




802.11a_Nss1,(6Mbps)_1TX

PSD




802.11ac VHT20_Nss1,(MCS0)_1TX

PSD



802.11ac VHT20_Nss1,(MCS0)_1TX

PSD






802.11ac VHT20_Nss1,(MCS0)_1TX

PSD

5320MHz

31/10/2019




802.11ac VHT20_Nss1,(MCS0)_1TX

PSD

5500MHz

31/10/2019




802.11ac VHT20_Nss1,(MCS0)_1TX

PSD

5580MHz

31/10/2019




802.11ac VHT20_Nss1,(MCS0)_1TX

PSD

5700MHz

31/10/2019




802.11ac VHT20_Nss1,(MCS0)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

31/10/2019




802.11ac VHT20_Nss1,(MCS0)_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

31/10/2019




802.11ac VHT40_Nss1,(MCS0)_1TX

PSD

5270MHz

31/10/2019




802.11ac VHT40_Nss1,(MCS0)_1TX

PSD

5310MHz

31/10/2019




802.11ac VHT40_Nss1,(MCS0)_1TX

PSD

5510MHz

31/10/2019




802.11ac VHT40_Nss1,(MCS0)_1TX

PSD

5550MHz


31/10/2019






802.11ac VHT40_Nss1,(MCS0)_1TX

PSD




802.11ac VHT40_Nss1,(MCS0)_1TX

PSD




802.11ac VHT40_Nss1,(MCS0)_1TX

PSD




802.11ac VHT80_Nss1,(MCS0)_1TX

PSD




802.11ac VHT80_Nss1,(MCS0)_1TX

PSD




802.11ac VHT80_Nss1,(MCS0)_1TX

PSD




802.11ac VHT80_Nss1,(MCS0)_1TX

PSD



802.11ac VHT80_Nss1,(MCS0)_1TX

PSD






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	Pass	PK	5.47G	68.19	68.20	-0.01	5.04	3	Vertical	284	2.26	-

802.11a_Nss1,(6Mbps)_8TX

5260MHz_TX

20/10/2019




EUT_Z_8TX
Setting 22
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1406G	62.54	74.00	-11.46	5.13	3	Vertical	282	2.37	-	57.41
AV	5.1406G	47.30	54.00	-6.70	5.13	3	Vertical	282	2.37	-	42.17
PK	5.2582G	127.61	Inf	-Inf	4.60	3	Vertical	282	2.37	-	123.01
AV	5.2582G	116.76	Inf	-Inf	4.60	3	Vertical	282	2.37	-	112.16
PK	5.3578G	68.78	74.00	-5.22	4.69	3	Vertical	282	2.37	-	64.09
AV	5.3566G	49.51	54.00	-4.49	4.68	3	Vertical	282	2.37	-	44.83

802.11a_Nss1,(6Mbps)_8TX

5260MHz_TX

20/10/2019




EUT_Z_8TX
Setting 22
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	57.72	74.00	-16.28	5.09	3	Horizontal	203	2.93	-	52.63
AV	5.15G	45.78	54.00	-8.22	5.09	3	Horizontal	203	2.93	-	40.69
PK	5.2648G	121.46	Inf	-Inf	4.57	3	Horizontal	203	2.93	-	116.89
AV	5.2654G	111.34	Inf	-Inf	4.57	3	Horizontal	203	2.93	-	106.77
PK	5.3572G	58.42	74.00	-15.58	4.69	3	Horizontal	203	2.93	-	53.73
AV	5.3512G	45.28	54.00	-8.72	4.66	3	Horizontal	203	2.93	-	40.62

802.11a_Nss1,(6Mbps)_8TX

5260MHz_TX

20/10/2019




EUT_Z_8TX
Setting 22
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5202G	58.62	68.20	-9.58	13.55	3	Vertical	358	2.18	-	45.07
PK	15.77884G	66.76	74.00	-7.24	13.67	3	Vertical	284	2.06	-	53.09
AV	15.77924G	53.92	54.00	-0.08	13.67	3	Vertical	284	2.06	-	40.25

802.11a_Nss1,(6Mbps)_8TX

5260MHz_TX

20/10/2019




EUT_Z_8TX
Setting 22
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.52008G	57.14	68.20	-11.06	13.55	3	Horizontal	313	2.14	-	43.59
PK	15.77808G	63.61	74.00	-10.39	13.68	3	Horizontal	287	2.00	-	49.93
AV	15.77908G	50.68	54.00	-3.32	13.67	3	Horizontal	287	2.00	-	37.01

802.11a_Nss1,(6Mbps)_8TX

5300MHz_TX

20/10/2019




EUT_Z_8TX
Setting 22
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2932G	123.17	Inf	-Inf	4.45	3	Vertical	278	2.27	-	118.72
AV	5.2928G	113.51	Inf	-Inf	4.45	3	Vertical	278	2.27	-	109.06
PK	5.3624G	71.62	74.00	-2.38	4.71	3	Vertical	278	2.27	-	66.91
AV	5.3624G	53.64	54.00	-0.36	4.71	3	Vertical	278	2.27	-	48.93

802.11a_Nss1,(6Mbps)_8TX

5300MHz_TX

20/10/2019




EUT_Z_8TX
Setting 22
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2968G	118.49	Inf	-Inf	4.43	3	Horizontal	61	2.51	-	114.06
AV	5.2968G	108.10	Inf	-Inf	4.43	3	Horizontal	61	2.51	-	103.67
PK	5.352G	65.21	74.00	-8.79	4.66	3	Horizontal	61	2.51	-	60.55
AV	5.3508G	51.30	54.00	-2.70	4.65	3	Horizontal	61	2.51	-	46.65

802.11a_Nss1,(6Mbps)_8TX

5300MHz_TX

20/10/2019




EUT_Z_8TX
Setting 22
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60008G	57.98	74.00	-16.02	13.65	3	Vertical	2	1.02	-	44.33
AV	10.60008G	48.44	54.00	-5.56	13.65	3	Vertical	2	1.02	-	34.79
PK	15.89508G	62.25	74.00	-6.75	13.29	3	Vertical	32	2.09	-	53.96
AV	15.89748G	53.12	54.00	-0.88	13.28	3	Vertical	32	2.09	-	39.84

802.11a_Nss1,(6Mbps)_8TX

5300MHz_TX

20/10/2019




EUT_Z_8TX
Setting 22
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60372G	56.54	74.00	-17.46	13.65	3	Horizontal	197	1.01	-	42.89
AV	10.60016G	43.57	54.00	-10.43	13.65	3	Horizontal	197	1.01	-	29.92
PK	15.895G	62.36	74.00	-11.64	13.29	3	Horizontal	216	1.90	-	49.07
AV	15.8932G	49.00	54.00	-5.00	13.29	3	Horizontal	216	1.90	-	35.71

802.11a_Nss1,(6Mbps)_8TX

5320MHz_TX

20/10/2019


EUT_Z_8TX
Setting 17
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3232G	118.51	Inf	-Inf	4.53	3	Vertical	194	1.07	-	113.98
AV	5.3232G	108.97	Inf	-Inf	4.53	3	Vertical	194	1.07	-	104.44
PK	5.3501G	69.54	74.00	-4.46	4.65	3	Vertical	194	1.07	-	64.89
AV	5.3501G	53.81	54.00	-0.19	4.65	3	Vertical	194	1.07	-	49.16

802.11a_Nss1,(6Mbps)_8TX

5320MHz_TX

20/10/2019


EUT_Z_8TX
Setting 17
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3168G	114.34	Inf	-Inf	4.49	3	Horizontal	270	2.37	-	109.85
AV	5.3168G	104.29	Inf	-Inf	4.49	3	Horizontal	270	2.37	-	99.80
PK	5.35G	66.44	74.00	-7.56	4.65	3	Horizontal	270	2.37	-	61.79
AV	5.35G	50.24	54.00	-3.76	4.65	3	Horizontal	270	2.37	-	45.59

802.11a_Nss1,(6Mbps)_8TX

5320MHz_TX

20/10/2019


EUT_Z_8TX
Setting 17
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63324G	56.11	74.00	-17.89	13.70	3	Vertical	6	2.13	-	42.41
AV	10.63268G	42.94	54.00	-11.06	13.70	3	Vertical	6	2.13	-	29.24

802.11a_Nss1,(6Mbps)_8TX

5320MHz_TX

20/10/2019


EUT_Z_8TX
Setting 17
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6376G	56.61	74.00	-17.39	13.71	3	Horizontal	211	1.78	-	42.90
AV	10.64992G	42.97	54.00	-11.03	13.71	3	Horizontal	211	1.78	-	29.26

802.11a_Nss1,(6Mbps)_8TX

5500MHz_TX

20/10/2019


EUT_Z_8TX
Setting 17.5
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	62.55	74.00	-11.45	5.01	3	Vertical	284	2.26	-	57.54
AV	5.4588G	48.29	54.00	-5.71	5.02	3	Vertical	284	2.26	-	43.27
PK	5.47G	68.19	68.20	-0.01	5.04	3	Vertical	284	2.26	-	63.15
PK	5.4984G	120.52	Inf	-Inf	5.10	3	Vertical	284	2.26	-	115.42
AV	5.498G	110.79	Inf	-Inf	5.10	3	Vertical	284	2.26	-	105.69

802.11a_Nss1,(6Mbps)_8TX

5500MHz_TX

20/10/2019


EUT_Z_8TX
Setting 17.5
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	61.21	74.00	-12.79	5.00	3	Horizontal	270	2.39	-	56.21
AV	5.458G	47.77	54.00	-6.23	5.01	3	Horizontal	270	2.39	-	42.76
PK	5.4672G	66.71	68.20	-1.49	5.03	3	Horizontal	270	2.39	-	61.68
PK	5.4968G	116.18	Inf	-Inf	5.09	3	Horizontal	270	2.39	-	111.09
AV	5.4968G	106.31	Inf	-Inf	5.09	3	Horizontal	270	2.39	-	101.22

802.11a_Nss1,(6Mbps)_8TX

5500MHz_TX

20/10/2019


EUT_Z_8TX
Setting 17.5
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00604G	56.82	74.00	-17.18	14.15	3	Vertical	6	2.61	-	42.67
AV	11.00452G	43.22	54.00	-10.78	14.15	3	Vertical	6	2.61	-	29.07

802.11a_Nss1,(6Mbps)_8TX

5500MHz_TX

20/10/2019


EUT_Z_8TX
Setting 17.5
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00176G	57.73	74.00	-16.27	14.16	3	Horizontal	84	2.95	-	43.57
AV	10.99836G	43.34	54.00	-10.66	14.16	3	Horizontal	84	2.95	-	29.18

802.11a_Nss1,(6Mbps)_8TX

5580MHz_TX

22/10/2019




EUT_Z_8TX
Setting 23
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3824G	59.23	74.00	-14.77	4.81	3	Vertical	191	2.22	-	54.42
AV	5.3824G	46.86	54.00	-7.14	4.81	3	Vertical	191	2.22	-	42.05
PK	5.4624G	60.81	68.20	-7.39	5.02	3	Vertical	191	2.22	-	55.79
PK	5.5784G	123.40	Inf	-Inf	4.95	3	Vertical	191	2.22	-	118.45
AV	5.5792G	113.47	Inf	-Inf	4.95	3	Vertical	191	2.22	-	108.52
PK	5.7704G	58.24	68.20	-9.96	5.35	3	Vertical	191	2.22	-	52.89

802.11a_Nss1,(6Mbps)_8TX

5580MHz_TX

22/10/2019




EUT_Z_8TX
Setting 23
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	57.51	74.00	-16.49	5.02	3	Horizontal	275	2.41	-	52.49
AV	5.3848G	45.42	54.00	-8.58	4.82	3	Horizontal	275	2.41	-	40.60
PK	5.468G	57.68	68.20	-10.52	5.04	3	Horizontal	275	2.41	-	52.64
PK	5.5776G	118.86	Inf	-Inf	4.95	3	Horizontal	275	2.41	-	113.91
AV	5.5776G	108.81	Inf	-Inf	4.95	3	Horizontal	275	2.41	-	103.86
PK	5.7608G	57.23	68.20	-10.97	5.31	3	Horizontal	275	2.41	-	51.92

802.11a_Nss1,(6Mbps)_8TX

5580MHz_TX

22/10/2019




EUT_Z_8TX
Setting 23
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15772G	56.70	74.00	-17.30	13.88	3	Vertical	119	1.66	-	42.82
AV	11.16008G	43.32	54.00	-10.68	13.88	3	Vertical	119	1.66	-	29.44
PK	16.74184G	64.91	68.20	-3.29	15.49	3	Vertical	275	2.17	-	49.42

802.11a_Nss1,(6Mbps)_8TX

5580MHz_TX

22/10/2019




EUT_Z_8TX
Setting 23
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15152G	56.74	74.00	-17.26	13.90	3	Horizontal	131	2.61	-	42.84
AV	11.16008G	43.38	54.00	-10.62	13.88	3	Horizontal	131	2.61	-	29.50
PK	16.7344G	60.47	68.20	-7.73	15.47	3	Horizontal	237	2.82	-	45.00

802.11a_Nss1,(6Mbps)_8TX

5700MHz_TX

20/10/2019




EUT_Z_8TX
Setting 14.5
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.697G	119.22	Inf	-Inf	5.05	3	Vertical	281	2.27	-	114.17
AV	5.6958G	109.23	Inf	-Inf	5.05	3	Vertical	281	2.27	-	104.18
PK	5.7288G	67.91	68.20	-0.29	5.18	3	Vertical	281	2.27	-	62.73

802.11a_Nss1,(6Mbps)_8TX

5700MHz_TX

20/10/2019




EUT_Z_8TX
Setting 14.5
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7024G	109.52	Inf	-Inf	5.06	3	Horizontal	74	1.50	-	104.46
AV	5.7024G	99.38	Inf	-Inf	5.06	3	Horizontal	74	1.50	-	94.32
PK	5.7258G	59.57	68.20	-8.63	5.16	3	Horizontal	74	1.50	-	54.41

802.11a_Nss1,(6Mbps)_8TX

5700MHz_TX

20/10/2019




EUT_Z_8TX
Setting 14.5
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39128G	56.77	74.00	-17.23	13.48	3	Vertical	120	2.45	-	43.29
AV	11.39744G	42.44	54.00	-11.56	13.46	3	Vertical	120	2.45	-	28.98

802.11a_Nss1,(6Mbps)_8TX

5700MHz_TX

20/10/2019




EUT_Z_8TX
Setting 14.5
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40432G	56.12	74.00	-17.88	13.45	3	Horizontal	175	1.30	-	42.67
AV	11.39184G	42.47	54.00	-11.53	13.48	3	Horizontal	175	1.30	-	28.99

802.11a_Nss1,(6Mbps)_8TX

5720MHz Straddle 5.47-5.725GHz_TX

22/10/2019




EUT_Z_8TX
Setting 23
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7182G	123.79	Inf	-Inf	5.12	3	Vertical	276	2.63	-	118.67
AV	5.7182G	113.14	Inf	-Inf	5.12	3	Vertical	276	2.63	-	108.02
PK	5.8616G	59.36	68.20	-8.84	5.67	3	Vertical	276	2.63	-	53.69

802.11a_Nss1,(6Mbps)_8TX

5720MHz Straddle 5.47-5.725GHz_TX

22/10/2019




EUT_Z_8TX
Setting 23
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.723G	120.95	Inf	-Inf	5.15	3	Horizontal	115	2.35	-	115.80
AV	5.7236G	110.59	Inf	-Inf	5.15	3	Horizontal	115	2.35	-	105.44
PK	5.852G	58.60	68.20	-9.60	5.65	3	Horizontal	115	2.35	-	52.95

802.11a_Nss1,(6Mbps)_8TX

5720MHz Straddle 5.47-5.725GHz_TX

22/10/2019




EUT_Z_8TX
Setting 23
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43996G	57.92	74.00	-16.08	13.39	3	Vertical	176	2.93	-	44.53
AV	11.44008G	50.87	54.00	-3.13	13.39	3	Vertical	176	2.93	-	37.48
PK	17.15264G	64.15	68.20	-4.05	18.01	3	Vertical	253	2.61	-	46.14

802.11a_Nss1,(6Mbps)_8TX

5720MHz Straddle 5.47-5.725GHz_TX

22/10/2019




EUT_Z_8TX
Setting 23
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44004G	56.84	74.00	-17.16	13.39	3	Horizontal	307	2.20	-	43.45
AV	11.44008G	47.46	54.00	-6.54	13.39	3	Horizontal	307	2.20	-	34.07
PK	17.16556G	62.62	68.20	-5.58	18.15	3	Horizontal	204	2.73	-	44.47

802.11ax HEW20_Nss1,(MCS0)_8TX

5260MHz_TX

22/10/2019




EUT_Z_8TX
Setting 23
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1412G	60.54	74.00	-13.46	5.12	3	Vertical	275	2.71	-	55.42
AV	5.1424G	46.40	54.00	-7.60	5.12	3	Vertical	275	2.71	-	41.28
PK	5.254G	126.01	Inf	-Inf	4.61	3	Vertical	275	2.71	-	121.40
AV	5.254G	113.37	Inf	-Inf	4.61	3	Vertical	275	2.71	-	108.76
PK	5.3512G	66.93	74.00	-7.07	4.66	3	Vertical	275	2.71	-	62.27
AV	5.3518G	48.32	54.00	-5.68	4.66	3	Vertical	275	2.71	-	43.66

802.11ax HEW20_Nss1,(MCS0)_8TX

5260MHz_TX

22/10/2019




EUT_Z_8TX
Setting 23
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	58.37	74.00	-15.63	5.09	3	Horizontal	278	2.96	-	53.28
AV	5.1496G	45.57	54.00	-8.43	5.09	3	Horizontal	278	2.96	-	40.48
PK	5.251G	124.23	Inf	-Inf	4.63	3	Horizontal	278	2.96	-	119.60
AV	5.2516G	110.72	Inf	-Inf	4.62	3	Horizontal	278	2.96	-	106.10
PK	5.3518G	61.28	74.00	-12.72	4.66	3	Horizontal	278	2.96	-	56.62
AV	5.3524G	45.74	54.00	-8.26	4.66	3	Horizontal	278	2.96	-	41.08

802.11ax HEW20_Nss1,(MCS0)_8TX

5260MHz_TX

22/10/2019




EUT_Z_8TX
Setting 23
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5154G	56.73	68.20	-11.47	13.54	3	Vertical	38	1.44	-	43.19
PK	15.7706G	66.22	74.00	-7.78	13.70	3	Vertical	241	1.92	-	52.52
AV	15.77108G	51.72	54.00	-2.28	13.70	3	Vertical	241	1.92	-	38.02

802.11ax HEW20_Nss1,(MCS0)_8TX

5260MHz_TX

22/10/2019



EUT_Z_8TX
Setting 23
06-S-5
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.51692G	56.62	68.20	-11.58	13.54	3	Horizontal	314	1.59	-	43.08
PK	15.779G	62.56	74.00	-11.44	13.67	3	Horizontal	24	1.17	-	48.89
AV	15.77872G	48.80	54.00	-5.20	13.67	3	Horizontal	24	1.17	-	35.13



802.11ax HEW20_Nss1,(MCS0)_8TX

5300MHz_TX

20/10/2019




EUT_Z_8TX
Setting 21
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3012G	124.45	Inf	-Inf	4.43	3	Vertical	47	2.34	-	120.02
AV	5.3012G	111.88	Inf	-Inf	4.43	3	Vertical	47	2.34	-	107.45
PK	5.3501G	69.46	74.00	-4.54	4.65	3	Vertical	47	2.34	-	64.81
AV	5.3501G	53.73	54.00	-0.27	4.65	3	Vertical	47	2.34	-	49.08

802.11ax HEW20_Nss1,(MCS0)_8TX

5300MHz_TX

20/10/2019




EUT_Z_8TX
Setting 21
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3054G	117.89	Inf	-Inf	4.45	3	Horizontal	282	2.51	-	113.44
AV	5.3054G	105.32	Inf	-Inf	4.45	3	Horizontal	282	2.51	-	100.87
PK	5.3558G	65.99	74.00	-8.01	4.68	3	Horizontal	282	2.51	-	61.31
AV	5.3558G	50.21	54.00	-3.79	4.68	3	Horizontal	282	2.51	-	45.53

802.11ax HEW20_Nss1,(MCS0)_8TX

5300MHz_TX

20/10/2019




EUT_Z_8TX
Setting 21
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.89008G	58.47	74.00	-15.53	13.29	3	Vertical	89	1.11	-	45.18
AV	15.89016G	44.08	54.00	-9.92	13.29	3	Vertical	89	1.11	-	30.79

802.11ax HEW20_Nss1,(MCS0)_8TX

5300MHz_TX

20/10/2019




EUT_Z_8TX
Setting 21
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.894G	57.91	74.00	-16.09	13.29	3	Horizontal	84	1.15	-	44.62
AV	15.8902G	44.03	54.00	-9.97	13.29	3	Horizontal	84	1.15	-	30.74

802.11ax HEW20_Nss1,(MCS0)_8TX

5320MHz_TX

20/10/2019




EUT_Z_8TX
Setting 17
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3146G	120.84	Inf	-Inf	4.48	3	Vertical	90	2.37	-	116.36
AV	5.3152G	108.12	Inf	-Inf	4.49	3	Vertical	90	2.37	-	103.63
PK	5.353G	68.86	74.00	-5.14	4.67	3	Vertical	90	2.37	-	64.19
AV	5.3542G	53.71	54.00	-0.29	4.67	3	Vertical	90	2.37	-	49.04
PK	5.4622G	57.84	68.20	-10.36	5.02	3	Vertical	90	2.37	-	52.82

802.11ax HEW20_Nss1,(MCS0)_8TX

5320MHz_TX

20/10/2019




EUT_Z_8TX
Setting 17
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3152G	116.67	Inf	-Inf	4.49	3	Horizontal	289	2.99	-	112.18
AV	5.3164G	104.59	Inf	-Inf	4.49	3	Horizontal	289	2.99	-	100.10
PK	5.3542G	66.06	74.00	-7.94	4.67	3	Horizontal	289	2.99	-	61.39
AV	5.3542G	51.29	54.00	-2.71	4.67	3	Horizontal	289	2.99	-	46.62
PK	5.47G	57.12	68.20	-11.08	5.04	3	Horizontal	289	2.99	-	52.08

802.11ax HEW20_Nss1,(MCS0)_8TX

5320MHz_TX

20/10/2019




EUT_Z_8TX
Setting 17
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.9676G	56.84	74.00	-17.16	13.04	3	Vertical	278	2.66	-	43.80
AV	15.95016G	43.39	54.00	-10.61	13.09	3	Vertical	278	2.66	-	30.30

802.11ax HEW20_Nss1,(MCS0)_8TX

5320MHz_TX

20/10/2019




EUT_Z_8TX
Setting 17
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.96124G	57.17	74.00	-16.83	13.07	3	Horizontal	255	1.40	-	44.10
AV	15.95024G	43.39	54.00	-10.61	13.09	3	Horizontal	255	1.40	-	30.30

802.11ax HEW20_Nss1,(MCS0)_8TX

5500MHz_TX

20/10/2019




EUT_Z_8TX
Setting 15.5
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4456G	58.86	74.00	-15.14	4.99	3	Vertical	260	2.51	-	53.87
AV	5.4596G	45.98	54.00	-8.02	5.02	3	Vertical	260	2.51	-	40.96
PK	5.4676G	68.08	68.20	-0.12	5.04	3	Vertical	260	2.51	-	63.04
PK	5.5048G	121.33	Inf	-Inf	5.09	3	Vertical	260	2.51	-	116.24
AV	5.5044G	109.09	Inf	-Inf	5.09	3	Vertical	260	2.51	-	104.00

802.11ax HEW20_Nss1,(MCS0)_8TX

5500MHz_TX

20/10/2019




EUT_Z_8TX
Setting 15.5
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4556G	57.57	74.00	-16.43	5.00	3	Horizontal	280	2.71	-	52.57
AV	5.4556G	45.06	54.00	-8.94	5.00	3	Horizontal	280	2.71	-	40.06
PK	5.4688G	66.87	68.20	-1.33	5.04	3	Horizontal	280	2.71	-	61.83
PK	5.5092G	114.29	Inf	-Inf	5.08	3	Horizontal	280	2.71	-	109.21
AV	5.5088G	102.13	Inf	-Inf	5.08	3	Horizontal	280	2.71	-	97.05

802.11ax HEW20_Nss1,(MCS0)_8TX

5500MHz_TX

20/10/2019




EUT_Z_8TX
Setting 15.5
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00024G	56.96	74.00	-17.04	14.16	3	Vertical	219	2.93	-	42.80
AV	11.00884G	42.79	54.00	-11.21	14.15	3	Vertical	219	2.93	-	28.64

802.11ax HEW20_Nss1,(MCS0)_8TX

5500MHz_TX

20/10/2019




EUT_Z_8TX
Setting 15.5
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00116G	56.28	74.00	-17.72	14.16	3	Horizontal	65	1.62	-	42.12
AV	10.9936G	42.81	54.00	-11.19	14.15	3	Horizontal	65	1.62	-	28.66

802.11ax HEW20_Nss1,(MCS0)_8TX

5580MHz_TX

22/10/2019




EUT_Z_8TX
Setting 23
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	59.16	74.00	-14.84	5.02	3	Vertical	87	2.28	-	54.14
AV	5.4592G	45.65	54.00	-8.35	5.02	3	Vertical	87	2.28	-	40.63
PK	5.4608G	59.70	68.20	-8.50	5.02	3	Vertical	87	2.28	-	54.68
PK	5.5824G	126.60	Inf	-Inf	4.95	3	Vertical	87	2.28	-	121.65
AV	5.5832G	113.46	Inf	-Inf	4.94	3	Vertical	87	2.28	-	108.52
PK	5.776G	58.72	68.20	-9.48	5.37	3	Vertical	87	2.28	-	53.35

802.11ax HEW20_Nss1,(MCS0)_8TX

5580MHz_TX

22/10/2019




EUT_Z_8TX
Setting 23
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4544G	58.09	74.00	-15.91	5.00	3	Horizontal	271	2.66	-	53.09
AV	5.4528G	44.81	54.00	-9.19	5.00	3	Horizontal	271	2.66	-	39.81
PK	5.468G	57.36	68.20	-10.84	5.04	3	Horizontal	271	2.66	-	52.32
PK	5.5752G	121.94	Inf	-Inf	4.96	3	Horizontal	271	2.66	-	116.98
AV	5.5752G	110.47	Inf	-Inf	4.96	3	Horizontal	271	2.66	-	105.51
PK	5.7496G	57.44	68.20	-10.76	5.27	3	Horizontal	271	2.66	-	52.17

802.11ax HEW20_Nss1,(MCS0)_8TX

5580MHz_TX

22/10/2019




EUT_Z_8TX
Setting 23
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1586G	56.48	74.00	-17.52	13.88	3	Vertical	98	1.03	-	42.60
AV	11.16016G	42.87	54.00	-11.13	13.88	3	Vertical	98	1.03	-	28.99
PK	16.73532G	63.19	68.20	-5.01	15.47	3	Vertical	238	2.58	-	47.72

802.11ax HEW20_Nss1,(MCS0)_8TX

5580MHz_TX

22/10/2019




EUT_Z_8TX
Setting 23
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15376G	56.85	74.00	-17.15	13.90	3	Horizontal	34	2.31	-	42.95
AV	11.16016G	42.92	54.00	-11.08	13.88	3	Horizontal	34	2.31	-	29.04
PK	16.74568G	61.19	68.20	-7.01	15.51	3	Horizontal	295	2.87	-	45.68

802.11ax HEW20_Nss1,(MCS0)_8TX

5700MHz_TX

20/10/2019




EUT_Z_8TX
Setting 15
06-S-5-10
FSP(100142)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)
PK	5.7G	118.87	Inf	-Inf	5.05	3	Vertical	112	2.21	-	113.82
AV	5.7008G	107.26	Inf	-Inf	5.05	3	Vertical	112	2.21	-	102.21
PK	5.7256G	67.99	68.20	-0.21	5.16	3	Vertical	112	2.21	-	62.83

802.11ax HEW20_Nss1,(MCS0)_8TX

5700MHz_TX

20/10/2019




EUT_Z_8TX
Setting 15
06-S-5-10
FSP(100142)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)
PK	5.7048G	114.18	Inf	-Inf	5.07	3	Horizontal	110	2.99	-	109.11
AV	5.7056G	101.78	Inf	-Inf	5.07	3	Horizontal	110	2.99	-	96.71
PK	5.7256G	62.98	68.20	-5.22	5.16	3	Horizontal	110	2.99	-	57.82

802.11ax HEW20_Nss1,(MCS0)_8TX

5700MHz_TX

20/10/2019




EUT_Z_8TX
Setting 15
06-S-5
FSP(100142)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)
PK	11.39188G	55.84	74.00	-18.16	13.48	3	Vertical	29	2.81	-	42.36
AV	11.3916G	41.84	54.00	-12.16	13.48	3	Vertical	29	2.81	-	28.36

802.11ax HEW20_Nss1,(MCS0)_8TX

5700MHz_TX

20/10/2019




EUT_Z_8TX
Setting 15
06-S-5
FSP(100142)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)
PK	11.39844G	56.10	74.00	-17.90	13.46	3	Horizontal	262	2.97	-	42.64
AV	11.39728G	41.92	54.00	-12.08	13.46	3	Horizontal	262	2.97	-	28.46

802.11ax HEW20_Nss1,(MCS0)_8TX

5720MHz Straddle 5.47-5.725GHz_TX

22/10/2019




EUT_Z_8TX
Setting 23
06-S-5-10
FSP(100142)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)
PK	5.7216G	125.36	Inf	-Inf	5.15	3	Vertical	278	2.30	-	120.21
AV	5.7216G	114.01	Inf	-Inf	5.15	3	Vertical	278	2.30	-	108.86
PK	5.8608G	58.87	68.20	-9.33	5.67	3	Vertical	278	2.30	-	53.20

802.11ax HEW20_Nss1,(MCS0)_8TX

5720MHz Straddle 5.47-5.725GHz_TX

22/10/2019




EUT_Z_8TX
Setting 23
06-S-5-10
FSP(100142)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)
PK	5.7136G	117.65	Inf	-Inf	5.10	3	Horizontal	234	2.99	-	112.55
AV	5.7152G	106.78	Inf	-Inf	5.11	3	Horizontal	234	2.99	-	101.67
PK	5.9072G	57.63	68.20	-10.57	5.79	3	Horizontal	234	2.99	-	51.84

802.11ax HEW20_Nss1,(MCS0)_8TX

5720MHz Straddle 5.47-5.725GHz_TX

22/10/2019




EUT_Z_8TX
Setting 23
06-S-5
FSP(100142)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)
PK	11.4428G	55.87	74.00	-18.13	13.39	3	Vertical	325	1.33	-	42.48
AV	11.4402G	41.82	54.00	-12.18	13.39	3	Vertical	325	1.33	-	28.43
PK	17.1622G	68.02	68.20	-0.18	18.11	3	Vertical	131	2.68	-	49.91

802.11ax HEW20_Nss1,(MCS0)_8TX

5720MHz Straddle 5.47-5.725GHz_TX

22/10/2019



EUT_Z_8TX
Setting 23
06-S-5
FSP(100142)


Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)
PK	11.44136G	55.48	74.00	-18.52	13.39	3	Horizontal	152	2.50	-	42.09
AV	11.4404G	41.87	54.00	-12.13	13.39	3	Horizontal	152	2.50	-	28.48
PK	17.16268G	62.55	68.20	-5.65	18.12	3	Horizontal	185	1.73	-	44.43



802.11ax HEW40_Nss1,(MCS0)_8TX

5270MHz_TX

20/10/2019




EUT_Z_8TX
Setting 19.5
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1248G	57.65	74.00	-16.35	5.21	3	Vertical	264	2.99	-	52.44
AV	5.1482G	45.71	54.00	-8.29	5.10	3	Vertical	264	2.99	-	40.61
PK	5.2604G	120.64	Inf	-Inf	4.59	3	Vertical	264	2.99	-	116.05
AV	5.2604G	108.97	Inf	-Inf	4.59	3	Vertical	264	2.99	-	104.38
PK	5.36G	69.14	74.00	-4.86	4.70	3	Vertical	264	2.99	-	64.44
AV	5.3606G	53.79	54.00	-0.21	4.70	3	Vertical	264	2.99	-	49.09

802.11ax HEW40_Nss1,(MCS0)_8TX

5270MHz_TX

20/10/2019




EUT_Z_8TX
Setting 19.5
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	58.88	74.00	-15.12	5.09	3	Horizontal	285	2.95	-	53.79
AV	5.15G	45.41	54.00	-8.59	5.09	3	Horizontal	285	2.95	-	40.32
PK	5.2652G	117.28	Inf	-Inf	4.57	3	Horizontal	285	2.95	-	112.71
AV	5.2652G	105.20	Inf	-Inf	4.57	3	Horizontal	285	2.95	-	100.63
PK	5.3654G	66.67	74.00	-7.33	4.73	3	Horizontal	285	2.95	-	61.94
AV	5.3648G	51.22	54.00	-2.78	4.72	3	Horizontal	285	2.95	-	46.50

802.11ax HEW40_Nss1,(MCS0)_8TX

5270MHz_TX

20/10/2019




EUT_Z_8TX
Setting 19.5
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.80996G	58.51	74.00	-15.49	13.57	3	Vertical	95	2.08	-	44.94
AV	15.80552G	44.93	54.00	-9.07	13.59	3	Vertical	95	2.08	-	31.34

802.11ax HEW40_Nss1,(MCS0)_8TX

5270MHz_TX

20/10/2019




EUT_Z_8TX
Setting 19.5
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.8188G	59.19	74.00	-14.81	13.53	3	Horizontal	161	2.91	-	45.66
AV	15.8082G	45.01	54.00	-8.99	13.57	3	Horizontal	161	2.91	-	31.44

802.11ax HEW40_Nss1,(MCS0)_8TX

5310MHz_TX

20/10/2019




EUT_Z_8TX
Setting 15.5
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3064G	118.01	Inf	-Inf	4.45	3	Vertical	349	2.32	-	113.56
AV	5.3052G	105.62	Inf	-Inf	4.45	3	Vertical	349	2.32	-	101.17
PK	5.3526G	70.84	74.00	-3.16	4.66	3	Vertical	349	2.32	-	66.18
AV	5.3532G	53.90	54.00	-0.10	4.67	3	Vertical	349	2.32	-	49.23

802.11ax HEW40_Nss1,(MCS0)_8TX

5310MHz_TX

20/10/2019




EUT_Z_8TX
Setting 15.5
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2974G	113.06	Inf	-Inf	4.43	3	Horizontal	263	2.38	-	108.63
AV	5.2986G	99.45	Inf	-Inf	4.43	3	Horizontal	263	2.38	-	95.02
PK	5.3532G	64.01	74.00	-9.99	4.67	3	Horizontal	263	2.38	-	59.34
AV	5.3532G	48.66	54.00	-5.34	4.67	3	Horizontal	263	2.38	-	43.99

802.11ax HEW40_Nss1,(MCS0)_8TX

5310MHz_TX

20/10/2019




EUT_Z_8TX
Setting 15.5
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.92644G	57.86	74.00	-16.14	13.18	3	Vertical	184	1.99	-	44.68
AV	15.9238G	43.73	54.00	-10.27	13.19	3	Vertical	184	1.99	-	30.54

802.11ax HEW40_Nss1,(MCS0)_8TX

5310MHz_TX

20/10/2019




EUT_Z_8TX
Setting 15.5
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.93864G	57.42	74.00	-16.58	13.13	3	Horizontal	143	1.20	-	44.29
AV	15.9242G	43.77	54.00	-10.23	13.19	3	Horizontal	143	1.20	-	30.58

802.11ax HEW40_Nss1,(MCS0)_8TX

5510MHz_TX

20/10/2019


EUT_Z_8TX
Setting 14
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	62.49	74.00	-11.51	5.02	3	Vertical	263	2.35	-	57.47
AV	5.46G	47.86	54.00	-6.14	5.02	3	Vertical	263	2.35	-	42.84
PK	5.4626G	67.37	68.20	-0.83	5.03	3	Vertical	263	2.35	-	62.34
PK	5.5004G	116.98	Inf	-Inf	5.10	3	Vertical	263	2.35	-	111.88
AV	5.501G	104.35	Inf	-Inf	5.10	3	Vertical	263	2.35	-	99.25

802.11ax HEW40_Nss1,(MCS0)_8TX

5550MHz_TX

20/10/2019


EUT_Z_8TX
Setting 18
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4564G	62.02	74.00	-11.98	5.00	3	Vertical	263	2.39	-	57.02
AV	5.46G	49.18	54.00	-4.82	5.02	3	Vertical	263	2.39	-	44.16
PK	5.469G	67.90	68.20	-0.30	5.04	3	Vertical	263	2.39	-	62.86
PK	5.541G	121.03	Inf	-Inf	5.02	3	Vertical	263	2.39	-	116.01
AV	5.5404G	108.10	Inf	-Inf	5.02	3	Vertical	263	2.39	-	103.08

802.11ax HEW40_Nss1,(MCS0)_8TX

5510MHz_TX

20/10/2019


EUT_Z_8TX
Setting 14
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4572G	62.04	74.00	-11.96	5.00	3	Horizontal	280	2.99	-	57.04
AV	5.456G	45.66	54.00	-8.34	5.00	3	Horizontal	280	2.99	-	40.66
PK	5.465G	60.29	68.20	-7.91	5.03	3	Horizontal	280	2.99	-	55.26
PK	5.5058G	111.45	Inf	-Inf	5.09	3	Horizontal	280	2.99	-	106.36
AV	5.5058G	98.80	Inf	-Inf	5.09	3	Horizontal	280	2.99	-	93.71

802.11ax HEW40_Nss1,(MCS0)_8TX

5550MHz_TX

20/10/2019


EUT_Z_8TX
Setting 18
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4552G	58.46	74.00	-15.54	5.00	3	Horizontal	264	2.60	-	53.46
AV	5.4576G	45.99	54.00	-8.01	5.01	3	Horizontal	264	2.60	-	40.98
PK	5.47G	62.75	68.20	-5.45	5.04	3	Horizontal	264	2.60	-	57.71
PK	5.5356G	115.34	Inf	-Inf	5.04	3	Horizontal	264	2.60	-	110.30
AV	5.5356G	101.67	Inf	-Inf	5.04	3	Horizontal	264	2.60	-	96.63

802.11ax HEW40_Nss1,(MCS0)_8TX

5510MHz_TX

20/10/2019


EUT_Z_8TX
Setting 14
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02608G	57.06	74.00	-16.94	14.11	3	Vertical	76	2.10	-	42.95
AV	11.02996G	43.00	54.00	-11.00	14.11	3	Vertical	76	2.10	-	28.89

802.11ax HEW40_Nss1,(MCS0)_8TX

5550MHz_TX

20/10/2019


EUT_Z_8TX
Setting 18
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.09148G	56.60	74.00	-17.40	13.99	3	Vertical	165	2.58	-	42.61
AV	11.09764G	42.73	54.00	-11.27	13.98	3	Vertical	165	2.58	-	28.75

802.11ax HEW40_Nss1,(MCS0)_8TX

5510MHz_TX

20/10/2019


EUT_Z_8TX
Setting 14
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02732G	56.88	74.00	-17.12	14.11	3	Horizontal	166	1.46	-	42.77
AV	11.02284G	42.98	54.00	-11.02	14.12	3	Horizontal	166	1.46	-	28.86

802.11ax HEW40_Nss1,(MCS0)_8TX

5550MHz_TX

20/10/2019


EUT_Z_8TX
Setting 18
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10756G	56.61	74.00	-17.39	13.97	3	Horizontal	269	1.01	-	42.64
AV	11.10356G	42.76	54.00	-11.24	13.97	3	Horizontal	269	1.01	-	28.79

802.11ax HEW40_Nss1,(MCS0)_8TX

5670MHz_TX

20/10/2019




EUT_Z,8TX
Setting 16
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6724G	117.75	Inf	-Inf	5.01	3	Vertical	297	2.16	-	112.74
AV	5.6724G	105.36	Inf	-Inf	5.01	3	Vertical	297	2.16	-	100.35
PK	5.7318G	67.93	68.20	-0.27	5.19	3	Vertical	297	2.16	-	62.74

802.11ax HEW40_Nss1,(MCS0)_8TX

5670MHz_TX

20/10/2019




EUT_Z,8TX
Setting 16
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.658G	111.54	Inf	-Inf	5.00	3	Horizontal	271	2.59	-	106.54
AV	5.658G	99.66	Inf	-Inf	5.00	3	Horizontal	271	2.59	-	94.66
PK	5.7252G	65.97	68.20	-2.23	5.16	3	Horizontal	271	2.59	-	60.81

802.11ax HEW40_Nss1,(MCS0)_8TX

5670MHz_TX

20/10/2019




EUT_Z,8TX
Setting 16
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.34576G	56.06	74.00	-17.94	13.55	3	Vertical	310	1.52	-	42.51
AV	11.34084G	42.16	54.00	-11.84	13.56	3	Vertical	310	1.52	-	28.60

802.11ax HEW40_Nss1,(MCS0)_8TX

5670MHz_TX

20/10/2019




EUT_Z,8TX
Setting 16
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3362G	55.67	74.00	-18.33	13.57	3	Horizontal	119	1.97	-	42.10
AV	11.33164G	42.10	54.00	-11.90	13.57	3	Horizontal	119	1.97	-	28.53

802.11ax HEW40_Nss1,(MCS0)_8TX

5710MHz Straddle 5.47-5.725GHz_TX

20/10/2019




EUT_Z,8TX
Setting 20.5
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.706G	123.07	Inf	-Inf	5.07	3	Vertical	97	2.31	-	118.00
AV	5.7052G	110.91	Inf	-Inf	5.07	3	Vertical	97	2.31	-	105.84
PK	5.8524G	67.89	68.20	-0.31	5.65	3	Vertical	97	2.31	-	62.24

802.11ax HEW40_Nss1,(MCS0)_8TX

5710MHz Straddle 5.47-5.725GHz_TX

20/10/2019




EUT_Z,8TX
Setting 20.5
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7172G	115.85	Inf	-Inf	5.12	3	Horizontal	271	2.51	-	110.73
AV	5.7172G	103.80	Inf	-Inf	5.12	3	Horizontal	271	2.51	-	98.68
PK	5.866G	61.91	68.20	-6.29	5.68	3	Horizontal	271	2.51	-	56.23

802.11ax HEW40_Nss1,(MCS0)_8TX

5710MHz Straddle 5.47-5.725GHz_TX

20/10/2019




EUT_Z,8TX
Setting 20.5
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41932G	56.17	74.00	-17.83	13.43	3	Vertical	210	2.72	-	42.74
AV	11.41572G	41.98	54.00	-12.02	13.44	3	Vertical	210	2.72	-	28.54

802.11ax HEW40_Nss1,(MCS0)_8TX

5710MHz Straddle 5.47-5.725GHz_TX

20/10/2019




EUT_Z,8TX
Setting 20.5
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.42652G	55.65	74.00	-18.35	13.42	3	Horizontal	336	2.66	-	42.23
AV	11.42292G	41.93	54.00	-12.07	13.43	3	Horizontal	336	2.66	-	28.50

802.11ax HEW80_Nss1,(MCS0)_8TX

5290MHz_TX

20/10/2019




EUT_Z_8TX
Setting 14.5
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	58.31	74.00	-15.69	5.11	3	Vertical	97	2.24	-	53.20
AV	5.148G	46.69	54.00	-7.31	5.10	3	Vertical	97	2.24	-	41.59
PK	5.288G	113.41	Inf	-Inf	4.48	3	Vertical	97	2.24	-	108.93
AV	5.288G	101.63	Inf	-Inf	4.48	3	Vertical	97	2.24	-	97.15
PK	5.367G	68.82	74.00	-5.18	4.74	3	Vertical	97	2.24	-	64.08
AV	5.367G	53.70	54.00	-0.30	4.74	3	Vertical	97	2.24	-	48.96
PK	5.469G	57.97	68.20	-10.23	5.04	3	Vertical	97	2.24	-	52.93

802.11ax HEW80_Nss1,(MCS0)_8TX

5290MHz_TX

20/10/2019




EUT_Z_8TX
Setting 14.5
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.119G	57.93	74.00	-16.07	5.24	3	Horizontal	266	2.34	-	52.69
AV	5.095G	45.65	54.00	-8.35	5.30	3	Horizontal	266	2.34	-	40.35
PK	5.298G	108.60	Inf	-Inf	4.43	3	Horizontal	266	2.34	-	104.17
AV	5.298G	96.48	Inf	-Inf	4.42	3	Horizontal	266	2.34	-	92.06
PK	5.378G	64.41	74.00	-9.59	4.79	3	Horizontal	266	2.34	-	59.62
AV	5.378G	49.80	54.00	-4.20	4.79	3	Horizontal	266	2.34	-	45.01
PK	5.53G	58.84	68.20	-9.36	5.04	3	Horizontal	266	2.34	-	53.80

802.11ax HEW80_Nss1,(MCS0)_8TX

5290MHz_TX

20/10/2019




EUT_Z_8TX
Setting 14.5
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.86068G	57.14	74.00	-16.86	13.41	3	Vertical	199	2.44	-	43.73
AV	15.86912G	45.23	54.00	-8.77	13.37	3	Vertical	199	2.44	-	31.86

802.11ax HEW80_Nss1,(MCS0)_8TX

5290MHz_TX

20/10/2019




EUT_Z_8TX
Setting 14.5
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.86772G	57.69	74.00	-16.31	13.37	3	Horizontal	21	1.07	-	44.32
AV	15.86672G	45.22	54.00	-8.78	13.38	3	Horizontal	21	1.07	-	31.84

802.11ax HEW80_Nss1,(MCS0)_8TX

5530MHz_TX

20/10/2019




EUT_Z_8TX
Setting 14
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.344G	56.44	68.20	-11.76	4.63	3	Vertical	264	2.31	-	51.81
PK	5.46G	64.67	74.00	-9.33	5.02	3	Vertical	264	2.31	-	59.65
AV	5.46G	51.24	54.00	-2.76	5.02	3	Vertical	264	2.31	-	46.22
PK	5.462G	67.88	68.20	-0.32	5.02	3	Vertical	264	2.31	-	62.86
PK	5.541G	114.68	Inf	-Inf	5.02	3	Vertical	264	2.31	-	109.66
AV	5.54G	101.78	Inf	-Inf	5.02	3	Vertical	264	2.31	-	96.76
PK	5.751G	57.60	68.20	-10.60	5.26	3	Vertical	264	2.31	-	52.34

802.11ax HEW80_Nss1,(MCS0)_8TX

5530MHz_TX

20/10/2019




EUT_Z_8TX
Setting 14
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.315G	56.62	68.20	-11.58	4.49	3	Horizontal	263	2.64	-	52.13
PK	5.456G	62.18	74.00	-11.82	5.00	3	Horizontal	263	2.64	-	57.18
AV	5.456G	48.69	54.00	-5.31	5.00	3	Horizontal	263	2.64	-	43.69
PK	5.47G	61.23	68.20	-6.97	5.04	3	Horizontal	263	2.64	-	56.19
PK	5.536G	107.21	Inf	-Inf	5.04	3	Horizontal	263	2.64	-	102.17
AV	5.535G	95.61	Inf	-Inf	5.04	3	Horizontal	263	2.64	-	90.57
PK	5.728G	57.13	68.20	-11.07	5.17	3	Horizontal	263	2.64	-	51.96

802.11ax HEW80_Nss1,(MCS0)_8TX

5530MHz_TX

20/10/2019




EUT_Z_8TX
Setting 14
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06316G	56.26	74.00	-17.74	14.05	3	Vertical	58	1.97	-	42.21
AV	11.06076G	42.78	54.00	-11.22	14.05	3	Vertical	58	1.97	-	28.73

802.11ax HEW80_Nss1,(MCS0)_8TX

5530MHz_TX

20/10/2019




EUT_Z_8TX
Setting 14
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05168G	56.33	74.00	-17.67	14.07	3	Horizontal	154	2.62	-	42.26
AV	11.0576G	42.77	54.00	-11.23	14.05	3	Horizontal	154	2.62	-	28.72

802.11ax HEW80_Nss1,(MCS0)_8TX

5690MHz Straddle 5.47-5.725GHz_TX

20/10/2019


EUT_Z_8TX
Setting 18
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.446G	59.52	74.00	-14.48	4.99	3	Vertical	82	2.45	-	54.53
AV	5.446G	46.25	54.00	-7.75	4.99	3	Vertical	82	2.45	-	41.26
PK	5.466G	58.29	68.20	-9.91	5.03	3	Vertical	82	2.45	-	53.26
PK	5.707G	119.09	Inf	-Inf	5.09	3	Vertical	82	2.45	-	114.00
AV	5.707G	106.18	Inf	-Inf	5.09	3	Vertical	82	2.45	-	101.09
PK	5.85G	67.88	68.20	-0.32	5.64	3	Vertical	82	2.45	-	62.24

802.11ax HEW80_Nss1,(MCS0)_8TX

5610MHz_TX

20/10/2019


EUT_Z_8TX
Setting 16
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	63.53	74.00	-10.47	5.01	3	Vertical	95	2.62	-	58.52
AV	5.458G	48.67	54.00	-5.33	5.01	3	Vertical	95	2.62	-	43.66
PK	5.464G	67.88	68.20	-0.32	5.03	3	Vertical	95	2.62	-	62.85
PK	5.606G	116.22	Inf	-Inf	4.92	3	Vertical	95	2.62	-	111.30
AV	5.606G	104.59	Inf	-Inf	4.92	3	Vertical	95	2.62	-	99.67
PK	5.739G	67.14	68.20	-1.06	5.22	3	Vertical	95	2.62	-	61.92

802.11ax HEW80_Nss1,(MCS0)_8TX

5690MHz Straddle 5.47-5.725GHz_TX

20/10/2019


EUT_Z_8TX
Setting 18
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.442G	58.02	74.00	-15.98	4.98	3	Horizontal	273	2.35	-	53.04
AV	5.445G	44.96	54.00	-9.04	4.99	3	Horizontal	273	2.35	-	39.97
PK	5.464G	57.67	68.20	-10.53	5.03	3	Horizontal	273	2.35	-	52.64
PK	5.698G	110.34	Inf	-Inf	5.05	3	Horizontal	273	2.35	-	105.29
AV	5.697G	98.57	Inf	-Inf	5.05	3	Horizontal	273	2.35	-	93.52
PK	5.858G	63.13	68.20	-5.07	5.66	3	Horizontal	273	2.35	-	57.47

802.11ax HEW80_Nss1,(MCS0)_8TX

5610MHz_TX

20/10/2019


EUT_Z_8TX
Setting 16
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.454G	58.81	74.00	-15.19	5.00	3	Horizontal	273	2.50	-	53.81
AV	5.46G	45.68	54.00	-8.32	5.02	3	Horizontal	273	2.50	-	40.66
PK	5.465G	60.06	68.20	-8.14	5.03	3	Horizontal	273	2.50	-	55.03
PK	5.618G	109.47	Inf	-Inf	4.94	3	Horizontal	273	2.50	-	104.53
AV	5.618G	96.75	Inf	-Inf	4.93	3	Horizontal	273	2.50	-	91.82
PK	5.726G	61.04	68.20	-7.16	5.16	3	Horizontal	273	2.50	-	55.88

802.11ax HEW80_Nss1,(MCS0)_8TX

5690MHz Straddle 5.47-5.725GHz_TX

20/10/2019


EUT_Z_8TX
Setting 18
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38864G	55.89	74.00	-18.11	13.49	3	Vertical	119	1.19	-	42.40
AV	11.38352G	41.89	54.00	-12.11	13.49	3	Vertical	119	1.19	-	28.40

802.11ax HEW80_Nss1,(MCS0)_8TX

5610MHz_TX

20/10/2019


EUT_Z_8TX
Setting 16
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.21556G	56.45	74.00	-17.55	13.79	3	Vertical	46	1.55	-	42.66
AV	11.22184G	42.66	54.00	-11.34	13.78	3	Vertical	46	1.55	-	28.88

802.11ax HEW80_Nss1,(MCS0)_8TX

5690MHz Straddle 5.47-5.725GHz_TX

20/10/2019


EUT_Z_8TX
Setting 18
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38464G	56.26	74.00	-17.74	13.49	3	Horizontal	110	2.21	-	42.77
AV	11.37768G	41.84	54.00	-12.16	13.50	3	Horizontal	110	2.21	-	28.34

802.11ax HEW80_Nss1,(MCS0)_8TX

5610MHz_TX

20/10/2019

EUT_Z_8TX
Setting 16
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22708G	56.76	74.00	-17.24	13.76	3	Horizontal	10	2.17	-	43.00
AV	11.22088G	42.58	54.00	-11.42	13.78	3	Horizontal	10	2.17	-	28.80




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_8TX	Pass	PK	5.726G	67.82	68.20	-0.38	9.59	3	Vertical	176	2.79	-

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5260MHz_TX

14/01/2020


EUT_Z_8TX
Setting 27
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1202G	60.96	74.00	-13.04	9.10	3	Vertical	264	2.08	-	51.86
AV	5.1148G	47.56	54.00	-6.44	9.10	3	Vertical	264	2.08	-	38.46
PK	5.2618G	119.47	Inf	-Inf	9.33	3	Vertical	264	2.08	-	110.14
AV	5.2612G	107.36	Inf	-Inf	9.33	3	Vertical	264	2.08	-	98.03
PK	5.3644G	61.20	74.00	-12.80	9.48	3	Vertical	264	2.08	-	51.72
AV	5.365G	48.42	54.00	-5.58	9.48	3	Vertical	264	2.08	-	38.94

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5260MHz_TX

14/01/2020


EUT_Z_8TX
Setting 27
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1124G	60.20	74.00	-13.80	9.10	3	Horizontal	21	2.44	-	51.10
AV	5.1154G	47.29	54.00	-6.71	9.11	3	Horizontal	21	2.44	-	38.18
PK	5.2546G	114.55	Inf	-Inf	9.32	3	Horizontal	21	2.44	-	105.23
AV	5.254G	103.10	Inf	-Inf	9.32	3	Horizontal	21	2.44	-	93.78
PK	5.404G	61.38	74.00	-12.62	9.53	3	Horizontal	21	2.44	-	51.85
AV	5.4058G	48.10	54.00	-5.90	9.54	3	Horizontal	21	2.44	-	38.56

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5260MHz_TX

14/01/2020


EUT_Z_8TX
Setting 27
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.52009G	57.91	68.20	-10.29	15.82	3	Vertical	164	2.93	-	42.09
PK	15.78044G	57.83	74.00	-16.17	15.34	3	Vertical	232	1.50	-	42.49
AV	15.78308G	43.49	54.00	-10.51	15.33	3	Vertical	232	1.50	-	28.16

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5260MHz_TX

14/01/2020


EUT_Z_8TX
Setting 27
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.52002G	55.26	68.20	-12.94	15.82	3	Horizontal	267	1.15	-	39.44
PK	15.78138G	56.97	74.00	-17.03	15.33	3	Horizontal	193	1.22	-	41.64
AV	15.78089G	43.25	54.00	-10.75	15.34	3	Horizontal	193	1.22	-	27.91

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5300MHz_TX

14/01/2020


EUT_Z_8TX
Setting 27
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3052G	123.55	Inf	-Inf	9.42	3	Vertical	88	2.99	-	114.13
AV	5.3064G	110.84	Inf	-Inf	9.42	3	Vertical	88	2.99	-	101.42
PK	5.39G	61.23	74.00	-12.77	9.51	3	Vertical	88	2.99	-	51.72
AV	5.3536G	48.23	54.00	-5.77	9.47	3	Vertical	88	2.99	-	38.76

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5300MHz_TX

14/01/2020


EUT_Z_8TX
Setting 27
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3044G	114.17	Inf	-Inf	9.41	3	Horizontal	96	2.25	-	104.76
AV	5.2972G	101.75	Inf	-Inf	9.40	3	Horizontal	96	2.25	-	92.35
PK	5.3736G	61.67	74.00	-12.33	9.50	3	Horizontal	96	2.25	-	52.17
AV	5.3936G	47.83	54.00	-6.17	9.52	3	Horizontal	96	2.25	-	38.31

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5300MHz_TX

14/01/2020


EUT_Z_8TX
Setting 27
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60001G	58.73	74.00	-15.27	15.79	3	Vertical	0	2.44	-	42.94
AV	10.60004G	52.13	54.00	-1.87	15.79	3	Vertical	0	2.44	-	36.34
PK	15.89594G	62.68	74.00	-11.32	15.01	3	Vertical	353	2.77	-	47.67
AV	15.89616G	47.66	54.00	-6.34	15.01	3	Vertical	353	2.77	-	32.65

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5300MHz_TX

14/01/2020


EUT_Z_8TX
Setting 27
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60002G	56.12	74.00	-17.88	15.79	3	Horizontal	268	2.97	-	40.33
AV	10.60002G	47.54	54.00	-6.46	15.79	3	Horizontal	268	2.97	-	31.75
PK	15.89678G	57.98	74.00	-16.02	15.01	3	Horizontal	45	2.47	-	42.97
AV	15.89818G	44.63	54.00	-9.37	15.01	3	Horizontal	45	2.47	-	29.62

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5320MHz_TX

14/01/2020


EUT_Z_8TX
Setting 27
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3222G	123.23	Inf	-Inf	9.43	3	Vertical	173	2.05	-	113.80
AV	5.3216G	110.10	Inf	-Inf	9.43	3	Vertical	173	2.05	-	100.67
PK	5.3522G	70.63	74.00	-3.37	9.47	3	Vertical	173	2.05	-	61.16
AV	5.3604G	50.58	54.00	-3.42	9.48	3	Vertical	173	2.05	-	41.10

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5320MHz_TX

14/01/2020


EUT_Z_8TX
Setting 27
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3118G	117.13	Inf	-Inf	9.43	3	Horizontal	287	2.90	-	107.70
AV	5.3122G	105.66	Inf	-Inf	9.43	3	Horizontal	287	2.90	-	96.23
PK	5.3514G	69.87	74.00	-4.13	9.47	3	Horizontal	287	2.90	-	60.40
AV	5.3512G	53.11	54.00	-0.89	9.47	3	Horizontal	287	2.90	-	43.64

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5320MHz_TX

14/01/2020


EUT_Z_8TX
Setting 27
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63985G	58.01	74.00	-15.99	15.77	3	Vertical	358	2.64	-	42.24
AV	10.63998G	51.43	54.00	-2.57	15.77	3	Vertical	358	2.64	-	35.66
PK	15.95856G	63.34	74.00	-10.66	14.84	3	Vertical	89	1.44	-	48.50
AV	15.95839G	47.23	54.00	-6.77	14.84	3	Vertical	89	1.44	-	32.39

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5320MHz_TX

14/01/2020


EUT_Z_8TX
Setting 27
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63993G	56.50	74.00	-17.50	15.77	3	Horizontal	267	2.99	-	40.73
AV	10.63996G	48.01	54.00	-5.99	15.77	3	Horizontal	267	2.99	-	32.24
PK	15.96196G	57.81	74.00	-16.19	14.83	3	Horizontal	233	2.31	-	42.98
AV	15.96051G	44.79	54.00	-9.21	14.83	3	Horizontal	233	2.31	-	29.96

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5500MHz_TX

14/01/2020


EUT_Z_8TX
Setting 23
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	61.36	74.00	-12.64	9.57	3	Vertical	255	2.66	-	51.79
AV	5.456G	48.92	54.00	-5.08	9.57	3	Vertical	255	2.66	-	39.35
PK	5.468G	67.77	68.20	-0.43	9.57	3	Vertical	255	2.66	-	58.20
PK	5.508G	119.47	Inf	-Inf	9.62	3	Vertical	255	2.66	-	109.85
AV	5.5076G	107.01	Inf	-Inf	9.62	3	Vertical	255	2.66	-	97.39

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5500MHz_TX

14/01/2020


EUT_Z_8TX
Setting 23
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4572G	60.88	74.00	-13.12	9.57	3	Horizontal	267	2.63	-	51.31
AV	5.4064G	48.19	54.00	-5.81	9.54	3	Horizontal	267	2.63	-	38.65
PK	5.4684G	60.60	68.20	-7.60	9.58	3	Horizontal	267	2.63	-	51.02
PK	5.4968G	114.24	Inf	-Inf	9.60	3	Horizontal	267	2.63	-	104.64
AV	5.4956G	102.14	Inf	-Inf	9.60	3	Horizontal	267	2.63	-	92.54

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5500MHz_TX

14/01/2020


EUT_Z_8TX
Setting 23
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00001G	56.94	74.00	-17.06	15.66	3	Vertical	345	1.91	-	41.28
AV	10.99994G	48.21	54.00	-5.79	15.66	3	Vertical	345	1.91	-	32.55

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5500MHz_TX

14/01/2020


EUT_Z_8TX
Setting 23
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00008G	54.61	74.00	-19.39	15.66	3	Horizontal	282	1.06	-	38.95
AV	10.99999G	42.13	54.00	-11.87	15.66	3	Horizontal	282	1.06	-	26.47

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5580MHz_TX

14/01/2020




EUT_Z_8TX
Setting 27
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.432G	60.90	74.00	-13.10	9.56	3	Vertical	241	2.25	-	51.34
AV	5.3848G	48.75	54.00	-5.25	9.50	3	Vertical	241	2.25	-	39.25
PK	5.4696G	60.88	68.20	-7.32	9.58	3	Vertical	241	2.25	-	51.30
PK	5.5816G	119.44	Inf	-Inf	9.73	3	Vertical	241	2.25	-	109.71
AV	5.5712G	106.03	Inf	-Inf	9.72	3	Vertical	241	2.25	-	96.31
PK	5.7288G	61.43	68.20	-6.77	9.59	3	Vertical	241	2.25	-	51.84

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5580MHz_TX

14/01/2020




EUT_Z_8TX
Setting 27
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4256G	60.72	74.00	-13.28	9.55	3	Horizontal	273	2.57	-	51.17
AV	5.4256G	48.02	54.00	-5.98	9.55	3	Horizontal	273	2.57	-	38.47
PK	5.4656G	59.88	68.20	-8.32	9.57	3	Horizontal	273	2.57	-	50.31
PK	5.572G	115.66	Inf	-Inf	9.72	3	Horizontal	273	2.57	-	105.94
AV	5.572G	103.54	Inf	-Inf	9.72	3	Horizontal	273	2.57	-	93.82
PK	5.7464G	60.71	68.20	-7.49	9.60	3	Horizontal	273	2.57	-	51.11

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5580MHz_TX

14/01/2020




EUT_Z_8TX
Setting 27
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15997G	55.90	74.00	-18.10	15.79	3	Vertical	12	2.01	-	40.11
AV	11.15998G	45.95	54.00	-8.05	15.79	3	Vertical	12	2.01	-	30.16

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5580MHz_TX

14/01/2020




EUT_Z_8TX
Setting 27
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15977G	56.41	74.00	-17.59	15.79	3	Horizontal	221	1.85	-	40.62
AV	11.15997G	43.90	54.00	-10.10	15.79	3	Horizontal	221	1.85	-	28.11

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5700MHz_TX

14/01/2020




EUT_Z_8TX
Setting 22
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7022G	119.74	Inf	-Inf	9.59	3	Vertical	273	2.21	-	110.15
AV	5.6976G	106.83	Inf	-Inf	9.59	3	Vertical	273	2.21	-	97.24
PK	5.7258G	67.60	68.20	-0.60	9.59	3	Vertical	273	2.21	-	58.01

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5700MHz_TX

14/01/2020




EUT_Z_8TX
Setting 22
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7038G	113.16	Inf	-Inf	9.59	3	Horizontal	155	2.19	-	103.57
AV	5.7038G	100.77	Inf	-Inf	9.59	3	Horizontal	155	2.19	-	91.18
PK	5.7254G	66.54	68.20	-1.66	9.59	3	Horizontal	155	2.19	-	56.95

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5700MHz_TX

14/01/2020




EUT_Z_8TX
Setting 22
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40008G	56.69	74.00	-17.31	15.98	3	Vertical	351	1.02	-	40.71
AV	11.40001G	45.45	54.00	-8.55	15.98	3	Vertical	351	1.02	-	29.47

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5700MHz_TX

14/01/2020




EUT_Z_8TX
Setting 22
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40238G	54.92	74.00	-19.08	15.98	3	Horizontal	317	2.79	-	38.94
AV	11.40056G	41.95	54.00	-12.05	15.98	3	Horizontal	317	2.79	-	25.97

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5720MHz Straddle 5.47-5.725GHz_TX

14/01/2020




EUT_Z_8TX
Setting 27
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4572G	61.06	74.00	-12.94	9.57	3	Vertical	115	2.27	-	51.49
AV	5.4392G	48.36	54.00	-5.64	9.55	3	Vertical	115	2.27	-	38.81
PK	5.4632G	60.24	68.20	-7.96	9.57	3	Vertical	115	2.27	-	50.67
PK	5.7188G	120.33	Inf	-Inf	9.60	3	Vertical	115	2.27	-	110.73
AV	5.7212G	109.08	Inf	-Inf	9.60	3	Vertical	115	2.27	-	99.48
PK	5.9312G	60.55	68.20	-7.65	9.77	3	Vertical	115	2.27	-	50.78

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5720MHz Straddle 5.47-5.725GHz_TX

14/01/2020




EUT_Z_8TX
Setting 27
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4344G	61.07	74.00	-12.93	9.56	3	Horizontal	254	2.35	-	51.51
AV	5.4416G	47.98	54.00	-6.02	9.56	3	Horizontal	254	2.35	-	38.42
PK	5.468G	60.59	68.20	-7.61	9.57	3	Horizontal	254	2.35	-	51.02
PK	5.7176G	115.62	Inf	-Inf	9.60	3	Horizontal	254	2.35	-	106.02
AV	5.7176G	103.99	Inf	-Inf	9.60	3	Horizontal	254	2.35	-	94.39
PK	5.9084G	60.73	68.20	-7.47	9.76	3	Horizontal	254	2.35	-	50.97

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5720MHz Straddle 5.47-5.725GHz_TX

14/01/2020




EUT_Z_8TX
Setting 27
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43999G	56.92	74.00	-17.08	16.00	3	Vertical	353	1.89	-	40.92
AV	11.43999G	46.05	54.00	-7.95	16.00	3	Vertical	353	1.89	-	30.05

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5720MHz Straddle 5.47-5.725GHz_TX

14/01/2020




EUT_Z_8TX
Setting 27
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43919G	56.48	74.00	-17.52	16.00	3	Horizontal	95	2.83	-	40.48
AV	11.44106G	42.14	54.00	-11.86	16.00	3	Horizontal	95	2.83	-	26.14

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5270MHz_TX

14/01/2020




EUT_Z_8TX
Setting 27
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1446G	60.43	74.00	-13.57	9.13	3	Vertical	215	2.34	-	51.30
AV	5.1368G	47.24	54.00	-6.76	9.13	3	Vertical	215	2.34	-	38.11
PK	5.2598G	121.05	Inf	-Inf	9.33	3	Vertical	215	2.34	-	111.72
AV	5.2598G	108.84	Inf	-Inf	9.33	3	Vertical	215	2.34	-	99.51
PK	5.351G	61.53	74.00	-12.47	9.47	3	Vertical	215	2.34	-	52.06
AV	5.3612G	48.47	54.00	-5.53	9.48	3	Vertical	215	2.34	-	38.99

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5270MHz_TX

14/01/2020




EUT_Z_8TX
Setting 27
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1446G	59.57	74.00	-14.43	9.13	3	Horizontal	24	2.73	-	50.44
AV	5.1344G	47.27	54.00	-6.73	9.12	3	Horizontal	24	2.73	-	38.15
PK	5.2568G	116.96	Inf	-Inf	9.32	3	Horizontal	24	2.73	-	107.64
AV	5.2628G	101.11	Inf	-Inf	9.33	3	Horizontal	24	2.73	-	91.78
PK	5.3696G	60.63	74.00	-13.37	9.49	3	Horizontal	24	2.73	-	51.14
AV	5.4158G	48.22	54.00	-5.78	9.54	3	Horizontal	24	2.73	-	38.68

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5270MHz_TX

14/01/2020




EUT_Z_8TX
Setting 27
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.54002G	58.46	68.20	-9.74	15.81	3	Vertical	0	2.10	-	42.65
PK	15.8113G	58.36	74.00	-15.64	15.25	3	Vertical	352	2.71	-	43.11
AV	15.8122G	45.20	54.00	-8.80	15.24	3	Vertical	352	2.71	-	29.96

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5270MHz_TX

14/01/2020




EUT_Z_8TX
Setting 27
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5401G	55.92	68.20	-12.28	15.81	3	Horizontal	268	2.99	-	40.11
PK	15.7957G	57.27	74.00	-16.73	15.28	3	Horizontal	193	1.48	-	41.99
AV	15.811G	43.80	54.00	-10.20	15.25	3	Horizontal	193	1.48	-	28.55

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5310MHz_TX

15/01/2020




EUT_Z_8TX
Setting 23
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3022G	113.70	Inf	-Inf	9.41	3	Vertical	285	1.50	-	104.29
AV	5.2992G	104.19	Inf	-Inf	9.41	3	Vertical	285	1.50	-	94.78
PK	5.3646G	71.15	74.00	-2.85	9.48	3	Vertical	285	1.50	-	61.67
AV	5.3532G	52.05	54.00	-1.95	9.47	3	Vertical	285	1.50	-	42.58

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5310MHz_TX

15/01/2020




EUT_Z_8TX
Setting 23
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3286G	112.33	Inf	-Inf	9.44	3	Horizontal	238	2.98	-	102.89
AV	5.307G	101.40	Inf	-Inf	9.42	3	Horizontal	238	2.98	-	91.98
PK	5.355G	72.22	74.00	-1.78	9.47	3	Horizontal	238	2.98	-	62.75
AV	5.355G	53.06	54.00	-0.94	9.47	3	Horizontal	238	2.98	-	43.59

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5310MHz_TX

15/01/2020




EUT_Z_8TX
Setting 23
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.61998G	57.82	74.00	-16.18	15.78	3	Vertical	204	2.03	-	42.04
AV	10.62002G	51.56	54.00	-2.44	15.78	3	Vertical	204	2.03	-	35.78
PK	15.9344G	57.88	74.00	-16.12	14.90	3	Vertical	63	1.95	-	42.98
AV	15.9514G	44.78	54.00	-9.22	14.85	3	Vertical	63	1.95	-	29.93

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5310MHz_TX

15/01/2020




EUT_Z_8TX
Setting 23
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.61979G	56.42	74.00	-17.58	15.78	3	Horizontal	266	2.95	-	40.64
AV	10.61995G	48.12	54.00	-5.88	15.78	3	Horizontal	266	2.95	-	32.34
PK	15.9412G	58.05	74.00	-15.95	14.88	3	Horizontal	290	2.46	-	43.17
AV	15.9488G	45.04	54.00	-8.96	14.86	3	Horizontal	290	2.46	-	30.18

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5510MHz_TX

15/01/2020




EUT_Z_8TX
Setting 22
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4578G	66.94	74.00	-7.06	9.57	3	Vertical	259	2.44	-	57.37
AV	5.4596G	50.45	54.00	-3.55	9.58	3	Vertical	259	2.44	-	40.87
PK	5.4698G	67.69	68.20	-0.51	9.58	3	Vertical	259	2.44	-	58.11
PK	5.5202G	117.96	Inf	-Inf	9.64	3	Vertical	259	2.44	-	108.32
AV	5.5196G	105.68	Inf	-Inf	9.64	3	Vertical	259	2.44	-	96.04

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5510MHz_TX

15/01/2020




EUT_Z_8TX
Setting 22
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.453G	63.64	74.00	-10.36	9.57	3	Horizontal	280	2.79	-	54.07
AV	5.4566G	49.51	54.00	-4.49	9.57	3	Horizontal	280	2.79	-	39.94
PK	5.4602G	61.07	68.20	-7.13	9.58	3	Horizontal	280	2.79	-	51.49
PK	5.513G	110.83	Inf	-Inf	9.62	3	Horizontal	280	2.79	-	101.21
AV	5.5136G	97.45	Inf	-Inf	9.62	3	Horizontal	280	2.79	-	87.83

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5510MHz_TX

15/01/2020




EUT_Z_8TX
Setting 22
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01997G	56.95	74.00	-17.05	15.68	3	Vertical	345	2.43	-	41.27
AV	11.01998G	50.57	54.00	-3.43	15.68	3	Vertical	345	2.43	-	34.89

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5510MHz_TX

15/01/2020




EUT_Z_8TX
Setting 22
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02003G	55.70	74.00	-18.30	15.68	3	Horizontal	281	2.03	-	40.02
AV	11.01997G	44.16	54.00	-9.84	15.68	3	Horizontal	281	2.03	-	28.48

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5550MHz_TX

15/01/2020


EUT_Z_8TX
Setting 27
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	62.02	74.00	-11.98	9.58	3	Vertical	258	2.55	-	52.44
AV	5.4498G	49.23	54.00	-4.77	9.56	3	Vertical	258	2.55	-	39.67
PK	5.469G	62.24	68.20	-5.96	9.58	3	Vertical	258	2.55	-	52.66
PK	5.5386G	120.25	Inf	-Inf	9.66	3	Vertical	258	2.55	-	110.59
AV	5.5392G	108.07	Inf	-Inf	9.67	3	Vertical	258	2.55	-	98.40

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5550MHz_TX

15/01/2020


EUT_Z_8TX
Setting 27
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4558G	62.14	74.00	-11.86	9.57	3	Horizontal	113	2.56	-	52.57
AV	5.43G	48.06	54.00	-5.94	9.55	3	Horizontal	113	2.56	-	38.51
PK	5.4654G	60.96	68.20	-7.24	9.57	3	Horizontal	113	2.56	-	51.39
PK	5.5524G	114.66	Inf	-Inf	9.69	3	Horizontal	113	2.56	-	104.97
AV	5.553G	101.79	Inf	-Inf	9.69	3	Horizontal	113	2.56	-	92.10

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5550MHz_TX

15/01/2020


EUT_Z_8TX
Setting 27
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.09992G	56.61	74.00	-17.39	15.74	3	Vertical	13	1.86	-	40.87
AV	11.1G	48.17	54.00	-5.83	15.74	3	Vertical	13	1.86	-	32.43

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5550MHz_TX

15/01/2020


EUT_Z_8TX
Setting 27
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10004G	54.64	74.00	-19.36	15.74	3	Horizontal	144	2.39	-	38.90
AV	11.10008G	42.84	54.00	-11.16	15.74	3	Horizontal	144	2.39	-	27.10

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5670MHz_TX

15/01/2020


EUT_Z_8TX
Setting 22
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6836G	117.38	Inf	-Inf	9.61	3	Vertical	178	2.65	-	107.77
AV	5.6844G	105.89	Inf	-Inf	9.61	3	Vertical	178	2.65	-	96.28
PK	5.726G	65.69	68.20	-2.51	9.59	3	Vertical	178	2.65	-	56.10

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5670MHz_TX

15/01/2020


EUT_Z_8TX
Setting 22
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6676G	109.36	Inf	-Inf	9.64	3	Horizontal	79	2.61	-	99.72
AV	5.6676G	98.32	Inf	-Inf	9.64	3	Horizontal	79	2.61	-	88.68
PK	5.7252G	65.46	68.20	-2.74	9.59	3	Horizontal	79	2.61	-	55.87

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5670MHz_TX

15/01/2020


EUT_Z_8TX
Setting 22
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.33992G	55.96	74.00	-18.04	15.92	3	Vertical	281	2.05	-	40.04
AV	11.34003G	45.15	54.00	-8.85	15.92	3	Vertical	281	2.05	-	29.23

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5670MHz_TX

15/01/2020


EUT_Z_8TX
Setting 22
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.34233G	55.25	74.00	-18.75	15.92	3	Horizontal	162	1.84	-	39.33
AV	11.34007G	42.50	54.00	-11.50	15.92	3	Horizontal	162	1.84	-	26.58

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5710MHz Straddle 5.47-5.725GHz_TX

15/01/2020


EUT_Z_8TX
Setting 27
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4364G	60.56	74.00	-13.44	9.56	3	Vertical	75	2.19	-	51.00
AV	5.4364G	48.30	54.00	-5.70	9.56	3	Vertical	75	2.19	-	38.74
PK	5.4688G	60.64	68.20	-7.56	9.58	3	Vertical	75	2.19	-	51.06
PK	5.7088G	118.79	Inf	-Inf	9.59	3	Vertical	75	2.19	-	109.20
AV	5.7076G	107.42	Inf	-Inf	9.59	3	Vertical	75	2.19	-	97.83
PK	5.974G	61.42	68.20	-6.78	9.84	3	Vertical	75	2.19	-	51.58

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5710MHz Straddle 5.47-5.725GHz_TX

15/01/2020


EUT_Z_8TX
Setting 27
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4304G	61.06	74.00	-12.94	9.55	3	Horizontal	325	2.99	-	51.51
AV	5.4304G	48.09	54.00	-5.91	9.55	3	Horizontal	325	2.99	-	38.54
PK	5.4676G	60.58	68.20	-7.62	9.57	3	Horizontal	325	2.99	-	51.01
PK	5.7112G	112.37	Inf	-Inf	9.60	3	Horizontal	325	2.99	-	102.77
AV	5.7124G	101.17	Inf	-Inf	9.60	3	Horizontal	325	2.99	-	91.57
PK	5.95G	61.67	68.20	-6.53	9.80	3	Horizontal	325	2.99	-	51.87

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5710MHz Straddle 5.47-5.725GHz_TX

15/01/2020


EUT_Z_8TX
Setting 27
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4201G	56.10	74.00	-17.90	15.99	3	Vertical	349	1.86	-	40.11
AV	11.42G	45.10	54.00	-8.90	15.99	3	Vertical	349	1.86	-	29.11

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5710MHz Straddle 5.47-5.725GHz_TX

15/01/2020


EUT_Z_8TX
Setting 27
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.42108G	55.90	74.00	-18.10	15.99	3	Horizontal	139	1.01	-	39.91
AV	11.41996G	42.68	54.00	-11.32	15.99	3	Horizontal	139	1.01	-	26.69

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5290MHz_TX

15/01/2020


EUT_Z_8TX
Setting 22
02-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.125G	61.03	74.00	-12.97	9.10	3	Vertical	211	2.23	-	51.93
AV	5.141G	48.12	54.00	-5.88	9.13	3	Vertical	211	2.23	-	38.99
PK	5.279G	116.73	Inf	-Inf	9.37	3	Vertical	211	2.23	-	107.36
AV	5.28G	104.73	Inf	-Inf	9.37	3	Vertical	211	2.23	-	95.36
PK	5.36G	65.60	74.00	-8.40	9.48	3	Vertical	211	2.23	-	56.12
AV	5.361G	52.73	54.00	-1.27	9.48	3	Vertical	211	2.23	-	43.25
PK	5.471G	61.21	68.20	-6.99	9.58	3	Vertical	211	2.23	-	51.63

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5290MHz_TX

15/01/2020


EUT_Z_8TX
Setting 22
02-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.075G	60.50	74.00	-13.50	9.03	3	Horizontal	281	2.55	-	51.47
AV	5.075G	47.92	54.00	-6.08	9.03	3	Horizontal	281	2.55	-	38.89
PK	5.256G	114.05	Inf	-Inf	9.32	3	Horizontal	281	2.55	-	104.73
AV	5.287G	100.57	Inf	-Inf	9.38	3	Horizontal	281	2.55	-	91.19
PK	5.352G	63.07	74.00	-10.93	9.47	3	Horizontal	281	2.55	-	53.60
AV	5.366G	51.14	54.00	-2.86	9.49	3	Horizontal	281	2.55	-	41.65
PK	5.498G	61.69	68.20	-6.51	9.60	3	Horizontal	281	2.55	-	52.09

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5290MHz_TX

15/01/2020


EUT_Z_8TX
Setting 22
02-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.58002G	58.33	68.20	-9.87	15.79	3	Vertical	206	1.99	-	42.54

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5290MHz_TX

15/01/2020


EUT_Z_8TX
Setting 22
02-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.57992G	57.02	68.20	-11.18	15.79	3	Horizontal	264	2.99	-	41.23

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5530MHz_TX

15/01/2020


EUT_Z_8TX
Setting 22
02-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.344G	61.20	68.20	-7.00	9.46	3	Vertical	256	2.52	-	51.74
PK	5.441G	67.32	74.00	-6.68	9.56	3	Vertical	256	2.52	-	57.76
AV	5.44G	52.63	54.00	-1.37	9.55	3	Vertical	256	2.52	-	43.08
PK	5.469G	66.75	68.20	-1.45	9.58	3	Vertical	256	2.52	-	57.17
PK	5.52G	117.26	Inf	-Inf	9.64	3	Vertical	256	2.52	-	107.62
AV	5.52G	104.81	Inf	-Inf	9.64	3	Vertical	256	2.52	-	95.17
PK	5.758G	61.38	68.20	-6.82	9.61	3	Vertical	256	2.52	-	51.77

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5530MHz_TX

15/01/2020


EUT_Z_8TX
Setting 22
02-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.335G	60.91	68.20	-7.29	9.46	3	Horizontal	215	2.84	-	51.45
PK	5.434G	62.85	74.00	-11.15	9.56	3	Horizontal	215	2.84	-	53.29
PK	5.468G	61.87	68.20	-6.33	9.57	3	Horizontal	215	2.84	-	52.30
AV	5.46G	49.80	54.00	-4.20	9.58	3	Horizontal	215	2.84	-	40.22
PK	5.512G	106.98	Inf	-Inf	9.62	3	Horizontal	215	2.84	-	97.36
AV	5.508G	96.37	Inf	-Inf	9.62	3	Horizontal	215	2.84	-	86.75
PK	5.775G	60.89	68.20	-7.31	9.62	3	Horizontal	215	2.84	-	51.27

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5530MHz_TX

15/01/2020


EUT_Z_8TX
Setting 22
02-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05996G	57.98	74.00	-16.02	15.71	3	Vertical	13	1.01	-	42.27
AV	11.06002G	50.10	54.00	-3.90	15.71	3	Vertical	13	1.01	-	34.39

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5530MHz_TX

15/01/2020


EUT_Z_8TX
Setting 22
02-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05982G	55.35	74.00	-18.65	15.71	3	Horizontal	140	1.02	-	39.64
AV	11.06006G	43.49	54.00	-10.51	15.71	3	Horizontal	140	1.02	-	27.78

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5610MHz_TX

15/01/2020


EUT_Z_8TX
Setting 25
02-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.459G	63.70	74.00	-10.30	9.57	3	Vertical	176	2.79	-	54.13
AV	5.445G	50.23	54.00	-3.77	9.56	3	Vertical	176	2.79	-	40.67
PK	5.47G	63.25	68.20	-4.95	9.58	3	Vertical	176	2.79	-	53.67
PK	5.625G	119.89	Inf	-Inf	9.72	3	Vertical	176	2.79	-	110.17
AV	5.624G	107.67	Inf	-Inf	9.72	3	Vertical	176	2.79	-	97.95
PK	5.726G	67.82	68.20	-0.38	9.59	3	Vertical	176	2.79	-	58.23

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5610MHz_TX

15/01/2020


EUT_Z_8TX
Setting 25
02-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.407G	61.88	74.00	-12.12	9.54	3	Horizontal	268	2.68	-	52.34
PK	5.466G	61.81	68.20	-6.39	9.57	3	Horizontal	268	2.68	-	52.24
AV	5.453G	49.02	54.00	-4.98	9.57	3	Horizontal	268	2.68	-	39.45
PK	5.606G	112.89	Inf	-Inf	9.76	3	Horizontal	268	2.68	-	103.13
AV	5.606G	101.31	Inf	-Inf	9.76	3	Horizontal	268	2.68	-	91.55
PK	5.738G	67.02	68.20	-1.18	9.60	3	Horizontal	268	2.68	-	57.42

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5610MHz_TX

15/01/2020


EUT_Z_8TX
Setting 25
02-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.2198G	55.94	74.00	-18.06	15.83	3	Vertical	10	2.10	-	40.11
AV	11.22G	45.54	54.00	-8.46	15.83	3	Vertical	10	2.10	-	29.71

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5610MHz_TX

15/01/2020


EUT_Z_8TX
Setting 25
02-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22048G	55.25	74.00	-18.75	15.83	3	Horizontal	220	1.91	-	39.42
AV	11.21994G	43.43	54.00	-10.57	15.83	3	Horizontal	220	1.91	-	27.60

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5690MHz Straddle 5.47-5.725GHz_TX


15/01/2020



802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5690MHz Straddle 5.47-5.725GHz_TX


15/01/2020



802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5690MHz Straddle 5.47-5.725GHz_TX


15/01/2020



802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5690MHz Straddle 5.47-5.725GHz_TX

15/01/2020






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	5.3576G	53.95	54.00	-0.05	4.69	3	Horizontal	327	2.12	-

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX

30/10/2019


EUT_Y_4TX
Setting 23
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	57.37	74.00	-16.63	5.09	3	Vertical	27	2.01	-	52.28
AV	5.149G	45.30	54.00	-8.70	5.09	3	Vertical	27	2.01	-	40.21
PK	5.2528G	122.16	Inf	-Inf	4.62	3	Vertical	27	2.01	-	117.54
AV	5.2534G	111.82	Inf	-Inf	4.62	3	Vertical	27	2.01	-	107.20
PK	5.3524G	61.67	74.00	-12.33	4.66	3	Vertical	27	2.01	-	57.01
AV	5.353G	46.90	54.00	-7.10	4.67	3	Vertical	27	2.01	-	42.23

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX

30/10/2019


EUT_Y_4TX
Setting 23
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.14G	58.21	74.00	-15.79	5.13	3	Horizontal	42	2.12	-	53.08
AV	5.1388G	45.39	54.00	-8.61	5.14	3	Horizontal	42	2.12	-	40.25
PK	5.2612G	122.97	Inf	-Inf	4.59	3	Horizontal	42	2.12	-	118.38
AV	5.2612G	113.36	Inf	-Inf	4.59	3	Horizontal	42	2.12	-	108.77
PK	5.3548G	59.99	74.00	-14.01	4.67	3	Horizontal	42	2.12	-	55.32
AV	5.3536G	46.35	54.00	-7.65	4.67	3	Horizontal	42	2.12	-	41.68

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX

30/10/2019


EUT_Y_4TX
Setting 23
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.51989G	58.29	68.20	-9.91	13.55	3	Vertical	342	1.92	-	44.74
PK	15.7856G	60.27	74.00	-13.73	13.65	3	Vertical	28	1.50	-	46.62
AV	15.7866G	47.69	54.00	-6.31	13.65	3	Vertical	28	1.50	-	34.04

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX

29/10/2019


EUT_Y_4TX
Setting 23
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5201G	58.83	68.20	-9.37	13.55	3	Horizontal	306	1.28	-	45.28
PK	15.775G	63.58	74.00	-10.42	13.69	3	Horizontal	104	2.23	-	49.89
AV	15.775G	50.17	54.00	-3.83	13.69	3	Horizontal	104	2.23	-	36.48

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX

30/10/2019


EUT_Y_4TX
Setting 20.5
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.303G	121.17	Inf	-Inf	4.44	3	Vertical	27	1.96	-	116.73
AV	5.303G	111.10	Inf	-Inf	4.44	3	Vertical	27	1.96	-	106.66
PK	5.351G	62.82	74.00	-11.18	4.66	3	Vertical	27	1.96	-	58.16
AV	5.351G	48.21	54.00	-5.79	4.66	3	Vertical	27	1.96	-	43.55

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX

30/10/2019


EUT_Y_4TX
Setting 20.5
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2928G	120.32	Inf	-Inf	4.45	3	Horizontal	50	2.21	-	115.87
AV	5.2934G	110.85	Inf	-Inf	4.45	3	Horizontal	50	2.21	-	106.40
PK	5.3534G	69.89	74.00	-4.11	4.67	3	Horizontal	50	2.21	-	65.22
AV	5.3528G	52.17	54.00	-1.83	4.66	3	Horizontal	50	2.21	-	47.51

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX

30/10/2019


EUT_Y_4TX
Setting 20.5
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.59983G	58.20	68.20	-10.00	13.65	3	Vertical	344	1.94	-	44.55
PK	15.9014G	59.12	74.00	-14.88	13.27	3	Vertical	37	2.39	-	45.85
AV	15.9018G	46.48	54.00	-7.52	13.26	3	Vertical	37	2.39	-	33.22

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX

30/10/2019


EUT_Y_4TX
Setting 20.5
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.59997G	57.62	68.20	-10.58	13.65	3	Horizontal	354	1.50	-	43.97
PK	15.9014G	64.21	74.00	-9.79	13.27	3	Horizontal	94	2.32	-	50.94
AV	15.9018G	50.52	54.00	-3.48	13.26	3	Horizontal	94	2.32	-	37.26

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX

30/10/2019


EUT_Y_4TX
Setting 17
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3176G	115.15	Inf	-Inf	4.50	3	Vertical	336	1.98	-	110.65
AV	5.3184G	105.56	Inf	-Inf	4.50	3	Vertical	336	1.98	-	101.06
PK	5.3568G	64.73	74.00	-9.27	4.68	3	Vertical	336	1.98	-	60.05
AV	5.3568G	49.41	54.00	-4.59	4.68	3	Vertical	336	1.98	-	44.73

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX

30/10/2019


EUT_Y_4TX
Setting 17
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3144G	114.42	Inf	-Inf	4.48	3	Horizontal	285	2.11	-	109.94
AV	5.3148G	105.22	Inf	-Inf	4.48	3	Horizontal	285	2.11	-	100.74
PK	5.3528G	72.21	74.00	-1.79	4.66	3	Horizontal	285	2.11	-	67.55
AV	5.3524G	53.10	54.00	-0.90	4.66	3	Horizontal	285	2.11	-	48.44

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX

30/10/2019


EUT_Y_4TX
Setting 17
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.64G	57.73	74.00	-16.27	13.71	3	Vertical	344	2.54	-	44.02
AV	10.63992G	46.57	54.00	-7.43	13.71	3	Vertical	344	2.54	-	32.86
PK	15.95808G	57.68	74.00	-16.32	13.08	3	Vertical	86	1.50	-	44.60
AV	15.95996G	44.24	54.00	-9.76	13.07	3	Vertical	86	1.50	-	31.17

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX

30/10/2019


EUT_Y_4TX
Setting 17
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63979G	58.48	74.00	-15.52	13.71	3	Horizontal	354	1.53	-	44.77
AV	10.63996G	46.49	54.00	-7.51	13.71	3	Horizontal	354	1.53	-	32.78
PK	15.9579G	58.14	74.00	-15.86	13.08	3	Horizontal	100	2.39	-	45.06
AV	15.9599G	45.66	54.00	-8.34	13.07	3	Horizontal	100	2.39	-	32.59

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX

02/11/2019


EUT_Y_4TX
Setting 17.5
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4588G	61.15	74.00	-12.85	5.02	3	Vertical	43	1.80	-	56.13
AV	5.458G	47.44	54.00	-6.56	5.01	3	Vertical	43	1.80	-	42.43
PK	5.4696G	67.25	68.20	-0.95	5.04	3	Vertical	43	1.80	-	62.21
PK	5.4968G	114.88	Inf	-Inf	5.09	3	Vertical	43	1.80	-	109.79
AV	5.4968G	105.27	Inf	-Inf	5.09	3	Vertical	43	1.80	-	100.18

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX

02/11/2019


EUT_Y_4TX
Setting 17.5
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4556G	64.27	74.00	-9.73	5.00	3	Horizontal	37	1.59	-	59.27
AV	5.4556G	49.51	54.00	-4.49	5.00	3	Horizontal	37	1.59	-	44.51
PK	5.47G	68.04	68.20	-0.16	5.04	3	Horizontal	37	1.59	-	63.00
PK	5.4964G	118.74	Inf	-Inf	5.09	3	Horizontal	37	1.59	-	113.65
AV	5.4948G	109.34	Inf	-Inf	5.09	3	Horizontal	37	1.59	-	104.25

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX

02/11/2019


EUT_Y_4TX
Setting 17.5
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00019G	57.37	74.00	-16.63	14.16	3	Vertical	337	1.52	-	43.21
AV	10.99996G	44.88	54.00	-9.12	14.16	3	Vertical	337	1.52	-	30.72

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX

02/11/2019


EUT_Y_4TX
Setting 17.5
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00088G	57.74	74.00	-16.26	14.16	3	Horizontal	2	1.47	-	43.58
AV	10.99984G	44.69	54.00	-9.31	14.16	3	Horizontal	2	1.47	-	30.53

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX

01/11/2019


EUT_Y_4TX
Setting 23
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4576G	57.26	74.00	-16.74	5.01	3	Vertical	33	1.36	-	52.25
AV	5.4552G	45.08	54.00	-8.92	5.00	3	Vertical	33	1.36	-	40.08
PK	5.4664G	56.95	68.20	-11.25	5.03	3	Vertical	33	1.36	-	51.92
PK	5.584G	119.51	Inf	-Inf	4.94	3	Vertical	33	1.36	-	114.57
AV	5.5832G	109.12	Inf	-Inf	4.94	3	Vertical	33	1.36	-	104.18
PK	5.7728G	57.40	68.20	-10.80	5.36	3	Vertical	33	1.36	-	52.04

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX

01/11/2019


EUT_Y_4TX
Setting 23
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4536G	57.64	74.00	-16.36	5.00	3	Horizontal	30	1.39	-	52.64
AV	5.4568G	45.57	54.00	-8.43	5.00	3	Horizontal	30	1.39	-	40.57
PK	5.4696G	57.33	68.20	-10.87	5.04	3	Horizontal	30	1.39	-	52.29
PK	5.5832G	124.28	Inf	-Inf	4.94	3	Horizontal	30	1.39	-	119.34
AV	5.5824G	113.97	Inf	-Inf	4.95	3	Horizontal	30	1.39	-	109.02
PK	5.7792G	58.86	68.20	-9.34	5.39	3	Horizontal	30	1.39	-	53.47

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX

01/11/2019


EUT_Y_4TX
Setting 23
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15981G	57.75	74.00	-16.25	13.88	3	Vertical	15	2.11	-	43.87
AV	11.15987G	45.68	54.00	-8.32	13.88	3	Vertical	15	2.11	-	31.80
PK	16.73892G	62.27	68.20	-5.93	15.48	3	Vertical	359	1.99	-	46.79

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX

01/11/2019


EUT_Y_4TX
Setting 23
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16026G	57.43	74.00	-16.57	13.88	3	Horizontal	0	2.10	-	43.55
AV	11.1599G	45.90	54.00	-8.10	13.88	3	Horizontal	0	2.10	-	32.02
PK	16.73496G	62.66	68.20	-5.54	15.47	3	Horizontal	74	1.49	-	47.19

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX

01/11/2019


EUT_Y_4TX
Setting 15
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6948G	112.19	Inf	-Inf	5.04	3	Vertical	359	2.06	-	107.15
AV	5.6948G	103.06	Inf	-Inf	5.04	3	Vertical	359	2.06	-	98.02
PK	5.7268G	62.68	68.20	-5.52	5.17	3	Vertical	359	2.06	-	57.51

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX

01/11/2019


EUT_Y_4TX
Setting 15
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.702G	116.24	Inf	-Inf	5.06	3	Horizontal	77	2.01	-	111.18
AV	5.7016G	106.56	Inf	-Inf	5.06	3	Horizontal	77	2.01	-	101.50
PK	5.7252G	66.21	68.20	-1.99	5.16	3	Horizontal	77	2.01	-	61.05

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX

01/11/2019


EUT_Y_4TX
Setting 15
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39986G	58.83	74.00	-15.17	13.46	3	Vertical	348	1.59	-	45.37
AV	11.39994G	48.69	54.00	-5.31	13.46	3	Vertical	348	1.59	-	35.23

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX

01/11/2019


EUT_Y_4TX
Setting 15
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39981G	57.64	74.00	-16.36	13.46	3	Horizontal	3	2.83	-	44.18
AV	11.39992G	46.78	54.00	-7.22	13.46	3	Horizontal	3	2.83	-	33.32

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

01/11/2019




EUT_Y_4TX
Setting 23
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.724G	119.55	Inf	-Inf	5.16	3	Vertical	358	2.59	-	114.39
AV	5.724G	109.12	Inf	-Inf	5.16	3	Vertical	358	2.59	-	103.96
PK	5.9024G	58.86	68.20	-9.34	5.79	3	Vertical	358	2.59	-	53.07

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

01/11/2019




EUT_Y_4TX
Setting 23
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.724G	117.43	Inf	-Inf	5.16	3	Horizontal	320	1.00	-	112.27
AV	5.7232G	107.18	Inf	-Inf	5.15	3	Horizontal	320	1.00	-	102.03
PK	5.85G	58.31	68.20	-9.89	5.64	3	Horizontal	320	1.00	-	52.67

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

01/11/2019




EUT_Y_4TX
Setting 23
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43992G	57.21	74.00	-16.79	13.39	3	Vertical	347	1.60	-	43.82
AV	11.43989G	47.20	54.00	-6.80	13.39	3	Vertical	347	1.60	-	33.81
PK	17.1606G	63.16	68.20	-5.04	18.09	3	Vertical	346	1.50	-	45.07

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

01/11/2019




EUT_Y_4TX
Setting 23
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44006G	57.86	74.00	-16.14	13.39	3	Horizontal	0	2.97	-	44.47
AV	11.43993G	46.59	54.00	-7.41	13.39	3	Horizontal	0	2.97	-	33.20
PK	17.15909G	64.03	68.20	-4.17	18.07	3	Horizontal	74	1.62	-	45.96

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX

30/10/2019




EUT_Y_4TX
Setting 23
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.14G	58.59	74.00	-15.41	5.13	3	Vertical	31	1.83	-	53.46
AV	5.15G	45.28	54.00	-8.72	5.09	3	Vertical	31	1.83	-	40.19
PK	5.2642G	122.49	Inf	-Inf	4.57	3	Vertical	31	1.83	-	117.92
AV	5.263G	110.26	Inf	-Inf	4.58	3	Vertical	31	1.83	-	105.68
PK	5.35G	61.75	74.00	-12.25	4.65	3	Vertical	31	1.83	-	57.10
AV	5.35G	46.96	54.00	-7.04	4.65	3	Vertical	31	1.83	-	42.31

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX

30/10/2019




EUT_Y_4TX
Setting 23
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.14G	58.89	74.00	-15.11	5.13	3	Horizontal	319	2.08	-	53.76
AV	5.1406G	45.48	54.00	-8.52	5.13	3	Horizontal	319	2.08	-	40.35
PK	5.2612G	123.20	Inf	-Inf	4.59	3	Horizontal	319	2.08	-	118.61
AV	5.2624G	111.87	Inf	-Inf	4.58	3	Horizontal	319	2.08	-	107.29
PK	5.35G	59.33	74.00	-14.67	4.65	3	Horizontal	319	2.08	-	54.68
AV	5.35G	46.04	54.00	-7.96	4.65	3	Horizontal	319	2.08	-	41.39

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX

30/10/2019




EUT_Y_4TX
Setting 23
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.512126G	57.62	68.20	-10.58	13.55	3	Vertical	99	1.49	-	44.07
PK	15.7746G	59.73	74.00	-14.27	13.69	3	Vertical	32	1.50	-	46.04
AV	15.7748G	47.08	54.00	-6.92	13.69	3	Vertical	32	1.50	-	33.39

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX

30/10/2019




EUT_Y_4TX
Setting 23
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.51997G	57.41	68.20	-10.79	13.55	3	Horizontal	307	2.46	-	43.86
PK	15.7728G	65.57	74.00	-8.43	13.70	3	Horizontal	102	2.24	-	51.87
AV	15.7722G	52.34	54.00	-1.66	13.70	3	Horizontal	102	2.24	-	38.64

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX

30/10/2019




EUT_Y_4TX
Setting 20
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2958G	122.48	Inf	-Inf	4.44	3	Vertical	29	1.98	-	118.04
AV	5.2964G	109.67	Inf	-Inf	4.43	3	Vertical	29	1.98	-	105.24
PK	5.3552G	63.69	74.00	-10.31	4.68	3	Vertical	29	1.98	-	59.01
AV	5.3558G	48.85	54.00	-5.15	4.68	3	Vertical	29	1.98	-	44.17

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX

30/10/2019




EUT_Y_4TX
Setting 20
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3012G	122.52	Inf	-Inf	4.43	3	Horizontal	67	2.28	-	118.09
AV	5.3018G	109.79	Inf	-Inf	4.43	3	Horizontal	67	2.28	-	105.36
PK	5.3528G	70.17	74.00	-3.83	4.66	3	Horizontal	67	2.28	-	65.51
AV	5.3504G	51.68	54.00	-2.32	4.65	3	Horizontal	67	2.28	-	47.03

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX

30/10/2019




EUT_Y_4TX
Setting 20
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5998G	57.35	68.20	-10.85	13.65	3	Vertical	356	2.54	-	43.70
PK	15.9079G	59.28	74.00	-14.72	13.24	3	Vertical	27	2.39	-	46.04
AV	15.8969G	45.77	54.00	-8.23	13.28	3	Vertical	27	2.39	-	32.49

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX

30/10/2019




EUT_Y_4TX
Setting 20
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.59984G	57.21	68.20	-10.99	13.65	3	Horizontal	356	1.50	-	43.56
PK	15.895G	62.10	74.00	-11.90	13.29	3	Horizontal	105	2.38	-	48.81
AV	15.8956G	48.54	54.00	-5.46	13.29	3	Horizontal	105	2.38	-	35.25

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TX

30/10/2019




EUT_Y_4TX
Setting 16.5
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.326G	119.43	Inf	-Inf	4.55	3	Vertical	27	1.97	-	114.88
AV	5.326G	106.42	Inf	-Inf	4.55	3	Vertical	27	1.97	-	101.87
PK	5.35G	65.09	74.00	-8.91	4.65	3	Vertical	27	1.97	-	60.44
AV	5.35G	51.79	54.00	-2.21	4.65	3	Vertical	27	1.97	-	47.14

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TX

30/10/2019




EUT_Y_4TX
Setting 16.5
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3164G	119.47	Inf	-Inf	4.49	3	Horizontal	322	2.94	-	114.98
AV	5.3164G	106.62	Inf	-Inf	4.49	3	Horizontal	322	2.94	-	102.13
PK	5.3556G	69.74	74.00	-4.26	4.68	3	Horizontal	322	2.94	-	65.06
AV	5.35G	53.10	54.00	-0.90	4.65	3	Horizontal	322	2.94	-	48.45

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TX

30/10/2019




EUT_Y_4TX
Setting 16.5
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63995G	58.63	74.00	-15.37	13.71	3	Vertical	351	2.50	-	44.92
AV	10.63994G	46.42	54.00	-7.58	13.71	3	Vertical	351	2.50	-	32.71
PK	15.956G	58.12	74.00	-15.88	13.08	3	Vertical	162	1.50	-	45.04
AV	15.9564G	43.92	54.00	-10.08	13.08	3	Vertical	162	1.50	-	30.84

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TX

30/10/2019




EUT_Y_4TX
Setting 16.5
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.64014G	58.05	74.00	-15.95	13.71	3	Horizontal	355	1.50	-	44.34
AV	10.63988G	45.96	54.00	-8.04	13.71	3	Horizontal	355	1.50	-	32.25
PK	15.9692G	60.33	74.00	-13.67	13.04	3	Horizontal	102	2.29	-	47.29
AV	15.9546G	44.78	54.00	-9.22	13.09	3	Horizontal	102	2.29	-	31.69

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX

01/11/2019




EUT_Y_4TX
Setting 16.5
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	61.50	74.00	-12.50	5.02	3	Vertical	50	1.64	-	56.48
AV	5.4592G	46.79	54.00	-7.21	5.02	3	Vertical	50	1.64	-	41.77
PK	5.4656G	62.56	68.20	-5.64	5.03	3	Vertical	50	1.64	-	57.53
PK	5.4984G	115.68	Inf	-Inf	5.10	3	Vertical	50	1.64	-	110.58
AV	5.498G	103.15	Inf	-Inf	5.10	3	Vertical	50	1.64	-	98.05

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX

01/11/2019




EUT_Y_4TX
Setting 16.5
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	64.17	74.00	-9.83	5.01	3	Horizontal	43	1.50	-	59.16
AV	5.4572G	49.22	54.00	-4.78	5.00	3	Horizontal	43	1.50	-	44.22
PK	5.4692G	67.74	68.20	-0.46	5.04	3	Horizontal	43	1.50	-	62.70
PK	5.4972G	120.16	Inf	-Inf	5.09	3	Horizontal	43	1.50	-	115.07
AV	5.496G	107.09	Inf	-Inf	5.09	3	Horizontal	43	1.50	-	102.00

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX

01/11/2019




EUT_Y_4TX
Setting 16.5
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99917G	57.30	74.00	-16.70	14.16	3	Vertical	337	1.64	-	43.14
AV	10.99991G	44.48	54.00	-9.52	14.16	3	Vertical	337	1.64	-	30.32

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX

01/11/2019




EUT_Y_4TX
Setting 16.5
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99994G	57.41	74.00	-16.59	14.16	3	Horizontal	2	1.44	-	43.25
AV	10.99991G	44.71	54.00	-9.29	14.16	3	Horizontal	2	1.44	-	30.55

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX

01/11/2019




EUT_Y_4TX
Setting 23
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4528G	57.37	74.00	-16.63	5.00	3	Vertical	355	2.99	-	52.37
AV	5.46G	44.64	54.00	-9.36	5.02	3	Vertical	355	2.99	-	39.62
PK	5.4656G	56.90	68.20	-11.30	5.03	3	Vertical	355	2.99	-	51.87
PK	5.5808G	122.85	Inf	-Inf	4.95	3	Vertical	355	2.99	-	117.90
AV	5.5816G	109.35	Inf	-Inf	4.95	3	Vertical	355	2.99	-	104.40
PK	5.7736G	58.99	68.20	-9.21	5.36	3	Vertical	355	2.99	-	53.63

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX

01/11/2019




EUT_Y_4TX
Setting 23
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	57.44	74.00	-16.56	5.02	3	Horizontal	29	1.64	-	52.42
AV	5.4592G	45.07	54.00	-8.93	5.02	3	Horizontal	29	1.64	-	40.05
PK	5.4696G	58.58	68.20	-9.62	5.04	3	Horizontal	29	1.64	-	53.54
PK	5.5784G	123.53	Inf	-Inf	4.95	3	Horizontal	29	1.64	-	118.58
AV	5.5792G	111.57	Inf	-Inf	4.95	3	Horizontal	29	1.64	-	106.62
PK	5.7536G	58.66	68.20	-9.54	5.27	3	Horizontal	29	1.64	-	53.39

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX

01/11/2019




EUT_Y_4TX
Setting 23
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15996G	58.04	74.00	-15.96	13.88	3	Vertical	14	2.17	-	44.16
AV	11.15987G	45.14	54.00	-8.86	13.88	3	Vertical	14	2.17	-	31.26
PK	16.73688G	61.34	68.20	-6.86	15.48	3	Vertical	358	1.82	-	45.86

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX

01/11/2019




EUT_Y_4TX
Setting 23
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1601G	57.48	74.00	-16.52	13.88	3	Horizontal	357	1.62	-	43.60
AV	11.15989G	44.62	54.00	-9.38	13.88	3	Horizontal	357	1.62	-	30.74
PK	16.7439G	61.81	68.20	-6.39	15.50	3	Horizontal	72	1.45	-	46.31

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX

01/11/2019




EUT_Y_4TX
Setting 14.5
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7042G	117.05	Inf	-Inf	5.07	3	Vertical	359	2.02	-	111.98
AV	5.7044G	103.45	Inf	-Inf	5.07	3	Vertical	359	2.02	-	98.38
PK	5.726G	68.13	68.20	-0.07	5.16	3	Vertical	359	2.02	-	62.97

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX

01/11/2019




EUT_Y_4TX
Setting 14.5
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6972G	117.77	Inf	-Inf	5.05	3	Horizontal	298	1.42	-	112.72
AV	5.6964G	104.55	Inf	-Inf	5.05	3	Horizontal	298	1.42	-	99.50
PK	5.7286G	65.37	68.20	-2.83	5.17	3	Horizontal	298	1.42	-	60.20

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX

01/11/2019




EUT_Y_4TX
Setting 14.5
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39989G	57.68	74.00	-16.32	13.46	3	Vertical	347	1.50	-	44.22
AV	11.3999G	46.91	54.00	-7.09	13.46	3	Vertical	347	1.50	-	33.45

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX

01/11/2019




EUT_Y_4TX
Setting 14.5
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40011G	57.93	74.00	-16.07	13.46	3	Horizontal	357	2.07	-	44.47
AV	11.39993G	46.36	54.00	-7.64	13.46	3	Horizontal	357	2.07	-	32.90

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

01/11/2019




EUT_Y_4TX
Setting 23
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7152G	121.02	Inf	-Inf	5.11	3	Vertical	354	2.27	-	115.91
AV	5.716G	109.03	Inf	-Inf	5.11	3	Vertical	354	2.27	-	103.92
PK	5.8552G	60.21	68.20	-7.99	5.66	3	Vertical	354	2.27	-	54.55

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

01/11/2019




EUT_Y_4TX
Setting 23
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7192G	122.59	Inf	-Inf	5.14	3	Horizontal	79	1.84	-	117.45
AV	5.7208G	111.26	Inf	-Inf	5.14	3	Horizontal	79	1.84	-	106.12
PK	5.8816G	58.38	68.20	-9.82	5.73	3	Horizontal	79	1.84	-	52.65

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

01/11/2019




EUT_Y_4TX
Setting 23
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43999G	57.39	74.00	-16.61	13.39	3	Vertical	347	1.59	-	44.00
AV	11.43998G	47.06	54.00	-6.94	13.39	3	Vertical	347	1.59	-	33.67
PK	17.16636G	63.37	68.20	-4.83	18.15	3	Vertical	347	2.05	-	45.22

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

01/11/2019




EUT_Y_4TX
Setting 23
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43903G	56.84	74.00	-17.16	13.39	3	Horizontal	3	2.82	-	43.45
AV	11.43991G	45.30	54.00	-8.70	13.39	3	Horizontal	3	2.82	-	31.91
PK	17.15106G	63.29	68.20	-4.91	17.99	3	Horizontal	62	1.47	-	45.30

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TX

02/11/2019


EUT_Y_4TX
Setting 18.5
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.123G	59.10	74.00	-14.90	5.22	3	Vertical	30	1.74	-	53.88
AV	5.15G	45.82	54.00	-8.18	5.09	3	Vertical	30	1.74	-	40.73
PK	5.2694G	117.41	Inf	-Inf	4.55	3	Vertical	30	1.74	-	112.86
AV	5.2688G	104.48	Inf	-Inf	4.55	3	Vertical	30	1.74	-	99.93
PK	5.3504G	66.10	74.00	-7.90	4.65	3	Vertical	30	1.74	-	61.45
AV	5.35G	52.39	54.00	-1.61	4.65	3	Vertical	30	1.74	-	47.74

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TX

02/11/2019


EUT_Y_4TX
Setting 18.5
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1428G	58.81	74.00	-15.19	5.12	3	Horizontal	326	2.98	-	53.69
AV	5.1422G	45.73	54.00	-8.27	5.12	3	Horizontal	326	2.98	-	40.61
PK	5.2772G	118.95	Inf	-Inf	4.52	3	Horizontal	326	2.98	-	114.43
AV	5.2766G	105.72	Inf	-Inf	4.52	3	Horizontal	326	2.98	-	101.20
PK	5.3564G	69.95	74.00	-4.05	4.68	3	Horizontal	326	2.98	-	65.27
AV	5.3564G	52.28	54.00	-1.72	4.68	3	Horizontal	326	2.98	-	47.60

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TX

02/11/2019


EUT_Y_4TX
Setting 18.5
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.53988G	58.00	68.20	-10.20	13.57	3	Vertical	346	1.94	-	44.43
PK	15.81864G	59.20	74.00	-14.80	13.53	3	Vertical	26	1.50	-	45.67
AV	15.82122G	45.45	54.00	-8.55	13.53	3	Vertical	26	1.50	-	31.92

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TX

02/11/2019


EUT_Y_4TX
Setting 18.5
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5401G	58.47	68.20	-9.73	13.57	3	Horizontal	305	1.36	-	44.90
PK	15.8079G	60.66	74.00	-13.34	13.57	3	Horizontal	106	2.19	-	47.09
AV	15.8052G	46.44	54.00	-7.56	13.59	3	Horizontal	106	2.19	-	32.85

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX

02/11/2019


EUT_Y_4TX
Setting 15
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3084G	112.55	Inf	-Inf	4.46	3	Vertical	28	1.50	-	108.09
AV	5.3088G	99.79	Inf	-Inf	4.46	3	Vertical	28	1.50	-	95.33
PK	5.3508G	70.37	74.00	-3.63	4.65	3	Vertical	28	1.50	-	65.72
AV	5.35G	53.36	54.00	-0.64	4.65	3	Vertical	28	1.50	-	48.71

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX

02/11/2019


EUT_Y_4TX
Setting 15
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3176G	116.06	Inf	-Inf	4.50	3	Horizontal	327	2.12	-	111.56
AV	5.3184G	103.14	Inf	-Inf	4.50	3	Horizontal	327	2.12	-	98.64
PK	5.3556G	70.52	74.00	-3.48	4.68	3	Horizontal	327	2.12	-	65.84
AV	5.3576G	53.95	54.00	-0.05	4.69	3	Horizontal	327	2.12	-	49.26

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX

02/11/2019


EUT_Y_4TX
Setting 15
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.61964G	58.09	74.00	-15.91	13.68	3	Vertical	349	2.41	-	44.41
AV	10.61987G	46.30	54.00	-7.70	13.68	3	Vertical	349	2.41	-	32.62
PK	15.91614G	57.54	74.00	-16.46	13.21	3	Vertical	170	1.50	-	44.33
AV	15.91908G	44.21	54.00	-9.79	13.19	3	Vertical	170	1.50	-	31.02

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX

02/11/2019


EUT_Y_4TX
Setting 15
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.61986G	57.72	74.00	-16.28	13.68	3	Horizontal	357	1.50	-	44.04
AV	10.61992G	45.32	54.00	-8.68	13.68	3	Horizontal	357	1.50	-	31.64
PK	15.94278G	58.20	74.00	-15.80	13.12	3	Horizontal	309	1.50	-	45.08
AV	15.91578G	44.43	54.00	-9.57	13.21	3	Horizontal	309	1.50	-	31.22

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX

01/11/2019




EUT_Y_4TX
Setting 13.5
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4592G	58.80	74.00	-15.20	5.02	3	Vertical	343	1.35	-	53.78
AV	5.4592G	45.51	54.00	-8.49	5.02	3	Vertical	343	1.35	-	40.49
PK	5.468G	62.70	68.20	-5.50	5.04	3	Vertical	343	1.35	-	57.66
PK	5.5092G	111.37	Inf	-Inf	5.08	3	Vertical	343	1.35	-	106.29
AV	5.5088G	98.56	Inf	-Inf	5.08	3	Vertical	343	1.35	-	93.48

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX

01/11/2019




EUT_Y_4TX
Setting 13.5
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	66.12	74.00	-7.88	5.02	3	Horizontal	35	1.60	-	61.10
AV	5.46G	48.10	54.00	-5.90	5.02	3	Horizontal	35	1.60	-	43.08
PK	5.4624G	68.10	68.20	-0.10	5.02	3	Horizontal	35	1.60	-	63.08
PK	5.5012G	114.80	Inf	-Inf	5.10	3	Horizontal	35	1.60	-	109.70
AV	5.5016G	102.31	Inf	-Inf	5.10	3	Horizontal	35	1.60	-	97.21

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX

01/11/2019




EUT_Y_4TX
Setting 13.5
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01971G	58.12	74.00	-15.88	14.12	3	Vertical	337	1.66	-	44.00
AV	11.02002G	44.55	54.00	-9.45	14.12	3	Vertical	337	1.66	-	30.43

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX

01/11/2019




EUT_Y_4TX
Setting 13.5
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02005G	58.06	74.00	-15.94	14.12	3	Horizontal	0	1.48	-	43.94
AV	11.01986G	44.83	54.00	-9.17	14.12	3	Horizontal	0	1.48	-	30.71

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX

01/11/2019




EUT_Y_4TX
Setting 18.5
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4548G	58.99	74.00	-15.01	5.00	3	Vertical	339	1.19	-	53.99
AV	5.4596G	46.20	54.00	-7.80	5.02	3	Vertical	339	1.19	-	41.18
PK	5.47G	67.11	68.20	-1.09	5.04	3	Vertical	339	1.19	-	62.07
PK	5.5484G	115.75	Inf	-Inf	5.00	3	Vertical	339	1.19	-	110.75
AV	5.5492G	103.20	Inf	-Inf	5.00	3	Vertical	339	1.19	-	98.20
PK	5.7348G	57.45	68.20	-10.75	5.20	3	Vertical	339	1.19	-	52.25

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX

01/11/2019




EUT_Y_4TX
Setting 18.5
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	63.24	74.00	-10.76	5.02	3	Horizontal	35	1.50	-	58.22
AV	5.4596G	49.31	54.00	-4.69	5.02	3	Horizontal	35	1.50	-	44.29
PK	5.462G	67.94	68.20	-0.26	5.02	3	Horizontal	35	1.50	-	62.92
PK	5.562G	118.75	Inf	-Inf	4.99	3	Horizontal	35	1.50	-	113.76
AV	5.542G	106.73	Inf	-Inf	5.02	3	Horizontal	35	1.50	-	101.71
PK	5.742G	58.07	68.20	-10.13	5.23	3	Horizontal	35	1.50	-	52.84

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX

01/11/2019




EUT_Y_4TX
Setting 18.5
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.09983G	57.32	74.00	-16.68	13.98	3	Vertical	14	1.37	-	43.34
AV	11.09995G	44.41	54.00	-9.59	13.98	3	Vertical	14	1.37	-	30.43

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX

01/11/2019




EUT_Y_4TX
Setting 18.5
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10119G	57.38	74.00	-16.62	13.98	3	Horizontal	359	1.63	-	43.40
AV	11.09998G	44.80	54.00	-9.20	13.98	3	Horizontal	359	1.63	-	30.82

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX

01/11/2019




EUT_Y_4TX
Setting 14.5
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6656G	110.82	Inf	-Inf	5.00	3	Vertical	336	2.16	-	105.82
AV	5.6648G	98.02	Inf	-Inf	4.99	3	Vertical	336	2.16	-	93.03
PK	5.7256G	61.61	68.20	-6.59	5.16	3	Vertical	336	2.16	-	56.45

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX

01/11/2019




EUT_Y_4TX
Setting 14.5
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6636G	113.93	Inf	-Inf	4.99	3	Horizontal	316	1.50	-	108.94
AV	5.6644G	101.04	Inf	-Inf	4.99	3	Horizontal	316	1.50	-	96.05
PK	5.7252G	67.96	68.20	-0.24	5.16	3	Horizontal	316	1.50	-	62.80

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX

01/11/2019




EUT_Y_4TX
Setting 14.5
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3399G	58.10	74.00	-15.90	13.56	3	Vertical	347	1.50	-	44.54
AV	11.33993G	46.34	54.00	-7.66	13.56	3	Vertical	347	1.50	-	32.78

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX

01/11/2019




EUT_Y_4TX
Setting 14.5
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.34004G	57.57	74.00	-16.43	13.56	3	Horizontal	357	2.11	-	44.01
AV	11.33985G	45.92	54.00	-8.08	13.56	3	Horizontal	357	2.11	-	32.36

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX

01/11/2019




EUT_Y_4TX
Setting 21
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7076G	116.63	Inf	-Inf	5.09	3	Vertical	335	1.18	-	111.54
AV	5.7092G	105.30	Inf	-Inf	5.10	3	Vertical	335	1.18	-	100.20
PK	5.85G	67.87	68.20	-0.33	5.64	3	Vertical	335	1.18	-	62.23

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX

01/11/2019




EUT_Y_4TX
Setting 21
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7164G	120.32	Inf	-Inf	5.12	3	Horizontal	295	1.43	-	115.20
AV	5.7172G	108.09	Inf	-Inf	5.12	3	Horizontal	295	1.43	-	102.97
PK	5.85G	68.15	68.20	-0.05	5.64	3	Horizontal	295	1.43	-	62.51

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX

01/11/2019




EUT_Y_4TX
Setting 21
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41975G	58.02	74.00	-15.98	13.43	3	Vertical	346	1.56	-	44.59
AV	11.41991G	47.17	54.00	-6.83	13.43	3	Vertical	346	1.56	-	33.74

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX

01/11/2019




EUT_Y_4TX
Setting 21
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.42004G	57.21	74.00	-16.79	13.43	3	Horizontal	0	2.96	-	43.78
AV	11.4199G	46.64	54.00	-7.36	13.43	3	Horizontal	0	2.96	-	33.21

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX

02/11/2019




EUT_Y_4TX
Setting 14.5
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.079G	57.97	74.00	-16.03	5.20	3	Vertical	28	1.85	-	52.77
AV	5.148G	45.19	54.00	-8.81	5.10	3	Vertical	28	1.85	-	40.09
PK	5.289G	111.42	Inf	-Inf	4.47	3	Vertical	28	1.85	-	106.95
AV	5.289G	97.51	Inf	-Inf	4.47	3	Vertical	28	1.85	-	93.04
PK	5.35G	69.40	74.00	-4.60	4.65	3	Vertical	28	1.85	-	64.75
AV	5.35G	52.10	54.00	-1.90	4.65	3	Vertical	28	1.85	-	47.45

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX

02/11/2019




EUT_Y_4TX
Setting 14.5
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.139G	58.44	74.00	-15.56	5.13	3	Horizontal	330	2.01	-	53.31
AV	5.137G	45.05	54.00	-8.95	5.15	3	Horizontal	330	2.01	-	39.90
PK	5.298G	113.36	Inf	-Inf	4.43	3	Horizontal	330	2.01	-	108.93
AV	5.299G	100.06	Inf	-Inf	4.42	3	Horizontal	330	2.01	-	95.64
PK	5.359G	68.67	74.00	-5.33	4.70	3	Horizontal	330	2.01	-	63.97
AV	5.359G	53.79	54.00	-0.21	4.70	3	Horizontal	330	2.01	-	49.09

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX

02/11/2019




EUT_Y_4TX
Setting 14.5
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.58007G	57.94	68.20	-10.26	13.62	3	Vertical	348	2.99	-	44.32
PK	15.87666G	59.25	74.00	-14.75	13.34	3	Vertical	258	1.50	-	45.91
AV	15.855G	45.26	54.00	-8.74	13.42	3	Vertical	258	1.50	-	31.84

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX

02/11/2019




EUT_Y_4TX
Setting 14.5
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.58075G	57.42	68.20	-10.78	13.62	3	Horizontal	359	1.36	-	43.80
PK	15.86628G	58.49	74.00	-15.51	13.38	3	Horizontal	278	1.77	-	45.11
AV	15.85794G	45.05	54.00	-8.95	13.41	3	Horizontal	278	1.77	-	31.64

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX

01/11/2019




EUT_Y_4TX
Setting 14
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.459G	60.72	74.00	-13.28	5.02	3	Vertical	358	2.77	-	55.70
AV	5.46G	47.51	54.00	-6.49	5.02	3	Vertical	358	2.77	-	42.49
PK	5.463G	62.96	68.20	-5.24	5.03	3	Vertical	358	2.77	-	57.93
PK	5.543G	109.38	Inf	-Inf	5.01	3	Vertical	358	2.77	-	104.37
AV	5.542G	96.97	Inf	-Inf	5.02	3	Vertical	358	2.77	-	91.95
PK	5.755G	57.53	68.20	-10.67	5.28	3	Vertical	358	2.77	-	52.25

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX

01/11/2019




EUT_Y_4TX
Setting 14
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	65.34	74.00	-8.66	5.02	3	Horizontal	35	1.57	-	60.32
AV	5.46G	51.30	54.00	-2.70	5.02	3	Horizontal	35	1.57	-	46.28
PK	5.461G	67.99	68.20	-0.21	5.02	3	Horizontal	35	1.57	-	62.97
PK	5.521G	113.89	Inf	-Inf	5.06	3	Horizontal	35	1.57	-	108.83
AV	5.522G	100.09	Inf	-Inf	5.06	3	Horizontal	35	1.57	-	95.03
PK	5.766G	57.56	68.20	-10.64	5.33	3	Horizontal	35	1.57	-	52.23

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX

01/11/2019




EUT_Y_4TX
Setting 14
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06019G	57.36	74.00	-16.64	14.05	3	Vertical	19	1.44	-	43.31
AV	11.05996G	44.38	54.00	-9.62	14.05	3	Vertical	19	1.44	-	30.33

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX

01/11/2019




EUT_Y_4TX
Setting 14
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05978G	58.03	74.00	-15.97	14.05	3	Horizontal	1	1.50	-	43.98
AV	11.05994G	44.89	54.00	-9.11	14.05	3	Horizontal	1	1.50	-	30.84

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX

01/11/2019




EUT_Y_4TX
Setting 17.5
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.459G	59.33	74.00	-14.67	5.02	3	Vertical	355	2.95	-	54.31
AV	5.46G	47.15	54.00	-6.85	5.02	3	Vertical	355	2.95	-	42.13
PK	5.463G	63.08	68.20	-5.12	5.03	3	Vertical	355	2.95	-	58.05
PK	5.603G	112.97	Inf	-Inf	4.91	3	Vertical	355	2.95	-	108.06
AV	5.603G	100.17	Inf	-Inf	4.91	3	Vertical	355	2.95	-	95.26
PK	5.744G	67.79	68.20	-0.41	5.25	3	Vertical	355	2.95	-	62.54

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX

01/11/2019




EUT_Y_4TX
Setting 17.5
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	61.95	74.00	-12.05	5.02	3	Horizontal	30	1.50	-	56.93
AV	5.46G	47.67	54.00	-6.33	5.02	3	Horizontal	30	1.50	-	42.65
PK	5.463G	62.99	68.20	-5.21	5.03	3	Horizontal	30	1.50	-	57.96
PK	5.622G	114.48	Inf	-Inf	4.94	3	Horizontal	30	1.50	-	109.54
AV	5.602G	101.63	Inf	-Inf	4.91	3	Horizontal	30	1.50	-	96.72
PK	5.741G	68.10	68.20	-0.10	5.22	3	Horizontal	30	1.50	-	62.88

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX

01/11/2019




EUT_Y_4TX
Setting 17.5
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.21991G	58.27	74.00	-15.73	13.78	3	Vertical	13	2.20	-	44.49
AV	11.21998G	45.32	54.00	-8.68	13.78	3	Vertical	13	2.20	-	31.54

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX

01/11/2019




EUT_Y_4TX
Setting 17.5
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22034G	57.98	74.00	-16.02	13.78	3	Horizontal	355	1.70	-	44.20
AV	11.21986G	44.38	54.00	-9.62	13.78	3	Horizontal	355	1.70	-	30.60

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX

01/11/2019




EUT_Y_4TX
Setting 19
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.448G	57.35	74.00	-16.65	5.00	3	Vertical	336	2.15	-	52.35
AV	5.46G	44.45	54.00	-9.55	5.02	3	Vertical	336	2.15	-	39.43
PK	5.464G	56.92	68.20	-11.28	5.03	3	Vertical	336	2.15	-	51.89
PK	5.684G	112.36	Inf	-Inf	5.03	3	Vertical	336	2.15	-	107.33
AV	5.685G	99.88	Inf	-Inf	5.03	3	Vertical	336	2.15	-	94.85
PK	5.867G	63.46	68.20	-4.74	5.68	3	Vertical	336	2.15	-	57.78

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX

01/11/2019




EUT_Y_4TX
Setting 19
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.443G	58.00	74.00	-16.00	4.99	3	Horizontal	296	1.50	-	53.01
AV	5.457G	45.38	54.00	-8.62	5.00	3	Horizontal	296	1.50	-	40.38
PK	5.469G	57.69	68.20	-10.51	5.04	3	Horizontal	296	1.50	-	52.65
PK	5.697G	115.13	Inf	-Inf	5.05	3	Horizontal	296	1.50	-	110.08
AV	5.697G	102.74	Inf	-Inf	5.05	3	Horizontal	296	1.50	-	97.69
PK	5.857G	68.10	68.20	-0.10	5.66	3	Horizontal	296	1.50	-	62.44

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX

01/11/2019




EUT_Y_4TX
Setting 19
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.37976G	57.68	74.00	-16.32	13.50	3	Vertical	347	1.54	-	44.18
AV	11.37992G	46.96	54.00	-7.04	13.50	3	Vertical	347	1.54	-	33.46

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX

01/11/2019



EUT_Y_4TX
Setting 19
06-W-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38002G	57.19	74.00	-16.81	13.50	3	Horizontal	356	2.11	-	43.69
AV	11.37992G	46.07	54.00	-7.93	13.50	3	Horizontal	356	2.11	-	32.57




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4692G	68.14	68.20	-0.06	9.58	3	Horizontal	68	1.06	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TX

15/01/2020




EUT_Y_4TX
Setting 27
02-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1208G	61.10	74.00	-12.90	9.10	3	Vertical	323	1.89	-	52.00
AV	5.146G	47.88	54.00	-6.12	9.14	3	Vertical	323	1.89	-	38.74
PK	5.257G	119.82	Inf	-Inf	9.32	3	Vertical	323	1.89	-	110.50
AV	5.2576G	108.20	Inf	-Inf	9.33	3	Vertical	323	1.89	-	98.87
PK	5.3998G	61.22	74.00	-12.78	9.53	3	Vertical	323	1.89	-	51.69
AV	5.3536G	48.71	54.00	-5.29	9.47	3	Vertical	323	1.89	-	39.24

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TX

15/01/2020




EUT_Y_4TX
Setting 27
02-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1454G	60.61	74.00	-13.39	9.14	3	Horizontal	55	2.26	-	51.47
AV	5.1316G	48.20	54.00	-5.80	9.12	3	Horizontal	55	2.26	-	39.08
PK	5.2618G	123.89	Inf	-Inf	9.33	3	Horizontal	55	2.26	-	114.56
AV	5.2624G	112.48	Inf	-Inf	9.33	3	Horizontal	55	2.26	-	103.15
PK	5.3896G	61.15	74.00	-12.85	9.51	3	Horizontal	55	2.26	-	51.64
AV	5.3584G	48.70	54.00	-5.30	9.48	3	Horizontal	55	2.26	-	39.22

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TX

15/01/2020




EUT_Y_4TX
Setting 27
02-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.519G	58.26	68.20	-9.94	15.82	3	Vertical	351	1.63	-	42.44
PK	15.7769G	60.64	74.00	-13.36	15.35	3	Vertical	37	1.42	-	45.29
AV	15.7772G	46.29	54.00	-7.71	15.35	3	Vertical	37	1.42	-	30.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TX

15/01/2020




EUT_Y_4TX
Setting 27
02-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5197G	62.36	68.20	-5.84	15.82	3	Horizontal	304	1.63	-	46.54
PK	15.7783G	60.56	74.00	-13.44	15.34	3	Horizontal	21	1.54	-	45.22
AV	15.7772G	47.07	54.00	-6.93	15.35	3	Horizontal	21	1.54	-	31.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TX

15/01/2020




EUT_Y_4TX
Setting 27
02-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2992G	122.10	Inf	-Inf	9.41	3	Vertical	43	2.24	-	112.69
AV	5.2988G	109.46	Inf	-Inf	9.41	3	Vertical	43	2.24	-	100.05
PK	5.352G	63.21	74.00	-10.79	9.47	3	Vertical	43	2.24	-	53.74
AV	5.352G	49.60	54.00	-4.40	9.47	3	Vertical	43	2.24	-	40.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TX

15/01/2020




EUT_Y_4TX
Setting 27
02-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2964G	122.97	Inf	-Inf	9.40	3	Horizontal	326	2.74	-	113.57
AV	5.298G	111.33	Inf	-Inf	9.41	3	Horizontal	326	2.74	-	101.92
PK	5.3592G	62.62	74.00	-11.38	9.48	3	Horizontal	326	2.74	-	53.14
AV	5.3584G	49.56	54.00	-4.44	9.48	3	Horizontal	326	2.74	-	40.08

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TX

15/01/2020




EUT_Y_4TX
Setting 27
02-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5958G	59.36	68.20	-8.84	15.78	3	Vertical	347	1.83	-	43.58
PK	15.9005G	59.79	74.00	-14.21	15.00	3	Vertical	36	1.50	-	44.79
AV	15.9001G	46.63	54.00	-7.37	15.00	3	Vertical	36	1.50	-	31.63

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TX

15/01/2020




EUT_Y_4TX
Setting 27
02-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5964G	61.25	68.20	-6.95	15.78	3	Horizontal	288	1.61	-	45.47
PK	15.8998G	60.10	74.00	-13.90	15.00	3	Horizontal	95	2.95	-	45.10
AV	15.8987G	46.92	54.00	-7.08	15.00	3	Horizontal	95	2.95	-	31.92

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TX

15/01/2020




EUT_Y_4TX
Setting 19
02-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.312G	115.04	Inf	-Inf	9.43	3	Vertical	39	2.37	-	105.61
AV	5.312G	104.27	Inf	-Inf	9.43	3	Vertical	39	2.37	-	94.84
PK	5.351G	66.08	74.00	-7.92	9.47	3	Vertical	39	2.37	-	56.61
AV	5.351G	51.83	54.00	-2.17	9.47	3	Vertical	39	2.37	-	42.36

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TX

15/01/2020




EUT_Y_4TX
Setting 19
02-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.314G	119.52	Inf	-Inf	9.43	3	Horizontal	317	2.11	-	110.09
AV	5.313G	107.59	Inf	-Inf	9.43	3	Horizontal	317	2.11	-	98.16
PK	5.352G	66.79	74.00	-7.21	9.47	3	Horizontal	317	2.11	-	57.32
AV	5.352G	52.10	54.00	-1.90	9.47	3	Horizontal	317	2.11	-	42.63

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TX

15/01/2020




EUT_Y_4TX
Setting 19
02-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.633G	57.14	74.00	-16.86	15.78	3	Vertical	28	2.18	-	41.36
AV	10.64G	44.05	54.00	-9.95	15.77	3	Vertical	28	2.18	-	28.28
PK	15.96294G	58.79	74.00	-15.21	14.83	3	Vertical	164	1.50	-	43.96
AV	15.9578G	44.83	54.00	-9.17	14.84	3	Vertical	164	1.50	-	29.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TX

15/01/2020




EUT_Y_4TX
Setting 19
02-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6401G	57.16	74.00	-16.84	15.77	3	Horizontal	289	1.89	-	41.39
AV	10.6428G	44.35	54.00	-9.65	15.77	3	Horizontal	289	1.89	-	28.58
PK	15.9483G	57.71	74.00	-16.29	14.86	3	Horizontal	223	2.35	-	42.85
AV	15.9725G	44.72	54.00	-9.28	14.80	3	Horizontal	223	2.35	-	29.92

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TX

15/01/2020




EUT_Y_4TX
Setting 20
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4132G	61.10	74.00	-12.90	9.53	3	Vertical	2	2.63	-	51.57
PK	5.4696G	63.59	68.20	-4.61	9.58	3	Vertical	2	2.63	-	54.01
AV	5.46G	48.88	54.00	-5.12	9.58	3	Vertical	2	2.63	-	39.30
PK	5.4988G	115.13	Inf	-Inf	9.60	3	Vertical	2	2.63	-	105.53
AV	5.4996G	102.52	Inf	-Inf	9.60	3	Vertical	2	2.63	-	92.92

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TX

15/01/2020




EUT_Y_4TX
Setting 20
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.416G	61.56	74.00	-12.44	9.54	3	Horizontal	313	1.47	-	52.02
PK	5.4696G	68.00	68.20	-0.20	9.58	3	Horizontal	313	1.47	-	58.42
AV	5.46G	49.36	54.00	-4.64	9.58	3	Horizontal	313	1.47	-	39.78
PK	5.5024G	121.45	Inf	-Inf	9.60	3	Horizontal	313	1.47	-	111.85
AV	5.5024G	108.49	Inf	-Inf	9.60	3	Horizontal	313	1.47	-	98.89

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TX

15/01/2020




EUT_Y_4TX
Setting 20
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0002G	54.29	74.00	-19.71	15.66	3	Vertical	0	2.67	-	38.63
AV	10.99997G	41.67	54.00	-12.33	15.66	3	Vertical	0	2.67	-	26.01

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TX

15/01/2020




EUT_Y_4TX
Setting 20
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99865G	53.68	74.00	-20.32	15.66	3	Horizontal	28	1.50	-	38.02
AV	10.99998G	40.53	54.00	-13.47	15.66	3	Horizontal	28	1.50	-	24.87

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TX

15/01/2020




EUT_Y_4TX
Setting 27
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4512G	61.00	74.00	-13.00	9.57	3	Vertical	354	2.99	-	51.43
AV	5.4504G	48.16	54.00	-5.84	9.57	3	Vertical	354	2.99	-	38.59
PK	5.4656G	60.73	68.20	-7.47	9.57	3	Vertical	354	2.99	-	51.16
PK	5.584G	121.29	Inf	-Inf	9.74	3	Vertical	354	2.99	-	111.55
AV	5.5824G	109.65	Inf	-Inf	9.73	3	Vertical	354	2.99	-	99.92
PK	5.7472G	60.95	68.20	-7.25	9.60	3	Vertical	354	2.99	-	51.35

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TX

15/01/2020




EUT_Y_4TX
Setting 27
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.412G	61.60	74.00	-12.40	9.54	3	Horizontal	32	1.46	-	52.06
PK	5.464G	60.80	68.20	-7.40	9.57	3	Horizontal	32	1.46	-	51.23
AV	5.4384G	48.14	54.00	-5.86	9.55	3	Horizontal	32	1.46	-	38.59
PK	5.5816G	121.55	Inf	-Inf	9.73	3	Horizontal	32	1.46	-	111.82
AV	5.5832G	110.23	Inf	-Inf	9.73	3	Horizontal	32	1.46	-	100.50
PK	5.7744G	60.90	68.20	-7.30	9.62	3	Horizontal	32	1.46	-	51.28

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TX

15/01/2020




EUT_Y_4TX
Setting 27
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15893G	54.26	74.00	-19.74	15.79	3	Vertical	357	2.63	-	38.47
AV	11.15995G	41.87	54.00	-12.13	15.79	3	Vertical	357	2.63	-	26.08

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TX

15/01/2020




EUT_Y_4TX
Setting 27
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16026G	54.16	74.00	-19.84	15.79	3	Horizontal	286	1.23	-	38.37
AV	11.1618G	40.70	54.00	-13.30	15.79	3	Horizontal	286	1.23	-	24.91

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TX

15/01/2020




EUT_Y_4TX
Setting 19
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7014G	115.89	Inf	-Inf	9.59	3	Vertical	0	2.80	-	106.30
AV	5.7022G	104.44	Inf	-Inf	9.59	3	Vertical	0	2.80	-	94.85
PK	5.7254G	67.96	68.20	-0.24	9.59	3	Vertical	0	2.80	-	58.37

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TX

15/01/2020




EUT_Y_4TX
Setting 19
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7026G	117.47	Inf	-Inf	9.59	3	Horizontal	291	1.06	-	107.88
AV	5.704G	105.21	Inf	-Inf	9.59	3	Horizontal	291	1.06	-	95.62
PK	5.7256G	65.37	68.20	-2.83	9.59	3	Horizontal	291	1.06	-	55.78

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TX

15/01/2020




EUT_Y_4TX
Setting 19
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39762G	54.94	74.00	-19.06	15.98	3	Vertical	305	2.97	-	38.96
AV	11.40136G	41.10	54.00	-12.90	15.98	3	Vertical	305	2.97	-	25.12

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TX

15/01/2020




EUT_Y_4TX
Setting 19
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39844G	54.54	74.00	-19.46	15.98	3	Horizontal	56	1.50	-	38.56
AV	11.40093G	41.12	54.00	-12.88	15.98	3	Horizontal	56	1.50	-	25.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

15/01/2020


EUT_Y_4TX
Setting 27
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	59.86	74.00	-14.14	9.57	3	Vertical	359	2.77	-	50.29
AV	5.456G	48.17	54.00	-5.83	9.57	3	Vertical	359	2.77	-	38.60
PK	5.468G	60.61	68.20	-7.59	9.57	3	Vertical	359	2.77	-	51.04
PK	5.7224G	118.61	Inf	-Inf	9.60	3	Vertical	359	2.77	-	109.01
AV	5.7224G	107.66	Inf	-Inf	9.60	3	Vertical	359	2.77	-	98.06
PK	5.8796G	61.00	68.20	-7.20	9.72	3	Vertical	359	2.77	-	51.28

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

15/01/2020


EUT_Y_4TX
Setting 27
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4572G	60.60	74.00	-13.40	9.57	3	Horizontal	288	1.02	-	51.03
AV	5.4596G	48.22	54.00	-5.78	9.58	3	Horizontal	288	1.02	-	38.64
PK	5.468G	60.64	68.20	-7.56	9.57	3	Horizontal	288	1.02	-	51.07
PK	5.7248G	122.10	Inf	-Inf	9.60	3	Horizontal	288	1.02	-	112.50
AV	5.7248G	109.05	Inf	-Inf	9.60	3	Horizontal	288	1.02	-	99.45
PK	5.9756G	60.90	68.20	-7.30	9.83	3	Horizontal	288	1.02	-	51.07

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

15/01/2020


EUT_Y_4TX
Setting 27
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4384G	55.28	74.00	-18.72	16.00	3	Vertical	293	2.96	-	39.28
AV	11.44148G	41.46	54.00	-12.54	16.00	3	Vertical	293	2.96	-	25.46

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

15/01/2020


EUT_Y_4TX
Setting 27
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44728G	55.06	74.00	-18.94	16.01	3	Horizontal	227	1.49	-	39.05
AV	11.44204G	41.57	54.00	-12.43	16.00	3	Horizontal	227	1.49	-	25.57

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TX

15/01/2020


EUT_Y_4TX
Setting 23
02-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.138G	61.49	74.00	-12.51	9.13	3	Vertical	330	1.90	-	52.36
AV	5.1314G	47.84	54.00	-6.16	9.12	3	Vertical	330	1.90	-	38.72
PK	5.279G	116.20	Inf	-Inf	9.37	3	Vertical	330	1.90	-	106.83
AV	5.2556G	105.75	Inf	-Inf	9.32	3	Vertical	330	1.90	-	96.43
PK	5.3564G	63.15	74.00	-10.85	9.48	3	Vertical	330	1.90	-	53.67
AV	5.3576G	49.62	54.00	-4.38	9.48	3	Vertical	330	1.90	-	40.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TX

15/01/2020


EUT_Y_4TX
Setting 23
02-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1368G	60.38	74.00	-13.62	9.13	3	Horizontal	311	2.35	-	51.25
AV	5.1446G	48.37	54.00	-5.63	9.13	3	Horizontal	311	2.35	-	39.24
PK	5.2652G	120.48	Inf	-Inf	9.33	3	Horizontal	311	2.35	-	111.15
AV	5.2664G	109.02	Inf	-Inf	9.33	3	Horizontal	311	2.35	-	99.69
PK	5.3564G	67.62	74.00	-6.38	9.48	3	Horizontal	311	2.35	-	58.14
AV	5.35G	51.24	54.00	-2.76	9.47	3	Horizontal	311	2.35	-	41.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TX

15/01/2020


EUT_Y_4TX
Setting 23
02-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5347G	59.19	68.20	-9.01	15.82	3	Vertical	349	1.83	-	43.37
PK	15.81236G	57.80	74.00	-16.20	15.24	3	Vertical	33	1.50	-	42.56
AV	15.80552G	44.29	54.00	-9.71	15.26	3	Vertical	33	1.50	-	29.03

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TX

15/01/2020


EUT_Y_4TX
Setting 23
02-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.526G	61.45	68.20	-6.75	15.81	3	Horizontal	288	1.60	-	45.64
PK	15.8133G	58.07	74.00	-15.93	15.24	3	Horizontal	51	1.50	-	42.83
AV	15.8178G	44.63	54.00	-9.37	15.23	3	Horizontal	51	1.50	-	29.40

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TX

15/01/2020




EUT_Y_4TX
Setting 19
02-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3214G	114.84	Inf	-Inf	9.43	3	Vertical	36	2.12	-	105.41
AV	5.3034G	105.88	Inf	-Inf	9.41	3	Vertical	36	2.12	-	96.47
PK	5.3556G	72.48	74.00	-1.52	9.48	3	Vertical	36	2.12	-	63.00
AV	5.3532G	53.41	54.00	-0.59	9.47	3	Vertical	36	2.12	-	43.94

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TX

15/01/2020




EUT_Y_4TX
Setting 19
02-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.304G	116.14	Inf	-Inf	9.41	3	Horizontal	314	2.42	-	106.73
AV	5.3034G	103.44	Inf	-Inf	9.41	3	Horizontal	314	2.42	-	94.03
PK	5.3574G	72.45	74.00	-1.55	9.48	3	Horizontal	314	2.42	-	62.97
AV	5.35G	53.43	54.00	-0.57	9.47	3	Horizontal	314	2.42	-	43.96

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TX

15/01/2020




EUT_Y_4TX
Setting 19
02-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.62386G	55.90	74.00	-18.10	15.77	3	Vertical	8	1.45	-	40.13
AV	10.62462G	42.69	54.00	-11.31	15.77	3	Vertical	8	1.45	-	26.92
PK	15.93098G	57.69	74.00	-16.31	14.92	3	Vertical	335	2.57	-	42.77
AV	15.92576G	44.29	54.00	-9.71	14.94	3	Vertical	335	2.57	-	29.35

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TX

15/01/2020




EUT_Y_4TX
Setting 19
02-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.62082G	57.00	74.00	-17.00	15.78	3	Horizontal	307	1.49	-	41.22
AV	10.61892G	43.40	54.00	-10.60	15.78	3	Horizontal	307	1.49	-	27.62
PK	15.93354G	57.76	74.00	-16.24	14.90	3	Horizontal	2	1.03	-	42.86
AV	15.932G	44.48	54.00	-9.52	14.91	3	Horizontal	2	1.03	-	29.57

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TX

15/01/2020




EUT_Y_4TX
Setting 19
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	65.37	74.00	-8.63	9.57	3	Vertical	359	2.95	-	55.80
AV	5.4548G	49.54	54.00	-4.46	9.57	3	Vertical	359	2.95	-	39.97
PK	5.465G	64.51	68.20	-3.69	9.57	3	Vertical	359	2.95	-	54.94
PK	5.5064G	114.95	Inf	-Inf	9.62	3	Vertical	359	2.95	-	105.33
AV	5.5034G	102.83	Inf	-Inf	9.60	3	Vertical	359	2.95	-	93.23

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TX

15/01/2020




EUT_Y_4TX
Setting 19
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4548G	67.19	74.00	-6.81	9.57	3	Horizontal	68	1.06	-	57.62
AV	5.46G	50.66	54.00	-3.34	9.58	3	Horizontal	68	1.06	-	41.08
PK	5.4692G	68.14	68.20	-0.06	9.58	3	Horizontal	68	1.06	-	58.56
PK	5.5202G	114.88	Inf	-Inf	9.64	3	Horizontal	68	1.06	-	105.24
AV	5.5208G	103.27	Inf	-Inf	9.64	3	Horizontal	68	1.06	-	93.63

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TX

15/01/2020




EUT_Y_4TX
Setting 19
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02344G	53.80	74.00	-20.20	15.68	3	Vertical	359	2.60	-	38.12
AV	11.02G	41.56	54.00	-12.44	15.68	3	Vertical	359	2.60	-	25.88

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TX

15/01/2020



EUT_Y_4TX
Setting 19
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01979G	53.99	74.00	-20.01	15.68	3	Horizontal	25	1.40	-	38.31
AV	11.02007G	40.75	54.00	-13.25	15.68	3	Horizontal	25	1.40	-	25.07

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TX

15/01/2020




EUT_Y_4TX
Setting 24
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4572G	65.92	74.00	-8.08	9.57	3	Vertical	33	2.70	-	56.35
AV	5.4596G	51.09	54.00	-2.91	9.58	3	Vertical	33	2.70	-	41.51
PK	5.4692G	67.62	68.20	-0.58	9.58	3	Vertical	33	2.70	-	58.04
PK	5.5524G	117.39	Inf	-Inf	9.69	3	Vertical	33	2.70	-	107.70
AV	5.5548G	105.97	Inf	-Inf	9.69	3	Vertical	33	2.70	-	96.28
PK	5.7468G	60.30	68.20	-7.90	9.60	3	Vertical	33	2.70	-	50.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TX

15/01/2020




EUT_Y_4TX
Setting 24
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	65.61	74.00	-8.39	9.57	3	Horizontal	29	1.50	-	56.04
AV	5.4572G	51.57	54.00	-2.43	9.57	3	Horizontal	29	1.50	-	42.00
PK	5.4644G	67.67	68.20	-0.53	9.57	3	Horizontal	29	1.50	-	58.10
PK	5.5636G	119.40	Inf	-Inf	9.71	3	Horizontal	29	1.50	-	109.69
AV	5.5468G	109.88	Inf	-Inf	9.68	3	Horizontal	29	1.50	-	100.20
PK	5.7396G	60.73	68.20	-7.47	9.60	3	Horizontal	29	1.50	-	51.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TX

15/01/2020




EUT_Y_4TX
Setting 24
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.09874G	54.74	74.00	-19.26	15.74	3	Vertical	0	2.60	-	39.00
AV	11.10004G	42.10	54.00	-11.90	15.74	3	Vertical	0	2.60	-	26.36

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TX

15/01/2020




EUT_Y_4TX
Setting 24
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.09802G	54.85	74.00	-19.15	15.74	3	Horizontal	334	1.50	-	39.11
AV	11.10183G	40.72	54.00	-13.28	15.74	3	Horizontal	334	1.50	-	24.98

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TX

15/01/2020




EUT_Y_4TX
Setting 19
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6634G	111.25	Inf	-Inf	9.65	3	Vertical	32	1.26	-	101.60
AV	5.6634G	99.17	Inf	-Inf	9.65	3	Vertical	32	1.26	-	89.52
PK	5.7288G	61.74	68.20	-6.46	9.59	3	Vertical	32	1.26	-	52.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TX

15/01/2020




EUT_Y_4TX
Setting 19
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6568G	114.74	Inf	-Inf	9.67	3	Horizontal	294	1.05	-	105.07
AV	5.6532G	102.89	Inf	-Inf	9.67	3	Horizontal	294	1.05	-	93.22
PK	5.7258G	65.72	68.20	-2.48	9.59	3	Horizontal	294	1.05	-	56.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TX

15/01/2020




EUT_Y_4TX
Setting 19
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.33836G	54.85	74.00	-19.15	15.93	3	Vertical	353	2.68	-	38.92
AV	11.33999G	41.94	54.00	-12.06	15.92	3	Vertical	353	2.68	-	26.02

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TX

15/01/2020




EUT_Y_4TX
Setting 19
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.34015G	55.11	74.00	-18.89	15.92	3	Horizontal	54	1.00	-	39.19
AV	11.34018G	41.74	54.00	-12.26	15.92	3	Horizontal	54	1.00	-	25.82

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX

15/01/2020


EUT_Y_4TX
Setting 27
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4544G	60.68	74.00	-13.32	9.57	3	Vertical	341	2.99	-	51.11
AV	5.46G	48.18	54.00	-5.82	9.58	3	Vertical	341	2.99	-	38.60
PK	5.47G	59.88	68.20	-8.32	9.58	3	Vertical	341	2.99	-	50.30
PK	5.7136G	116.26	Inf	-Inf	9.60	3	Vertical	341	2.99	-	106.66
AV	5.7148G	105.00	Inf	-Inf	9.60	3	Vertical	341	2.99	-	95.40
PK	5.9692G	61.07	68.20	-7.13	9.84	3	Vertical	341	2.99	-	51.23

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX

15/01/2020


EUT_Y_4TX
Setting 27
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.446G	60.57	74.00	-13.43	9.56	3	Horizontal	18	1.50	-	51.01
PK	5.4652G	60.69	68.20	-7.51	9.57	3	Horizontal	18	1.50	-	51.12
AV	5.4568G	48.21	54.00	-5.79	9.57	3	Horizontal	18	1.50	-	38.64
PK	5.6956G	117.47	Inf	-Inf	9.60	3	Horizontal	18	1.50	-	107.87
AV	5.7136G	105.98	Inf	-Inf	9.60	3	Horizontal	18	1.50	-	96.38
PK	5.9392G	61.43	68.20	-6.77	9.79	3	Horizontal	18	1.50	-	51.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX

15/01/2020


EUT_Y_4TX
Setting 27
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4444G	55.58	74.00	-18.42	16.01	3	Vertical	80	1.65	-	39.57
AV	11.4361G	41.91	54.00	-12.09	16.00	3	Vertical	80	1.65	-	25.91

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX

15/01/2020


EUT_Y_4TX
Setting 27
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4328G	55.33	74.00	-18.67	16.01	3	Horizontal	331	1.91	-	39.32
AV	11.439G	41.56	54.00	-12.44	16.00	3	Horizontal	331	1.91	-	25.56

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TX

15/01/2020


EUT_Y_4TX
Setting 19
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1468G	60.77	74.00	-13.23	9.14	3	Vertical	29	2.04	-	51.63
AV	5.1476G	48.49	54.00	-5.51	9.14	3	Vertical	29	2.04	-	39.35
PK	5.2676G	112.40	Inf	-Inf	9.34	3	Vertical	29	2.04	-	103.06
AV	5.2604G	101.26	Inf	-Inf	9.33	3	Vertical	29	2.04	-	91.93
PK	5.35G	68.45	74.00	-5.55	9.47	3	Vertical	29	2.04	-	58.98
AV	5.35G	53.82	54.00	-0.18	9.47	3	Vertical	29	2.04	-	44.35

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TX

15/01/2020


EUT_Y_4TX
Setting 19
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1372G	60.48	74.00	-13.52	9.13	3	Horizontal	24	1.50	-	51.35
AV	5.146G	47.88	54.00	-6.12	9.14	3	Horizontal	24	1.50	-	38.74
PK	5.2716G	110.26	Inf	-Inf	9.35	3	Horizontal	24	1.50	-	100.91
AV	5.2532G	97.83	Inf	-Inf	9.32	3	Horizontal	24	1.50	-	88.51
PK	5.3508G	66.34	74.00	-7.66	9.47	3	Horizontal	24	1.50	-	56.87
AV	5.3524G	52.63	54.00	-1.37	9.47	3	Horizontal	24	1.50	-	43.16

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TX

15/01/2020


EUT_Y_4TX
Setting 19
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.58011G	56.23	68.20	-11.97	15.79	3	Vertical	0	1.50	-	40.44
PK	15.8859G	57.76	74.00	-16.24	15.04	3	Vertical	65	1.56	-	42.72
AV	15.8812G	44.46	54.00	-9.54	15.05	3	Vertical	65	1.56	-	29.41

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TX

15/01/2020


EUT_Y_4TX
Setting 19
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.57988G	56.88	68.20	-11.32	15.79	3	Horizontal	63	1.76	-	41.09
PK	15.8932G	57.42	74.00	-16.58	15.01	3	Horizontal	79	1.81	-	42.41
AV	15.895G	44.34	54.00	-9.66	15.01	3	Horizontal	79	1.81	-	29.33

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TX

16/01/2020




EUT_Y_4TX
Setting 19
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	63.24	74.00	-10.76	9.57	3	Vertical	0	2.95	-	53.67
AV	5.46G	49.36	54.00	-4.64	9.58	3	Vertical	0	2.95	-	39.78
PK	5.463G	64.11	68.20	-4.09	9.57	3	Vertical	0	2.95	-	54.54
PK	5.504G	111.44	Inf	-Inf	9.60	3	Vertical	0	2.95	-	101.84
AV	5.522G	98.95	Inf	-Inf	9.64	3	Vertical	0	2.95	-	89.31
PK	5.74G	61.57	68.20	-6.63	9.60	3	Vertical	0	2.95	-	51.97

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TX

16/01/2020




EUT_Y_4TX
Setting 22
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.409G	60.97	74.00	-13.03	9.54	3	Vertical	331	1.33	-	51.43
PK	5.47G	61.05	68.20	-7.15	9.58	3	Vertical	331	1.33	-	51.47
AV	5.46G	48.57	54.00	-5.43	9.58	3	Vertical	331	1.33	-	38.99
PK	5.593G	111.05	Inf	-Inf	9.75	3	Vertical	331	1.33	-	101.30
AV	5.582G	103.86	Inf	-Inf	9.73	3	Vertical	331	1.33	-	94.13
PK	5.73G	67.80	68.20	-0.40	9.59	3	Vertical	331	1.33	-	58.21

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TX

16/01/2020




EUT_Y_4TX
Setting 19
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.455G	63.68	74.00	-10.32	9.57	3	Horizontal	314	1.45	-	54.11
AV	5.459G	50.42	54.00	-3.58	9.57	3	Horizontal	314	1.45	-	40.85
PK	5.466G	68.09	68.20	-0.11	9.57	3	Horizontal	314	1.45	-	58.52
PK	5.508G	113.54	Inf	-Inf	9.62	3	Horizontal	314	1.45	-	103.92
AV	5.526G	99.80	Inf	-Inf	9.64	3	Horizontal	314	1.45	-	90.16
PK	5.763G	61.82	68.20	-6.38	9.61	3	Horizontal	314	1.45	-	52.21

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TX

16/01/2020




EUT_Y_4TX
Setting 22
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	62.20	74.00	-11.80	9.58	3	Horizontal	33	1.50	-	52.62
AV	5.46G	49.16	54.00	-4.84	9.58	3	Horizontal	33	1.50	-	39.58
PK	5.462G	63.73	68.20	-4.47	9.58	3	Horizontal	33	1.50	-	54.15
PK	5.603G	114.48	Inf	-Inf	9.76	3	Horizontal	33	1.50	-	104.72
AV	5.588G	104.98	Inf	-Inf	9.75	3	Horizontal	33	1.50	-	95.23
PK	5.735G	66.84	68.20	-1.36	9.60	3	Horizontal	33	1.50	-	57.24

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TX

16/01/2020




EUT_Y_4TX
Setting 19
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0601G	55.05	74.00	-18.95	15.71	3	Vertical	0	2.59	-	39.34
AV	11.06001G	42.31	54.00	-11.69	15.71	3	Vertical	0	2.59	-	26.60

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TX

16/01/2020




EUT_Y_4TX
Setting 22
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22394G	54.03	74.00	-19.97	15.83	3	Vertical	4	2.36	-	38.20
AV	11.22002G	40.80	54.00	-13.20	15.83	3	Vertical	4	2.36	-	24.97

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TX

16/01/2020




EUT_Y_4TX
Setting 19
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05976G	54.40	74.00	-19.60	15.71	3	Horizontal	26	1.43	-	38.69
AV	11.05998G	41.36	54.00	-12.64	15.71	3	Horizontal	26	1.43	-	25.65

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TX

16/01/2020




EUT_Y_4TX
Setting 22
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22244G	54.93	74.00	-19.07	15.83	3	Horizontal	255	1.57	-	39.10
AV	11.22342G	40.82	54.00	-13.18	15.83	3	Horizontal	255	1.57	-	24.99

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX


16/01/2020



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX


16/01/2020



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX


16/01/2020



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX

16/01/2020





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20_Nss1,(MCS0)_1TX	Pass	PK	5.726G	68.18	68.20	-0.02	5.16	3	Horizontal	347	1.60	-



802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX

26/10/2019




EUT_Y_1TX
Setting 32
06-S-5-10
FSP(100142)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)
PK	5.1238G	56.50	74.00	-17.50	5.21	3	Vertical	328	1.90	-	51.29
AV	5.1214G	43.73	54.00	-10.27	5.22	3	Vertical	328	1.90	-	38.51
PK	5.2588G	108.36	Inf	-Inf	4.59	3	Vertical	328	1.90	-	103.77
AV	5.2648G	97.87	Inf	-Inf	4.57	3	Vertical	328	1.90	-	93.30
PK	5.3758G	56.60	74.00	-17.40	4.78	3	Vertical	328	1.90	-	51.82
AV	5.362G	44.05	54.00	-9.95	4.71	3	Vertical	328	1.90	-	39.34

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX

26/10/2019




EUT_Y_1TX
Setting 32
06-S-5-10
FSP(100142)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)
PK	5.1394G	56.20	74.00	-17.80	5.13	3	Horizontal	17	1.65	-	51.07
AV	5.1166G	44.09	54.00	-9.91	5.24	3	Horizontal	17	1.65	-	38.85
PK	5.2642G	113.08	Inf	-Inf	4.57	3	Horizontal	17	1.65	-	108.51
AV	5.266G	102.81	Inf	-Inf	4.57	3	Horizontal	17	1.65	-	98.24
PK	5.3566G	56.58	74.00	-17.42	4.68	3	Horizontal	17	1.65	-	51.90
AV	5.3572G	44.03	54.00	-9.97	4.69	3	Horizontal	17	1.65	-	39.34

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX

26/10/2019




EUT_Y_1TX
Setting 32
06-K-3
FSP(100142)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)
PK	15.81968G	57.62	74.00	-16.38	13.53	3	Vertical	26	1.59	-	44.09
AV	15.7672G	44.05	54.00	-9.95	13.71	3	Vertical	26	1.59	-	30.34

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX

26/10/2019




EUT_Y_1TX
Setting 32
06-K-3
FSP(100142)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)
PK	15.7904G	58.47	74.00	-15.53	13.63	3	Horizontal	45	1.68	-	44.84
AV	15.7771G	45.65	54.00	-8.35	13.68	3	Horizontal	45	1.68	-	31.97

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX

26/10/2019




EUT_Y_1TX
Setting 32
06-S-5-10
FSP(100142)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)
PK	5.2944G	110.53	Inf	-Inf	4.44	3	Vertical	345	2.04	-	106.09
AV	5.294G	99.79	Inf	-Inf	4.44	3	Vertical	345	2.04	-	95.35
PK	5.3504G	61.46	74.00	-12.54	4.65	3	Vertical	345	2.04	-	56.81
AV	5.3504G	46.69	54.00	-7.31	4.65	3	Vertical	345	2.04	-	42.04

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX

26/10/2019




EUT_Y_1TX
Setting 32
06-S-5-10
FSP(100142)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)
PK	5.2936G	113.62	Inf	-Inf	4.45	3	Horizontal	342	2.43	-	109.17
AV	5.294G	102.72	Inf	-Inf	4.44	3	Horizontal	342	2.43	-	98.28
PK	5.3504G	64.07	74.00	-9.93	4.65	3	Horizontal	342	2.43	-	59.42
AV	5.35G	49.25	54.00	-4.75	4.65	3	Horizontal	342	2.43	-	44.60

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX

26/10/2019




EUT_Y_1TX
Setting 32
06-K-3
FSP(100142)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)
PK	10.6007G	56.97	74.00	-17.03	13.65	3	Vertical	351	1.62	-	43.32
AV	10.6038G	43.37	54.00	-10.63	13.65	3	Vertical	351	1.62	-	29.72
PK	15.9109G	56.43	74.00	-17.57	13.23	3	Vertical	357	1.79	-	43.20
AV	15.9002G	43.51	54.00	-10.49	13.27	3	Vertical	357	1.79	-	30.24

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX

26/10/2019




EUT_Y_1TX
Setting 32
06-K-3
FSP(100142)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)
PK	10.609G	58.59	74.00	-15.41	13.66	3	Horizontal	1	1.69	-	44.93
AV	10.654G	45.03	54.00	-8.97	13.72	3	Horizontal	1	1.69	-	31.31
PK	15.8996G	59.17	74.00	-14.83	13.27	3	Horizontal	47	1.53	-	45.90
AV	15.9026G	45.43	54.00	-8.57	13.26	3	Horizontal	47	1.53	-	32.17

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX

26/10/2019


EUT_Y_1TX
Setting 28
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3232G	107.96	Inf	-Inf	4.53	3	Vertical	344	2.03	-	103.43
AV	5.3148G	97.49	Inf	-Inf	4.48	3	Vertical	344	2.03	-	93.01
PK	5.3544G	65.06	74.00	-8.94	4.67	3	Vertical	344	2.03	-	60.39
AV	5.35G	51.01	54.00	-2.99	4.65	3	Vertical	344	2.03	-	46.36

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX

26/10/2019


EUT_Y_1TX
Setting 28
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3216G	110.96	Inf	-Inf	4.52	3	Horizontal	342	2.40	-	106.44
AV	5.3156G	100.51	Inf	-Inf	4.49	3	Horizontal	342	2.40	-	96.02
PK	5.3501G	67.21	74.00	-6.79	4.65	3	Horizontal	342	2.40	-	62.56
AV	5.3501G	53.64	54.00	-0.36	4.65	3	Horizontal	342	2.40	-	48.99

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX

26/10/2019


EUT_Y_1TX
Setting 28
06-K-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6627G	56.43	74.00	-17.57	13.73	3	Vertical	5	1.16	-	42.70
AV	10.6362G	43.33	54.00	-10.67	13.71	3	Vertical	5	1.16	-	29.62
PK	15.9502G	56.66	74.00	-17.34	13.09	3	Vertical	55	1.46	-	43.57
AV	15.9471G	42.78	54.00	-11.22	13.11	3	Vertical	55	1.46	-	29.67

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX

26/10/2019


EUT_Y_1TX
Setting 28
06-K-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6459G	58.03	74.00	-15.97	13.71	3	Horizontal	2	1.95	-	44.32
AV	10.6387G	44.91	54.00	-9.09	13.71	3	Horizontal	2	1.95	-	31.20
PK	15.9502G	56.83	74.00	-17.17	13.09	3	Horizontal	48	1.47	-	43.74
AV	15.962G	43.31	54.00	-10.69	13.06	3	Horizontal	48	1.47	-	30.25

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX

26/10/2019


EUT_Y_1TX
Setting 25
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4288G	57.01	74.00	-16.99	4.96	3	Vertical	292	1.75	-	52.05
AV	5.4516G	44.52	54.00	-9.48	4.99	3	Vertical	292	1.75	-	39.53
PK	5.47G	62.48	68.20	-5.72	5.04	3	Vertical	292	1.75	-	57.44
PK	5.4964G	103.52	Inf	-Inf	5.09	3	Vertical	292	1.75	-	98.43
AV	5.5072G	93.58	Inf	-Inf	5.09	3	Vertical	292	1.75	-	88.49

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX

26/10/2019


EUT_Y_1TX
Setting 25
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	59.23	74.00	-14.77	5.01	3	Horizontal	358	2.03	-	54.22
AV	5.4596G	46.47	54.00	-7.53	5.02	3	Horizontal	358	2.03	-	41.45
PK	5.4696G	67.81	68.20	-0.39	5.04	3	Horizontal	358	2.03	-	62.77
PK	5.5012G	109.36	Inf	-Inf	5.10	3	Horizontal	358	2.03	-	104.26
AV	5.5044G	99.42	Inf	-Inf	5.09	3	Horizontal	358	2.03	-	94.33

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX

26/10/2019


EUT_Y_1TX
Setting 25
06-K-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.9949G	56.43	74.00	-17.57	14.15	3	Vertical	352	1.61	-	42.28
AV	10.9944G	43.28	54.00	-10.72	14.15	3	Vertical	352	1.61	-	29.13

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX

26/10/2019

EUT_Y_1TX
Setting 25
06-K-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.9989G	57.86	74.00	-16.14	14.16	3	Horizontal	326	2.96	-	43.70
AV	10.9993G	44.80	54.00	-9.20	14.16	3	Horizontal	326	2.96	-	30.64