

Report No.: SEWM2311000473RG06  
 Rev.: 01  
 Page: 112 of 118

**Test Band = NSA 48A\_n71A\_TM1**

**Test Channel = Low**

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1718.8571	57.56	-48.12	25.40	-60.42	-13.00	47.42	231	13	Horizontal
2	2031.4286	46.42	-47.84	26.75	-69.93	-13.00	56.93	195	26	Horizontal
3	3125.1429	49.92	-46.63	29.56	-62.42	-13.00	49.42	267	53	Horizontal
4	4444.5714	41.64	-45.76	31.55	-67.83	-13.00	54.83	142	4	Horizontal
5	5976	40.73	-44.56	34.08	-65.01	-13.00	52.01	151	53	Horizontal
6	7856.5714	36.75	-42.70	36.85	-64.37	-13.00	51.37	201	4	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2031.4286	48.88	-47.84	26.75	-67.47	-13.00	54.47	139	152	Vertical
2	2606.8571	43.59	-46.94	28.11	-70.50	-13.00	57.50	284	357	Vertical
3	3653.7143	42.20	-46.24	29.80	-69.49	-13.00	56.49	165	85	Vertical
4	4844	46.83	-45.61	32.44	-61.60	-13.00	48.60	277	205	Vertical
5	6711.4286	39.45	-44.07	35.66	-64.21	-13.00	51.21	142	0	Vertical
6	7968.5714	36.93	-42.57	36.97	-63.93	-13.00	50.93	156	323	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Report No.: SEWM2311000473RG06  
 Rev.: 01  
 Page: 113 of 118

**Test Band = NSA 48A\_n71A\_TM1**  
**Test Channel = Mid**

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1497.1429	44.65	-48.31	25.49	-73.43	-13.00	60.43	139	359	Horizontal
2	2324.5714	44.17	-47.49	27.40	-71.18	-13.00	58.18	258	234	Horizontal
3	4102.8571	41.86	-45.90	30.95	-68.35	-13.00	55.35	160	360	Horizontal
4	6011.4286	40.51	-44.46	34.13	-65.08	-13.00	52.08	247	78	Horizontal
5	7405.1429	38.14	-43.27	36.49	-63.90	-13.00	50.90	154	360	Horizontal
6	8405.7143	36.32	-41.68	37.34	-63.28	-13.00	50.28	168	275	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1718.8571	55.82	-48.12	25.40	-62.16	-13.00	49.16	216	231	Vertical
2	2343.4286	45.41	-47.48	27.41	-69.92	-13.00	56.92	239	165	Vertical
3	3950.8571	42.08	-46.21	30.68	-68.71	-13.00	55.71	274	34	Vertical
4	4843.4286	47.47	-45.61	32.44	-60.96	-13.00	47.96	184	48	Vertical
5	6722.2857	39.62	-44.07	35.68	-64.03	-13.00	51.03	161	165	Vertical
6	7187.4286	40.52	-43.91	36.57	-62.09	-13.00	49.09	277	177	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn  
 中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2311000473RG06  
 Rev.: 01  
 Page: 114 of 118

**Test Band = NSA 48A\_n71A\_ TM1**

**Test Channel = High**

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1497.7143	44.69	-48.31	25.49	-73.39	-13.00	60.39	139	4	Horizontal
2	1980	43.55	-47.93	26.52	-73.12	-13.00	60.12	201	91	Horizontal
3	3125.1429	50.00	-46.63	29.56	-62.34	-13.00	49.34	185	51	Horizontal
4	4412	41.75	-45.86	31.52	-67.84	-13.00	54.84	267	360	Horizontal
5	5412	41.36	-44.99	32.81	-66.08	-13.00	53.08	142	157	Horizontal
6	7001.7143	38.88	-43.58	36.08	-63.88	-13.00	50.88	197	273	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1742.8571	44.47	-48.07	25.41	-73.45	-13.00	60.45	293	99	Vertical
2	2343.4286	45.20	-47.48	27.41	-70.13	-13.00	57.13	268	152	Vertical
3	3476	43.16	-46.54	29.50	-69.14	-13.00	56.14	217	285	Vertical
4	5156	42.99	-45.16	32.97	-64.47	-13.00	51.47	186	297	Vertical
5	6426.2857	40.04	-44.72	34.73	-65.21	-13.00	52.21	214	114	Vertical
6	7656.5714	41.19	-43.17	36.50	-60.74	-13.00	47.74	150	166	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn  
 中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Report No.: SEWM2311000473RG06

Rev.: 01

Page: 115 of 118

**Test Band = NR CA n48A-n70A\_ TM1**
**Test Channel = Low Channel**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7652.3958	42.59	-45.02	36.62	-61.07	-40.00	21.07	Horizontal
2	9519.2292	39.89	-42.47	38.07	-59.78	-40.00	19.78	Horizontal
3	11392.7708	36.84	-39.76	39.32	-58.86	-40.00	18.86	Horizontal
4	13661.1458	33.76	-38.08	40.12	-59.46	-40.00	19.46	Horizontal
5	15403.875	30.90	-37.85	39.33	-62.88	-40.00	22.88	Horizontal
6	17964.0625	27.71	-37.08	45.07	-59.56	-40.00	19.56	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7336.1458	42.97	-45.85	36.41	-61.73	-40.00	21.73	Vertical
2	9225.5	40.56	-42.96	37.80	-59.86	-40.00	19.86	Vertical
3	10928.4583	36.90	-40.27	39.34	-59.29	-40.00	19.29	Vertical
4	12262.9375	35.68	-39.48	39.04	-60.02	-40.00	20.02	Vertical
5	14303.2292	32.57	-38.78	40.66	-60.81	-40.00	20.81	Vertical
6	17957.3542	27.84	-37.10	45.03	-59.49	-40.00	19.49	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn  
t (86-512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Report No.: SEWM2311000473RG06  
 Rev.: 01  
 Page: 116 of 118

**Test Band = NR CA n48A-n70A\_ TM1**

**Test Channel = Mid Channel**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7838.7917	42.41	-44.93	36.39	-61.38	-40.00	21.38	Horizontal
2	9523.5417	39.71	-42.43	38.07	-59.91	-40.00	19.91	Horizontal
3	11153.6667	36.98	-40.02	39.37	-58.93	-40.00	18.93	Horizontal
4	13636.2292	33.37	-38.16	40.06	-59.99	-40.00	19.99	Horizontal
5	14674.1042	32.00	-38.16	40.36	-61.06	-40.00	21.06	Horizontal
6	17456.625	28.61	-36.59	41.82	-61.42	-40.00	21.42	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7697.4375	43.06	-45.13	36.56	-60.77	-40.00	20.77	Vertical
2	9516.3542	40.38	-42.50	38.06	-59.31	-40.00	19.31	Vertical
3	10872.3958	37.55	-40.25	39.29	-58.67	-40.00	18.67	Vertical
4	12057.8542	36.39	-39.05	39.17	-58.75	-40.00	18.75	Vertical
5	13935.7083	32.86	-38.63	40.75	-60.27	-40.00	20.27	Vertical
6	17961.6667	27.85	-37.09	45.05	-59.44	-40.00	19.44	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
 中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn  
 t (86-512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Report No.: SEWM2311000473RG06  
 Rev.: 01  
 Page: 117 of 118

**Test Band = NR CA n48A-n70A\_ TM1**

**Test Channel = High Channel**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7192.3958	42.78	-45.50	36.06	-61.92	-40.00	21.92	Horizontal
2	7822.0208	42.50	-44.92	36.41	-61.26	-40.00	21.26	Horizontal
3	10400.8958	38.24	-41.24	38.86	-59.40	-40.00	19.40	Horizontal
4	12255.2708	35.83	-39.51	39.05	-59.89	-40.00	19.89	Horizontal
5	14100.5417	32.03	-38.74	40.82	-61.15	-40.00	21.15	Horizontal
6	17938.6667	27.49	-37.15	44.91	-60.01	-40.00	20.01	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7331.8333	43.25	-45.87	36.40	-61.48	-40.00	21.48	Vertical
2	8897.75	40.88	-43.56	37.46	-60.48	-40.00	20.48	Vertical
3	10515.4167	37.30	-40.67	38.96	-59.66	-40.00	19.66	Vertical
4	11141.6875	37.05	-40.04	39.37	-58.88	-40.00	18.88	Vertical
5	14634.3333	32.22	-38.14	40.39	-60.79	-40.00	20.79	Vertical
6	17969.3333	27.63	-37.07	45.10	-59.59	-40.00	19.59	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit – Level



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn  
 t (86-512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Report No.: SEWM2311000473RG06

Rev.: 01

Page: 118 of 118

## Frequency Stability for SA

### Test Result

#### Frequency Error VS. Voltage

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation (Hz)	Deviation (ppm)	Verdict
N48	30	40	DFT-PI2BPSK	M	Outer_Full	VH	NT	-4.300000	-0.001186	PASS
N48	30	40	DFT-PI2BPSK	M	Outer_Full	VN	NT	-4.900000	-0.001352	PASS
N48	30	40	DFT-PI2BPSK	M	Outer_Full	VL	NT	-3.000000	-0.000828	PASS
N48	30	40	CP-QPSK	M	Outer_Full	VH	NT	-1.200000	-0.000331	PASS
N48	30	40	CP-QPSK	M	Outer_Full	VN	NT	-4.600000	-0.001269	PASS
N48	30	40	CP-QPSK	M	Outer_Full	VL	NT	-3.100000	-0.000855	PASS

#### Frequency Error VS. Temperature

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation (Hz)	Deviation (ppm)	Verdict
N48	30	40	DFT-PI2BPSK	M	Outer_Full	NV	-30	-4.000000	-0.001103	PASS
N48	30	40	DFT-PI2BPSK	M	Outer_Full	NV	-20	-2.300000	-0.000634	PASS
N48	30	40	DFT-PI2BPSK	M	Outer_Full	NV	-10	-3.400000	-0.000938	PASS
N48	30	40	DFT-PI2BPSK	M	Outer_Full	NV	0	0.900000	0.000248	PASS
N48	30	40	DFT-PI2BPSK	M	Outer_Full	NV	10	0.100000	0.000028	PASS
N48	30	40	DFT-PI2BPSK	M	Outer_Full	NV	20	-1.200000	-0.000331	PASS
N48	30	40	DFT-PI2BPSK	M	Outer_Full	NV	30	-5.600000	-0.001545	PASS
N48	30	40	DFT-PI2BPSK	M	Outer_Full	NV	40	0.300000	0.000083	PASS
N48	30	40	DFT-PI2BPSK	M	Outer_Full	NV	50	-1.900000	-0.000524	PASS
N48	30	40	CP-QPSK	M	Outer_Full	NV	-30	-2.700000	-0.000745	PASS
N48	30	40	CP-QPSK	M	Outer_Full	NV	-20	-2.200000	-0.000607	PASS
N48	30	40	CP-QPSK	M	Outer_Full	NV	-10	-1.600000	-0.000441	PASS
N48	30	40	CP-QPSK	M	Outer_Full	NV	0	-1.900000	-0.000524	PASS
N48	30	40	CP-QPSK	M	Outer_Full	NV	10	-2.700000	-0.000745	PASS
N48	30	40	CP-QPSK	M	Outer_Full	NV	20	-1.600000	-0.000441	PASS
N48	30	40	CP-QPSK	M	Outer_Full	NV	30	-0.900000	-0.000248	PASS
N48	30	40	CP-QPSK	M	Outer_Full	NV	40	0.400000	0.000110	PASS
N48	30	40	CP-QPSK	M	Outer_Full	NV	50	-6.000000	-0.001655	PASS

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn  
t (86-512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)