

1.0 Setup Photographs


1.1 Receive Mode Spurious

Professional Testing, EMI, Inc.


Test Method:	ANSI C63.4–2003: “Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz” (incorporated by reference, FCC Part 15.109 - Code of Federal Regulations Part 47, Subpart B - Unintentional Radiators, Radiated Emissions Limits		
In accordance with:	Section:		
Section:	15.109		
Test Date(s):	8/27/2014	EUT Serial #:	None
Customer:	Hetronic	EUT Part #:	None
Project Number:	16271-15	Test Technician:	Bob Redoutey
Purchase Order #:	Not Listed	Supervisor:	Rob McCollough
Equip. Under Test:	RX-MFS-ESCAN-HS-1 Receiver	Witness' Name:	None

Radiated Emissions Photographs

Page: 1 of 1



Front







Back

1.2 Transmit Mode Spurious, 30 MHz to 25 GHz**Professional Testing, EMI, Inc.**

Test Method:	ANSI C63.4-2003: "Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz" (incorporated by reference, FCC Part 15.209 - Code of Federal Regulations Part 47, Subpart C - Intentional Radiators,		
In accordance with:	Radiated Emissions Limits		
Section:	15.209		
Test Date(s):	10/2/2014	EUT Serial #:	Sample 2
Customer:	Hetronic	EUT Part #:	None
Project Number:	16271-15	Test Technician:	Eric Lifsey
Purchase Order #:	Not Listed	Supervisor:	Lisa Ardnt
Equip. Under Test:	RX-MFS-ESCAN-HS-1	Witness' Name:	None

Radiated Emissions Photographs

Page: 1 of 1

**Front 1-18 GHz****Back 1-18 GHz****Front 18-25 GHz****Back 18-25 GHz**

1.3 Conducted Port Setup, Power, PSD, Timing and Bandwidth

