







Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3




Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3



Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3



Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3



Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3

7.6 MAXIMUM CONDUCTED OUTPUT POWER AND FUNDAMENTAL MAXIMUM EIRP MEASUREMENT

7.6.1 LIMIT OF FUNDAMENTAL MAXIMUM EIRP

<FCC 14-30 CFR 15.407>

(a)(8) For client devices operating under the control of an indoor access point in the 5.925-7.125 GHz bands, the maximum e.i.r.p. over the frequency band of operation must not exceed 24 dBm.


7.6.2 TEST PROCEDURES

The testing follows Method PM-G of FCC KDB 789033 D02 General UNII Test Procedures New Rules v02r01.

Method PM-G (Measurement using a gated RF average power meter):

1. Measurement is performed using a wideband RF power meter.
2. The EUT is configured to transmit at its maximum power control level.
3. Measure the average power of the transmitter.
4. Since the measurement is made only during the ON time of the transmitter, no duty cycle correction factor is required.

7.6.3 TEST PROCEDURES



Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3

Test Result of Fundamental Maximum EIRP

ANT1

Mode	Frequency (MHz)	Conducted Power (dBm)	Gain (dBi)	eirp Power	Limit (dBm)	Verdict
ax20	5955	13.89	2.92	16.81	24	Pass
ax20	6175	12.36	2.92	15.28	24	Pass
ax20	6415	11.73	2.92	14.65	24	Pass
ax20	6435	12.48	2.92	15.4	24	Pass
ax20	6475	12.89	2.92	15.81	24	Pass
ax20	6515	10.97	2.92	13.89	24	Pass
ax20	6535	12.82	2.92	15.74	24	Pass
ax20	6695	13.35	2.92	16.27	24	Pass
ax20	6875	13.91	2.92	16.83	24	Pass
ax20	6895	13.95	2.92	16.87	24	Pass
ax20	6995	14.18	2.92	17.1	24	Pass
ax20	7095	13.94	2.92	16.86	24	Pass
ax40	5965	14.77	2.92	17.69	24	Pass
ax40	6165	12.28	2.92	15.2	24	Pass
ax40	6405	12.1	2.92	15.02	24	Pass
ax40	6445	13.03	2.92	15.95	24	Pass
ax40	6485	13.46	2.92	16.38	24	Pass
ax40	6525	13.1	2.92	16.02	24	Pass
ax40	6565	13.92	2.92	16.84	24	Pass
ax40	6685	13.79	2.92	16.71	24	Pass
ax40	6845	14.14	2.92	17.06	24	Pass
ax40	6885	14.2	2.92	17.12	24	Pass
ax40	6965	15.4	2.92	18.32	24	Pass
ax40	7085	14.46	2.92	17.38	24	Pass
ax80	5985	13.64	2.92	16.56	24	Pass
ax80	6145	12.16	2.92	15.08	24	Pass
ax80	6385	11.11	2.92	14.03	24	Pass
ax80	6465	12.72	2.92	15.64	24	Pass
ax80	6545	12.82	2.92	15.74	24	Pass
ax80	6625	12.63	2.92	15.55	24	Pass
ax80	6705	13.23	2.92	16.15	24	Pass
ax80	6865	13.38	2.92	16.3	24	Pass
ax80	6945	13.66	2.92	16.58	24	Pass
ax80	7025	14.37	2.92	17.29	24	Pass
ax160	6025	10.16	2.92	13.08	24	Pass
ax160	6185	10.41	2.92	13.33	24	Pass
ax160	6345	9.78	2.92	12.7	24	Pass
ax160	6505	10.54	2.92	13.46	24	Pass
ax160	6665	11.46	2.92	14.38	24	Pass
ax160	6825	10.66	2.92	13.58	24	Pass
ax160	6985	12.29	2.92	15.21	24	Pass

Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3

ANT2

Mode	Frequency (MHz)	Conducted Power (dBm)	Gain (dBi)	eirp Power	Limit (dBm)	Verdict
ax20	5955	12.93	2.40	15.33	24	Pass
ax20	6175	12.6	2.40	15.00	24	Pass
ax20	6415	11.92	2.40	14.32	24	Pass
ax20	6435	12.27	2.40	14.67	24	Pass
ax20	6475	12.61	2.40	15.01	24	Pass
ax20	6515	12.31	2.40	14.71	24	Pass
ax20	6535	12.42	2.40	14.82	24	Pass
ax20	6695	13.27	2.40	15.67	24	Pass
ax20	6875	13.73	2.40	16.13	24	Pass
ax20	6895	13.73	2.40	16.13	24	Pass
ax20	6995	14.47	2.40	16.87	24	Pass
ax20	7095	13.79	2.40	16.19	24	Pass
ax40	5965	12.84	2.40	15.24	24	Pass
ax40	6165	12.46	2.40	14.86	24	Pass
ax40	6405	11.73	2.40	14.13	24	Pass
ax40	6445	12.88	2.40	15.28	24	Pass
ax40	6485	12.89	2.40	15.29	24	Pass
ax40	6525	12.96	2.40	15.36	24	Pass
ax40	6565	13.38	2.40	15.78	24	Pass
ax40	6685	13.76	2.40	16.16	24	Pass
ax40	6845	13.99	2.40	16.39	24	Pass
ax40	6885	14.44	2.40	16.84	24	Pass
ax40	6965	15.14	2.40	17.54	24	Pass
ax40	7085	14.47	2.40	16.87	24	Pass
ax80	5985	12.11	2.40	14.51	24	Pass
ax80	6145	12.33	2.40	14.73	24	Pass
ax80	6385	10.99	2.40	13.39	24	Pass
ax80	6465	12.56	2.40	14.96	24	Pass
ax80	6545	12.62	2.40	15.02	24	Pass
ax80	6625	12.42	2.40	14.82	24	Pass
ax80	6705	12.72	2.40	15.12	24	Pass
ax80	6865	13.53	2.40	15.93	24	Pass
ax80	6945	13.98	2.40	16.38	24	Pass
ax80	7025	14.5	2.40	16.9	24	Pass
ax160	6025	10.26	2.40	12.66	24	Pass
ax160	6185	9.6	2.40	12	24	Pass
ax160	6345	9.6	2.40	12	24	Pass
ax160	6505	10.98	2.40	13.38	24	Pass
ax160	6665	10.55	2.40	12.95	24	Pass
ax160	6825	11.11	2.40	13.51	24	Pass
ax160	6985	10.31	2.40	12.71	24	Pass



Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3

MIMO mode



Mode	Frequency (MHz)	Conducted Power (dBm)	eirp Power	Limit (dBm)	Verdict
ax20	5955	16.45	19.14	24	Pass
ax20	6175	15.49	18.15	24	Pass
ax20	6415	14.84	17.50	24	Pass
ax20	6435	15.39	18.06	24	Pass
ax20	6475	15.76	18.44	24	Pass
ax20	6515	14.70	17.33	24	Pass
ax20	6535	15.63	18.31	24	Pass
ax20	6695	16.32	18.99	24	Pass
ax20	6875	16.83	19.50	24	Pass
ax20	6895	16.85	19.53	24	Pass
ax20	6995	17.34	20.00	24	Pass
ax20	7095	16.88	19.55	24	Pass
ax40	5965	16.92	19.65	24	Pass
ax40	6165	15.38	18.04	24	Pass
ax40	6405	14.93	17.61	24	Pass
ax40	6445	15.97	18.64	24	Pass
ax40	6485	16.19	18.88	24	Pass
ax40	6525	16.04	18.71	24	Pass
ax40	6565	16.67	19.35	24	Pass
ax40	6685	16.79	19.45	24	Pass
ax40	6845	17.08	19.75	24	Pass
ax40	6885	17.33	19.99	24	Pass
ax40	6965	18.28	20.96	24	Pass
ax40	7085	17.48	20.14	24	Pass
ax80	5985	15.95	18.67	24	Pass
ax80	6145	15.26	17.92	24	Pass
ax80	6385	14.06	16.73	24	Pass
ax80	6465	15.65	18.32	24	Pass
ax80	6545	15.73	18.41	24	Pass
ax80	6625	15.54	18.21	24	Pass
ax80	6705	15.99	18.68	24	Pass
ax80	6865	16.47	19.13	24	Pass
ax80	6945	16.83	19.49	24	Pass
ax80	7025	17.45	20.11	24	Pass
ax160	6025	13.22	15.89	24	Pass
ax160	6185	13.03	15.73	24	Pass
ax160	6345	12.70	15.37	24	Pass
ax160	6505	13.78	16.43	24	Pass
ax160	6665	14.04	16.73	24	Pass
ax160	6825	13.90	16.56	24	Pass
ax160	6985	14.42	17.15	24	Pass

Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3



ANT1





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3




Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3



Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3



ANT2





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3





Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3



Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3



Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3



Report No.: WSCT-ANAB-R&E240800043A-Wi-Fi3

