

RF Exposure Report

(Part 0: SAR Char Evaluation)

APPLICANT : Xiaomi Communications Co., Ltd.
EQUIPMENT : Mobile Phone
BRAND NAME : Xiaomi
MODEL NAME : 25010PN30G
FCC ID : 2AFZZPN30G
STANDARD : FCC 47 CFR PART 2 (2.1093)

We, Sporton International Inc. (Kunshan), would like to declare that the tested sample has been evaluated in accordance with the test procedures given in 47 CFR Part 2.1093 and FCC KDB and has been in compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International Inc. (Kunshan), the test report shall not be reproduced except in full.



Approved by: Si Zhang



Sporton International Inc. (Kunshan)

No. 1098, Pengxi North Road, Kunshan Economic Development Zone Jiangsu Province 215300
People's Republic of China



Table of Contents

1. Introduction	4
2. Product Description	5
3. SAR Characterization.....	6
3.1 SAR design target and uncertainty.....	6
3.2 SAR Char Table	10

History of this test report

Report No.	Version	Description	Issued Date
FA4O2501D	01	Initial issue of report	Dec. 11, 2024

1. Introduction

The Qualcomm® Smart Transmit™ 5.0 of Smart Transmit (GEN2) Feature operates based on pre-defined sub6 antenna groups (AG). This Device is enabled with the Qualcomm® Smart Transmit Gen2 feature. The RF exposure limit is defined based on time-averaged RF exposure. The RF exposure limit is defined based on time-averaged RF exposure. The product implements Qualcomm Smart Transmit feature which controls the instantaneous transmitting power for WWAN and WLAN/BT transmitter to ensure the product in compliance with RF exposure limit over a defined time window. To control and manage transmitting power in real time and to ensure at all times the time-averaged RF exposure is compliant to the regulation requirement. Smart Transmit cannot operate without SAR characterization at the device level, beforehand.

This report describes the procedures for the SAR char generation, and the parameters obtained from SAR characterization (referred to as SAR char, respectively) will be used as input for Smart Transmit. Both SAR char will be entered via the Embedded File System (EFS) version 23 to enable the Smart Transmit GEN2 Feature.

Terminologies in this report

P_{limit}	The time-averaged RF power which corresponds to SAR_design_target.
P_{max}	Maximum target power level
SAR_design_target:	The design target for SAR compliance. It should be less than regulatory power density limit to account for all device design related uncertainty.
SAR char	P_{limit} for all the technologies/bands for all applicable DSI



2. Product Description

Product Feature & Specification	
Equipment Name	Mobile Phone
Brand Name	Xiaomi
Model Name	25010PN30G
FCC ID	2AFZZPN30G
Wireless Technology and Frequency Range	GSM850: 824 MHz ~ 849 MHz GSM1900: 1850 MHz ~ 1910 MHz WCDMA Band II: 1850 MHz ~ 1910 MHz WCDMA Band IV: 1710 MHz ~ 1755 MHz WCDMA Band V: 824 MHz ~ 849 MHz LTE Band 2: 1850 MHz ~ 1910 MHz LTE Band 4: 1710 MHz ~ 1755 MHz LTE Band 5: 824 MHz ~ 849 MHz LTE Band 7: 2500 MHz ~ 2570 MHz LTE Band 12: 699 MHz ~ 716 MHz LTE Band 13: 777 MHz ~ 787 MHz LTE Band 17: 704 MHz ~ 716 MHz LTE Band 25: 1850 MHz ~ 1915 MHz LTE Band 26: 814 MHz ~ 849 MHz LTE Band 38: 2570 MHz ~ 2620 MHz LTE Band 41: 2496 MHz ~ 2690 MHz LTE Band 42: 3450 MHz ~ 3550 MHz LTE Band 48: 3550 MHz ~ 3700 MHz LTE Band 66: 1710 MHz ~ 1780 MHz LTE Band 71: 663 MHz ~ 698 MHz 5G NR n2: 1850 MHz ~ 1910 MHz 5G NR n5: 824 MHz ~ 849 MHz 5G NR n7: 2500 MHz ~ 2570 MHz 5G NR n12: 699 MHz ~ 716 MHz 5G NR n25: 1850 MHz ~ 1915 MHz 5G NR n26: 814 MHz ~ 849 MHz 5G NR n66: 1710 MHz ~ 1780 MHz 5G NR n71: 663 MHz ~ 698 MHz 5G NR n38: 2570 MHz ~ 2620 MHz 5G NR n41: 2496 MHz ~ 2690 MHz 5G NR n48: 3550 MHz ~ 3700 MHz 5G NR n77: 3450 MHz ~ 3550 MHz, 3700 MHz ~ 3980 MHz 5G NR n78: 3450 MHz ~ 3550 MHz, 3700 MHz ~ 3800 MHz WLAN 2.4GHz Band: 2412 MHz ~ 2462 MHz WLAN 5.2GHz Band: 5180 MHz ~ 5240 MHz WLAN 5.3GHz Band: 5260 MHz ~ 5320 MHz WLAN 5.5GHz Band: 5500 MHz ~ 5720 MHz WLAN 5.8GHz Band: 5745 MHz ~ 5825 MHz WLAN 6GHz U-NII-5: 5925 MHz ~ 6425 MHz WLAN 6GHz U-NII-6: 6425 MHz ~ 6525 MHz WLAN 6GHz U-NII-7: 6525 MHz ~ 6875 MHz WLAN 6GHz U-NII-8: 6875 MHz ~ 7125 MHz Bluetooth: 2402 MHz ~ 2480 MHz NFC: 13.56 MHz WPT: 115 kHz~145 kHz
Mode	GSM/GPRS/EGPRS RMC/AMR 12.2Kbps HSDPA/HSUPA DC-HSDPA HSPA+(16QAM uplink is supported) LTE: QPSK, 16QAM, 64QAM, 256QAM 5G NR: CP-OFDM / DFT-s-OFDM, PI/2 BPSK, QPSK, 16QAM, 64QAM, 256QAM WLAN 2.4GHz 802.11b/g/n HT20/HT40 WLAN 2.4GHz 802.11ax/be HE20/HE40/EHT20/EHT40 WLAN 5GHz 802.11a/n HT20/HT40 WLAN 5GHz 802.11ac VHT20/VHT40/VHT80/VHT160 WLAN 5GHz 802.11ax HE20/HE40/HE80/HE160 WLAN 5GHz 802.11be EHT20/EHT40/EHT80/EHT160 WLAN 6GHz 802.11a/ax HE20/HE40/HE80/HE160 WLAN 6GHz 802.11be EHT20/EHT40/EHT80/EHT160/EHT320 Bluetooth BR/EDR/LE NFC: ASK WPT: ASK

3. SAR Characterization

SAR char must be generated to cover all radio configurations and usage scenarios that the wireless device supports for operating at WWAN and WLAN/BT bands. It will then be used as input for Smart Transmit to control and manage RF exposure for WWAN and WLAN/BT bands.

3.1 SAR design target and uncertainty

SAR design Target :

For WWAN bands: [Unit: (W/kg)]

Band	Antenna	Head DSI1	Extremity DSI3	Body worn DSI4	Hotspot DSI5
GSM850	Ant 0	0.87	2.07	0.87	0.87
GSM850	Ant 1	0.66	0.89	0.78	0.68
GSM1900	Ant 5	0.86	2.07	0.87	0.37
GSM1900	Ant 4	0.78	1.84	0.78	0.78
WCDMA V	Ant 0	0.87	2.07	0.87	0.87
WCDMA V	Ant 1	0.58	1.84	0.31	0.67
WCDMA IV	Ant 5	0.85	2.07	0.87	0.28
WCDMA IV	Ant 4	0.76	1.84	0.78	0.28
WCDMA IV	Ant 6	0.78	1.66	0.78	0.69
WCDMA IV	Ant 7	0.78	1.84	0.78	0.78
WCDMA II	Ant 5	0.78	2.07	0.87	0.38
WCDMA II	Ant 4	0.74	1.84	0.16	0.24
WCDMA II	Ant 6	0.78	1.82	0.78	0.71
WCDMA II	Ant 7	0.78	1.84	0.78	0.78
LTE Band 71	Ant 0	0.94	2.21	0.94	0.94
LTE Band 71	Ant 1	0.94	2.21	0.94	0.94
LTE Band 12(17)	Ant 0	0.94	2.21	0.94	0.94
LTE Band 12(17)	Ant 1	0.66	2.07	0.87	0.57
LTE Band 13	Ant 0	0.94	2.21	0.94	0.94
LTE Band 13	Ant 1	0.60	1.70	0.87	0.51
LTE Band 5	Ant 0	0.94	2.21	0.94	0.94
LTE Band 5	Ant 1	0.79	2.07	0.37	0.66
LTE Band 26	Ant 0	0.94	2.21	0.94	0.94
LTE Band 26	Ant 1	0.76	1.10	0.30	0.63
LTE Band 4 Main PA	Ant 5	0.76	2.21	0.94	0.33
LTE Band 4 Other PA	Ant 5	0.36	1.84	0.78	0.17
LTE Band 4 Other PA	Ant 4	0.77	1.84	0.21	0.31
LTE Band 4 Main PA	Ant 4	0.43	1.84	0.12	0.17
LTE Band 4 Other PA	Ant 6	0.94	2.21	0.94	0.70
LTE Band 4 Main PA	Ant 6	0.78	1.84	0.78	0.41
LTE Band 4 Other PA	Ant 7	0.76	1.84	0.17	0.46
LTE Band 4 Main PA	Ant 7	0.45	1.84	0.09	0.26
LTE Band 66 Main PA	Ant 5	0.93	2.21	0.94	0.38
LTE Band 66 Other PA	Ant 4	0.71	1.84	0.21	0.24
LTE Band 66 Main PA	Ant 4	0.37	1.84	0.18	0.15
LTE Band 66 Other PA	Ant 6	0.94	2.21	0.94	0.67
LTE Band 66 Main PA	Ant 6	0.78	1.84	0.78	0.48
LTE Band 66 Other PA	Ant 7	0.73	1.84	0.18	0.44
LTE Band 66 Main PA	Ant 7	0.41	1.84	0.10	0.25
LTE Band 2	Ant 5	0.74	1.87	0.87	0.38



LTE Band 2	Ant 4	0.76	1.84	0.17	0.29
LTE Band 2	Ant 6	0.78	1.84	0.78	0.77
LTE Band 2	Ant 7	0.76	1.84	0.78	0.49
LTE Band 25	Ant 5	0.85	2.07	0.87	0.44
LTE Band 25	Ant 4	0.77	1.84	0.16	0.30
LTE Band 25	Ant 6	0.78	1.84	0.78	0.68
LTE Band 25	Ant 7	0.78	1.84	0.78	0.78
LTE Band 7 Main PA	Ant 5	0.67	2.07	0.87	0.23
LTE Band 7 Other PA	Ant 5	0.29	1.84	0.78	0.12
LTE Band 7 Other PA	Ant 4	0.64	1.84	0.17	0.29
LTE Band 7 Main PA	Ant 4	0.58	1.84	0.15	0.27
LTE Band 7 Other PA	Ant 6	0.87	2.07	0.87	0.48
LTE Band 7 Main PA	Ant 6	0.78	1.84	0.78	0.38
LTE Band 7 Other PA	Ant 7	0.74	1.84	0.17	0.44
LTE Band 7 Main PA	Ant 7	0.74	1.84	0.16	0.31
LTE Band 38 Main PA	Ant 5	0.64	2.21	0.94	0.19
LTE Band 38 Other PA	Ant 5	0.24	1.84	0.78	0.09
LTE Band 38 Other PA	Ant 4	0.73	1.84	0.20	0.38
LTE Band 38 Main PA	Ant 4	0.65	1.84	0.19	0.32
LTE Band 38 Other PA	Ant 6	0.87	2.07	0.87	0.49
LTE Band 38 Main PA	Ant 6	0.78	1.84	0.78	0.37
LTE Band 38 Other PA	Ant 7	0.65	1.84	0.16	0.44
LTE Band 38 Main PA	Ant 7	0.72	1.84	0.15	0.29
LTE Band 41 Main PA	Ant 5	0.65	2.21	0.94	0.14
LTE Band 41 Other PA	Ant 5	0.22	1.84	0.78	0.06
LTE Band 41 Other PA	Ant 4	0.71	1.84	0.17	0.33
LTE Band 41 Main PA	Ant 4	0.60	1.84	0.15	0.28
LTE Band 41 Other PA	Ant 6	0.87	2.07	0.87	0.46
LTE Band 41 Main PA	Ant 6	0.78	1.84	0.78	0.34
LTE Band 41 Other PA	Ant 7	0.69	1.84	0.17	0.54
LTE Band 41 Main PA	Ant 7	0.62	1.84	0.13	0.36
LTE Band 42 Main PA	Ant 5	0.52	2.07	0.87	0.18
LTE Band 42 Other PA	Ant 5	0.40	1.84	0.78	0.12
LTE Band 42 Main PA	Ant 10	0.87	2.07	0.87	0.28
LTE Band 42 Other PA	Ant 10	0.78	1.84	0.78	0.24
LTE Band 42 Other PA	Ant 4	0.39	2.21	0.13	0.26
LTE Band 42 Main PA	Ant 4	0.29	1.84	0.10	0.21
LTE Band 42 Other PA	Ant 6	0.78	1.84	0.78	0.50
LTE Band 42 Main PA	Ant 6	0.78	1.84	0.78	0.25
LTE Band 48 Main PA	Ant 5	0.62	1.84	0.78	0.21
LTE Band 48 Main PA	Ant 10	0.78	1.84	0.78	0.78
LTE Band 48 Other PA	Ant 4	0.66	1.84	0.07	0.23
LTE Band 48 Other PA	Ant 6	0.78	1.84	0.78	0.78
FR1 n71	Ant 0	0.94	2.21	0.94	0.94
FR1 n71	Ant 1	0.67	1.19	0.87	0.63
FR1 n12	Ant 0	0.94	2.21	0.94	0.94
FR1 n12	Ant 1	0.65	1.76	0.87	0.68
FR1 n5	Ant 0	0.94	2.21	0.94	0.94
FR1 n5	Ant 1	0.64	2.07	0.29	0.64
FR1 n26	Ant 0	0.94	2.21	0.94	0.94
FR1 n26	Ant 1	0.58	1.19	0.63	0.53
FR1 n66 Main PA	Ant 5	0.58	2.21	0.94	0.25
FR1 n66 Other PA	Ant 5	0.24	1.84	0.78	0.14
FR1 n66 Other PA	Ant 4	0.61	1.84	0.35	0.19
FR1 n66 Main PA	Ant 4	0.36	1.73	0.17	0.12
FR1 n66 Other PA	Ant 6	0.87	2.07	0.87	0.60



FR1 n66 Main PA	Ant 6	0.78	1.84	0.78	0.36
FR1 n66 Other PA	Ant 7	0.69	1.84	0.78	0.40
FR1 n66 Main PA	Ant 7	0.44	1.84	0.78	0.29
FR1 n2	Ant 5	0.53	2.07	0.87	0.28
FR1 n2	Ant 4	0.70	1.84	0.19	0.27
FR1 n2	Ant 6	0.78	1.84	0.78	0.64
FR1 n2	Ant 7	0.55	1.84	0.78	0.43
FR1 n25	Ant 5	0.67	2.07	0.87	0.36
FR1 n25	Ant 4	0.47	1.84	0.09	0.19
FR1 n25	Ant 6	0.78	1.84	0.78	0.71
FR1 n25	Ant 7	0.78	1.84	0.78	0.78
FR1 n7 Main PA	Ant 5	0.48	2.07	0.87	0.21
FR1 n7 Other PA	Ant 5	0.22	1.84	0.78	0.11
FR1 n7 Other PA	Ant 4	0.70	1.84	0.17	0.29
FR1 n7 Main PA	Ant 4	0.50	1.84	0.15	0.26
FR1 n7 Other PA	Ant 6	0.87	2.07	0.87	0.46
FR1 n7 Main PA	Ant 6	0.78	1.84	0.78	0.29
FR1 n7 Other PA	Ant 7	0.66	1.84	0.15	0.32
FR1 n7 Main PA	Ant 7	0.57	1.84	0.11	0.21
FR1 n38 Main PA	Ant 5	0.46	2.21	0.94	0.19
FR1 n38 Other PA	Ant 5	0.15	1.84	0.78	0.07
FR1 n38 Other PA	Ant 4	0.71	1.84	0.17	0.31
FR1 n38 Main PA	Ant 4	0.61	1.84	0.15	0.29
FR1 n38 Other PA	Ant 6	0.87	2.07	0.87	0.37
FR1 n38 Main PA	Ant 6	0.78	1.84	0.78	0.32
FR1 n38 Other PA	Ant 7	0.60	1.84	0.14	0.30
FR1 n38 Main PA	Ant 7	0.61	1.84	0.11	0.15
FR1 n41 Main PA	Ant 5	0.53	2.07	0.49	0.18
FR1 n41 Other PA	Ant 5	0.20	1.84	0.21	0.07
FR1 n41 Other PA	Ant 4	0.77	1.84	0.17	0.36
FR1 n41 Main PA	Ant 4	0.63	1.84	0.15	0.33
FR1 n41 Other PA	Ant 6	0.87	2.07	0.87	0.32
FR1 n41 Main PA	Ant 6	0.78	1.84	0.78	0.28
FR1 n41 Other PA	Ant 7	0.65	1.84	0.10	0.44
FR1 n41 Main PA	Ant 7	0.48	1.84	0.08	0.38
FR1 n48 Main PA	Ant 5	0.60	1.84	0.78	0.19
FR1 n48 Main PA	Ant 10	0.78	1.84	0.78	0.26
FR1 n48 Other PA	Ant 4	0.73	1.84	0.11	0.22
FR1 n48 Other PA	Ant 6	0.78	1.84	0.78	0.46
FR1 n77 Main PA	Ant 5	0.85	2.07	0.71	0.18
FR1 n77 HPUE Main PA	Ant 5	0.59	1.84	0.56	0.15
FR1 n77 Other PA	Ant 5	0.65	1.84	0.49	0.18
FR1 n77 HPUE Other PA	Ant 5	0.60	1.84	0.43	0.15
FR1 n77 Main PA	Ant 10	0.87	2.07	0.87	0.24
FR1 n77 HPUE Main PA	Ant 10	0.78	1.84	0.78	0.22
FR1 n77 Other PA	Ant 10	0.78	1.84	0.78	0.25
FR1 n77 HPUE Other PA	Ant 10	0.78	1.84	0.78	0.25
FR1 n77 Other PA	Ant 4	0.74	2.07	0.15	0.39
FR1 n77 HPUE Other PA	Ant 4	0.60	1.84	0.13	0.33
FR1 n77 Main PA	Ant 4	0.64	1.84	0.12	0.26
FR1 n77 HPUE Main PA	Ant 4	0.61	1.84	0.10	0.25
FR1 n77 Other PA	Ant 6	0.78	1.84	0.78	0.45
FR1 n77 HPUE Other PA	Ant 6	0.78	1.84	0.78	0.43
FR1 n77 Main PA	Ant 6	0.78	1.84	0.78	0.24
FR1 n77 HPUE Main PA	Ant 6	0.78	1.84	0.78	0.21
FR1 n78 Main PA	Ant 5	0.63	2.07	0.47	0.24

FR1 n78 HPUE Main PA	Ant 5	0.56	1.84	0.40	0.22
FR1 n78 Other PA	Ant 5	0.52	1.84	0.36	0.18
FR1 n78 HPUE Other PA	Ant 5	0.50	1.84	0.25	0.15
FR1 n78 Main PA	Ant 10	0.87	2.07	0.87	0.35
FR1 n78 HPUE Main PA	Ant 10	0.78	1.84	0.78	0.28
FR1 n78 Other PA	Ant 10	0.78	1.84	0.78	0.25
FR1 n78 HPUE Other PA	Ant 10	0.78	1.84	0.78	0.21
FR1 n78 Other PA	Ant 4	0.63	2.07	0.10	0.33
FR1 n78 HPUE Other PA	Ant 4	0.55	1.84	0.09	0.26
FR1 n78 Main PA	Ant 4	0.48	1.84	0.07	0.25
FR1 n78 HPUE Main PA	Ant 4	0.48	1.84	0.05	0.20
FR1 n78 Other PA	Ant 6	0.78	1.84	0.78	0.40
FR1 n78 HPUE Other PA	Ant 6	0.78	1.84	0.78	0.42
FR1 n78 Main PA	Ant 6	0.78	1.84	0.78	0.26
FR1 n78 HPUE Main PA	Ant 6	0.78	1.84	0.78	0.25

For WLAN/BT: [Unit: (W/kg)]

Band	Antenna	Head DSI1	Extremity DSI3	Body worn DSI4	Hotspot DSI5
WLAN2.4GHz	Ant 17	0.69	1.64	0.69	0.69
WLAN2.4GHz	Ant 7	0.69	1.64	0.69	0.69
WLAN2.4GHz	Ant15+7	0.69	1.64	0.69	0.69
Bluetooth	ANT 15	0.69	1.64	0.69	0.69
Bluetooth	ANT 7	0.69	1.64	0.69	0.69
WLAN5GHz(B1)	Ant 17	0.69	1.64	0.69	0.69
WLAN5GHz(B1)	Ant 16	0.69	1.64	0.69	0.69
WLAN5GHz(B1)	Ant 17+16	0.69	1.64	0.69	0.69
WLAN5GHz(B2)	Ant 17	0.69	1.64	0.69	
WLAN5GHz(B2)	Ant 16	0.69	1.64	0.69	
WLAN5GHz(B2)	Ant 17+16	0.69	1.64	0.69	
WLAN5GHz(B3)	Ant 17	0.69	1.64	0.69	
WLAN5GHz(B3)	Ant 16	0.69	1.64	0.69	
WLAN5GHz(B3)	Ant 17+16	0.69	1.64	0.69	
WLAN5GHz(B4)	Ant 17	0.69	1.64	0.69	0.69
WLAN5GHz(B4)	Ant 16	0.69	1.64	0.69	0.69
WLAN5GHz(B4)	Ant 17+16	0.69	1.64	0.69	0.69
WLAN6GHz(B5)	Ant 17	0.69	1.64	0.69	
WLAN6GHz(B5)	Ant 16	0.69	1.64	0.69	
WLAN6GHz(B5)	Ant 17+16	0.69	1.64	0.69	
WLAN6GHz(B6)	Ant 17	0.69	1.64	0.69	
WLAN6GHz(B6)	Ant 16	0.69	1.64	0.69	
WLAN6GHz(B6)	Ant 17+16	0.69	1.64	0.69	
WLAN6GHz(B7)	Ant 17	0.69	1.64	0.69	
WLAN6GHz(B7)	Ant 16	0.69	1.64	0.69	
WLAN6GHz(B7)	Ant 17+16	0.69	1.64	0.69	
WLAN6GHz(B8)	Ant 17	0.69	1.64	0.69	
WLAN6GHz(B8)	Ant 16	0.69	1.64	0.69	
WLAN6GHz(B8)	Ant 17+16	0.69	1.64	0.69	

<SAR Characterization>

SAR char must be generated to cover all radio configurations and usage scenarios that the wireless device supports for operating at WWAN and WLAN/BT bands. It will then be used as input for Smart Transmit to control and manage RF exposure for WWAN and WLAN/BT bands.

To account for total uncertainty, SAR_design_target should be determined as:

$$SAR_{design_target} < SAR_{regulatory_limit} \times 10^{\frac{-total\ uncertainty}{10}}$$

Antenna Group:

Antenna Group 0 (AG0)	ANT1 & ANT4 & ANT5 & ANT7 & ANT10 & ANT15 & ANT16 & ANT17
Antenna Group 1 (AG1)	ANT0 & ANT6

3.2 SAR Char Table

SAR char must be generated to cover all radio configurations and usage scenarios that the wireless device supports for operating at WWAN and WLAN/BT bands. It will then be used as input for Smart Transmit to control and manage RF exposure for WWAN and WLAN/BT bands.

<P_{limit} for supported technologies and bands (P_{limit} in EFS file)>

Band	Antenna	Head DSI1	Extremity DSI3	Body worn DSI4	Hotspot DSI5	Pmax*	Total Uncertainty dB (k=2)
GSM850	Ant 0	31.5	24.0	31.3	27.3	24.0	1.00
GSM850	Ant 1	21.6	24.1	25.8	21.6	24.1	1.50
GSM1900	Ant 5	20.0	21.0	27.6	20.0	21.0	1.00
GSM1900	Ant 4	18.3	18.0	29.3	22.3	18.0	1.50
WCDMA V	Ant 0	30.8	24.0	30.5	28.0	24.0	1.00
WCDMA V	Ant 1	20.5	20.0	20.0	20.0	24.0	1.50
WCDMA IV	Ant 5	19.5	22.0	27.5	19.5	24.0	1.00
WCDMA IV	Ant 4	16.4	20.4	26.0	16.4	20.4	1.50
WCDMA IV	Ant 6	31.7	20.9	25.1	20.4	21.4	1.50
WCDMA IV	Ant 7	19.6	19.5	27.3	21.2	19.5	1.50
WCDMA II	Ant 5	19.5	22.5	27.6	19.5	24.0	1.00
WCDMA II	Ant 4	16.7	19.7	19.7	16.7	20.7	1.50
WCDMA II	Ant 6	32.6	21.3	26.0	20.8	21.8	1.50
WCDMA II	Ant 7	19.9	19.8	28.1	21.2	19.8	1.50
LTE Band 71	Ant 0	33.5	25.0	32.9	28.3	25.0	0.70
LTE Band 71	Ant 1	29.2	24.7	32.2	28.4	24.7	0.70
LTE Band 12(17)	Ant 0	32.0	25.0	31.4	27.6	25.0	0.70
LTE Band 12(17)	Ant 1	23.7	24.7	30.6	23.7	24.7	1.00
LTE Band 13	Ant 0	37.2	25.0	34.7	30.7	25.0	0.70
LTE Band 13	Ant 1	21.2	24.7	26.6	21.2	24.7	1.00
LTE Band 5	Ant 0	30.9	25.0	30.7	27.3	25.0	0.70
LTE Band 5	Ant 1	20.7	20.7	20.7	20.7	24.7	1.00
LTE Band 26	Ant 0	30.5	25.0	30.3	26.9	25.0	0.70
LTE Band 26	Ant 1	20.7	21.7	21.7	20.7	24.7	1.00
LTE Band 4 Main PA	Ant 5	19.5	22.0	27.8	19.5	25.0	0.70
LTE Band 4 Other PA	Ant 5	16.2	18.7	26.4	16.2	21.7	1.50
LTE Band 4 Other PA	Ant 4	17.1	21.1	21.1	17.1	24.1	1.50
LTE Band 4 Main PA	Ant 4	14.4	18.4	18.4	14.4	21.4	1.50
LTE Band 4 Other PA	Ant 6	33.7	20.5	26.9	20.5	25.0	0.70
LTE Band 4 Main PA	Ant 6	31.7	17.9	25.5	17.9	22.4	1.50



LTE Band 4 Other PA	Ant 7	19.4	19.9	19.9	19.4	22.4	1.50
LTE Band 4 Main PA	Ant 7	17.5	18.0	18.0	17.5	20.5	1.50
LTE Band 66 Main PA	Ant 5	20.0	22.5	27.8	20.0	25.0	0.70
LTE Band 66 Other PA	Ant 4	16.6	21.1	21.1	16.6	24.1	1.50
LTE Band 66 Main PA	Ant 4	14.0	18.5	18.5	14.0	21.5	1.50
LTE Band 66 Other PA	Ant 6	33.7	20.5	27.4	20.5	25.0	0.70
LTE Band 66 Main PA	Ant 6	31.5	18.1	25.7	18.1	22.6	1.50
LTE Band 66 Other PA	Ant 7	19.0	20.0	20.0	19.0	22.5	1.50
LTE Band 66 Main PA	Ant 7	17.1	18.1	18.1	17.1	20.6	1.50
LTE Band 2	Ant 5	19.5	22.5	27.5	19.5	24.0	1.00
LTE Band 2	Ant 4	16.7	20.2	20.2	16.7	21.2	1.50
LTE Band 2	Ant 6	33.3	20.8	26.0	20.8	22.3	1.50
LTE Band 2	Ant 7	19.6	20.1	27.5	19.6	20.1	1.50
LTE Band 25	Ant 5	20.0	23.0	27.9	20.0	24.0	1.00
LTE Band 25	Ant 4	16.8	20.3	20.3	16.8	20.8	1.50
LTE Band 25	Ant 6	32.7	20.8	26.0	20.8	21.8	1.50
LTE Band 25	Ant 7	19.8	19.7	27.6	21.7	19.7	1.50
LTE Band 7 Main PA	Ant 5	17.5	21.0	27.1	17.5	24.5	1.00
LTE Band 7 Other PA	Ant 5	13.8	17.3	27.1	13.8	20.8	1.50
LTE Band 7 Other PA	Ant 4	16.5	18.5	18.5	16.5	23.0	1.50
LTE Band 7 Main PA	Ant 4	16.4	18.4	18.4	16.4	22.9	1.50
LTE Band 7 Other PA	Ant 6	29.8	20.0	27.5	20.0	24.5	1.00
LTE Band 7 Main PA	Ant 6	30.8	19.5	28.6	19.5	24.0	1.50
LTE Band 7 Other PA	Ant 7	18.4	18.9	18.9	18.4	21.9	1.50
LTE Band 7 Main PA	Ant 7	18.2	18.7	18.7	18.2	21.7	1.50
LTE Band 38 Main PA	Ant 5	17.5	21.0	27.6	17.5	23.0	0.70
LTE Band 38 Other PA	Ant 5	13.5	17.0	26.9	13.5	19.0	1.50
LTE Band 38 Other PA	Ant 4	18.1	19.6	20.1	18.1	21.1	1.50
LTE Band 38 Main PA	Ant 4	17.7	19.7	19.7	17.7	21.2	1.50
LTE Band 38 Other PA	Ant 6	29.9	20.0	27.1	20.5	22.5	1.00
LTE Band 38 Main PA	Ant 6	29.9	19.5	26.8	19.5	22.0	1.50
LTE Band 38 Other PA	Ant 7	18.6	18.6	19.1	18.6	20.1	1.50
LTE Band 38 Main PA	Ant 7	17.8	18.3	18.3	17.8	19.8	1.50
LTE Band 41 Main PA	Ant 5	16.0	19.5	28.3	16.0	23.0	0.70
LTE Band 41 Other PA	Ant 5	12.0	15.5	27.7	12.0	19.0	1.50
LTE Band 41 Other PA	Ant 4	17.1	18.6	19.1	17.1	21.1	1.50
LTE Band 41 Main PA	Ant 4	16.7	18.7	18.7	16.7	21.2	1.50
LTE Band 41 Other PA	Ant 6	29.6	20.0	27.4	20.5	22.5	1.00
LTE Band 41 Main PA	Ant 6	30.1	19.5	27.3	19.5	22.0	1.50
LTE Band 41 Other PA	Ant 7	18.6	18.6	19.1	18.6	20.1	1.50
LTE Band 41 Main PA	Ant 7	17.8	18.3	18.3	17.8	19.8	1.50
LTE Band 42 Main PA	Ant 5	15.5	17.0	27.2	15.5	23.0	1.00
LTE Band 42 Other PA	Ant 5	13.9	15.4	26.3	13.9	21.4	1.50
LTE Band 42 Main PA	Ant 10	28.1	22.0	29.1	22.0	23.0	1.00
LTE Band 42 Other PA	Ant 10	27.9	20.2	27.4	20.2	21.2	1.50
LTE Band 42 Other PA	Ant 4	17.0	20.0	20.0	17.0	23.0	0.70
LTE Band 42 Main PA	Ant 4	15.7	18.7	18.7	15.7	21.7	1.50
LTE Band 42 Other PA	Ant 6	32.9	19.5	26.9	19.5	21.5	1.50
LTE Band 42 Main PA	Ant 6	33.1	17.8	27.9	17.8	19.8	1.50
LTE Band 48 Main PA	Ant 5	16.5	17.5	26.3	16.5	21.0	1.50
LTE Band 48 Main PA	Ant 10	29.0	21.5	28.5	28.7	21.5	1.50
LTE Band 48 Other PA	Ant 4	18.5	19.5	19.5	18.5	21.0	1.50
LTE Band 48 Other PA	Ant 6	31.5	20.0	26.5	21.1	20.0	1.50
FR1 n71	Ant 0	33.7	25.0	33.2	28.5	25.0	0.70
FR1 n71	Ant 1	23.2	24.7	28.3	23.2	24.7	1.00
FR1 n12	Ant 0	32.6	25.0	31.2	28.2	25.0	0.70



FR1 n12	Ant 1	23.7	24.7	29.5	23.7	24.7	1.00
FR1 n5	Ant 0	30.2	25.0	30.1	27.4	25.0	0.70
FR1 n5	Ant 1	20.2	20.7	20.7	20.2	24.7	1.00
FR1 n26	Ant 0	30.2	25.0	30.2	27.2	25.0	0.70
FR1 n26	Ant 1	19.7	21.7	21.7	19.7	24.7	1.00
FR1 n66 Main PA	Ant 5	18.0	21.5	27.6	18.0	25.0	0.70
FR1 n66 Other PA	Ant 5	14.3	17.8	26.9	14.3	21.3	1.50
FR1 n66 Other PA	Ant 4	15.3	20.3	20.3	15.3	23.3	1.50
FR1 n66 Main PA	Ant 4	13.4	18.4	18.4	13.4	21.4	1.50
FR1 n66 Other PA	Ant 6	32.4	20.0	27.4	20.0	24.5	1.00
FR1 n66 Main PA	Ant 6	31.2	17.7	25.6	17.7	22.2	1.50
FR1 n66 Other PA	Ant 7	18.2	19.2	26.0	18.2	21.7	1.50
FR1 n66 Main PA	Ant 7	17.1	18.1	26.4	17.1	20.6	1.50
FR1 n2	Ant 5	18.0	22.0	28.1	18.0	24.0	1.00
FR1 n2	Ant 4	16.9	19.4	19.4	16.9	20.9	1.50
FR1 n2	Ant 6	31.1	20.3	25.8	20.3	21.8	1.50
FR1 n2	Ant 7	18.8	19.8	28.0	18.8	19.8	1.50
FR1 n25	Ant 5	19.0	22.5	28.1	19.0	24.0	1.00
FR1 n25	Ant 4	15.4	19.4	19.4	15.4	20.9	1.50
FR1 n25	Ant 6	30.8	20.3	26.3	20.3	21.8	1.50
FR1 n25	Ant 7	20.0	19.8	28.0	21.2	19.8	1.50
FR1 n7 Main PA	Ant 5	17.0	19.5	27.6	17.0	24.5	1.00
FR1 n7 Other PA	Ant 5	13.5	16.0	27.3	13.5	21.0	1.50
FR1 n7 Other PA	Ant 4	16.7	18.7	18.7	16.7	23.2	1.50
FR1 n7 Main PA	Ant 4	16.3	18.3	18.3	16.3	22.8	1.50
FR1 n7 Other PA	Ant 6	31.5	20.0	28.1	20.0	24.5	1.00
FR1 n7 Main PA	Ant 6	32.6	19.1	29.3	19.1	23.6	1.50
FR1 n7 Other PA	Ant 7	18.3	19.3	19.3	18.3	22.3	1.50
FR1 n7 Main PA	Ant 7	17.5	18.5	18.5	17.5	21.5	1.50
FR1 n38 Main PA	Ant 5	17.0	20.5	28.5	17.0	25.0	0.70
FR1 n38 Other PA	Ant 5	13.0	16.5	28.7	13.0	21.0	1.50
FR1 n38 Other PA	Ant 4	17.7	19.2	19.2	17.7	23.2	1.50
FR1 n38 Main PA	Ant 4	17.6	19.1	19.1	17.6	23.1	1.50
FR1 n38 Other PA	Ant 6	31.9	20.0	27.9	20.0	24.5	1.00
FR1 n38 Main PA	Ant 6	31.4	19.4	27.4	19.4	23.9	1.50
FR1 n38 Other PA	Ant 7	17.6	19.1	19.1	17.6	22.1	1.50
FR1 n38 Main PA	Ant 7	17.2	18.7	18.7	17.2	21.7	1.50
FR1 n41 Main PA	Ant 5	16.5	20.0	24.5	16.5	25.0	1.00
FR1 n41 Other PA	Ant 5	12.6	16.1	20.6	12.6	21.1	1.50
FR1 n41 Other PA	Ant 4	16.7	18.7	18.7	16.7	23.2	1.50
FR1 n41 Main PA	Ant 4	16.8	18.8	18.8	16.8	23.3	1.50
FR1 n41 Other PA	Ant 6	31.4	19.5	28.0	19.5	24.5	1.00
FR1 n41 Main PA	Ant 6	30.8	19.1	27.6	19.1	24.1	1.50
FR1 n41 Other PA	Ant 7	18.7	18.7	18.7	18.7	22.2	1.50
FR1 n41 Main PA	Ant 7	18.5	18.5	18.5	18.5	22.0	1.50
FR1 n48 Main PA	Ant 5	16.5	17.5	27.7	16.5	23.0	1.50
FR1 n48 Main PA	Ant 10	30.7	22.5	30.5	22.5	23.5	1.50
FR1 n48 Other PA	Ant 4	19.0	21.5	21.5	19.0	23.0	1.50
FR1 n48 Other PA	Ant 6	33.9	18.6	26.1	18.6	22.1	1.50
FR1 n77 Main PA	Ant 5	15.5	17.0	24.0	15.5	25.0	1.00
FR1 n77 HPUE Main PA	Ant 5	15.5	17.0	24.0	15.5	24.0	1.50
FR1 n77 Other PA	Ant 5	14.3	15.8	22.8	14.3	23.8	1.50
FR1 n77 HPUE Other PA	Ant 5	14.3	15.8	22.8	14.3	22.7	1.50
FR1 n77 Main PA	Ant 10	29.5	21.5	29.3	21.5	25.0	1.00
FR1 n77 HPUE Main PA	Ant 10	29.5	21.5	29.3	21.5	24.5	1.50
FR1 n77 Other PA	Ant 10	28.6	20.7	27.6	20.7	24.2	1.50



FR1 n77 HPUE Other PA	Ant 10	28.6	20.7	27.6	20.7	23.0	1.50
FR1 n77 Other PA	Ant 4	18.5	19.0	19.0	18.5	25.0	1.00
FR1 n77 HPUE Other PA	Ant 4	18.5	19.0	19.0	18.5	24.0	1.50
FR1 n77 Main PA	Ant 4	17.2	17.7	17.7	17.2	23.7	1.50
FR1 n77 HPUE Main PA	Ant 4	17.2	17.7	17.7	17.2	22.9	1.50
FR1 n77 Other PA	Ant 6	31.1	18.8	25.7	18.8	23.8	1.50
FR1 n77 HPUE Other PA	Ant 6	31.1	18.8	25.7	18.8	22.8	1.50
FR1 n77 Main PA	Ant 6	32.3	17.2	25.0	17.2	22.2	1.50
FR1 n77 HPUE Main PA	Ant 6	32.3	17.2	25.0	17.2	21.2	1.50
FR1 n78 Main PA	Ant 5	15.5	17.0	23.0	15.5	25.0	1.00
FR1 n78 HPUE Main PA	Ant 5	15.5	17.0	23.0	15.5	24.0	1.50
FR1 n78 Other PA	Ant 5	14.0	15.5	21.5	14.0	23.5	1.50
FR1 n78 HPUE Other PA	Ant 5	14.0	15.5	21.5	14.0	22.2	1.50
FR1 n78 Main PA	Ant 10	28.7	22.5	29.6	22.5	25.0	1.00
FR1 n78 HPUE Main PA	Ant 10	28.7	22.5	29.6	22.5	24.5	1.50
FR1 n78 Other PA	Ant 10	27.6	20.9	28.3	20.9	23.4	1.50
FR1 n78 HPUE Other PA	Ant 10	27.6	20.9	28.3	20.9	22.3	1.50
FR1 n78 Other PA	Ant 4	18.5	18.5	18.5	18.5	25.0	1.00
FR1 n78 HPUE Other PA	Ant 4	18.5	18.5	18.5	18.5	24.0	1.50
FR1 n78 Main PA	Ant 4	17.1	17.1	17.1	17.1	23.6	1.50
FR1 n78 HPUE Main PA	Ant 4	17.1	17.1	17.1	17.1	22.7	1.50
FR1 n78 Other PA	Ant 6	31.0	18.3	25.8	18.3	23.8	1.50
FR1 n78 HPUE Other PA	Ant 6	31.0	18.3	25.8	18.3	22.7	1.50
FR1 n78 Main PA	Ant 6	31.0	16.7	26.0	16.7	22.2	1.50
FR1 n78 HPUE Main PA	Ant 6	31.0	16.7	26.0	16.7	21.0	1.50

Band	Antenna	Head DSI1	Body worn/Extremity DSI4	Hotspot DSI5	Pmax*	Total Uncertainty dB (k=2)
WLAN2.4GHz	Ant 17	16.40	24.60	19.40	17.90	2.00
WLAN2.4GHz	Ant 7	16.40	24.60	19.40	17.90	2.00
WLAN2.4GHz	Ant15+7	16.40	24.60	19.40	20.90	2.00
Bluetooth	ANT 15	15.80	23.00	16.60	14.30	2.00
Bluetooth	ANT 7	21.50	25.10	22.00	13.90	2.00
WLAN5GHz(B1)	Ant 17	14.00	17.90	18.20	17.50	2.00
WLAN5GHz(B1)	Ant 16	14.00	17.90	18.20	17.50	2.00
WLAN5GHz(B1)	Ant 17+16	14.00	17.90	18.20	20.50	2.00
WLAN5GHz(B2)	Ant 17	14.00	17.90		17.50	2.00
WLAN5GHz(B2)	Ant 16	14.00	17.90		17.50	2.00
WLAN5GHz(B2)	Ant 17+16	14.00	17.90		20.50	2.00
WLAN5GHz(B3)	Ant 17	14.50	18.70		17.50	2.00
WLAN5GHz(B3)	Ant 16	14.50	18.70		17.50	2.00
WLAN5GHz(B3)	Ant 17+16	14.50	18.70		20.50	2.00
WLAN5GHz(B4)	Ant 17	15.00	20.30	17.10	18.00	2.00
WLAN5GHz(B4)	Ant 16	15.00	20.30	17.10	18.00	2.00
WLAN5GHz(B4)	Ant 17+16	15.00	20.30	17.10	21.00	2.00
WLAN6GHz(B5)	Ant 17	13.50	11.50		13.50	2.00
WLAN6GHz(B5)	Ant 16	13.50	11.50		13.50	2.00
WLAN6GHz(B5)	Ant 17+16	13.50	11.50		16.50	2.00
WLAN6GHz(B6)	Ant 17	13.00	13.00		13.00	2.00
WLAN6GHz(B6)	Ant 16	13.00	13.00		13.00	2.00
WLAN6GHz(B6)	Ant 17+16	13.00	13.00		16.00	2.00
WLAN6GHz(B7)	Ant 17	13.50	13.00		13.50	2.00
WLAN6GHz(B7)	Ant 16	13.50	13.00		13.50	2.00
WLAN6GHz(B7)	Ant 17+16	13.50	13.00		16.50	2.00
WLAN6GHz(B8)	Ant 17	13.50	13.50		13.50	2.00



WLAN6GHz(B8)	Ant 16	13.50	13.50		13.50	2.00
WLAN6GHz(B8)	Ant 17+16	13.50	13.50		16.50	2.00

Note: 1) * $P_{\max}$ is used for RF tune up procedure. The maximum allowed output power is equal to $P_{\max}$ +total uncertainty.

2) All P_{limit} power levels entered in the Table correspond to average power levels after accounting for duty cycle in the case TDD modulation schemes (for e.g., GSM & LTE TDD & NR TDD&WLAN/BT).

3) The max allowed output power is the P_{limit} + device uncertainty, and if P_{limit} is higher than $P_{\max}$, the device output power will be $P_{\max}$ instead.

4) GSM/WCDMA applies force peak method, and in single active Tx scenario, Smart Transmit can guarantee Tx power level of P_{limit} at all times.

5) The following table is duty cycle and factor used for calculating time average power.

GSM/FDD/TDD	Duty Cycle	Time average calculation factor(dB)
GSM 1TX	12.50%	-9.0
GSM 2TX	25%	-6.0
GSM 3TX	37.50%	-4.3
GSM 4TX	50%	-3.0
FDD LTE	100%	0.0
TDD LTE	63.30%	-2.0
NR FDD/TDD	100%	0.0
NR TDD HPUE	50%	-3.0