




APPENDIX 1: Photographs of EUT and test setup

Appendix 1-1: Photograph of EUT and antenna position



Appendix 1-2: EUT and support equipment














Description of EUT and Support Equipment

No.	Item	Model number	Serial number	Manufacturer	Remark
A	Wireless Microphone	DS586234	No.60	CANON Inc.	EUT. (Salve)
B	I/F Jig PCB	-	No.51	CANON Inc.	Support equipment.
C	DC Power Supply (SDPS-06)	PW16-5ADP	18026330	TEXIO	Support equipment.
D	Laptop Computer (SRE-273)	HP 250 G9/CT	JPH318LW8Z	HP	Support equipment. (Win.11)
E	AC adaptor (SRE-273)	TPN-LA15	WHHRE0A5RH8WD5	HP	Support equipment. (DC cable: 1.8m, AC cable: 0.9m)

List of cables used

No.	Name	Length (m)	Shield	No.	Name	Length (m)	Shield
①	Ribbon I/F cable	0.15	Unshielded	④	AC cable	1.9	Unshielded
②	USB cable (USB-B-micro/USB-A)	2	Shielded	⑤	DC cable (*only for power measurement)	0.4	Unshielded
③	DC cable	1.4	Unshielded				

Appendix 1-3: Photograph of test setup (SAR)

Position	Setup photographs		
Left (Body-touch, D: 0mm) (Photo.P1)	(Front view/Flat-phantom) 	(Left view/Flat-phantom) 	(Right view/Flat-phantom) 
Front (Body-touch, D: 0mm) (Photo.P2)	(Front view/Flat-phantom) 	(Left view/Flat-phantom) 	(Right view/Flat-phantom) 
Top (Body-touch, D: 0mm) (Photo.P3)	(Front view/Flat-phantom) 	(Left view/Flat-phantom) 	(Right view/Flat-phantom) 
Back (Body-touch, D: 0mm) (Photo.P3)	(Front view/Flat-phantom) 	(Left view/Flat-phantom) 	(Right view/Flat-phantom) 
Bottom (Body-touch, D: 0mm) (Photo.P3)	(Front view/Flat-phantom) 	(Left view/Flat-phantom) 	(Overall view) 
Right (Body-touch, D: 0mm) (Photo.P3)	(Front view/Flat-phantom) 	(Left view/Flat-phantom) 	(Right view/Flat-phantom) 