

TIMCO ENGINEERING, INC.  
849 N.W. STATE ROAD 45  
P.O. BOX 370  
NEWBERRY, FLORIDA 32669  
PHONE: 888-472-2424 OR 352-472-5500  
FAX: 352-472-2030  
EMAIL: [info@timcoengr.com](mailto:info@timcoengr.com) or sharon@timcoengr.com

November 15, 2000

Mr. Errol Chang  
Federal Communications Commission  
Authorization and Evaluation Division  
7435 Oakland Mills Road  
Columbia, MD 21046

REF: GN NETCOM INC.'S FCC ID: BCEACTIVA24  
CONFIRMATION #: EA98250 - YOUR CORRESPONDENCE ID # 16949

Dear Errol:

With reference to correspondence ID 16949:

1. The channel separation is about 1.04MHz and the 20 dB bandwidth is about 999 kHz. I have uploaded plots. There are 79 hopping channels/frequencies. The dwell time is 440us.
2. Please refer to the block diagram of the transceiver (page 3 of 6 of the circuit description) - in which the synthesizer and voltage controlled oscillator are both shared by the transmitter and the receiver.
3. This device is a 2.4 GHz device; section 15.247(b)(2) refers to 902-928 MHz devices so I'm not sure what the issue is.

If you have any questions, please advise.

Regards,

Sharon A. Hoffman/TIMCO ENGINEERING, INC.