



## **Appendix G-Frequency Stability**

## **Test Data:**

Frequency Stability vs temperature:

1.Test for FDD LTE Band 30 Downlink (Middle Channel: 2355MHz)

		,	
Temperature(°C)	Voltage (V ac)	Frequency Error (Hz)	Tolerance(ppm)
50	120	2.84	0.0012
40	120	56.54	0.0240
30	120	11.12	0.0047
20	120	25.11	0.0107
10	120	35.71	0.0152
0	120	36.12	0.0153
-10	120	65.94	0.0280
-20	120	96.17	0.0408
-30	120	80.25	0.0341

## Frequency Stability vs voltage:

1. Test for FDD LTE Band 30 Downlink (Middle Channel: 2355MHz)

	\	/	
Voltage (V ac)	Temperature(°C)	Frequency Error (Hz)	Tolerance(ppm)
108	20	43.42	0.0184
120	20	25.11	0.0107
132	20	1.60	0.0007



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or emails CND poccheck@ssc.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

 $\begin{array}{lll} t(86\text{-}512)57355888 & f(86\text{-}512)57370818 & \text{www.sgsgroup.com.cn} \\ t(86\text{-}512)57355888 & f(86\text{-}512)57370818 & \text{sgs.china@sgs.com} \\ \end{array}$