

6.6 Spurious Emissions - FCC Section 15.247(c)

6.6.1 RF Conducted Spurious Emissions

The EUT was investigated for conducted spurious emissions from 30MHz to 25GHz, 10 times the highest fundamental frequency. For each measurement, the spectrum analyzer's VBW was set to 100kHz and the RBW was set to 1MHz.

6.6.1.2 Test Results

Result: All emission found were greater than 20dB down from the fundamental carrier. The RF conducted spurious emissions found in the band of 30MHz to 25GHz are reported in Table 6.6.1.2 below. Plots were taken also and are filed separately with this filing in a file titled "03-0193 Data Plots A.doc". Each emission was compared to the fundamental reference level to determine if they were at least 20dB below the reference level.

Table 6.6.1.2: RF Conducted Spurious Emissions

Frequency (MHz)	Level (dBm)	Peak Power (dBm)	Limit (dBm)	Margin (dB)	Final Result (Pass/Fail)
High Channel:					
1012.8	-53.85	15.31	-4.69	-49.16	Pass
4960.3	-32.34			-27.65	Pass
9922.2	-43.39			-38.7	Pass
12400	-57.63			-52.94	Pass
15000	-76.27			-71.58	Pass
20000	-79.17			-74.48	Pass
Mid Channel:					
952.1	-60.68	15.59	-4.41	-56.27	Pass
4882.2	-31.02			-26.61	Pass
9766.6	-49.13			-44.72	Pass
12205.5	-59.36			-54.95	Pass
15000	-76.12			-71.71	Pass
20000	-80.67			-76.26	Pass
Low Channel:					
895.8	-55.02	15.43	-4.57	-50.45	Pass
4805.6	-32.04			-27.47	Pass
9611.1	-56.54			-51.97	Pass
12011.1	-64.82			-60.25	Pass
15000	-76.81			-72.24	Pass
20000	-78.53			-73.96	Pass

6.6.2 Radiated Spurious Emissions (Restricted Bands) - FCC Section 15.205

Radiated emissions tests were made over the frequency range of 30MHz to 25GHz, 10 times the highest fundamental frequency on each antenna given in section 1.2.3.

The EUT was rotated through 360° and the receive antenna height was varied from 1m to 4m so that the maximum radiated emissions level would be detected. For frequencies below 1000MHz, quasi-peak measurements were made using a resolution bandwidth (RBW) of 120 kHz and a video bandwidth (VBW) of 300 kHz. For frequencies above 1000MHz, average measurements were made using an RBW of 1MHz and a VBW of 10Hz and peak measurements were made with RBW of 1MHz and a VBW of 1MHz.

The EUT was caused to generate a carrier signal on the hopping channel.

Data Plots

ACS Report Number: 03-0193-15B

Manufacturer: Cirronet, Inc.
Model: BT2022

Test: Conducted Spurious Emissions
Channel: Low



Date 08.Oct.'03 Time 14:45:25
Ref.Lvl -10.00 dBm
Marker -55.02 dBm
895.8 MHz


MSG

Res.Bw
TG.Lvl
CF.Stp

100 kHz [imp]
off
242.000 MHz

Vid.Bw
RF.Att
Unit

1 MHz
10 dB
[dBm]



03-0193 CIRRONET HN110
LOW CHANNEL



Date 08.Oct.'03 Time 14:49:16
Ref.Lvl -10.00 dBm
Marker -32.04 dBm
4.8056 GHz


MSG

Res.Bw
TG.Lvl
CF.Stp

100 kHz [imp]
off
265.000 MHz

Vid.Bw
AF.Att
Unit

1 MHz
10 dB
[dBm]




03-0193 CIRRONET HN110
LOW CHANNEL



Date 08.Oct.'03 Time 14:53:12
Ref.Lvl Marker -56.54 dBm
-10.00 dBm 9.6111 GHz

Res.Bw 100 kHz [imp] Vid.Bw 1 MHz
TG.Lvl off
CF.Stp 500.000 MHz RF.Att 10 dB
Unit [dBm]




03-0193 CIRRONET HN110
LOW CHANNEL



Date 08.Oct.'03 Time 14:56:43
Ref.Lvl Marker -64.82 dBm
-10.00 dBm 12.0111 GHz

Res.Bw	100 kHz [imp]	Vid.Bw	1 MHz
TG.Lvl	off		
CF.Stp	500.000 MHz	RF.Att	10 dB
		Unit	[dBm]




03-0193 CIRRONET HN110
LOW CHANNEL



Date 08.Oct.'03 Time 15:01:38
Ref.Lvl Marker -76.81 dBm
-10.00 dBm 15.0000 GHz

Res.Bw 100 kHz [imp] Vid.Bw 1 MHz
TG.Lvl off
CF.Stp 500.000 MHz AF.Att 10 dB
Unit [dBm]




03-0193 CIRRONET HN110
LOW CHANNEL



Date 08.Oct.'03 Time 15:05:08
Ref.Lvl Marker -78.53 dBm
-10.00 dBm 20.0000 GHz

Res.Bw 100 kHz [imp] Vid.Bw 1 MHz
TG.Lvl off
CF.Stp 500.000 MHz RF.Att 10 dB
Unit [dBm]



03-0193 CIRRONET HN110
LOW CHANNEL

Data Plots

ACS Report Number: 03-0193-15B

Manufacturer: Cirronet, Inc.
Model: BT2022

Test: Conducted Spurious Emissions
Channel: Center



Date 08.Oct.'03 Time 15:13:07
Ref.Lvl -10.00 dBm
Marker -60.68 dBm
952.1 MHz


MSG

Res.Bw
TG.Lvl
CF.Stp

100 kHz [imp]
off
247.000 MHz

Vid.Bw
RF.Att
Unit

1 MHz
10 dB
[dBm]



03-0193 CIRRONET HN110
MID CHANNEL



Date 08.Oct.'03 Time 15:20:49
Ref.Lvl -10.00 dBm
Marker -31.02 dBm
4.8822 GHz


MSG

Res.Bw
TG.Lvl
CF.Stp

100 kHz [imp]
off
265.000 MHz

Vid.Bw
RF.Att
Unit

1 MHz
10 dB
[dBm]



Start 2.35 GHz Span 2.65 GHz Center 3.675 GHz Sweep 1.68 s Stop 5 GHz

03-0193 CIRRONET HN110
MID CHANNEL



Date 08.Oct.'03 Time 15:25:07


Ref.Lvl -10.00 dBm Marker -49.13 dBm
9.7666 GHz

Res.Bw
TG.Lvl
CF.Stp

100 kHz [imp]
off
500.000 MHz

Vid.Bw
RF.Att
Unit

1 MHz
10 dB
[dBm]




03-0193 CIRRONET HN110
MID CHANNEL



Date 08.Oct.'03 Time 15:33:26
Ref.Lvl -10.00 dBm Marker -59.36 dBm
12.2055 GHz

Res.Bw 100 kHz [imp] Vid.Bw 1 MHz
TG.Lvl off
CF.Stp 500.000 MHz RF.Att 10 dB
Unit [dBm]




03-0193 CIRRONET HN110
MID CHANNEL



Date 08.Oct.'03 Time 15:41:56
Ref.Lvl -10.00 dBm Marker -76.12 dBm
15.0000 GHz

Res.Bw 100 kHz [imp] Vid.Bw 1 MHz
TG.Lvl off
CF.Stp 500.000 MHz RF.Att 10 dB
Unit [dBm]




03-0193 CIRRONET HN110
MID CHANNEL



Date 08.Oct.'03 Time 15:47:20
Ref.Lvl Marker -80.67 dBm
-10.00 dBm 20.0000 GHz

Res.Bw 100 kHz [imp] Vid.Bw 1 MHz
TG.Lvl off
CF.Stp 500.000 MHz RF.Att 10 dB
Unit [dBm]



03-0193 CIRRONET HN110
MID CHANNEL

Data Plots

ACS Report Number: 03-0193-15B

Manufacturer: Cirronet, Inc.
Model: BT2022

Test: Conducted Spurious Emissions
Channel: High



Date 08.Oct.'03 Time 16:11:21
Ref.Lvl -10.00 dBm
Marker -53.85 dBm
1.0128 GHz


MSG

Res.Bw
TG.Lvl
CF.Stp

100 kHz [imp]
off
252.000 MHz

Vid.Bw
RF.Att
Unit

1 MHz
10 dB
[dBm]



03-0193 CIARRONET HN110
HIGH CHANNEL



Date 08.Oct.'03 Time 16:26:11
Ref.Lvl -10.00 dBm
Marker -32.34 dBm
4.9603 GHz


MSG

Res.Bw
TG.Lvl
CF.Stp

100 kHz [imp]
off
255.000 MHz

Vid.Bw
RF.Att
Unit

1 MHz
10 dB
[dBm]



03-0193 CIRRONET HN110
HIGH CHANNEL



Date 08.Oct.'03 Time 16:33:43

Ref.Lvl

Marker

-43.39 dBm

9.9222 GHz

Res.Bw

100 kHz [imp]

Vid.Bw

1 MHz

TG.Lvl

off

CF.Stp


500.000 MHz

RF.Att

10 dB

Unit

[dBm]




03-0193 CIRRONET HN110
HIGH CHANNEL



Date 10.Oct.'03 Time 10:08:51
Ref.Lvl -10.00 dBm Marker -57.63 dBm
12.4000 GHz

Res.Bw 100 kHz [imp] Vid.Bw 1 MHz
TG.Lvl off
CF.Stp 500.000 MHz RF.Att 10 dB
Unit [dBm]




03-0193 CIRRONET HN110
HIGH CHANNEL



Date 10.Oct.'03 Time 10:12:48
Ref.Lvl -10.00 dBm Marker -76.27 dBm
15.0000 GHz

Res.Bw 100 kHz [imp] Vid.Bw 1 MHz
TG.Lvl off
CF.Stp 500.000 MHz RF.Att 10 dB
Unit [dBm]




03-0193 CIRRONET HN110
HIGH CHANNEL

FI



Date 10.Oct.'03 Time 10:18:12
Ref.Lvl Marker -79.17 dBm
-10.00 dBm 20.0000 GHz

Res.Bw 100 kHz [imp] Vid.Bw 1 MHz
TG.Lvl off
CF.Stp 500.000 MHz RF.Att 10 dB
Unit [dBm]



03-0193 CIRRONET HN110
HIGH CHANNEL