

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

Variant Max Conducted Power

Band	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted Power (dBm)
Band2	1860	18700	20	1	0	22.15
	1880	18900		1	0	22.12
	1900	19100		1	0	22.14
Band4	1720	20050	20	1	0	22.53
	1732.5	20175		1	0	22.27
	1745	20300		1	0	22.24
Band12	704	23060	10	1	0	23.27
	707.5	23095		1	0	23.30
	711	23130		1	0	23.42

LTE_CAT.M1_Band 2

1 RF Power Output Test result: Antenna Gain: 0.40dBi

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted Power (dBm)	EIRP (W)
QPSK	1850.7	18607	1.4	1	0	22.37	0.189
				6	0	20.26	0.116
	1880	18900		1	0	22.07	0.177
				6	0	20.15	0.114
	1909.3	19193		1	0	22.03	0.175
				6	0	20.16	0.114
16QAM	1850.7	18607	1.4	1	0	21.32	0.149
				1	5	21.21	0.145
				5	0	20.06	0.111
				5	1	20.08	0.112
	1880	18900		1	0	21.26	0.147
				1	5	21.19	0.144
				5	0	20.04	0.111
				5	1	20.06	0.111
	1909.3	19193		1	0	21.28	0.147
				1	5	21.19	0.144
				5	0	20.01	0.110
				5	1	20.05	0.111
QPSK	1851.7	18615	3	1	0	22.34	0.188
				6	0	20.24	0.116
	1880	18900		1	0	22.06	0.176
				6	0	20.17	0.114
	1908.5	19185		1	0	22.02	0.175
				6	0	20.21	0.115
16QAM	1851.7	18615	3	1	0	21.33	0.149
				1	5	21.22	0.145
				5	0	20.07	0.111
				5	1	20.08	0.112
	1880	18900		1	0	21.27	0.147
				1	5	21.21	0.145
				5	0	20.02	0.110
				5	1	20.06	0.111
	1908.5	19185		1	0	21.26	0.147
				1	5	21.20	0.145
				5	0	20.03	0.110
				5	1	20.06	0.111

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted Power (dBm)	EIRP (W)
QPSK	1852.5	18625	5	1	0	22.34	0.188
				6	0	20.27	0.117
	1880	18900		1	0	22.07	0.177
				6	0	20.16	0.114
	1907.5	19175		1	0	22.03	0.175
				6	0	20.18	0.114
16QAM	1852.5	18625	5	1	0	21.35	0.150
				1	5	21.25	0.146
				5	0	20.06	0.111
				5	1	20.09	0.112
	1880	18900		1	0	21.28	0.147
				1	5	21.21	0.145
				5	0	20.04	0.111
				5	1	20.06	0.111
	1907.5	19175		1	0	21.32	0.149
				1	5	21.19	0.144
				5	0	20.03	0.110
				5	1	20.07	0.111
QPSK	1855	18650	10	1	0	22.38	0.190
				6	0	20.25	0.116
	1880	18900		1	0	22.11	0.178
				6	0	20.15	0.114
	1905	19150		1	0	22.08	0.177
				6	0	20.21	0.115
16QAM	1855	18650	10	1	0	21.36	0.150
				1	5	21.22	0.145
				5	0	20.12	0.113
				5	1	20.17	0.114
	1880	18900		1	0	21.31	0.148
				1	5	21.21	0.145
				5	0	20.06	0.111
				5	1	20.08	0.112
	1905	19150		1	0	21.29	0.148
				1	5	21.121	0.142
				5	0	20.03	0.110
				5	1	20.06	0.111

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted Power (dBm)	EIRP (W)
QPSK	1857.5	18675	15	1	0	22.39	0.190
				6	0	20.24	0.116
	1880	18900		1	0	22.12	0.179
				6	0	20.16	0.114
	1902.5	19125		1	0	22.11	0.178
				6	0	20.21	0.115
16QAM	1857.5	18675	15	1	0	21.34	0.149
				1	5	21.26	0.147
				5	0	20.12	0.113
				5	1	20.16	0.114
	1880	18900		1	0	21.34	0.149
				1	5	21.24	0.146
				5	0	20.12	0.113
				5	1	20.23	0.116
	1902.5	19125		1	0	21.31	0.148
				1	5	21.25	0.146
				5	0	20.12	0.113
				5	1	20.24	0.116
QPSK	1860	18700	20	1	0	22.43	0.192
				6	0	20.25	0.116
	1880	18900		1	0	22.13	0.179
				6	0	20.21	0.115
	1900	19100		1	0	22.14	0.179
				6	0	20.12	0.113
16QAM	1860	18700	20	1	0	21.36	0.150
				1	5	21.24	0.146
				5	0	20.13	0.113
				5	1	20.21	0.115
	1880	18900		1	0	21.32	0.149
				1	5	21.24	0.146
				5	0	20.21	0.115
				5	1	20.06	0.111
	1900	19100		1	0	21.32	0.149
				1	5	21.25	0.146
				5	0	20.15	0.114
				5	1	20.18	0.114

2 Occupied Bandwidth

Test result

Band	Carrier frequency (MHz)	Channel	BW (MHz)	Modulation	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	Bandwidth of -26dB transmitter power (MHz)	Plot
2	1880.0	18900	1.4	QPSK	6	0	1.126	1.279	Fig.1
				16QAM	5	1	0.939	1.076	Fig.2
			3	QPSK	6	0	1.289	1.421	Fig.3
				16QAM	5	1	1.280	1.410	Fig.4
			5	QPSK	6	0	1.098	1.488	Fig.5
				16QAM	5	1	0.928	1.856	Fig.6
			10	QPSK	6	0	1.126	1.705	Fig.7
				16QAM	5	1	0.967	1.526	Fig.8
			15	QPSK	6	0	1.110	1.705	Fig.9
				16QAM	5	1	0.970	1.601	Fig.10
			20	QPSK	6	0	1.143	1.755	Fig.11
				16QAM	5	1	0.959	1.451	Fig.12

Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11






Fig.12




4 Peak-Average Ratio


Test result:




Peak-Average Ratio Plot(1.4MHz BW,QPSK,Band 2-mid Channel)



Peak-Average Ratio Plot(1.4MHz BW,16QAM,Band 2-mid Channel)




Peak-Average Ratio Plot(3MHz BW,QPSK,Band 2-mid Channel)




Peak-Average Ratio Plot(3MHz BW,16QAM,Band 2-mid Channel)




Peak-Average Ratio Plot(5MHz BW,QPSK,Band 2-mid Channel)




Peak-Average Ratio Plot(5MHz BW,16QAM,Band 2-mid Channel)




Peak-Average Ratio Plot(10MHz BW,QPSK,Band 2-mid Channel)




Peak-Average Ratio Plot(10MHz BW,16QAM,Band 2-mid Channel)




Peak-Average Ratio Plot(15MHz BW,QPSK,Band 2-mid Channel)



Peak-Average Ratio Plot(15MHz BW,16QAM,Band 2-mid Channel)



Peak-Average Ratio Plot(20MHz BW,QPSK,Band 2-mid Channel)



Peak-Average Ratio Plot(20MHz BW,16QAM,Band 2-mid Channel)

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel(Low)	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
2	1860	18700	20	1	0	Fig.1




Fig.1

Band	Carrier frequency (MHz)	Channel(Low)	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
2	1880	18900	20	1	0	Fig.1




Fig.1

Band	Carrier frequency (MHz)	Channel(Low)	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
2	1900	19100	20	1	0	Fig.1




Fig.1

6 Band Edges Compliance

Test result

Band	Carrier frequency (MHz)	Channel (Low)	BW	RB Size	RB Offset	Band Edges Plot
						QPSK
2	1850.7	18607	1.4	1	0	Fig.1
				6	0	Fig.4




Fig.1




Fig.4

Band	Carrier frequency (MHz)	Channel (High)	BW	RB Size	RB Offset	Band Edges Plot
						QPSK
2	1909.3	19193	1.4	1	0	Fig.1
				6	0	Fig.4




Fig.1




Fig.4

Band	Carrier frequency (MHz)	Channel (Low)	BW	RB Size	RB Offset	Band Edges Plot
						QPSK
2	1851.5	18615	3	1	0	Fig.1
				6	0	Fig.4




Fig.1




Fig.4

Band	Carrier frequency (MHz)	Channel (High)	BW	RB Size	RB Offset	Band Edges Plot
						QPSK
2	1908.5	19185	3	1	0	Fig.1
				6	0	Fig.4




Fig.1




Fig.4

Band	Carrier frequency (MHz)	Channel (Low)	BW	RB Size	RB Offset	Band Edges Plot
						QPSK
2	1852.5	18625	5	1	0	Fig.1
				6	0	Fig.4




Fig.1




Fig.4

Band	Carrier frequency (MHz)	Channel (High)	BW	RB Size	RB Offset	Band Edges Plot
						QPSK
2	1907.5	19175	5	1	0	Fig.1
				6	0	Fig.4




Fig.1




Fig.4

Band	Carrier frequency (MHz)	Channel (Low)	BW	RB Size	RB Offset	Band Edges Plot
						QPSK
2	1855	18650	10	1	0	Fig.1
				6	0	Fig.4




Fig.1




Fig.4

Band	Carrier frequency (MHz)	Channel (High)	BW	RB Size	RB Offset	Band Edges Plot
						QPSK
2	1905	19150	10	1	0	Fig.1
				6	0	Fig.4




Fig.1




Fig.4

Band	Carrier frequency (MHz)	Channel (Low)	BW	RB Size	RB Offset	Band Edges Plot
						QPSK
2	1857.5	18675	15	1	0	Fig.1
				6	0	Fig.4




Fig.1




Fig.4

Band	Carrier frequency (MHz)	Channel (High)	BW	RB Size	RB Offset	Band Edges Plot
						QPSK
2	1902.5	19125	15	1	0	Fig.1
				6	0	Fig.4




Fig.1




Fig.4

Band	Carrier frequency (MHz)	Channel (Low)	BW	RB Size	RB Offset	Band Edges Plot
						QPSK
2	1860	18700	20	1	0	Fig.1
				6	0	Fig.4




Fig.1




Fig.4

Band	Carrier frequency (MHz)	Channel (High)	BW	RB Size	RB Offset	Band Edges Plot
						QPSK
2	1900	19100	20	1	0	Fig.1
				6	0	Fig.4




Fig.1




Fig.4

7 Frequency Stability

Test result:

Temperature(°C)	Voltage	Test Result (ppm) Band2 Low Channel					
		1.4M	3M	5M	10M	15M	20M
-20	NV	0.016	0.007	0.007	0.019	0.016	0.018
-10	NV	0.020	-0.012	0.010	0.018	0.012	0.010
0	NV	-0.012	0.015	-0.006	0.017	0.015	-0.013
+10	NV	0.010	0.004	0.013	0.007	0.012	0.004
+20	NV	0.007	0.001	0.011	0.020	-0.016	0.020
+30	NV	0.018	0.006	0.006	0.003	0.002	0.004
+40	NV	0.014	0.016	0.003	-0.003	0.013	0.006
+50	NV	0.007	-0.009	-0.011	0.002	0.008	-0.003
+60	NV	0.003	0.008	0.001	0.010	0.013	0.002
+20	LV	0.010	0.008	0.003	0.003	0.011	-0.017
+20	HV	0.016	0.001	0.011	0.002	0.015	0.001

Temperature(°C)	Voltage	Test Result (ppm) Band2 High Channel					
		1.4M	3M	5M	10M	15M	20M
-20	NV	0.010	0.006	0.013	0.015	0.004	0.005
-10	NV	-0.005	0.012	-0.008	0.006	0.005	0.019
0	NV	0.014	0.014	0.016	0.018	0.012	0.011
+10	NV	0.008	0.010	0.017	0.016	-0.016	0.007
+20	NV	0.004	-0.002	0.009	0.008	0.018	0.005
+30	NV	-0.015	0.016	0.008	0.016	0.010	0.014
+40	NV	0.002	0.012	0.007	-0.016	0.015	0.017
+50	NV	0.002	0.016	0.010	0.013	0.015	0.011
+60	NV	0.006	0.001	0.001	0.013	0.013	0.015
+20	LV	0.019	0.017	0.017	0.017	0.011	-0.010
+20	HV	0.011	0.005	0.016	0.001	0.019	0.004
+20	HV	0.010	0.006	0.013	0.015	-0.004	0.005

LTE_CAT.M1_Band 4

1 RF Power Output

Test result:

Antenna Gain: -1.75dBi

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted Power (dBm)	EIRP (W)
QPSK	1710.5	19957	1.4	1	0	23.02	0.134
				6	0	20.93	0.083
	1732.5	20175		1	0	22.86	0.129
				6	0	20.84	0.081
	1754.3	20393		1	0	22.85	0.129
				6	0	20.79	0.080
16QAM	1710.5	19957	1.4	1	0	21.78	0.101
				1	5	21.64	0.097
				5	0	20.89	0.082
				5	1	20.93	0.083
	1732.5	20175		1	0	21.62	0.097
				1	5	21.57	0.096
				5	0	20.83	0.081
				5	1	20.86	0.081
	1754.3	20393		1	0	21.60	0.097
				1	5	21.58	0.096
				5	0	20.81	0.081
				5	1	20.84	0.081
QPSK	1711.5	19965	3	1	0	23.14	0.138
				6	0	21.05	0.085
	1732.5	20175		1	0	22.98	0.133
				6	0	20.96	0.083
	1753.5	20385		1	0	22.97	0.132
				6	0	20.91	0.082
16QAM	1711.5	19965	3	1	0	21.87	0.103
				1	5	21.76	0.100
				5	0	21.01	0.084
				5	1	21.08	0.086
	1732.5	20175		1	0	21.74	0.100
				1	5	21.69	0.099
				5	0	20.95	0.083
				5	1	20.98	0.084
	1753.5	20385		1	0	21.72	0.099
				1	5	21.70	0.099
				5	0	20.93	0.083
				5	1	20.96	0.083

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted Power (dBm)	EIRP (W)
QPSK	1712.5	19975	5	1	0	23.15	0.138
				6	0	21.06	0.085
	1732.5	20175		1	0	22.99	0.133
				6	0	20.97	0.084
	1752.5	20375		1	0	22.98	0.133
				6	0	20.92	0.083
16QAM	1712.5	19975	5	1	0	21.91	0.104
				1	5	21.77	0.100
				5	0	21.02	0.085
				5	1	21.06	0.085
	1732.5	20175		1	0	21.75	0.100
				1	5	21.72	0.099
				5	0	20.96	0.083
				5	1	20.98	0.084
	1752.5	20375		1	0	21.73	0.100
				1	5	21.71	0.099
				5	0	20.94	0.083
				5	1	20.97	0.084
QPSK	1715	20000	10	1	0	23.27	0.142
				6	0	21.18	0.088
	1732.5	20175		1	0	23.11	0.137
				6	0	21.09	0.086
	1750	20350		1	0	23.12	0.137
				6	0	21.04	0.085
16QAM	1715	20000	10	1	0	22.21	0.111
				1	5	21.89	0.103
				5	0	21.14	0.087
				5	1	21.16	0.087
	1732.5	20175		1	0	21.87	0.103
				1	5	21.82	0.102
				5	0	21.08	0.086
				5	1	21.11	0.086
	1750	20350		1	0	21.85	0.102
				1	5	21.83	0.102
				5	0	21.06	0.085
				5	1	21.07	0.086

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted Power (dBm)	EIRP (W)
QPSK	1717.5	20025	15	1	0	23.35	0.145
	1732.5	20175		6	0	21.26	0.089
				1	0	23.19	0.139
				6	0	21.17	0.087
				1	0	23.22	0.140
	6	0		21.12	0.086		
16QAM	1717.5	20025	15	1	0	22.29	0.113
				1	5	21.97	0.105
				5	0	21.22	0.089
				5	1	21.24	0.089
	1732.5	20175		1	0	21.95	0.105
				1	5	21.97	0.105
				5	0	21.16	0.087
				5	1	21.19	0.088
	1747.5	20325		1	0	21.93	0.104
				1	5	21.91	0.104
				5	0	21.14	0.087
				5	1	21.15	0.087
QPSK	1720	20050	20	1	0	23.44	0.148
	1732.5	20175		6	0	21.35	0.091
				1	0	23.28	0.142
				6	0	21.26	0.089
				1	0	23.29	0.143
	6	0		21.21	0.088		
16QAM	1720	20050	20	1	0	22.38	0.116
				1	5	22.06	0.107
				5	0	21.31	0.090
				5	1	21.33	0.091
	1732.5	20175		1	0	22.04	0.107
				1	5	21.99	0.106
				5	0	21.25	0.089
				5	1	21.28	0.090
	1745	20300		1	0	22.02	0.106
				1	5	22.08	0.108
				5	0	21.23	0.089
				5	1	21.24	0.089

2 Occupied Bandwidth

Test result

Band	Carrier frequency (MHz)	Channel	BW (MHz)	Modulation	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	Bandwidth of -26dB transmitter power (MHz)	Plot
4	1732.5	20175	1.4	QPSK	6	0	1.118	1.277	Fig.1
				16QAM	5	1	1.106	1.238	Fig.2
			3	QPSK	6	0	1.278	1.431	Fig.3
				16QAM	5	1	1.274	1.421	Fig.4
			5	QPSK	6	0	1.102	1.383	Fig.5
				16QAM	5	1	0.932	1.427	Fig.6
			10	QPSK	6	0	1.134	1.513	Fig.7
				16QAM	5	1	0.960	1.555	Fig.8
			15	QPSK	6	0	1.115	1.597	Fig.9
				16QAM	5	1	0.959	1.486	Fig.10
			20	QPSK	6	0	1.120	1.658	Fig.11
				16QAM	5	1	0.942	1.416	Fig.12

Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8



Fig.9




Fig.10



Fig.11






Fig.12




4 Peak-Average Ratio


Test result:




Peak-Average Ratio Plot(1.4MHz BW,QPSK,Band 4-mid Channel)




Peak-Average Ratio Plot(1.4MHz BW,16QAM,Band 4-mid Channel)




Peak-Average Ratio Plot(3MHz BW,QPSK,Band 4-mid Channel)




Peak-Average Ratio Plot(3MHz BW,16QAM,Band 4-mid Channel)




Peak-Average Ratio Plot(5MHz BW,QPSK,Band 4-mid Channel)




Peak-Average Ratio Plot(5MHz BW,16QAM,Band 4-mid Channel)



Peak-Average Ratio Plot(10MHz BW,QPSK,Band 4-mid Channel)




Peak-Average Ratio Plot(10MHz BW,16QAM,Band 4-mid Channel)




Peak-Average Ratio Plot(15MHz BW,QPSK,Band 4-mid Channel)



Peak-Average Ratio Plot(15MHz BW,16QAM,Band 4-mid Channel)



Peak-Average Ratio Plot(20MHz BW,QPSK,Band 4-mid Channel)



Peak-Average Ratio Plot(20MHz BW,16QAM,Band 4-mid Channel)

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel (Low)	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
4	1720	20050	20	1	0	Fig.1




Fig.1

Band	Carrier frequency (MHz)	Channel (Mid)	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
4	1732.5	20175	20	1	0	Fig.1




Fig.1

Band	Carrier frequency (MHz)	Channel (High)	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
4	1745	20300	20	1	0	Fig.1




Fig.1

6 Band Edges Compliance

Test result

Band	Carrier frequency (MHz)	Channel (Low)	BW	RB Size	RB Offset	Band EdgesPlot
						QPSK
4	1710.7	19957	1.4	1	0	Fig.1
				6	0	Fig.4




Fig.1




Fig.4

Band	Carrier frequency (MHz)	Channel (High)	BW	RB Size	RB Offset	Band EdgesPlot
						QPSK
4	1754.3	20393	1.4	1	0	Fig.1
				6	0	Fig.4




Fig.1




Fig.4

Band	Carrier frequency (MHz)	Channel (Low)	BW	RB Size	RB Offset	Band EdgesPlot
						QPSK
4	1711.5	19965	3	1	0	Fig.1
				6	0	Fig.4




Fig.1




Fig.4

Band	Carrier frequency (MHz)	Channel (High)	BW	RB Size	RB Offset	Band EdgesPlot
						QPSK
4	1753.5	20385	3	1	0	Fig.1
				6	0	Fig.4




Fig.1




Fig.4

Band	Carrier frequency (MHz)	Channel (Low)	BW	RB Size	RB Offset	Band EdgesPlot
						QPSK
4	1712.5	19975	5	1	0	Fig.1
				6	0	Fig.4




Fig.1




Fig.4

Band	Carrier frequency (MHz)	Channel (High)	BW	RB Size	RB Offset	Band EdgesPlot
						QPSK
4	1752.5	20375	5	1	0	Fig.1
				6	0	Fig.4




Fig.1




Fig.4

Band	Carrier frequency (MHz)	Channel (Low)	BW	RB Size	RB Offset	Band EdgesPlot
						QPSK
4	1715	20000	10	1	0	Fig.1
				6	0	Fig.4




Fig.1




Fig.4

Band	Carrier frequency (MHz)	Channel (High)	BW	RB Size	RB Offset	Band EdgesPlot
						QPSK
4	1750	20350	10	1	0	Fig.1
				6	0	Fig.4




Fig.1




Fig.4

Band	Carrier frequency (MHz)	Channel (Low)	BW	RB Size	RB Offset	Band EdgesPlot
						QPSK
4	1717.5	20025	15	1	0	Fig.1
				6	0	Fig.4




Fig.1




Fig.4