




Partial RU (RU26)

Carrier frequency (MHz): 2412


Channel No.:1



Frequency Range: 30MHz -1GHz

Detector: QP mode

Modulation type: 802.11 ax(HE20)




Frequency Range: 1GHz -3GHz

Detector: Av mode and PK mode


Modulation type: 802.11 ax(HE20)



Full Spectrum




Frequency Range: 3GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ax(HE20)




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ax(HE20)



Carrier frequency (MHz): 2437
Channel No.:6




Frequency Range: 30MHz -1GHz
Detector: Detector: QP mode
Modulation type: 802.11 ax(HE20)




Frequency Range: 1GHz -3GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ax(HE20)



Full Spectrum




Frequency Range: 3GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ax(HE20)




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ax(HE20)



Carrier frequency (MHz): 2462
Channel No.:11




Frequency Range: 30MHz -1GHz
Detector: Detector: QP mode
Modulation type: 802.11 ax(HE20)




Frequency Range: 1GHz -3GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ax(HE20)



Full Spectrum



Frequency Range: 3GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ax(HE20)




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ax(HE20)

Carrier frequency (MHz): 2422
Channel No.:3


BV 7Layers Communications Technology (Shenzhen) Co., Ltd
Tel: +86 755 8869 6566
Fax: +86 755 8869 6577



Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Detector: QP mode
Modulation type: 802.11 ax(HE40)




Frequency Range: 1GHz -3GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ax(HE40)



Full Spectrum



Frequency Range: 3GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ax(HE40)




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ax(HE40)

Carrier frequency (MHz): 2437


BV 7Layers Communications Technology (Shenzhen) Co., Ltd
Tel: +86 755 8869 6566
Fax: +86 755 8869 6577



Channel No.:6




Frequency Range: 30MHz -1GHz
Detector: Detector: QP mode
Modulation type: 802.11 ax(HE40)




Frequency Range: 1GHz -3GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ax(HE40)



Full Spectrum



Frequency Range: 3GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ax(HE40)




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ax(HE40)

Carrier frequency (MHz): 2452
Channel No.:9


BV 7Layers Communications Technology (Shenzhen) Co., Ltd
Tel: +86 755 8869 6566
Fax: +86 755 8869 6577



Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Detector: QP mode
Modulation type: 802.11 ax(HE40)




Frequency Range: 1GHz -3GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ax(HE40)



Full Spectrum



Frequency Range: 3GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ax(HE40)



Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ax(HE40)



AC Power line Conducted Emission


A "reference path loss" Corr.(dB) is established and the $L_{\text{cable}} + \text{ATT} + \text{VDF}$ is the attenuation of "reference path loss", and including the cable loss, the attenuation of the attenuator, the voltage division factor of AMN.

The measurement results are obtained as described below:

$$P_{\text{result}} = P_{\text{mea}} + \text{Corr. (dB)}$$

Sample calculation: $(15.93\text{dB}\mu\text{V}) = (-13.77\text{dB}\mu\text{V}) + (29.7\text{ dB})$, the corresponding frequency is 0.341893MHz.

Full Spectrum



L+N Line

MEASUREMENT RESULT:

Note: For emissions not exceeding $(L-10\text{dB})$ (where L is the limit level expressed in logarithmic units), they will not be recorded.

---End of Test Report---