

| Report No: File reference No: | FCC 1607146-01 2016-08-03 |
|----------------------------------|---|
| Applicant: | Shenzhen Jingwah Information Technology Co., Ltd. |
| Product: | Tablet PC |
| Model No: | W109R, P1003, P1010, A1000X |
| Trademark: | Polaroid |
| Test Standards: | FCC Part 15.247 |
| Test result: | It is herewith confirmed and found to comply with the requirements set up by ANSI C63.10, FCC Part 15 Subpart C, Paragraph 15.247 regulations for the evaluation of electromagnetic compatibility |
| Approved Dy | |

Approved By

Jack Chung

Jack Chung

Manager

Dated:

August 03, 2016

Results appearing herein relate only to the sample tested The technical reports is issued errors and omissions exempt and is subject to withdrawal at

SHENZHEN TIMEWAY TESTING LABORATORIES

Room 512-519, 5/F., East Tower, Building 4, Anhua Industrial Zone, Futian District, Shenzhen, Guangdong, China Tel (755) 83448688, Fax (755) 83442996, E-Mail:info@timeway-lab.com



Special Statement:

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAL. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

CNAL-LAB Code: L2292

The EMC Laboratory has been assessed and in compliance with CNAL/AC01:2002 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:2005 General Requirements) for the Competence of testing Laboratories.

FCC-Registration No.: 899988

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 899988.

IC- Registration No.: IC5205A-02

The EMC Laboratory has been registered and fully described in a report filed with the (IC) Industry Canada. The acceptance letter from the IC is maintained in our files. Registration IC No.: 5205A-02.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Test Report Conclusion Content

| 1.0 | General Details | 4 |
|------|------------------------------------|----|
| 1.1 | Test Lab Details | 4 |
| 1.2 | Applicant Details | 4 |
| 1.3 | Description of EUT | 4 |
| 1.4 | Submitted Sample | 5 |
| 1.5 | Test Duration | 5 |
| 1.6 | Test Uncertainty | 5 |
| 1.7 | Test By | 5 |
| 2.0 | List of Measurement Equipment | 6 |
| 3.0 | Technical Details | 8 |
| 3.1 | Summary of Test Results | 8 |
| 3.2 | Test Standards | 8 |
| 4.0 | EUT Modification | 8 |
| 5.0 | Power Line Conducted Emission Test | 9 |
| 5.1 | Schematics of the Test | 9 |
| 5.2 | Test Method and Test Procedure | 9 |
| 5.3 | Configuration of the EUT | 9 |
| 5.4 | EUT Operating Condition | 10 |
| 5.5 | Conducted Emission Limit | 10 |
| 5.6 | Test Result | 10 |
| 6.0 | Radiated Emission test | 13 |
| 6.1 | Test Method and Test Procedure | 13 |
| 6.2 | Configuration of the EUT | 13 |
| 6.3 | EUT Operation Condition | 13 |
| 6.4 | Radiated Emission Limit | 14 |
| 7.0 | 6dB and Bandwidth Measurement | 38 |
| 8.0 | Maximum Output Power | 58 |
| 9.0 | Power Spectral Density Measurement | 61 |
| 10.0 | Out of Band Measurement | 79 |
| 11.0 | Antenna Requirement | 90 |
| 12.0 | FCC ID Label | 91 |
| 13.0 | Photo of Test Setup and EUT View | 92 |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate



1.0 General Details

1.1 Test Lab Details

Name :SHENZHEN TIMEWAY TESTING LABORATORIES.Address:Room 512-519,5/F., East Tower,Building 4, Anhua Industrial Zone, Futian District,Shenzhen,
Guangdong ChinaTelephone:(755) 83448688Fax:(755) 83442996Site on File with the Federal Communications Commission – United SatesRegistration Number: 899988For 3m & 10 m OATSSite Listed with Industry Canada of Ottawa, CanadaRegistration Number: IC: 5205A-02For 3m & 10 m OATS

1.2 Applicant Details

| Applicant: | Shenzhen Jingwah Information Technology Co., Ltd. |
|------------|---|
| Address: | 4F, Bldg 4, Jinghua Square, No.1 Huafa North Road, Futian District, Shenzhen, China |
| Telephone: | |
| Fax: | |

1.3 Description of EUT

| Product: | Tablet PC |
|----------------------|--|
| Manufacturer: | Shenzhen Jingwah Information Technology Co., Ltd. |
| Address: | 4F, Bldg 4, Jinghua Square, No.1 Huafa North Road, Futian District, |
| | Shenzhen, China |
| Brand Name: | Polaroid |
| Model Number: | W109R |
| Additional Model Nur | nber: P1003, P1010, A1000X |
| Type of Modulation | IEEE 802.11b : DSSS (CCK, QPSK, DBPSK) |
| | IEEE 802.11g/n (HT20/40) : OFDM(64QAM, 16QAM, QPSK, BPSK) |
| Frequency range | IEEE802.11b/g/n (HT20/40): 2412-2462MHz,IEEE802.11n (HT40) : 2422-2452MHz |
| Channel Spacing | 5MHz for IEEE 802.11b/g/n(HT20/40) |
| Air Data Rate | IEEE 802.11b : 11, 5.5, 2, 1 Mbps |
| | IEEE 802.11g : 54, 48,36, 24, 18, 12, 9, 6 Mbps |
| | IEEE 802.11n HT20/40 : 150, 135, 117 ,104, 78, 65, 58.5, 52, 39, 26, 19.5, 13, 6.5 |
| | Mbps |
| Frequency Selection | By software |
| Channel Number | IEEE 802.11b/g/n (HT20) : 11 Channels; IEEE 802.11n (HT40) : 7 Channels, |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Antenna:Integral Antenna and the maximum Gain of this antenna is 2.0dBi;Power AdapterModel No.: JHD-AP013U-050150BB-AInput: 100-240V, 50/60Hz, 0.35A; Output: 5V, 1500mA

- 1.4 Submitted Sample: 2 Samples
- 1.5 Test Duration 2016-07-16 to 2016-07-28
- 1.6 Test Uncertainty Conducted Emissions Uncertainty =3.6dB Radiated Emissions Uncertainty =4.7dB
- 1.7 Test Engineer

Terry lang

The sample tested by

Print Name: Terry Tang

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



| 2.0 Test Equipments | | | | | |
|------------------------|--------------|------------|-------------------|--------------|------------|
| Instrument Type | Manufacturer | Model | Serial No. | Date of Cal. | Due Date |
| ESPI Test Receiver | R&S | ESPI 3 | 100379 | 2015-08-22 | 2016-08-21 |
| TWO Line-V-NETW | R&S | EZH3-Z5 | 100294 | 2015-08-22 | 2016-08-21 |
| TWO Line-V-NETW | R&S | EZH3-Z5 | 100253 | 2015-08-22 | 2016-08-21 |
| Ultra Broadband ANT | R&S | HL562 | 100157 | 2015-08-23 | 2016-08-22 |
| ESDV Test Receiver | R&S | ESDV | 100008 | 2015-08-22 | 2016-08-21 |
| Impuls-Begrenzer | R&S | ESH3-Z2 | 100281 | 2015-08-22 | 2016-08-21 |
| System Controller | СТ | SC100 | - | | |
| Printer | EPSON | PHOTO EX3 | CFNH234850 | | |
| Computer | IBM | 8434 | 1S8434KCE99BLXLO* | - | - |
| Loop Antenna | EMCO | 6502 | 00042960 | 2015-08-23 | 2016-08-22 |
| ESPI Test Receiver | R&S | ESI26 | 838786/013 | 2015-08-22 | 2016-08-21 |
| 3m OATS | | | N/A | 2015-08-24 | 2016-08-23 |
| Horn Antenna | R&S | BBHA 9170 | BBHA9170265 | 2015-08-24 | 2016-08-23 |
| Horn Antenna | R&S | BBHA 9120D | 9120D-631 | 2015-08-24 | 2016-08-23 |
| Power meter | Anritsu | ML2487A | 6K00003613 | 2015-08-22 | 2016-08-21 |
| Power sensor | Anritsu | MA2491A | 32263 | 2015-08-22 | 2016-08-21 |
| Bilog Antenna | Schwarebeck | VULB9163 | 9163/340 | 2015-08-23 | 2016-08-21 |
| LISN | AFJ | LS16C | 10010947251 | 2015-08-22 | 2016-08-21 |
| LISN (Three Phase) | Schwarebeck | NSLK 8126 | 8126453 | 2015-08-23 | 2016-08-22 |
| 9*6*6 Anechoic | | | N/A | 2015-08-24 | 2016-08-23 |
| EMI Test Receiver | RS | ESCS30 | 100139 | 2015-08-22 | 2016-08-21 |

2.1

Auxiliary Equipment

| Name | Model No. | Rating | Manufacturer | FCC ID/DOC |
|----------|-----------|--------|--------------|------------|
| Passive | | | | |
| Earphone | | | | |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate



3. DESCRIPTION OF TEST MODES

IEEE 802.11b, 802.11g, 802.11n (HT20) mode

The EUT had been tested under operating condition. There are three channels have been tested as following:

| Channel | Frequency (MHz) |
|---------|-----------------|
| Low | 2412 |
| Middle | 2437 |
| High | 2462 |

IEEE 802.11b mode: 11Mbps data rate (worst case) was chosen for full testing. IEEE 802.11g mode: 54Mbps data rate (worst case) was chosen for full testing. IEEE 802.11n (HT20) mode: 6.5Mbps data rate (worst case) were chosen for full testing

IEEE 802.11n (HT40) mode

The EUT had been tested under operating condition. There are three channels have been tested as following:

| Channel | Frequency (MHz) |
|---------|-----------------|
| Low | 2422 |
| Middle | 2437 |
| High | 2452 |

IEEE 802.11n (HT40) mode: 6.5Mbps data rate (worst case) were chosen for full testing

The worst-case data rates are determined according to the description above, based on the investigations by measuring the PSD and average power across all the data rates, bandwidths, modulations and spatial stream modes.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



The EUT has been tested according to the following specifications:

3.0 **Technical Details**

3.1 Summary of test results

| Standard | Test Type | Result | Notes |
|---|----------------------------------|--------|----------|
| FCC Part 15, Paragraph 15.107 & 15.207 | Conducted Emission Test | PASS | Complies |
| | Spectrum bandwidth of a | | Complies |
| ECC Dout 15 Submont C | Orthogonal Frequency | | |
| FCC Part 15 Subpart C | Division Multiplex System | PASS | |
| Paragraph 15.247(a)(2) Limit | Limit: 6dB | | |
| | bandwidth>500kHz | | |
| FCC Part 15, Paragraph | Maximum peak output | | |
| 15.247(b) | power | PASS | Complies |
| 13.247(0) | Limit: max. 30dBm | | |
| FCC Part 15, Paragraph | Transmitter Radiated | PASS | Complies |
| 15.109,15.205 & 15.209 | Emission | | |
| | Limit: Table 15.209 | | |
| FCC Part 15, Paragraph | Power Spectral Density | PASS | Complies |
| 15.247(e) | Limit: max. 8dBm | | |
| FCC Part 15, Paragraph | Out of Band Emission and | PASS | Complies |
| 15.247(d) | Restricted Band | | |
| | Radiation | | |
| | Limit: 20dB less than | | |
| | peak value of fundamental | | |
| | frequency | | |
| | Restricted band limit: | | |
| | Table 15.209 | | |

3.2 **Test Standards**

FCC Part 15 Subpart & Subpart C, Paragraph 15.247 and ANSI C63.4:2014 AND ANSI C63.10:2013

4.0 **EUT Modification**

No modification by SHENZHEN TIMEWAY TESTING LABORATORIES

The report refers only to the sample tested and does not apply to the bulk.


This report refers only to the sample tested and does not apply to the bluk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.



5.0 Power Line Conducted Emission Test

5.1 Schematics of the test




5.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.4-2014. The Frequency spectrum From 0.15MHz to 30MHz was investigated. The LISN used was 50ohm/50uH as specified by section 5.1 of ANSI C63.4-2014.

Test Voltage: 120V~, 60Hz

Block diagram of Test setup



5.3 Configuration of The EUT

The EUT was configured according to ANSI C63.4-2014. All interface ports were connected to the appropriate peripherals. All peripherals and cables are listed below.

| Device | Manufacturer | Model | FCC ID |
|-----------|------------------------------|----------------------|-----------|
| Tablet PC | Shenzhen Jingwah Information | W109R, P1003, P1010, | RBD-W109R |
| | Technology Co., Ltd. | A1000X | KDD-W109K |

B. Internal Device

EUT

| Device | Manufacturer | Model | FCC ID/DOC |
|--------|--------------|-------|------------|
| N/A | | | |

C. Peripherals

| Device | Manufacturer | Model | FCC ID/DOC | Cable |
|--------|--------------|-------|------------|-------|
| | | | | |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



- 5.4 EUT Operating Condition
- Operating condition is according to ANSI C63.4-2014.
- A Setup the EUT and simulators as shown on follow
- B Enable AF signal and confirm EUT active to normal condition

5.5 Power line conducted Emission Limit according to Paragraph 15.207 and 15.107

| Frequency | Class A Limits (dB µ V) | | Class B Limits (dB µ V) | | | |
|-------------------|-------------------------|---------------|-------------------------|---------------|--|--|
| (MHz) | Quasi-peak Level | Average Level | Quasi-peak Level | Average Level | | |
| $0.15~\sim~0.50$ | 79.0 | 66.0 | 66.0~56.0* | 56.0~46.0* | | |
| $0.50~\sim~5.00$ | 73.0 | 60.0 | 56.0 | 46.0 | | |
| $5.00~\sim~30.00$ | 73.0 | 60.0 | 60.0 | 50.0 | | |

Notes: 1. *Decreasing linearly with logarithm of frequency.

2. The tighter limit shall apply at the transition frequencies

5.6 Test Results

The frequency spectrum from 0.15MHz to 30MHz was investigated. All reading are quasi-peak values with a resolution bandwidth of 9kHz.


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



A: Conducted Emission on Live Terminal (150kHz to 30MHz) EUT Operating Environment Temperature: 26°C Humidity: 65%RH Atmospheric Pressure: 101 KPa EUT set Condition: Keep WIFI Transmitting Equipment Level: Class B Results: PASS Please refer to following diagram for individual



| No. Mk. | Freq. | Reading Level | | Measure- ment | | Over | | |
|---------|---------|------------------|-------|------------------|-------|--------|----------|---------|
| | MHz | dBuV | dB | dBuV | dBuV | dB | Detector | Comment |
| 1 | 22.3745 | 27.40 | 11.24 | 38.64 | 60.00 | -21.36 | QP | |
| 2 * | 22.3745 | 18.80 | 11.24 | 30.04 | 50.00 | -19.96 | AVG | |


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



B: Conducted Emission on Neutral Terminal (150kHz to 30MHz) EUT Operating Environment Temperature: 26°C Humidity: 65% RH Atmospheric Pressure: 101 KPa EUT set Condition: Keep WIFI Transmitting Equipment Level: Class B Results: Pass Please refer to following diagram for individual



| No. N | Mk. | Freq. | Reading Level | Correct Factor | Measure- ment | Limit | Over | | |
|-------|-----|---------|------------------|-------------------|------------------|-------|--------|----------|---------|
| | | MHz | dBuV | dB | dBuV | dBuV | dB | Detector | Comment |
| 1 ' | * | 0.7085 | 28.40 | 11.59 | 39.99 | 56.00 | -16.01 | QP | |
| 2 | | 0.7085 | 2.90 | 11.59 | 14.49 | 46.00 | -31.51 | AVG | |
| 3 | | 21.6164 | 32.20 | 11.20 | 43.40 | 60.00 | -16.60 | QP | |
| 4 | | 21.6164 | 17.60 | 11.20 | 28.80 | 50.00 | -21.20 | AVG | |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



6 Radiated Emission Test

6.1 Test Method and test Procedure:

- (1) The EUT was tested according to ANSI C63.10–2013. The radiated test was performed at Timeway Laboratory. This site is on file with the FCC laboratory division, Registration No.899988
- (2) The EUT, peripherals were put on the turntable which table size is 1m x 1.5 m, table high 0.8 m. All set up is according to ANSI C63.10–2013.
- (3) The frequency spectrum from 30 MHz to 25 GHz was investigated. All readings from 30 MHz to 1 GHz are Quasi-peak values with a resolution bandwidth of 120 kHz. For measurement above 1GHz, peak values with RBW=1MHz VBW=3MHz and PK detector. AV value with RBW=1MHz, VBW=3MHz and RMS detector. Measurements were made at 3 meters.
- (4) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (5) Maximizing procedure was performed on the six (6) highest emissions to ensure EUT compliance is with all installation combinations. All data was recorded in the peak detection mode. Quasi-peak readings was performed only when an emission was found to be marginal (within -4 dB of specification limit), and are distinguished with a "**QP**" in the data table.
- (6) The antenna polarization : Vertical polarization and Horizontal polarization.



- 6.2 Configuration of The EUT Same as section 5.3 of this report
- 6.3 EUT Operating Condition

Same as section 5.4 of this report.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



6.4 Radiated Emission Limit

All emission from a digital device, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strength specified below:

| Frequencies in restricted band | are complied to limit on | Paragraph 15 200 and 15 100 |
|--------------------------------|--------------------------|------------------------------|
| r requencies in resurcieu banu | are complied to milit of | r aragraph 15.209 and 15.109 |

| | - | |
|-----------------------|--------------|-------------------------------|
| Frequency Range (MHz) | Distance (m) | Field strength (dB μ V/m) |
| 30-88 | 3 | 40.0 |
| 88-216 | 3 | 43.5 |
| 216-960 | 3 | 46.0 |
| Above 960 | 3 | 54.0 |

Note: 1. RF Voltage (dBuV) = $20 \log RF$ Voltage (uV)

2. In the Above Table, the higher limit applies at the band edges.

3. Distance refers to the distance in meters between the measuring instrument antenna and the EUT

4. This is a handhold device. The radiated emissions should be tested under 3-axes position (Lying, Side, and Stand), After pre-test. It was found that the worse radiated emission was get at the lying position.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Test result General Radiated Emission Data and Harmonics Radiated Emission Data

Radiated Emission In Horizontal/Vertical (30MHz----1000MHz)

EUT set Condition: **Keep Transmitting**

Results:

Pass


| Frequency (MHz) | Level@3m (dB μ V/m) | Antenna Polarity | Limit@3m (dB µ V/m) |
|-----------------|-------------------------|------------------|---------------------|
| 396.000 | 37.69 | Н | 46.00 |
| 180.000 | 33.32 | Н | 43.50 |
| 84.840 | 26.34 | Н | 40.00 |
| 300.000 | 42.51 | Н | 46.00 |
| 180.000 | 37.78 | V | 43.50 |
| 84.840 | 35.88 | V | 40.00 |
| 683.080 | 39.78 | V | 46.00 |
| 35.320 | 34.09 | V | 40.00 |

The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bluk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any

discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.






Test Figure:

The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bluk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to





Test Figure:

The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bluk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



| _ | | | |
|-----------------|-------------------------|------------------|---------------------|
| Frequency (MHz) | Level@3m (dB μ V/m) | Antenna Polarity | Limit@3m (dB µ V/m) |
| 4824.00 | 51.28 (PK) | Н | 74(Peak)/ 54(AV) |
| 4824.00 | 51.32 (PK) | V | 74(Peak)/ 54(AV) |
| 7236.00 | | H/V | 74(Peak)/ 54(AV) |
| 9648.00 | | H/V | 74(Peak)/ 54(AV) |
| 12060 | | H/V | 74(Peak)/ 54(AV) |
| 14472 | | H/V | 74(Peak)/ 54(AV) |
| 16884 | | H/V | 74(Peak)/ 54(AV) |
| 19296 | | H/V | 74(Peak)/ 54(AV) |
| 21708 | | H/V | 74(Peak)/ 54(AV) |
| 24120 | | H/V | 74(Peak)/ 54(AV) |

Operation Mode: Transmitting under CH01 for 11g at 54Mbps

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

2. Remark "---" means that the emissions level is too low to be measured

3. For 802.11g mode 54Mbps

The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of accretion of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.



| Frequency (MHz) | Level@3m (dB μ V/m) | Antenna Polarity | Limit@3m (dB µ V/m) |
|-----------------|-------------------------|------------------|---------------------|
| 4874.00 | 50.82 (PK) | V | 74(Peak)/ 54(AV) |
| 4874.00 | 50.97 (PK) | Н | 74(Peak)/ 54(AV) |
| 7311.00 | | H/V | 74(Peak)/ 54(AV) |
| 9748.00 | | H/V | 74(Peak)/ 54(AV) |
| 12185 | | H/V | 74(Peak)/ 54(AV) |
| 14622 | | H/V | 74(Peak)/ 54(AV) |
| 17059 | | H/V | 74(Peak)/ 54(AV) |
| 19496 | | H/V | 74(Peak)/ 54(AV) |
| 21933 | | H/V | 74(Peak)/ 54(AV) |
| 24370 | | H/V | 74(Peak)/ 54(AV) |

Operation Mode: Transmitting under CH06 for 11g at 54Mbps

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

2. Remark "---" means that the emissions level is too low to be measured

3. For 802.11g mode 54 Mbps

Operation Mode: Transmitting under CH11 for 11g at 54Mbps

| L | 8 | 8 1 | |
|-----------------|-------------------------|------------------|---------------------|
| Frequency (MHz) | Level@3m (dB μ V/m) | Antenna Polarity | Limit@3m (dB µ V/m) |
| 4924 | 52.58 (PK) | Н | 74(Peak)/ 54(AV) |
| 4924 | 52.14 (PK) | V | 74(Peak)/ 54(AV) |
| 7368 | | H/V | 74(Peak)/ 54(AV) |
| 9848 | | H/V | 74(Peak)/ 54(AV) |
| 12310 | | H/V | 74(Peak)/ 54(AV) |
| 14772 | | H/V | 74(Peak)/ 54(AV) |
| 17234 | | H/V | 74(Peak)/ 54(AV) |
| 19696 | | H/V | 74(Peak)/ 54(AV) |
| 22158 | | H/V | 74(Peak)/ 54(AV) |
| 24620 | | H/V | 74(Peak)/ 54(AV) |

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

2. Remark "---" means that the emissions level is too low to be measured

3. For 802.11g mode at 54 Mbps


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Please refer to the following test plots for details:

CH01 for 11g at 54Mbps: Horizontal



CH01 for 11g at 54Mbps: Vertical


97.0 dBuV/n

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.





CH06 for 11g at 54Mbps: Vertical






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any

discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.







97.0 dBuV/m Qp: AVG: 47 -3 1000.000 2700.00 4400.00 6100.00 7800.00 9500.00 11200.00 12900.00 14600.00 18000.00 MHz

Note: For radiated Emissions from 18-25GHz, it is only the floor noise.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



| Frequency (MHz) | Level@3m (dB µ V/m) | Antenna Polarity | Limit@3m (dB µ V/m) |
|-----------------|---------------------|------------------|---------------------|
| 4824.00 | 50.82 (PK) | Н | 74(Peak)/ 54(AV) |
| 4824.00 | 50.59 (PK) | V | 74(Peak)/ 54(AV) |
| 7236.00 | | H/V | 74(Peak)/ 54(AV) |
| 9648.00 | | H/V | 74(Peak)/ 54(AV) |
| 12060 | | H/V | 74(Peak)/ 54(AV) |
| 14472 | | H/V | 74(Peak)/ 54(AV) |
| 16684 | | H/V | 74(Peak)/ 54(AV) |
| 19296 | | H/V | 74(Peak)/ 54(AV) |
| 21708 | | H/V | 74(Peak)/ 54(AV) |
| 24120 | | H/V | 74(Peak)/ 54(AV) |

Operation Mode: Transmitting under CH01 for 11b at 11Mbps

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

2. Remark "---" means that the emissions level is too low to be measured

3. For 802.11b mode 11Mbps

Operation Mode: Transmitting under CH06 for 11b at 11Mbps

| Frequency (MHz) | Level@3m (dB µ V/m) | Antenna Polarity | Limit@3m (dB µ V/m) |
|-----------------|---------------------|------------------|---------------------|
| | · · · · · · | 2 | |
| 4874.00 | 52.62 (PK) | Н | 74(Peak)/ 54(AV) |
| 4874.00 | 52.58 (PK) | V | 74(Peak)/ 54(AV) |
| 7311.00 | | H/V | 74(Peak)/ 54(AV) |
| 9748.00 | | H/V | 74(Peak)/ 54(AV) |
| 12185 | | H/V | 74(Peak)/ 54(AV) |
| 14622 | | H/V | 74(Peak)/ 54(AV) |
| 17059 | | H/V | 74(Peak)/ 54(AV) |
| 19496 | | H/V | 74(Peak)/ 54(AV) |
| 21933 | | H/V | 74(Peak)/ 54(AV) |
| 24370 | | H/V | 74(Peak)/ 54(AV) |

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

2. Remark "---" means that the emissions level is too low to be measured

3. For 802.11b mode 11Mbps

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



| Frequency (MHz) | Level@3m (dB μ V/m) | Antenna Polarity | Limit@3m (dB µ V/m) |
|-----------------|-------------------------|------------------|---------------------|
| 4924 | 51.29 (PK) | Н | 74(Peak)/ 54(AV) |
| 4924 | 51.13 (PK) | V | 74(Peak)/ 54(AV) |
| 7368 | | H/V | 74(Peak)/ 54(AV) |
| 9848 | | H/V | 74(Peak)/ 54(AV) |
| 12310 | | H/V | 74(Peak)/ 54(AV) |
| 14772 | | H/V | 74(Peak)/ 54(AV) |
| 17234 | | H/V | 74(Peak)/ 54(AV) |
| 19696 | | H/V | 74(Peak)/ 54(AV) |
| 22158 | | H/V | 74(Peak)/ 54(AV) |
| 24620 | | H/V | 74(Peak)/ 54(AV) |

Operation Mode: Transmitting under CH11 for 11b at 11Mbps

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

2. Remark "---" means that the emissions level is too low to be measured

3. For 802.11b mode at 11Mbps

The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of accretion of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to


adopt any other remedies which may be appropriate.




Please refer to the following test plots for details:

CH01 for 11b at 11Mbps: Horizontal

97.0 dBuV/m



CH01 for 11b at 11Mbps: Vertical




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any

discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Page 26 of 103



CH06 for 11b at 11Mbps: Horizontal


97.0 dBuV/m Qp: AVG: 47 -3 18000.00 MHz 1000.000 2700.00 4400.00 6100.00 7800.00 9500.00 11200.00 12900.00 14600.00

The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bluk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any


discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.





CH11 for 11b at 11Mbps: Vertical





Note: For radiated Emissions from 18-25GHz, it is only the floor noise.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



| Frequency (MHz) | Level@3m (dB µ V/m) | Antenna Polarity | Limit@3m (dB µ V/m) |
|-----------------|---------------------|------------------|---------------------|
| 4824.00 | 51.85 (PK) | Н | 74(Peak)/ 54(AV) |
| 4824.00 | 51.10 (PK) | V | 74(Peak)/ 54(AV) |
| 7236.00 | | H/V | 74(Peak)/ 54(AV) |
| 9648.00 | | H/V | 74(Peak)/ 54(AV) |
| 12060 | | H/V | 74(Peak)/ 54(AV) |
| 14472 | | H/V | 74(Peak)/ 54(AV) |
| 16684 | | H/V | 74(Peak)/ 54(AV) |
| 19296 | | H/V | 74(Peak)/ 54(AV) |
| 21708 | | H/V | 74(Peak)/ 54(AV) |
| 24120 | | H/V | 74(Peak)/ 54(AV) |

Operation Mode: Transmitting under CH01 for 11n HT20 at 6.5Mbps

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

2. Remark "---" means that the emissions level is too low to be measured

3. For 802.11n (HT20) mode 6.5Mbps

Operation Mode: Transmitting under CH06 for 11n HT20 at 6.5Mbps

| 1 | 8 | | 1 |
|-----------------|-------------------------|------------------|---------------------|
| Frequency (MHz) | Level@3m (dB μ V/m) | Antenna Polarity | Limit@3m (dB µ V/m) |
| 4874.00 | 50.54 (PK) | Н | 74(Peak)/ 54(AV) |
| 4874.00 | 50.69 (PK) | V | 74(Peak)/ 54(AV) |
| 7311.00 | | H/V | 74(Peak)/ 54(AV) |
| 9748.00 | | H/V | 74(Peak)/ 54(AV) |
| 12185 | | H/V | 74(Peak)/ 54(AV) |
| 14622 | | H/V | 74(Peak)/ 54(AV) |
| 17059 | | H/V | 74(Peak)/ 54(AV) |
| 19496 | | H/V | 74(Peak)/ 54(AV) |
| 21933 | | H/V | 74(Peak)/ 54(AV) |
| 24370 | | H/V | 74(Peak)/ 54(AV) |

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

2. Remark "---" means that the emissions level is too low to be measured

3. For 802.11n (HT20) mode 6.5Mbps

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



| operation from the similar guider of the first and operations | | | |
|---|-------------------------|------------------|---------------------|
| Frequency (MHz) | Level@3m (dB μ V/m) | Antenna Polarity | Limit@3m (dB µ V/m) |
| 4924 | 52.69 (PK) | Н | 74(Peak)/ 54(AV) |
| 4924 | 52.64 (PK) | V | 74(Peak)/ 54(AV) |
| 7368 | | H/V | 74(Peak)/ 54(AV) |
| 9848 | | H/V | 74(Peak)/ 54(AV) |
| 12310 | | H/V | 74(Peak)/ 54(AV) |
| 14772 | | H/V | 74(Peak)/ 54(AV) |
| 17234 | | H/V | 74(Peak)/ 54(AV) |
| 19696 | | H/V | 74(Peak)/ 54(AV) |
| 22158 | | H/V | 74(Peak)/ 54(AV) |
| 24620 | | H/V | 74(Peak)/ 54(AV) |

Operation Mode: Transmitting under CH11 for 11n HT20 at 6.5Mbps

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

2. Remark "---" means that the emissions level is too low to be measured


3. For 802.11n (HT20) mode 6.5Mbps

The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of accretion of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to


adopt any other remedies which may be appropriate.






Please refer to the following test plots for details:

CH01 for 11n HT20 at 6.5Mbps: Horizontal






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to





CH06 for 11n HT20 at 6.5Mbps: Vertical

CH06 for 11n HT20 at 6.5Mbps: Horizontal


97.0 dBuV/n

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.





CH11 for 11n HT20 at 6.5Mbps: Vertical

CH11 for 11n HT20 at 6.5Mbps: Horizontal



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



| Frequency (MHz) | Level@3m (dB µ V/m) | Antenna Polarity | Limit@3m (dB µ V/m) |
|-----------------|---------------------|------------------|---------------------|
| 4844.00 | 49.51 (PK) | Н | 74(Peak)/ 54(AV) |
| 4844.00 | 49.27 (PK) | V | 74(Peak)/ 54(AV) |
| 7266.00 | | H/V | 74(Peak)/ 54(AV) |
| 9688.00 | | H/V | 74(Peak)/ 54(AV) |
| 12110 | | H/V | 74(Peak)/ 54(AV) |
| 14532 | | H/V | 74(Peak)/ 54(AV) |
| 16954 | | H/V | 74(Peak)/ 54(AV) |
| 19376 | | H/V | 74(Peak)/ 54(AV) |
| 21798 | | H/V | 74(Peak)/ 54(AV) |
| 24220 | | H/V | 74(Peak)/ 54(AV) |

Operation Mode: Transmitting under CH01 for 11n HT40 at 6.5Mbps

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

2. Remark "---" means that the emissions level is too low to be measured

3. For 802.11n (HT40) mode 6.5Mbps

Operation Mode: Transmitting under CH04 for 11n HT40 at 6.5Mbps

| 1 | 8 | | 1 |
|-----------------|-------------------------|------------------|---------------------|
| Frequency (MHz) | Level@3m (dB μ V/m) | Antenna Polarity | Limit@3m (dB µ V/m) |
| 4874.00 | 49.66 (PK) | Н | 74(Peak)/ 54(AV) |
| 4874.00 | 49.46 (PK) | V | 74(Peak)/ 54(AV) |
| 7311.00 | | H/V | 74(Peak)/ 54(AV) |
| 9748.00 | | H/V | 74(Peak)/ 54(AV) |
| 12185 | | H/V | 74(Peak)/ 54(AV) |
| 14622 | | H/V | 74(Peak)/ 54(AV) |
| 17059 | | H/V | 74(Peak)/ 54(AV) |
| 19496 | | H/V | 74(Peak)/ 54(AV) |
| 21933 | | H/V | 74(Peak)/ 54(AV) |
| 24370 | | H/V | 74(Peak)/ 54(AV) |

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

2. Remark "---" means that the emissions level is too low to be measured

3. For 802.11n (HT40) mode 6.5Mbps

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



| Frequency (MHz) | Level@3m (dB µ V/m) | Antenna Polarity | Limit@3m (dB µ V/m) |
|-----------------|---------------------|------------------|---------------------|
| 4904 | 48.82 (PK) | Н | 74(Peak)/ 54(AV) |
| 4904 | 50.08 (PK) | V | 74(Peak)/ 54(AV) |
| 7356 | | H/V | 74(Peak)/ 54(AV) |
| 9808 | | H/V | 74(Peak)/ 54(AV) |
| 12260 | | H/V | 74(Peak)/ 54(AV) |
| 14712 | | H/V | 74(Peak)/ 54(AV) |
| 17164 | | H/V | 74(Peak)/ 54(AV) |
| 19616 | | H/V | 74(Peak)/ 54(AV) |
| 22068 | | H/V | 74(Peak)/ 54(AV) |
| 24520 | | H/V | 74(Peak)/ 54(AV) |

Operation Mode: Transmitting under CH07 for 11n HT40 at 6.5Mbps

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

2. Remark "---" means that the emissions level is too low to be measured


3. For 802.11n (HT40) mode 6.5Mbps

The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of accretion of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to


adopt any other remedies which may be appropriate.






Please refer to the following test plots for details:

CH01 for 11n HT40 at 6.5Mbps: Horizontal






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to





CH04 for 11n HT40 at 6.5Mbps: Vertical

CH04 for 11n HT40 at 6.5Mbps: Horizontal


97.0 dBuV/n

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.





CH07 for 11n HT40 at 6.5Mbps: Vertical

CH07 for 11n HT40 at 65Mbps: Horizontal



Note: For radiated Emissions from 18-25GHz, it is only the floor noise.


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



7.0 6dB Bandwidth Measurement

7.1 Test Setup



7.2 Limits of 6dB Bandwidth Measurement

The minimum of 6dB Bandwidth Measurement is >500 kHz

7.3 Test Procedure

- 1. Set resolution bandwidth (RBW) = 100 kHz
- 2. Set the video bandwidth (VBW) \ge 3 x RBW.
- 3. Detector = Peak.
- 4. Trace mode = max hold.
- 5. Sweep = auto couple.
- 6. Allow the trace to stabilize.

7. Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.

7.4 Test Result

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



6dB Occupied Bandwidth


| EUT | | Tab | let PC | | Model | | W | 109R |
|-------------|--|-----------------------|------------------------------------|------|----------------------|---|------------------------|------------|
| Mode | | 802 | 2.11b | | Input Voltage | | DC | C3.7V |
| Temperature | | 24 c | leg. C, | | Humidity | | 56 | % RH |
| Channel | | el Frequency (MHz) | Data Transfer Rate (Mbps) | 6 dI | 3 Bandwidth (MHz) | N | linimum Limit (MHz) | Pass/ Fail |
| 1 | | 2412 | 1 | | 10.04 | | 0.5 | Pass |
| 6 | | 2437 | 1 | | 10.04 | | 0.5 | Pass |
| 11 | | 2462 | 1 | | 10.04 | | 0.5 | Pass |
| 1 | | 2412 | 11 | | 9.32 | | 0.5 | Pass |
| 6 | | 2437 | 11 | | 9.32 | | 0.5 | Pass |
| 11 | | 2462 | 11 | | 9.32 | | 0.5 | Pass |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate



Page 40 of 103

1. 802.11b at 1Mbps of CH01




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and does not apply to the buik. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 41 of 103

2. 802.11b at 1Mbps of CH06




The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bluk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 42 of 103

3. 802.11b at 1Mbps of CH11




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and does not apply to the buik. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 43 of 103

4. 802.11b at 11Mbps of CH01




The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bluk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any



Page 44 of 103

5. 802.11b at 11Mbps of CH06




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and does not apply to the buik. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 45 of 103

6. 802.11b at 11Mbps of CH11



The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bluk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any



6dB Occupied Bandwidth


| EUT | UT Tal | | let PC | | Model | | W109R | |
|----------|--------|-----------------------|------------------------------------|-------|----------------------|---|------------------------|------------|
| Mode | | 80 | 2.11g | | Input Voltage | | DC | 23.7V |
| Temperat | ure | 24 0 | leg. C, | | Humidity | | 569 | % RH |
| Channel | | el Frequency (MHz) | Data Transfer Rate (Mbps) | 6 dE | B Bandwidth (MHz) | М | linimum Limit (MHz) | Pass/ Fail |
| 1 | | 2412 | 54 | 16.41 | | | 0.5 | Pass |
| 6 | 2437 | | 54 | 16.41 | | | 0.5 | Pass |
| 11 | | 2462 | 54 | | 16.41 | | 0.5 | Pass |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate



Page 47 of 103

Test Plots: 1. 802.11g at 54Mbps of CH01




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 48 of 103

2. 802.11g at 54Mbps of CH06




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 49 of 103

3. 802.11g at 54Mbps of CH11



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




6dB Occupied Bandwidth

| EUT | | Table | et PC | | Model | | W | 109R |
|-----------|------|-----------------------|------------------------------------|-------|-----------------------|---|------------------------|------------|
| Mode | | 802.11 | n HT20 | | Input Voltage | | DC | 23.7V |
| Temperate | ure | 24 de | eg. C, | | Humidity | | 56% | % RH |
| Channel | | el Frequency (MHz) | Data Transfer Rate (Mbps) | 6 | dB Bandwidth (MHz) | N | linimum Limit (MHz) | Pass/ Fail |
| 1 | | 2412 | 6.5M | 17.56 | | | 0.5 | Pass |
| 6 | 2437 | | 6.5M | 17.56 | | | 0.5 | Pass |
| 11 | 2462 | | 6.5M | | 17.56 | | 0.5 | Pass |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate



Test Plots: 1. 802.11n at HT20 of CH01




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 52 of 103

2. 802.11n at HT20 of CH06




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 53 of 103

3. 802.11n at HT20 of CH11



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to




6dB Occupied Bandwidth

| EUT | | Table | et PC | | Model | W10 | 9R |
|----------|------|-----------------------|------------------------------------|---|-----------------------|------------------------|------------|
| Mode | | 802.11 | n HT40 | | Input Voltage | DC3. | 7V |
| Temperat | ure | 24 de | eg. C, | | Humidity | 56% | RH |
| Channel | | el Frequency (MHz) | Data Transfer Rate (Mbps) | 6 | dB Bandwidth (MHz) | Minimum Limit (MHz) | Pass/ Fail |
| 1 | | 2422 | 6.5M | | 35.39 | 0.5 | Pass |
| 4 | 2437 | | 6.5M | | 35.39 | 0.5 | Pass |
| 7 | | 2452 | 6.5M | | 35.39 | 0.5 | Pass |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate



Test Plots: 1. 802.11n at HT40 of CH01




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 56 of 103

2. 802.11n at HT40 of CH04




The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bluk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any



Page 57 of 103

3. 802.11n at HT40 of CH07




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and does not apply to the buik. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



8. Maximum Output Power

8.1 Test Setup



8.2 Limits of Maximum Output Power

The Maximum Output Power Measurement is 30dBm.

8.3 Test Procedure

The RF power output was measured with a Power meter connected to the RF Antenna connector (conducted measurement) while EUT was operating in transmit mode at the appropriate centre frequency.

Note: the Peak power were measured.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



8.4Test Results

| EUT | EUT Tablet PC | | 2 | Model | | W109R | |
|----------|-------------------------------|-----------|----------------------------|----------|------|--------------------|------------|
| Mode | Mode 802.11b | | Input Voltage | | ge | DC3.7V | |
| Temperat | ure | 24 deg. C | ', | Humidity | lity | | 56% RH |
| Channel | el Channel Frequency (MHz) | | Max. Power Output (dBm) | | Po | wer Limit (dBm) | Pass/ Fail |
| 1 | 2412 | | 9.08 | | 30 | | Pass |
| 6 | 2437 | | 9.45 | | 30 | | Pass |
| 11 | 2462 | | | 9.67 | | 30 | Pass |

Note: 1. At finial test to get the worst-case emission at 11Mbps for CH01, CH06 and CH11

2. The result basic equation calculation as follow:

Max. Power Output = Power Reading + Cable loss + Attenuator

3. The worse case was recorded

| EUT | EUT Tablet PC | | | Model | | | W109R |
|----------|-------------------------------|------------|----------------------------|----------|----|---------------------|------------|
| Mode | Mode 802.11g | | Input Voltage | | e |] | DC3.7V |
| Temperat | ure | 24 deg. C, | | Humidity | | 4 | 56% RH |
| Channel | el Channel Frequency (MHz) | | Max. Power Output (dBm) | | Р | ower Limit (dBm) | Pass/ Fail |
| 1 | | 2412 | 5.93 | | 30 | | Pass |
| 6 | 2437 | | 6.20 | | 30 | | Pass |
| 11 | 2462 | | | 6.52 | | 30 | Pass |

Note: 1. At finial test to get the worst-case emission at 54Mbps for CH01, CH06 and CH11

2. The result basic equation calculation as follow:

Max. Power Output = Power Reading + Cable loss + Attenuator

3. The worse case was recorded

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



| EUT | EUT Tablet PC | | | Model | | | W109R | |
|----------|----------------------------|------------|-------------------------|----------|---|----------------------|------------|--|
| Mode | Mode 802.11n (HT2 | | 20) Input Voltage | | ; | DC3.7V | | |
| Temperat | ure | 24 deg. C, | | Humidity | 4 | | 56% RH | |
| Channel | Channel Frequency (MHz) | | Max. Power Output (dBm) | | F | Power Limit (dBm) | Pass/ Fail | |
| 1 | | 2412 | 6.06 | | | 30 | Pass | |
| 6 | 2437 | | | 6.36 | | 30 | Pass | |
| 11 | 2462 | | | 6.59 | | 30 | Pass | |

Note: 1. At finial test to get the worst-case emission at 6.5Mbps of 11n HT20 for CH01, CH06 and CH11

2. The result basic equation calculation as follow:

Max. Power Output = Power Reading + Cable loss + Attenuator

3. The worse case was recorded

| EUT | EUT Tablet PC | | | Model | | | W109R |
|-----------|-----------------------------|--------------------------|------------------------------|---------------|----------------------|------------|--------|
| Mode | | 802.11n (HT ² | 40) | Input Voltage | |] | DC3.7V |
| Temperate | ure | 24 deg. C, | | Humidity | | 56% RH | |
| Channel | tel Channel Frequency (MHz) | | Max. Power Output I (dBm) | | Power Limit (dBm) | Pass/ Fail | |
| 1 | | 2422 | 6.19 | | | 30 | Pass |
| 4 | 2437 | | 6.40 | | | 30 | Pass |
| 7 | 2452 | | | 6.56 | | 30 | Pass |

Note: 1. At finial test to get the worst-case emission at 6.5Mbps of 11n HT40 for CH01, CH04 and CH7

- 2. The result basic equation calculation as follow:
 - Max. Power Output = Power Reading + Cable loss + Attenuator
- 3. The worse case was recorded


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



9. Power Spectral Density Measurement

9.1 Test Setup



9.2 Limits of Power Spectral Density Measurement

The Maximum Power Spectral Density Measurement is 8dBm.

9.3 Test Procedure

1. Use this procedure when the maximum peak conducted output power in the fundamental emission is used to demonstrate compliance.

- 2. Set the RBW = 10 kHz.
- 3. Set the VBW \geq 30 kHz.
- 4. Set the span to 1.5 times the DTS channel bandwidth.
- 5. Detector = peak.
- 6. Sweep time = auto couple.
- 7. Trace mode = max hold.
- 8. Allow trace to fully stabilize.
- 9. Use the peak marker function to determine the maximum amplitude level.
- 10. If measured value exceeds limit, reduce RBW (no less than 3 kHz) and repeat.
- 11. The resulting peak PSD level must be ≤ 8 dBm.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



9.4Test Result

| EUT | | Tablet PC | | Model | Model | | W109R |
|----------|---------|-----------------|------|---------------|----------|-------------|------------|
| Mode | | 802.11b 11Mbps | | Input Voltage | | DC3.7V | |
| Temperat | ure | 24 deg. C. | , | Humidity | Humidity | | 6% RH |
| Channel | Cha | annel Frequency | Fina | l RF Power | Max | kimum Limit | Pass/ Fail |
| Channel | | (MHz) | Lev | vel (dBm) | | (dBm) | |
| | | | | | | | |
| | | | | 11Mbps | | | |
| 1 | | 2412 | | -15.00 | | 8 | Pass |
| 6 | 2437 | | | -14.72 | | 8 | Pass |
| 11 | 11 2462 | | | -14.65 | | 8 | Pass |

| EUT | | Tablet PC | | Model | Model | | W109R |
|----------|--------|--------------------------|----------------------------------|--------------|---------------|----------------------|------------|
| Mode | | 802.11b 1Mbps | | Input Voltag | Input Voltage | | DC3.7V |
| Temperat | ure | 24 deg. C | , | Humidity | | 56% RH | |
| Channel | Cha | annel Frequency (MHz) | Final RF Power Level in (dBm) | | Max | ximum Limit (dBm) | Pass/ Fail |
| | I | / | | | I | | |
| | | | | 1Mbps | | | |
| 1 | | 2412 | | -16.18 | | 8 | Pass |
| 6 | 6 2437 | | | -15.52 | | 8 | Pass |
| 11 2462 | | | -15.84 | | 8 | Pass | |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate



| EUT | | Tablet PC | | Model | | W109R | | |
|----------|------------------------------------|----------------|----------------------------------|---------------|----|-----------------------|------------|--|
| Mode | | 802.11g 54Mbps | | Input Voltage | | DC3.7V | | |
| Temperat | ure | 24 deg. C, | | Humidity | | 56% RH | | |
| Channel | Channel Channel Frequency (MHz) | | Final RF Power Level in (dBm) | | Ma | aximum Limit (dBm) | Pass/ Fail | |
| | | | | 54Mbps | | | | |
| 1 | | 2412 | | -23.39 | | 8 | Pass | |
| 6 | 2437 | | -23.26 | | 8 | Pass | | |
| 11 | 11 2462 | | | -23.21 | | 8 | Pass | |

| EUT | | Tablet PC | | Model | | W109R | | |
|----------|----------------------|---------------------|---------------------|-------------|-------|--------------|------------|--|
| Mode | Mode 802.11n HT20 6. | | 5Mbps Input Voltage | | | DC3.7V | | |
| Temperat | ure | 24 deg. C, Humidity | | 56 | 5% RH | | | |
| Channel | Cha | annel Frequency | Final RF Power | | Μ | aximum Limit | Pass/ Fail | |
| Chaimer | | (MHz) | L | Level (dBm) | | (dBm) | | |
| | | | | HT20 | | | | |
| 1 | | 2412 | | -22.35 | | 8 | Pass | |
| 6 | 2437 | | | -22.51 | | 8 | Pass | |
| 11 | | 2462 | | -21.96 | | 8 | Pass | |

| EUT | | Tablet PC | | Model | | W109R | |
|-------------|-------------------|--------------|----------------|---------------|-------|---------------|------------|
| Mode | | 802.11n HT40 | | Input Voltage | | DC3.7V | |
| | | 6.5Mbps | | | | | |
| Temperature | | 24 deg. C, | | Humidity | | 569 | % RH |
| Channel | Channel Frequency | | Final RF Power | | N | Iaximum Limit | Pass/ Fail |
| | (MHz) | | Level (dBm) | | (dBm) | | |
| HT40 | | | | | | | |
| 1 | 2422 | | -25.37 | | | 8 | Pass |
| 4 | 2437 | | -25.21 | | 8 | | Pass |
| 7 | 2452 | | | -25.23 | | 8 | Pass |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate


adopt any other remedies which may be appropriate.



Page 64 of 103

9.5 Photo of Power Spectral Density Measurement

1.802.11b at 11Mbps of CH01




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 65 of 103

2. 802.11b at 11Mbps at CH06




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 66 of 103

3. 802.11b at 11Mbps of CH11




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 67 of 103

4. 802.11b at 1Mbps of CH1




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 68 of 103

5. 802.11b at 1Mbps of CH6




The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bluk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 69 of 103

6. 802.11b at 1Mbps of CH11




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 70 of 103

7. 802.11g at 54Mbps of CH1




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 71 of 103

8. 802.11g at 54Mbps of CH6




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 72 of 103

9. 802.11g at 54Mbps of CH11




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 73 of 103

10. 802.11n at HT20 of CH01




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 74 of 103

11. 802.11n at HT20 of CH06



The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Page 75 of 103

12. 802.11n at HT20 of CH11




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 76 of 103

13. 802.11n at HT40 of CH01



The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Page 77 of 103

14. 802.11n at HT40 of CH04




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 78 of 103

15. 802.11n at HT40 of CH07




The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bluk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



10 Out of Band Measurement

10.1 Test Setup for band edge



The restricted band requirement based on radiated emission test; please see the clause 6 for the test setup

10.2 Limits of Out of Band Emissions Measurement

- 1. Below –20dB of the highest emission level of operating band (in 100kHz Resolution Bandwidth).
- 2. Fall in the restricted bands listed in section 15.205. The maximum permitted average field strength is listed in section 15.209.

10.3 Test Procedure

For signals in the restricted bands above and below the 2.4-2.483GHz allocated band a measurement was made of radiated emission test.(Peak values with RBW=VBW=1MHz and PK detector. AV value with RBW=1MHz, VBW=1MHz and RMS detector)

For bandage test, the spectrum set as follows: RBW=100, VBW=300 kHz. A conducted measurement used

10.4 Test Result

Please see next pages

Note: 1. this is a handhold device. The radiated emissions should be tested under 3-axes position (Lying, Side, and Stand), after pre-test. It was found that the worse radiated emission was get at the lying position. the worse case was recorded

2. For band-edge measurement, the frequency from 30MHz-25GHz was tested. And It met the FCC rule.

3. Horizontal and Vertical Polarity were invested and only worse case was recorded.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




For 802.11b mode

CH01 at 11Mbps

Band-edge and Restricted band Measurement 10.4

| EUT | Ta | ıblet PC | Model | W109R |
|--------------|--------------------|----------------|---------------|------------|
| Mode | Keeping | g Transmitting | Input Voltage | DC3.7V |
| Temperature | 24 | deg. C, | Humidity | 56% RH |
| Test Result: | | Pass | Detector | РК |
| 2400 | PK (dBµV/m) | 55.7 | T insid | 74(dBµV/m) |
| | AV ($dB\mu V/m$) | 36.2 | Limit | 54(dBµV/m) |
| 2390 | PK (dBµV/m) | 42.1 | Limit | 74(dBµV/m) |
| | AV ($dB\mu V/m$) | | | 54(dBµV/m) |

Test Figure:



Note: The Max. FS in Restrict Band are measured in conventional method.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



CH11 at 11Mbps

10.4 Band-edge and Restricted band Measurement

| TUT Dana cage | | | | | |
|---------------|-------------|-----------------------|------------------------|-----------------------------------|-----|
| EUT | | ablet PC | Model | W109R | |
| Mode | - | g Transmitting | Input Voltage | DC3.7V | |
| Temperature | 24 | 4 deg. C, | Humidity | 56% RH | |
| Test Result: | | Pass | Detector | РК | |
| 2483.5 | PK (dBµV/m) | 42.9 | T • •/ | 74(dBµV/m) | |
| | AV (dBµV/m) | | Limit | 54(dBµV/m) | |
| Test Figure: | L | | | | |
| Ref L | vl | <pre>cer 1 [T1]</pre> | RBW 100 k VBW 300 k | Hz | |
| 10 d: 10 | Bm | 2.46232465 GHz | SWT 12.5 m | s Unit dBm | |
| | | | ▼1 | [T1] -4.35 dBm 2.46232465 GHz | A |
| 0 | hunny | Mure 1 | ₹2 | [T1] -62.76 dBm 2.48350000 GHz | |
| -10 | Marine | - Verta Ver | | | |
| -20 | | | | | LMA |
| -30 | | | | | |
| -40 | | I I I I | | | |
| -60 | | | Maria and | | |
| | | | "WM Whyten | and all manufalling the second | |
| -70 | | | | | |
| - 8 0 | | | | | |
| -90 Start | 2.45 GHz | 5 M | Hz/ | Stop 2.5 GHz | |

Note: The Max. FS in Restrict Band are measured in conventional method.

The report refers only to the sample tested and does not apply to the bulk.

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of accented and one with parts accented to the sentence. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to




For 802.11b mode

CH01 at 1Mbps

Band-edge and Restricted band Measurement 10.4

| EUT | Та | blet PC | Model | W109R |
|--------------|--------------------|--------------|---------------|------------|
| Mode | Keeping | Transmitting | Input Voltage | DC3.7V |
| Temperature | 24 | deg. C, | Humidity | 56% RH |
| Test Result: | | Pass | Detector | РК |
| 2400 | PK (dBµV/m) | 54.9 | Limit | 74(dBµV/m) |
| | AV ($dB\mu V/m$) | 35.1 | Limit | 54(dBµV/m) |
| 2390 | PK (dBµV/m) | 41.7 | Limit | 74(dBµV/m) |
| | AV (dBµV/m) | | Limit | 54(dBµV/m) |

Test Figure:



Note: The Max. FS in Restrict Band are measured in conventional method.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



CH11 at 1Mbps

10.4 Band-edge and Restricted band Measurement

| EUT | | ablet PC | Mod | el | | V | V109R | |
|---------------|--------------------|---|----------|----------------------------|----------|----------------|--------------------|-----|
| Mode | Keepin | g Transmitting | Input Vo | ltage | | D | C3.7V | |
| Temperature | 24 deg. C, | | Humidity | | | 50 | 6% RH | |
| Test Result: | | Pass | Detec | tor | | | PK | |
| 2483.5 | PK (dBµV/m) | 42.5 | I inst | | | 74(| dBµV/m) | |
| | AV ($dB\mu V/m$) | | Limi | It | | 54(| dBµV/m) | |
| Test Figure: | | | | | | | | |
| Ref L 10 d | vl | ter 1 [T1] -5.80 dBm 2.46242485 GHz | VBW | 100 kH 300 kH 2.5 ms | Iz | F Att nit | 20 dB dBm | |
| | | | | ▼1 | [T1] | -5 2.46242 | .80 dBm 485 GHz | A |
| -10 | | | | ¥2 | [T1] | -63 2.48350 | .64 dBm 000 GHz | |
| -20 | Mar V | | | | | | | |
| -30 | <i>V</i> | | | | | | | 1MA |
| -40 | | \ \ | | | | | | |
| -50 | | | 4 | | | | | |
| -60 | | | Madda . | 2 | | | | |
| -70 | | | | Uninu | -huh Uhn | holeshar | more | |
| -80 | | | | | | | | |
| -90 | | | | | | | | |
| Start | 2.45 GHz | 5 M | Hz/ | | | Stop | 2.5 GHz | |

Note: The Max. FS in Restrict Band are measured in conventional method.

The report refers only to the sample tested and does not apply to the bulk.

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of accented and one with parts accented to the sentence. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to




For 802.11g mode

CH01 at 54Mbps

Band-edge and Restricted band Measurement 10.4

| EUT | Ta | ablet PC | Model | W109R |
|--------------|--------------------|----------------|---------------|------------|
| Mode | Keeping | g Transmitting | Input Voltage | DC3.7V |
| Temperature | 24 | deg. C, | Humidity | 56% RH |
| Test Result: | | Pass | Detector | РК |
| 2400 | PK (dBµV/m) | 60.3 | Limit | 74(dBµV/m) |
| | AV ($dB\mu V/m$) | 41.6 | Limit | 54(dBµV/m) |
| 2390 | PK (dBµV/m) | 43.0 | Limit | 74(dBµV/m) |
| | AV ($dB\mu V/m$) | | Lillit | 54(dBµV/m) |

Test Figure:



Note: The Max. FS in Restrict Band are measured in conventional method.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



CH11 at 54Mbps

10.4 Band-edge and Restricted band Measurement

| EUT | Т | ablet PC | Мо | del | | V | V109R | |
|--------------|--------------------|--------------------------|------------|------------------|--------|----------------|--------------------|-----|
| Mode | Keepin | g Transmitting | Input V | /oltage | | D | C3.7V | |
| Temperature | 24 | 4 deg. C, | Humidity | | 56% RH | | | |
| Test Result: | | Pass | Dete | ector | | | РК | |
| 2483.5 | PK (dBµV/m) | 44.9 | Limit | | | 74(dBµ | V/m) | |
| | AV ($dB\mu V/m$) | | LIIIII | | | 54(dBµ | V/m) | |
| Test Figure: | | | | | | | | |
| Ref Ref | Lvl | ker 1 [T1] -13.39 dBm | RBW VBW | 100 ki 300 ki | Hz | F Att | 20 dB | |
| 10 10 | dBm | 2.46442886 GHz | SWT | 12.5 m | s Ui | nit | dBm | 1 |
| | | | | V 1 | [T1] | -13 2.46442 | .39 dBm 886 GHz | A |
| 0 | | | | ₹2 | [T1] | -64 2.48350 | .96 dBm 000 GHz | |
| -10 | | • | | | | | | |
| -20 | - Muluhuhuhuhu | Nohmally | | | | | | |
| 1MAX | | | | | | | | 1MA |
| - 30 | | | | | | | | |
| -40 | | | | | | | | |
| - 50 | | \ | | | | | | |
| - 6 0 | | | hy we have | | | | | |
| -00 | | | hur | Union | mall | Mum | mrun | |
| -70 | | | | | | | | |
| - 8 0 | | | | | | | | |
| -90 | | | | | | | | |
| Star | t 2.45 GHz | 5 M | Hz/ | | | Stop | 2.5 GHz | |

Note: The Max. FS in Restrict Band are measured in conventional method.

The report refers only to the sample tested and does not apply to the bulk.

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of accented and one with parts accented to the sentence. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to




For 802.11n (HT20) mode

CH01 at 6.5Mbps

10.4 Band-edge and Restricted band Measurement

| EUT | Та | ıblet PC | Model | W109R |
|--------------|--------------------|----------------|---------------|------------|
| Mode | Keeping | g Transmitting | Input Voltage | DC3.7V |
| Temperature | 24 | deg. C, | Humidity | 56% RH |
| Test Result: | | Pass | Detector | РК |
| 2400 | PK (dBµV/m) | 61.8 | Limit | 74(dBµV/m) |
| | AV ($dB\mu V/m$) | 42.6 | Limit | 54(dBµV/m) |
| 2390 | PK (dBµV/m) | 44.1 | Limit | 74(dBµV/m) |
| | AV ($dB\mu V/m$) | | Lillit | 54(dBµV/m) |

Test Figure:



Note: The Max. FS in Restrict Band are measured in conventional method.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



CH11 at 6.5Mbps

10.4 Band-edge and Restricted band Measurement

| IV.7 Danu-cuge | and Restricted b | and wiedsurement | | | | |
|----------------|--------------------|------------------------------------|---------------------------|-------------------|--|--|
| EUT | Tablet PC | | Model | W109R | | |
| Mode | Keepir | Keeping Transmitting 24 deg. C, | | DC3.7V 56% RH | | |
| Temperature | 2 | | | | | |
| Test Result: | | Pass | Detector | РК | | |
| 2483.5 | PK (dBµV/m) | 47.6 | T • •/ | 74(dBµV/m) | | |
| | AV ($dB\mu V/m$) | | Limit | 54(dBµV/m) | | |
| Test Figure: | • | • | | | | |
| | | ker 1 [T1] | RBW 100 kH | | | |
| Ref L 10 d | | -13.14 dBm 2.46442886 GHz | VBW 300 kH SWT 12.5 ms | | | |
| 10 | | 2.10112000 0112 | | | | |
| | | | ▼1 (| [T1] -13.14 dBm A | | |
| 0 | | | ₹2 [| [T1] -63.18 dBm | | |
| | | | | 2.48350000 GHz | | |
| -10 | Mulling Con | Muhhh | | | | |
| IMAX | V | | | IMA | | |
| -30 | | | | | | |
| -40 | | | | | | |

م **ا**سما

Stop 2.5 GHz

Start 2.45 GHz

-50

-60

-70

-80

-9

Note: The Max. FS in Restrict Band are measured in conventional method.

The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bluk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

5 MHz/




For 802.11n (HT40) mode

CH01 at 6.5Mbps

Band-edge and Restricted band Measurement 10.4

| EUT | Ta | ıblet PC | Model | W109R |
|--------------|--------------------|----------------|---------------|------------|
| Mode | Keeping | g Transmitting | Input Voltage | DC3.7V |
| Temperature | 24 | deg. C, | Humidity | 56% RH |
| Test Result: | | Pass | Detector | РК |
| 2400 | PK (dBµV/m) | 59.9 | Limit | 74(dBµV/m) |
| | AV ($dB\mu V/m$) | 40.5 | Limit | 54(dBµV/m) |
| 2390 | PK (dBµV/m) | 46.3 | Limit | 74(dBµV/m) |
| | AV ($dB\mu V/m$) | | Liint | 54(dBµV/m) |

Test Figure:



Note: The Max. FS in Restrict Band are measured in conventional method.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



CH7 at 6.5Mbps

10.4 Band-edge and Restricted band Measurement

| EUT | | iblet PC | Model | | W109R | | |
|-------------------|--------------------|------------------|------------|--------------|-----------------|------------|--|
| Mode | Keeping | g Transmitting | Input Volt | age | DC3.7V | | |
| Femperature | 24 | deg. C, | Humidit | Humidity | | 56% RH | |
| Test Result: | | Pass | Detecto | r | | РК | |
| 2483.5 | PK (dBµV/m) | 55.3 | T inst | | 7 | /4(dBµV/m) | |
| | AV ($dB\mu V/m$) | 36.2 | Limit | Γ | 5 | 54(dBµV/m) | |
| t Figure: | · | | | | | | |
| Real Contractions | Marke | r 1 [T1] | RBW 100 |) kHz | RF Att | 20 dB | |
| Ref Lv | | -15.87 dBm | |) kHz | | - | |
| 10 dB | m | 2.45567134 GHz | SWT 17.9 | 5 ms | Unit | dBm | |
| | | | | 1 [T: | | 5.87 dBm | |
| 0 | | | , | ▼2 [T] | 2.4556 1] –6 | | |
| | | | | V2 [T] | | 0000 GHz | |
| -10 | | | | | | | |
| | | 1 | | | | | |
| -20 | MALL MALA | Le mille and the | | | | | |
| 1MAX | | | | | | 1MA | |
| -30 | | W | | | | | |
| -40 | | | | | | | |
| | | | | | | | |
| -50 | | | | | | | |
| -60 | | | V | 1 mu | 2 | | |
| | | | | | hanne | unun | |
| -70 | | | | | | + | |
| | | | | | | | |
| -80 | | | | | | + | |
| | | | | | | | |
| -90 | | | | | | | |

Note: The Max. FS in Restrict Band are measured in conventional method.

The report refers only to the sample tested and does not apply to the bulk.

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of accented and one with parts accented to the sentence. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



11.0 Antenna Requirement

11.1 Standard Applicable

For intentional device, according to FCC 47 CFR Section 15.203, an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. And according to FCC 47 CFR Section 15.247 (b), if transmitter antennas of directional gain greater than 6 dBi are used, the power shall be reduced by the mount in dB that the directional gain of the antenna exceeds 6 dBi.

11.2 Antenna Connected construction

Integral antenna used. The maximum Gain of the antennas is 2.0dBi.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




12.0 FCC ID Label

FCC ID: RBD-W109R

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

Mark Location:



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



13.0 Photo of testing

Conducted Emission Test Setup:




The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Radiated Emission Test Setup:



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate



Photographs – EUT

Outside view





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of accented and one with parts and the sentence of the sentence. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Outside view





The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate



Outside view



The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of accented and one with parts and the sentence of the sentence. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Outside view




The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of accented and one with parts and the sentence of the sentence.

discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Outside view



The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of accented and one with parts and the sentence of the sentence. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Inside view






The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate




Inside view



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate




Inside view



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate




Inside view



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate



Inside view



End of the report

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate