

PDF

containing metal, such as Pitaka, Evutec and Spigen

It is normal for the wireless charger to have slight heating during use. If you encounter serious heating,

Product Specifications

Product name	MagSafe magnetic suction wireless charging bracket
Model	CT5-49
Size	φ 61*35.8 (mm)
Net Weight	130g
pplicable Places	Air Vent
Applicable Model	iPhone
Output	5W/7.5W/10W/Q1 15W
Product List	2 * Metal Ring,1* Alcohol Pad, 2 * Protective film,1* locator card 1* Mag-safe Car Charger 1* Air Vent Clip

Please read this operation instruction carefully and keep it properly before using this product.

FCC Statement

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

-- Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

-- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected

- Consult the dealer or an experienced radio/TV technician for help This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1)this device may not cause harmful interference, and (2) this device must accept any interference received. including interference that may cause undesired operation. The distance between user and products should be no less than 20cm