

TEST REPORT

Report No.: SHE23100101-01CE Date: 2024-05-31 Page 31 of 69





Figure 23: Conducted Spurious Emission & Authorized-band band-edge, 2441MHz, $\pi/4$ -DQPSK Carrier Level



TEST REPORT

Report No.: SHE23100101-01CE Date: 2024-05-31 Page 32 of 69

Conducted spurious emissions 30MHz-25GHz



TEST REPORT

Report No.: SHE23100101-01CE Date: 2024-05-31 Page 33 of 69

Figure 24: Conducted Spurious Emission & Authorized-band band-edge, 2480MHz, $\pi/4$ -DQPSK Carrier Level



Band Edge




TEST REPORT

Report No.: SHE23100101-01CE

Date: 2024-05-31

Page 34 of 69

Conducted spurious emissions 30MHz-25GHz



TEST REPORT

Report No.: SHE23100101-01CE Date: 2024-05-31 Page 35 of 69

Figure 25: Conducted Spurious Emission & Authorized-band band-edge, 2402MHz, 8-DPSK Carrier Level



Band Edge




TEST REPORT

Report No.: SHE23100101-01CE

Date: 2024-05-31

Page 36 of 69


Conducted spurious emissions 30MHz-25GHz




TEST REPORT

Report No.: SHE23100101-01CE Date: 2024-05-31 Page 37 of 69

Figure 26: Conducted Spurious Emission & Authorized-band band-edge, 2441MHz, 8-DPSK Carrier Level



Conducted spurious emissions 30MHz-25GHz



TEST REPORT

Report No.: SHE23100101-01CE Date: 2024-05-31 Page 38 of 69



Figure 27: Conducted Spurious Emission & Authorized-band band-edge, 2480MHz, 8-DPSK Carrier Level



TEST REPORT

Report No.: SHE23100101-01CE


Date: 2024-05-31

Page 39 of 69

Band Edge



Conducted spurious emissions 30MHz-25GHz



TEST REPORT

Report No.: SHE23100101-01CE Date: 2024-05-31 Page 40 of 69






Figure 28: Conducted Spurious Emission & Authorized-band band-edge, Hopping Mode, GFSK Carrier Level



TEST REPORT

Report No.: SHE23100101-01CE Date: 2024-05-31 Page 41 of 69

Band Edge(Low)



Band Edge(High)




TEST REPORT

Report No.: SHE23100101-01CE

Date: 2024-05-31

Page 42 of 69


Conducted spurious emissions 30MHz-25GHz




TEST REPORT

Report No.: SHE23100101-01CE Date: 2024-05-31 Page 43 of 69

Figure 29: Conducted Spurious Emission & Authorized-band band-edge, Hopping Mode, $\pi/4$ -DQPSK Carrier Level



Band Edge(Low)




TEST REPORT

Report No.: SHE23100101-01CE


Date: 2024-05-31

Page 44 of 69

Band Edge(High)



Conducted spurious emissions 30MHz-25GHz



TEST REPORT

Report No.: SHE23100101-01CE Date: 2024-05-31 Page 45 of 69





Figure 30: Conducted Spurious Emission & Authorized-band band-edge, Hopping Mode, 8-DPSK Carrier Level



TEST REPORT

Report No.: SHE23100101-01CE Date: 2024-05-31 Page 46 of 69

Band Edge(Low)



Band Edge(High)




TEST REPORT

Report No.: SHE23100101-01CE

Date: 2024-05-31

Page 47 of 69

Conducted spurious emissions 30MHz-25GHz



TEST REPORT

Report No.: SHE23100101-01CE Date: 2024-05-31 Page 48 of 69

4.1.5 Radiated Spurious Emission

RESULT: PASS

Test standard : FCC Part 15.247(d), 15.205, 15.209
Requirement : ANSI C63.10-2013, Clause 7.8.8
Kind of test site : 3m Semi-Anechoic Chamber

Test setup

Test Channel : Low/Middle/High
Operation Mode : A
Ambient temperature : 23.5°C
Relative humidity : 54%

Notes

Test plots please refer to the annex document “SHE23100101-01CE DATA BR&EDR-TX EXHIBIT A”.

- 1. For 9 kHz ~ 30 MHz, the amplitude of spurious emissions that are attenuated by more than 20dB below the permissible. The value has no need to be reported.
- 2. The spurious above 18GHz is noise only and 20dB below the limit. The value has no need to be reported.
- 3. All test mode had been pre-test. Only the worst mode data of GFSK&8DPSK-hopping-DH5 and GFSK&8DPSK_Middle channel (below 1GHz) were recorded in the test report.
- 4. The EUT was pretested with 3 orientations placed on the table for the radiated emission measurement –X, Y, and Z-plane. The X-plane results were found as the worst case and were shown in this report.

TEST REPORT

Report No.: SHE23100101-01CE

Date: 2024-05-31

Page 49 of 69

4.1.6 Band Edge (Restricted-band band-edge)

RESULT:

PASS

Test standard	: FCC Part 15.247(d), 15.205, 15.209
Requirement	: ANSI C63.10-2013, Clause 7.8.6
Kind of test site	: 3m Semi-Anechoic Chamber

Test setup

Test Channel	: Low/Middle/High
Operation Mode	: A.1
Ambient temperature	: 23.5°C
Relative humidity	: 54%

Notes

1. Test plots please refer to the annex document “SHE23100101-01CE DATA BR&EDR-TX EXHIBIT A”.
2. The EUT was pretested with 3 orientations placed on the table for the radiated emission measurement –X, Y, and Z-plane. The X-plane results were found as the worst case and were shown in this report.

TEST REPORT

Report No.: SHE23100101-01CE

Date: 2024-05-31

Page 50 of 69

4.1.7 Hopping Frequency Separation

RESULT:

PASS

Test standard : FCC Part 15.247(a)(1)

Requirement : ANSI C63.10-2013, Clause 7.8.2
KDB 558074 D01 v05r02, Clause 2.2

Kind of test site : Shielded room

Test setup

Test Channel : Hopping

Operation Mode : A.1.a.iv

Ambient temperature : 21.3°C

Relative humidity : 42%

Table 3: Hopping Frequency Separation

Mode	Frequency (MHz)	Channel Separation (MHz)	Limit (MHz)
GFSK	2441	1.000	0.9611
$\pi/4$ -DQPSK	2441	1.200	0.8153
8-DPSK	2441	1.025	0.8400

*Note: The systems operate with an output power no greater than 125mW ($\pi/4$ -DQPSK, 8-DPSK).