

Customer Name: _____

Customer Moder: _____

Customer P/N: 41-1420000078 _____

Customer Describe: _____

YCX P/N: 41-1420000078 _____

Customer Describe: _____

PRODUCT SPECIFICATION

Signature and seal of confirmation					
YCX Approved			Customer Approved		
Sample	audit	approved	validation	audit	approved
YCX Approved By			Customer Approved By		
Date	2021-08-20		Date	2021-08-20	

File for amendment/revocation/resume

[illegible]

3、Directory

1、directory.....	1
2、File for amendment/revocation/resume.....	2
3、directory.....	3
4、Product drawings.....	4
5、Passive performance test paramete.....	5
6、2D、3D Performance figure.....	6
7、Electrical performance test report.....	7

www. yuanchuangxing. cn		7	6	5	4	3	2	1	
						REV.	CHANGE DESCRIPTION	DATE	SIGNATURE
						A1	New	2021. 03. 26	zyc

</

5、Passive performance test parameters

Frequency(GHz)	2.4	2.45	2.5
VSWR	1.29	1.49	1.57



7、Electrical performance test report

Electrical parameters		
Frequency range		2.4GHz-2.5GHz
input impedance		50Ω
VSWR		<2.0
Gain	2.4G-2.5G	3dBi
	5.15G-5.85G	
Polarization mode		Vertical polarization
Radiation direction		omnidirectional
connection method		IPEX
Cable		RF1.13 Black
Salt spray test		24H
Environmental parameters		
Working temperature		-40~85℃