

realme


Quick Guide

RMX3363

This user manual provides the product safety information.
Before using the phone, please read the Important Information
Guide (IIG) carefully.

Greetings from realme mobile

This guide will show you how to use the phone and its important functions. You may also visit realme official website to get more information about the phone.



Warning

- Do not place the phone or battery near or inside the heating equipments, cooking equipments, high pressure vessels (such as microwave ovens, induction cooker, electric oven, heater, pressure cooker, water heater, gas stove, etc.) to prevent the battery overheating which may lead to an explosion.
- The original charger, data cable and battery shall be used. Unapproved chargers, data cables, or batteries that are not certified by the manufacturer may result in electric shock, fire, explosion, or other hazards.
- When charging, please place the device in an environment that has a normal room temperature and good ventilation. It is recommended to charge the device in an environment with temperature ranging from 5°C–35°C.
- Back cover can't be removed.

How to reboot the phone

Press and hold the Power Button and Volume Up Button at the same time until the realme boot animation is displayed to reboot the phone.

How to Transfer Old Mobile Content to a New Mobile

You can use realme Clone Phone to easily transfer photos, videos, music, contacts, messages, apps, etc from your old phone to the new one.

1. If you have an old Android phone, first scan the QR code below, then download and install Clone Phone, next open Clone Phone on both the new and old phones, and follow the on-screen instructions to complete the operation.



<https://l.clonephone.coloros.com/download>

2. If you have an old iPhone, open Clone Phone on the new phone directly, and follow on-screen instructions to sign in to iCloud account and sync the files.

Standard accessories

You are provided with the following standard accessories:

1 Phone, 1 Charger, 1 USB data cable, 1 Safety Guide, 1 Quick Guide, 1 SIM Ejector Tool, 1 Protective Case.


Specification

Product	RMX3363	
Main screen parameter	16.3cm(6.4")	
Dimension	159.2×73.5×8.7(mm)	
Battery	2100mAh x2(cell)/16.25Wh(Min) 2150mAh x2(cell)/16.64Wh(Typ)	
Camera	32Megapixels Front 64Megapixels+8Megapixels+2Megapixels Rear	
Operating temperature	0°C-35°C	
SAR Values	FCC SAR	x.xxxW/kg(Head) x.xxxW/kg(Body)

Radio Waves Specifications		
Radio	Frequency	Max. Output Power
GSM	850MHz/900MHz	32.5±1dBm
	1800MHz/1900MHz	29.5±1dBm
WCDMA	Bands 1/4/5/6/8/19	23.5±1dBm
	Band 2	23±1dBm
LTE FDD	Bands 1/3/66	23.3±1dBm
	Band 2	22.5±1dBm
	Band 4	23±1dBm
	Band 7	22.7±1dBm
	Bands 5/8/12/17/18/19/20/26/28	23.5±1dBm
LTE TDD	Bands 38/39/40/41	23±1dBm
5G NR	n1/n3/n38/n40/n41/n66/n77/n78	23±1.2dBm
	n7	22.5±1.2dBm
	n5/n8/n20/n28	23.5±1.2dBm
Bluetooth	2.4-2.4835GHz	8±3dBm(EIRP)
2.4G Wi-Fi	2.4-2.4835GHz	15.2±2dBm(EIRP)
5G Wi-Fi	5.15-5.35GHz; 5.47-5.725GHz	14.1±2.5dBm(EIRP)
	5.725-5.85GHz	9.8±2.5dBm(EIRP)
NFC	13.56MHz	≤42dBuA/m @10m

Bienvenido a realme mobile

Esta guía le mostrará el uso del teléfono además de sus funciones más importantes. También, puede visitar nuestra página web oficial de realme donde obtendrá mayor información sobre el mismo.



Advertencia

- No coloque el teléfono o la batería cerca o dentro de equipos de calefacción, electrodomésticos (microondas, cocinas de cualquier tipo, hornos de cualquier tipo o calefactores etc.), menaje de cocina (ollas a presión etc.), para evitar que la batería se sobrecaliente y/o provoque daños en su dispositivo.
- Debe utilizar el cargador, cable y batería originales. Los cargadores, cables o baterías que no cuenten con la autorización y la certificación del fabricante pueden derivar en diversos problemas como; descargas eléctricas, incendios, explosiones, daños en la batería u otros peligros.
- Al cargar el dispositivo, colóquelo en un entorno que tenga una temperatura ambiente y ventilación normales. Es recomendable que el dispositivo sea cargado en un entorno con una temperatura que oscile entre 5 °C y 35 °C.
- La carcasa trasera no es extraíble.

Cómo forzar el reinicio del teléfono

Mantenga presionados los botones de Encendido y Vol (+) hasta que aparezca la animación de inicio de realme para forzar el renicio del teléfono.

Cómo transferir contenido antiguo a su nuevo teléfono

Puede utilizar la función de realme "Clonar Teléfono" para transferir rápidamente sus fotos, videos, música, contactos y aplicaciones a su nuevo teléfono desde el antiguo. Para ello, siga estos pasos:

1. Si tiene un teléfono Android, primero escanee el código QR que aparece a continuación, seguidamente descargue e instale "Clonar Teléfono", abra la aplicación en ambos teléfonos y siga las instrucciones que aparecen en pantalla para completar la operación.



<https://l.clonephone.coloros.com/download>

2. Si tiene un iPhone antiguo, abra "Clonar Teléfono" directamente en el nuevo teléfono y siga las instrucciones que aparecen en pantalla para iniciar sesión en la cuenta de iCloud y sincronizar los archivos.

NOTA:

Para realizar la configuración inicial (al adquirir el dispositivo o realizar un reseteo de fábrica) es necesario conectarse a una red de datos (WiFi / Datos móviles). Si no se tiene disponible la red de datos, realice la configuración sin tarjeta SIM insertada.

Regulación

Pasos para buscar la Regulación FCC : Dirijase a Ajustes – Información del teléfono – Regulador.

Especificaciones técnicas

Producto	Teléfono Celular	
Modelo	RMX3363 (realme GT Master Edition)	
Tamaño de la pantalla	6.4 pulgadas(16.3cm)	
Dimensiones	159.2×73.5×8.7(mm)	
Batería	2100mAh x2(cell)/16.25Wh(Min) 2150mAh x2(cell)/16.64Wh(Typ)	
Cámara	Cuádruple cámara trasera de 64 Mpx + 8 Mpx + 2 Mpx Cámara delantera de 32 Mpx	
Temperatura para el correcto funcionamiento	0°C-35°C	
Valores SAR	FCC SAR	x.xxxW/kg(Cabeza) x.xxxW/kg(Cuerpo)
Características Eléctricas	Entrada:100-130Vca 50/60Hz 1.8A ; Salida:5Vcc 2A/10Vcc 5A ; Entrada:200-240Vca 50/60Hz 1.8A ; Salida:5Vcc 2A/10Vcc 6.5A ;	
Especificación Eléctrica del terminal móvil	7.74 Vcc	

Especificaciones de ondas de radio		
Radio	Frecuencia	Potencia máx. de salida
GSM	850MHz/900MHz	32.5±1dBm
	1800MHz/1900MHz	29.5±1dBm
WCDMA	Bands 1/4/5/6/8/19	23.5±1dBm
	Band 2	23±1dBm
LTE FDD	Bands 1/3/66	23.3±1dBm
	Band 2	22.5±1dBm
	Band 4	23±1dBm
	Band 7	22.7±1dBm
	Bands 5/8/12/17/18/19/20/26/28	23.5±1dBm
LTE TDD	Bands 38/39/40/41	23±1dBm
5G NR	n1/n3/n38/n40/n41/n66/n77/n78	23±1.2dBm
	n7	22.5±1.2dBm
	n5/n8/n20/n28	23.5±1.2dBm
Bluetooth	2.4-2.4835GHz	8±3dBm(EIRP)
2.4G Wi-Fi	2.4-2.4835GHz	15.2±2dBm(EIRP)
5G Wi-Fi	5.15-5.35GHz; 5.47-5.725GHz	14.1±2.5dBm(EIRP)
	5.725-5.85GHz	9.8±2.5dBm(EIRP)
NFC	13.56MHz	≤42dBuA/m @10m

Accesorios incluidos

1 Teléfono, 1 Cargador, 1 Cable USB, 1 Guía de seguridad, 1 Guía rápida, 1 Herramienta de extracción de tarjeta SIM, 1 Funda protectora.




The N-Mark is a trademark or registered trademark of NFC Forum, Inc. in the United States and in other countries.



This product is conformed to High-Resolution Audio standard defined by Japan Audio Society. The High-Resolution Audio logo is used under license from Japan Audio Society.

Some content may differ from your device depending on the region, service provider, or software version, and is subject to change without prior notice.



5212893

V0.1



实物尺寸：85mm*215mm

材质：90g哑粉

陈德森

电话：13267288760

邮箱：chendesen@realme.com

realme


Quick Guide

RMX3363

This user manual provides the product safety information. Before using the phone, please read the Important Information Guide (IIG) carefully.

Greetings from realme mobile

This guide will show you how to use the phone and its important functions. You may also visit realme official website to get more information about the phone.



Warning

- Do not place the phone or battery near or inside the heating equipments, cooking equipments, high pressure vessels (such as microwave ovens, induction cooker, electric oven, heater, pressure cooker, water heater, gas stove, etc.) to prevent the battery overheating which may lead to an explosion.
- The original charger, data cable and battery shall be used. Unapproved chargers, data cables, or batteries that are not certified by the manufacturer may result in electric shock, fire, explosion, or other hazards.
- When charging, please place the device in an environment that has a normal room temperature and good ventilation. It is recommended to charge the device in an environment with temperature ranging from 5°C–35°C.
- Back cover can't be removed.

How to reboot the phone

Press and hold the Power Button and Volume Up Button at the same time until the realme boot animation is displayed to reboot the phone.

How to Transfer Old Mobile Content to a New Mobile

You can use realme Clone Phone to easily transfer photos, videos, music, contacts, messages, apps, etc from your old phone to the new one.

1. If you have an old Android phone, first scan the QR code below, then download and install Clone Phone, next open Clone Phone on both the new and old phones, and follow the on-screen instructions to complete the operation.



<https://l.clonephone.coloros.com/download>

2. If you have an old iPhone, open Clone Phone on the new phone directly, and follow on-screen instructions to sign in to iCloud account and sync the files.

Standard accessories

You are provided with the following standard accessories:

1 Phone, 1 Charger, 1 USB data cable, 1 Safety Guide, 1 Quick Guide, 1 SIM Ejector Tool, 1 Protective Case.


Specification

Product	RMX3363	
Main screen parameter	16.3cm(6.4")	
Dimension	159.2×73.5×8.0(mm)	
Battery	2100mAh x2(cell)/16.25Wh(Min) 2150mAh x2(cell)/16.64Wh(Typ)	
Camera	32Megapixels Front 64Megapixels+8Megapixels+2Megapixels Rear	
Operating temperature	0°C-35°C	
SAR Values	FCC SAR	x.xxxW/kg(Head) x.xxxW/kg(Body)

Radio Waves Specifications		
Radio	Frequency	Max. Output Power
GSM	850MHz/900MHz	32.5±1dBm
	1800MHz/1900MHz	29.5±1dBm
WCDMA	Bands 1/4/5/6/8/19	23.5±1dBm
	Band 2	23±1dBm
LTE FDD	Bands 1/3/66	23.3±1dBm
	Band 2	22.5±1dBm
	Band 4	23±1dBm
	Band 7	22.7±1dBm
	Bands 5/8/12/17/18/19/20/26/28	23.5±1dBm
LTE TDD	Bands 38/39/40/41	23±1dBm
5G NR	n1/n3/n38/n40/n41/n66/n77/n78	23±1.2dBm
	n7	22.5±1.2dBm
	n5/n8/n20/n28	23.5±1.2dBm
Bluetooth	2.4-2.4835GHz	8±3dBm(EIRP)
2.4G Wi-Fi	2.4-2.4835GHz	15.2±2dBm(EIRP)
5G Wi-Fi	5.15-5.35GHz; 5.47-5.725GHz	14.1±2.5dBm(EIRP)
	5.725-5.85GHz	9.8±2.5dBm(EIRP)
NFC	13.56MHz	≤42dBuA/m @10m

Bienvenido a realme mobile

Esta guía le mostrará el uso del teléfono además de sus funciones más importantes. También, puede visitar nuestra página web oficial de realme donde obtendrá mayor información sobre el mismo.



Advertencia

- No coloque el teléfono o la batería cerca o dentro de equipos de calefacción, electrodomésticos (microondas, cocinas de cualquier tipo, hornos de cualquier tipo o calefactores etc.), menaje de cocina (ollas a presión etc.), para evitar que la batería se sobrecaliente y/o provoque daños en su dispositivo.
- Debe utilizar el cargador, cable y batería originales. Los cargadores, cables o baterías que no cuenten con la autorización y la certificación del fabricante pueden derivar en diversos problemas como; descargas eléctricas, incendios, explosiones, daños en la batería u otros peligros.
- Al cargar el dispositivo, colóquelo en un entorno que tenga una temperatura ambiente y ventilación normales. Es recomendable que el dispositivo sea cargado en un entorno con una temperatura que oscile entre 5 °C y 35 °C.
- La carcasa trasera no es extraíble.

Cómo forzar el reinicio del teléfono

Mantenga presionados los botones de Encendido y Vol (+) hasta que aparezca la animación de inicio de realme para forzar el renicio del teléfono.

Cómo transferir contenido antiguo a su nuevo teléfono

Puede utilizar la función de realme "Clonar Teléfono" para transferir rápidamente sus fotos, videos, música, contactos y aplicaciones a su nuevo teléfono desde el antiguo. Para ello, siga estos pasos:

1. Si tiene un teléfono Android, primero escanee el código QR que aparece a continuación, seguidamente descargue e instale "Clonar Teléfono", abra la aplicación en ambos teléfonos y siga las instrucciones que aparecen en pantalla para completar la operación.



<https://l.clonephone.coloros.com/download>

2. Si tiene un iPhone antiguo, abra "Clonar Teléfono" directamente en el nuevo teléfono y siga las instrucciones que aparecen en pantalla para iniciar sesión en la cuenta de iCloud y sincronizar los archivos.

NOTA:

Para realizar la configuración inicial (al adquirir el dispositivo o realizar un reseteo de fábrica) es necesario conectarse a una red de datos (WiFi / Datos móviles). Si no se tiene disponible la red de datos, realice la configuración sin tarjeta SIM insertada.

Regulación

Pasos para buscar la Regulación FCC : Dirijase a Ajustes – Información del teléfono – Regulador.

Especificaciones técnicas

Producto	Teléfono Celular	
Modelo	RMX3363 (realme GT Master Edition)	
Tamaño de la pantalla	6.4 pulgadas(16.3cm)	
Dimensiones	159.2×73.5×8.0(mm)	
Batería	2100mAh x2(cell)/16.25Wh(Min) 2150mAh x2(cell)/16.64Wh(Typ)	
Cámara	Cuádruple cámara trasera de 64 Mpx + 8 Mpx + 2 Mpx Cámara delantera de 32 Mpx	
Temperatura para el correcto funcionamiento	0°C-35°C	
Valores SAR	FCC SAR	x.xxxW/kg(Cabeza) x.xxxW/kg(Cuerpo)
Características Eléctricas	Entrada:100-130Vca 50/60Hz 1.8A ; Salida:5Vcc 2A/10Vcc 5A ; Entrada:200-240Vca 50/60Hz 1.8A ; Salida:5Vcc 2A/10Vcc 6.5A ;	
Especificación Eléctrica del terminal móvil	7.74 Vcc	

Especificaciones de ondas de radio		
Radio	Frecuencia	Potencia máx. de salida
GSM	850MHz/900MHz	32.5±1dBm
	1800MHz/1900MHz	29.5±1dBm
WCDMA	Bands 1/4/5/6/8/19	23.5±1dBm
	Band 2	23±1dBm
LTE FDD	Bands 1/3/66	23.3±1dBm
	Band 2	22.5±1dBm
	Band 4	23±1dBm
	Band 7	22.7±1dBm
	Bands 5/8/12/17/18/19/20/26/28	23.5±1dBm
LTE TDD	Bands 38/39/40/41	23±1dBm
5G NR	n1/n3/n38/n40/n41/n66/n77/n78	23±1.2dBm
	n7	22.5±1.2dBm
	n5/n8/n20/n28	23.5±1.2dBm
Bluetooth	2.4-2.4835GHz	8±3dBm(EIRP)
2.4G Wi-Fi	2.4-2.4835GHz	15.2±2dBm(EIRP)
5G Wi-Fi	5.15-5.35GHz; 5.47-5.725GHz	14.1±2.5dBm(EIRP)
	5.725-5.85GHz	9.8±2.5dBm(EIRP)
NFC	13.56MHz	≤42dBuA/m @10m

Accesorios incluidos

1 Teléfono, 1 Cargador, 1 Cable USB, 1 Guía de seguridad, 1 Guía rápida, 1 Herramienta de extracción de tarjeta SIM, 1 Funda protectora.




The N-Mark is a trademark or registered trademark of NFC Forum, Inc. in the United States and in other countries.



This product is conformed to High-Resolution Audio standard defined by Japan Audio Society. The High-Resolution Audio logo is used under license from Japan Audio Society.

Some content may differ from your device depending on the region, service provider, or software version, and is subject to change without prior notice.



5212892

V0.1



实物尺寸：85mm*215mm

材质：90g哑粉

陈德森

电话：13267288760

邮箱：chendesen@realme.com

realme

English
This manual provides the product safety information. Before using the phone, please read the Safety Guide carefully.

Safety Guide
The 'Safety Guide' contains information regarding safety, operation and customer service. Before using the realme smartphone, please read all the instructions and the security information below, and keep it for backup. More detailed instructions are kept in this product as an electronic file. Please read the built-in instructions on the realme smartphone. For the latest information, please visit <https://www.realme.com>.

Safety & security information
Read all information before using the device to ensure safe and proper use.

- This mobile phone is suitable for working in an environment of 0°C to 35°C. Temperature for storage should be between -20°C and 45°C. Excessively high or low temperatures may damage the mobile phone or reduce the battery's lifespan.
- When charging, please keep the device in a well-ventilated area. Please charge this mobile phone in an environment between 5°C and 35°C. If the phone has a flash charging function, it may not be able to enter the flash charging mode when the temperature is below 15°C or over 35°C.
- Do not charge the battery over 12 hours.
- The adapter, as the disconnect device from the mains, shall be installed near the device and easily accessible.
- Use manufacturer-approved chargers, data cables, batteries and other accessories to prevent potential electric shock, fire, explosion or other hazards.
- Back cover can't be removed.
- Do not replace, disassemble, modify, mechanically crush or cut the battery, as it may cause battery leakage, overheating, explosion or fire.
- Do not place the phone or battery directly in sunlight or near/inside sources of heat or in a low air pressure location, which may lead to an explosion or battery leakage.
- To prevent damage to your device's ports or internal circuits, do not use it in dusty, smoky, damp or dry environments or in magnetic fields.
- If any part of the product is cracked or damaged, discontinue use immediately and contact the realme Service Center.
- Power off the device in any area with a potentially explosive atmosphere, and comply with all signs and instructions.
- The battery can be charged and discharged hundreds of times at most, but it will eventually wear out.
- To prevent hearing damage by high sound pressure, do not listen at high volume levels for long periods.
 - Listening to a portable device at high volume may damage the user's ears and cause auditory disorders (temporary or permanent deafness, buzzing in the ears, tinnitus or hyperacusis). It is therefore strongly recommended not to use the portable device at full volume or more than one hour a day at maximum volume.
- Precautions for using the device:
 - Avoid use safety instructions for any places, especially in hospital/health care facilities, service stations, schools, professional agencies and in an aircraft.
 - Do not use your device and adhere to all laws/regulations regarding mobile device usage while driving.
 - Persons with electronic implants (pacemakers, insulin pumps, neurostimulators, etc.) are recommended to place the mobile telephone 15 cm away from the implant or on the opposite side of the implant.

Recommendations for use:

- No danger relating to the use of a mobile telephone has been observed and this is purely a preventive measure.
- To reduce the level of exposure to radiation, you should use the mobile telephone:
 - A. In good reception conditions: when the signal indicator displays 4 bars on the signal reception bar.
 - B. With a hands-free kit or speaker.
 - C. Giving priority to the use of data, SMS and MMS messages rather than calls.
- Pregnant women should keep the mobile phone away from their abdomen and teenagers should keep the mobile phone away from their head/bottom.
- It is recommended to make reasonable use of the mobile phone by children and adolescents, for example by limiting the number of calls and their durations or by limiting the night use of the phone.
- Do not leave your phone and its accessories within the reach of small children or allow them to play with it. They could hurt themselves or others, or may accidentally damage the phone.
- Your phone contains small parts with sharp edges that may cause an injury or which could become detached and create a choking hazard.
- All personal information may be removed during or after the product software upgrade. Please back up your personal information carefully before upgrading.
- The operating system of this product supports official system updates, if the user rotated the ROM system of any third party or modified the system file by cracking, it may lead to security risks of the realme, realme will not provide any support nor take any responsibility for the final use in these cases.
- To better understand how we protect your personal information, please see the privacy policy at [realme official website](https://www.realme.com).
- For more information, please check the User Guide on your device.

Waste Electrical and Electronic Equipment (WEEE)
This symbol (with or without a solid bar) means that according to local laws and regulations your product and/or its battery shall be disposed of separately from household waste. When this product reaches its end of life, use the symbol to give this product to a competent recycling organization. Proper recycling of your product will protect human health and the environment.

 realme Mobiles will seek shared responsibility and cooperation with customers in reducing the environmental impact of their products.

 realme Mobiles will comply with all the applicable laws related to WEEE management.

FCC Regulatory Conformance
FCC Statement
This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions:
(1) This device may cause harmful interference.
(2) This device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and if not properly installed and used, it may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. This equipment does not use a frequency that is subject to television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:
- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

RF Exposure Information (SAR)
This equipment complies with the FCC RF exposure limits when used near your ear or at a distance of 1.5 cm from your body. Ensure that the use of cell phones, holders and similar accessories do not contain metallic components. Keep the device away from your body to meet the distance requirement.
This device is designed to meet the FCC's exposure limits for radio frequency (RF) energy by the Federal Communications Commission of the U.S. Government. The accessories for this transmitter must not be collocated or operated in conjunction with any other antenna or transmitter.
The SAR limit for the FCC is 1.6W/kg. The higher SAR value of this device type complies with this limit. And please see the "Quick Guide" to find the highest SAR value reported to FCC.

realme mobile Warranty Information
I. Service Terms
Thank you for using realme mobile phone. We will provide our product with comprehensive warranty services in accordance with applicable national laws and regulations. In case of any conflict between the following policies and the applicable laws and regulations, the national law shall prevail.

- Within 12 months from the purchasing date, in the event that performance failure occurs from normal use, consumer can claim for replacement. The accessories such as charger and data cable have a 12-month warranty.
- Please be sure to fill in your mobile phone warranty card in a complete, correct and truthful manner.
- Valid purchase invoice: the invoice shall indicate the serial number of the mobile phone, factory serial number (Batch number) and accessories (charger and data cable). The invoice must be the dealer's, seller's, seal, amount and so on.
- Valid purchase card and serial number are essential for protecting your warranty rights. (Valid warranty card and invoice: the information filled in shall be complete, true and correct without alteration). If you lose the valid invoice and warranty card and are unable to provide us with a photocopy of them, we will provide your mobile phone with a 12-month warranty service beginning from the 90th day after the manufacturing date of your mobile phone.
- Our warranty does not cover the other accessories for the product (for instance, the user manual, warranty card, etc.).
- Note: The above warranty policy is only valid for the products sold in this country. realme has the power of final review and interpretation for the warranty policy.

II. Warranty Instructions and Conditions
Your warranty (please refer to the Information Card) is only valid under normal use of your device. All man-made damages and any of the following conditions are out of free warranty, but a repair can be still implemented at your own cost:

- The warranty period has expired.
- Damage caused by human factors, including damages caused by usage under improper operating environment and the failure to use the manual.
- The customer disassembles, repairs or modifies the device without the Company's authorization or has it repaired at a repair shop that is not included in the Company's approved repair network.
- Damage caused by a force majeure such as floods, fire, earthquakes and lightning.
- The user is unable to provide the valid warranty card and valid purchase or the product model and barcode do not match or are altered;
- Natural wear and tear of the product (such as casing, keypad, display screen, antenna and other accessories).
- Faults, damages or defects not caused by the company;
- Garbage and warranty labels are damaged and unrecognizable.
- Others.

A. External damages (including wear, tear, scratches) are not entitled to the warranty service covered by the warranty.
B. Faults caused by the Internet and wireless information service providers (operators) are not covered by the warranty.
C. Our warranty does not cover services verbally promised by the dealer which violate principles set out in the system of ROM. We do not apply our return policy to the system or the file of the system. If the user has replaced the product for replacement, Upon replacement, if the device is faulty, we can replace it with a device of the same specification and model; if any accessory is faulty, the user must replace the accessory with the replacement appliance as the field change.

- If any of our products is required to be fixed, you may take it to any warranty shop in our national warranty network.
- All components, parts and accessories replaced during the warranty period shall become the property of the Company.

III: Considerations for Sending the Device for Repair and Collecting It

- When completing the realme mobile phone repair form, the customer must fill in valid information in hand handwriting as required (name, address, phone number and fault symptoms).
- Before sending your device for repair, please make a backup of the data you have saved on the mobile phone (such as phone numbers, text messages and pictures) before you delete them to avoid any data loss or damage during the repair. Please do not use the mobile phone under any circumstances be liable, either expressly or impliedly, for any damages or losses of any kind which result arising from loss of, damage to, or deletion of the data stored on the mobile phone.
- After the repair, the user must sign the repair form and the receipt of the repair. The user must replace the product of the device. Please ensure the legality of the information and data you have saved. To respect your privacy, we will not transmit, backup or examine your information and data (unless they are necessary for us to provide you with services), and we reserve the right to refuse to provide services for illegal content.

Portugues
Declaração
Este equipamento cumpre as importações e cartão de garantia" contém informações de segurança, operação e atendimento ao cliente. Antes de usar o smartphone realme, leia todas as instruções e informações de segurança abaixo e guarde-as para consulta futura. Instruções mais detalhadas são mantidas neste produto como arquivos eletrônicos. Leia as instruções integradas no realme smartphone. Para mais informações, consulte <https://www.realme.com>.

Informação sobre segurança e proteção
Leia toda a informação antes de utilizar o dispositivo, para garantir uma utilização segura e correta.

- Este telemóvel pode ser utilizado em ambientes com temperatura entre 0°C e 35°C. A temperatura de armazenamento deve estar entre -20°C e 45°C. Qualquer temperatura demasiado elevada ou baixa pode danificar o telemóvel ou reduzir a duração da bateria.
- Efeite o carregamento do dispositivo apenas em áreas bem ventiladas. Carregue este telemóvel num ambiente com temperatura entre 5°C e 35°C. Se o telemóvel tiver o modo de carregamento rápido, poderá não conseguir atingir o modo de carregamento rápido se a temperatura for superior a 35°C.
- Não mantenha a bateria em carregamento mais de 12 horas.
- O transformador funciona como dispositivo de corte da corrente elétrica e deve estar instalado perto do dispositivo numa posição de acesso fácil.
- Para evitar um potencial choque elétrico, incluindo, explosão e outros perigos, utilize apenas os acessórios aprovados pela realme, como cabos e outros acessórios aprovados pelo fabricante.
- Não é possível retirar a cobertura superior.
- Os trocos, ou não desmontados, não devem, nem esmagar ou cortar a bateria com meios mecânicos pois podem provocar danos na bateria, subsequente explosão ou incêndio.
- Não deixe o telemóvel e a bateria expostos a luz solar direta, próximos ou no interior de fontes de calor, nem num local com baixa pressão atmosférica, para evitar uma explosão ou um derrame da caixa.
- Não utilize o dispositivo em ambientes com muito pó, muita humidade ou muita salinidade, nem perto de campos magnéticos, para não danificar os componentes e os circuitos internos.
- Se o produto apresentar alguma queda ou outro dano, deve imediatamente de o utilizar e contactar o Centro de Assistência da realme.
- Desligue o seu dispositivo quando estiver numa área com atmosfera potencialmente explosiva ou em áreas de reabtenimento/ porto de detonações e respete todos os sinais e todas as instruções.
- A bateria pode ser carregada e descarregada centenas de vezes, mas acabará por se desgastar. Não tente carregar a bateria quando estiver muito quente ou muito fria.
- Para evitar danos, não aqueça o telemóvel ou a bateria com uma chama ou com uma fonte sonora elétrica, não oque com volume elevado durante muito tempo.
- Evite misturar um dispositivo portátil com outros dispositivos eletrônicos, como uma perda ou outros dispositivos de áudio (fones de ouvido) ou permanente, zumbido nos ouvidos ou (perceptibilidade auditiva). Portanto, recomende-se vivamente que não utilize o dispositivo portátil a volume máximo, nem mais de uma hora por dia com o volume médio.
- Precaução de uso do dispositivo.
- Respeite todas as instruções de segurança em locais sujeitos a restrições, principalmente em hospitais e outras instalações de cuidados de saúde, estções de abastecimento de combustíveis, oficinas e avios e locais onde o dispositivo é proibido devido aos regulamentados avios de segurança relativos a utilização de dispositivos móveis durante a condução.
- As pessoas que utilizam implantes eletrônicos (pacemakers, bombas de insulina, neuroestimuladores, etc.) devem colocar o telemóvel a mais de 15 cm de distância do implante ou no lado oposto do corpo em relação ao implante.
- As pessoas que utilizam implantes eletrônicos (pacemakers, bombas de insulina, neuroestimuladores, etc.) devem colocar o telemóvel a mais de 15 cm de distância do implante ou no lado oposto do corpo em relação ao implante.

1. Não foi observado qualquer perigo relacionado com a utilização de um telemóvel e esta medida é meramente preventiva.
2. Para reduzir o nível de exposição a radiação, deve utilizar o telemóvel:
A. Com uma boa conexão de rece

[illegible]

折页
尺寸 85*215mm
材质90g哑粉

陈德森

T: 13267288760

E: chendesen@r